
Office of the City Clerk, City of Los Angeles

This report was generated by the Council File Management System on 05/01/2024

Council File Number

[22-0900-S15](#)

Title

Fox Hills Drive / Almayo Avenue / Lighting District

Last Change Date

06/02/2022

Expiration Date

05/31/2024

Council District

5

Initiated by

Public Works: Street Lighting

Action History for Council File [22-0900-S15](#)

Date	Activity
------	----------

06/02/2022	Council action final.
------------	-----------------------

06/01/2022	City Clerk transmitted file to Mayor. Last day for Mayor to act is June 13, 2022.
------------	---

05/31/2022	Council adopted item, subject to reconsideration, pursuant to Council Rule 51.
------------	--

05/27/2022	City Clerk scheduled item for Council on May 31, 2022.
------------	--

05/17/2022	City Clerk document(s) referred to Council.
------------	---

05/13/2022	Document(s) submitted by City Clerk, as follows:
------------	--

City Clerk report, dated May 12, 2022, relative to the assessment ballot proceeding for the Fox Hills and Almayo Avenue Lighting District.

05/10/2022	Council continued hearing and Ordinance to be presented on May 31, 2022 .
------------	---

03/17/2022	Ordinance posted/published. Ordinance effective date: March 18, 2022.
------------	---

03/11/2022	Council action final.
------------	-----------------------

03/08/2022	City Clerk transmitted file to Mayor. Last day for Mayor to act is March 18, 2022.
------------	--

03/08/2022	Council adopted item forthwith.
------------	---------------------------------

03/04/2022	City Clerk scheduled item for Council on March 8, 2022.
------------	---

02/07/2022	Public Works: Street Lighting document(s) referred to Council.
------------	--

02/04/2022	Document(s) submitted by Public Works: Street Lighting, as follows:
------------	---

Bureau of Street Lighting report, dated February 2, 2022, relative to a draft Ordinance of Intention for the Fox Hills Drive and Almayo Avenue Street Lighting Maintenance Assessment District.