

Communication from Public

Name: Al Sattler

Date Submitted: 05/23/2023 04:13 PM

Council File No: 11-1813-S8

Comments for Public Posting: Thank you to Councilmember McOsker for bringing this motion forward. I support this motion to have more investigation of the water basin on the Rancho LPG site. There are at least two different reasons for concern about this water basin. 1. If the water in this water basin is needed either for normal operations at Rancho LPG or as an emergency measure, then does the varying level of water signify greater or lesser effectiveness, either operationally or for emergency preparedness? 2. If there is ever an emergency at Rancho LPG, whether fire or explosion, would water in this basin become contaminated (perhaps by PFAS/PFOS from firefighting foam), and is there the capability to keep it from escaping into the nearby storm drain, which leads to the ocean?

Communication from Public

Name: Diana Nave

Date Submitted: 05/23/2023 11:11 AM

Council File No: 11-1813-S8

Comments for Public Posting: The dangers posed by Rancho LPG have long been of concern to our community. This facility is situated adjacent to our homes and soccer fields. It is very close to two schools. It is very important that the City do everything within its power to make this facility as safe as possible (or ideally get it moved away from our homes). Therefore I urge you to vote yes on this motion.

Communication from Public

Name: Melanie Labrecque

Date Submitted: 05/23/2023 11:28 AM

Council File No: 11-1813-S8

Comments for Public Posting: As a stakeholder and a resident that lives in close proximity to the Rancho tanks this is very concerning. They have changed what they're allowed for conditions of use there with very little oversight and expanded their role with no new EIR or anything. Now it's stated that "Recently, photos of a water basin on site have shown varying levels of water in it, leading to questions of how this impacts Rancho LPG's operational capacity. It's unclear which agency oversees regulations related to this potential mitigation measure and how it is reported or monitored on a continual basis. Should the basin become polluted, the release of contaminated water could impact local water infrastructure. An investigation of this facility's water basin and its impact to overall operations and mitigations is necessary." Now they are polluting our water. The residents and homes were here before they were. I am all for congresswoman Nannette Barragan's motion to congress to remove/relocate Rancho LPG for the sake of residents and northern area of San Pedro. Rancho LPG is a public safety nuisance.