

Attachment A

Introduction Figures

PAGE INTENTIONALLY LEFT BLANK




Figure A.1
Dominguez Channel Watershed Management Area

PAGE INTENTIONALLY LEFT BLANK






Figure A.2
DC WMG Jurisdictions

PAGE INTENTIONALLY LEFT BLANK




Copyright: © 2013 Esri



Figure A.3
DC WMG Land Use

PAGE INTENTIONALLY LEFT BLANK



Copyright © 2013 Esri

Figure A.4
Topography

PAGE INTENTIONALLY LEFT BLANK




Figure A.5
Soil Types based on the LA Hydrology Manual

PAGE INTENTIONALLY LEFT BLANK




Figure A.6
50-year, 24-hour Rainfall Intensity

PAGE INTENTIONALLY LEFT BLANK





Figure A.7
85th Percentile, 24-hour Rainfall Depth

PAGE INTENTIONALLY LEFT BLANK



PAGE INTENTIONALLY LEFT BLANK




Figure A.9
Los Angeles Harbor Water Bodies

PAGE INTENTIONALLY LEFT BLANK

Attachment AA
Memorandum on Water Rights and Water
Quality Implications of Stormwater Injection

MEMORANDUM

TO: Richard Haimann, HDR Water Resources Section Manager

FROM: Jeremy N. Jungreis, Senior Counsel, Rutan & Tucker

DATE: February 24, 2015

RE: Water Rights and Regulatory Challenges Associated with Capturing and Injecting Stormwater in the Dominguez Channel Watershed

You have asked Rutan and Tucker (“Rutan”) to evaluate whether Cities and other public entities that participate in the Dominguez Channel Enhanced Watershed Management Planning Group (“DC Management Group” or “Group”) have the legal ability, individually or collectively, to obtain additional water rights as result of captured stormwater projects associated with implementation of the Enhanced Watershed Management Plan (“EWMP”) in the Dominguez Channel Watershed. If so, you have queried whether the DC Management Group can anticipate obtaining the necessary regulatory approvals to inject captured stormwater in the Dominguez Channel Watershed. Finally, you have inquired on the likely legal costs associated with both the water rights and regulatory approval processes. This Memorandum responds to all of the issues you asked Rutan to address.

I. Brief Background of the Water Rights and Allowable Pumping Allocations of the Groundwater Aquifers to Which Collected Storm Water Could be Injected.

California has a highly complex system for allocating water that combines elements of water rights systems found in the Eastern United States — rights that primarily are attached to land ownership (riparian and overlying water rights), with Western allocation regimes (appropriative rights) that are based on the date when water was first put to beneficial use by a user. In addition, California recognizes a unique water right, the Pueblo Water Right, which is derived from the water rights of historic Mexican Pueblos when California obtained statehood. The only two cities to obtain judicial recognition of a Pueblo Right are the cities of Los Angeles and San Diego. Since the City of Los Angeles is a member of the DC Management Group, Pueblo Rights are a potential consideration. However, as explained further below, given Los Angeles’ participation and judicial stipulation to a specific allocation of water rights in the West Coast and Central Groundwater Basin Adjudications, the Pueblo Rights issue is not directly raised in the Dominguez Channel Watershed, and as such, is discussed only briefly in this memorandum. Suffice it to say, Pueblo Rights, which are the most “senior” of all water rights in California, would be potentially powerful leverage for obtaining additional allocations if the normal process specified in the pertinent judgments does not yield additional rights for Los Angeles, individually, or as a member of the Group.

California allows the combination of various water rights in the groundwater adjudication context if parties stipulate to the same priority of water right as a part of the implementation of a physical solution for the entire basin. In a groundwater adjudication, all parties claiming a water right in a particular groundwater basin are typically joined as parties before one court. The court then determines the relative priorities and rights to take a particular volume of water from the groundwater basin. Where all of the parties stipulate to a physical solution, the court can choose to accept the stipulation and adjudicate the stipulated rights of all of the parties before the court. That is what happened in the two groundwater basins of relevance here, the West Coast¹ and Central² Groundwater Basin Adjudications. In both adjudications, all of the pumpers stipulated not to exceed a set annual pumping allocation (“APA”) except in accordance with the respective judgment, thereby consenting to a water right of equal priority with those of other water users. Most potential injection sites within the EWMP planning area would appear to lie within the West Coast Groundwater Basin, with some sites potentially in the Central Groundwater Basin, with final determination of the appropriate basin for injection contingent upon the boundaries of the Dominguez Channel Watershed as well as the jurisdictional boundaries of project participants. Accordingly, the water rights discussion herein will primarily be focused on the requirements for developing “new water” under the West Coast Judgment — with differences in the similar Central Basin Judgment identified where appropriate.

To obtain an increased APA associated with injected stormwater in an adjudicated groundwater basin, a project proponent must first answer the following questions:

Question 1: Is captured stormwater injected truly *new water*?

Question 2: Is safe yield of the Basin increased as a result of the injection of the new water?

Question 3: Does the pertinent stipulated judgment allow for project participants to get “credit” in the form of an increased APA?

As explained in more detail below, if designed properly utilizing the steps identified in the West Coast (and/or Central) Basin Judgment, injected stormwater captured in the EWMP

¹ The West Coast Basin was adjudicated in 1961 and amended in December 2014 in the case of *California Water Service Company et al. v. City of Compton, et al.*, Los Angeles Superior Court No. 506806. (“West Coast Basin Judgment” or “Judgment” as used herein).

² The Central Basin was adjudicated in 1965 in the Case of *Central and West Basin Water Replenishment District v. Adams et al.*, Los Angeles Superior Court Case No. 786656 (“Central Basin Judgment”). The Central Basin Judgment was amended to address storage and augmentation issues in December 2013.

service area could be considered “new water” because it would otherwise flow to the ocean or percolate to a non-usable shallow aquifer in the absence of projects associated with the EWMP. Assuming the DC Management Group member cities are able to demonstrate the injection project(s) result in increased yields in one or both groundwater basins of interest, it is probable that project participants can obtain a water right to pump additional groundwater in excess of existing APAs.

II. The Steps Necessary to Acquire Additional Pumping Allocations Based on the Water Added to the Groundwater Aquifer(s).

The West Coast Basin Judgment

Due to growth in the Los Angeles area in the early 1900s and advancement of technology that made groundwater extraction quicker and more efficient, groundwater extracted from the West Coast and Central Basins began to exceed the natural replenishment of the Basins. Low levels in the Basins led to a deterioration in water quality, due to sea water intrusion and the effects of urbanization. In 1945, a lawsuit was filed by multiple water providers to quiet title to the groundwater rights of each pumper in the West Coast Basin, and to establish control over groundwater extractions from the Basin. After many years, the Court signed a final judgment in 1961. The original judgment has since been amended five times, with the most recent amendment approved by the Court in December 2014 after years of negotiations. The sections below provide information on the basic structure established by the West Coast Basin Judgment and a detailed account of the terms of the Judgment most relevant to injection projects associated with the nine potential replenishment sites identified by HDR and the Group.

The Watermaster

The Watermaster for the West Basin consists of three distinct bodies — the Administrative Body, the Water Rights Panel and the Storage Panel — each with different powers, duties and responsibilities.³ The Administrative Body of the Watermaster is the Water Replenishment District of Southern California (“WRD”), a Special Act District charged by statute with responsibility for managing and replenishing the West Coast and Central Basins. The Water Rights Panel in the West Coast Basin is a group of five representatives, with three of those representatives being the President, Vice President and Treasurer of the West Basin Water Association,⁴ and the other two representatives being selected by the Board of Directors of the

³ See Section XI of the Judgment for the specific powers, duties and responsibilities assigned to each body.

⁴ The West Basin Water Association is an association of the major pumpers with water rights in the West Coast Basin, and is the successor to the group that first initiated the West Coast Basin litigation back in 1945. (See <http://www.westbasinwaterassociation.com/> for history and

West Basin Water Association. The Storage Panel is made up of two separate bodies, the Water Rights Panel and the WRD Board of Directors.

The Water Replenishment District

In addition to acting as the Administrative Body of the Watermaster, WRD is charged with replenishing groundwater in the West Basin in accordance with the Water Replenishment District Act (Cal. Water Code § 60000 *et seq.*). Water replenished by WRD is available for extraction by parties to the Judgment based on their allocated production rights. To facilitate WRD's Basin operations, the Judgment allocates WRD 49,100 acre-feet ("af" or "afy") of storage space to WRD as a Basin Operating Reserve that WRD may use in accordance with the WRD Act.⁵

The Court

The Court is the ultimate overseer of the activities in the West Basin under the West Coast Basin Judgment. It has express continuing jurisdiction over such matters.⁶ In addition to hearing complaints filed by parties to the Judgment and appeals of decisions made by the various administrative bodies designated in the Judgment, the Court is authorized to review a variety of matters on its own motion.⁷ The Court may, upon its own motion or application by one of the parties to the Judgment, modify or add to the Judgment's provisions, or make any further orders as may be necessary or desirable for the enforcement, protection or preservation of the Basin and the rights of the parties established by the Judgment.

Adjudicated Water Rights and Carryover

The Judgment establishes the amount of groundwater that each party to the Judgment is entitled to extract from the West Coast Basin on an annual basis, referred to as "*Adjudicated Rights*." Pro-rata reductions in the amount of water each party is authorized to extract may be made if required to preserve the West Basin as a common water supply source.⁸ Generally, persons or entities that are not party to the Judgment may not extract groundwater from the West Basin. Adjudicated Rights may be transferred, assigned, licensed or leased, upon notice and

current membership of the Association.) Currently, the President, Vice President and Treasurer of the West Basin Water Association are, respectively, Stephanie Katsouleas (El Segundo), Rob Beste (Torrance), and Tony Olmos (Manhattan Beach). All of the city members of the DC Management Group are also members of the West Basin Water Association.

⁵ Judgment, § V(1)-(2).

⁶ Judgment, § XII.

⁷ *Id.*

⁸ Judgment, § III(A).

completion of the Watermaster process set forth in the Judgment.⁹ As for use of water extracted through Adjudicated Rights, the water must be put to beneficial use by the holders of such rights (or their transferees) through reasonable methods of use and delivery.¹⁰

The following table sets forth the Adjudicated Rights, as of June 2014, for the cities relevant to the EWMP being developed:¹¹

City of Los Angeles	1,503 afy
El Segundo	953 afy
Hawthorne	1,882 afy
Inglewood	4,449.89 afy
Lomita	1,352 afy

If a party does not extract the full amount of water to which it is entitled under its Adjudicated Right in a given year, the party may “carry over” that water for extraction in the following year.¹² The carryover amount is reduced by the amount of water that party has in storage, however, carry-over may not be reduced below twenty percent (20%) of a party’s Adjudicated Right.¹³ Instead of adding carryover to the allowable extraction for the following year, a party may convert carryover into Stored Water.¹⁴ To do so, a replenishment assessment must be paid to WRD on the amount converted.¹⁵

⁹ Judgment, § IV.

¹⁰ Judgment, § III(A).

¹¹ A list of all Adjudicated Rights in the West Coast Basin is attached to this Memorandum as Exhibit A. Note that the other member of the DC Management Group, Los Angeles County, also has a pumping allocation in the West Coast Basin. For example, LA County has an APA of 363.70 AFY for recreational facilities, and the LA County Sanitation District No. 2 has an APA of 102.00 AFY.

¹² Judgment, § V(4)(A).

¹³ *Id.*

¹⁴ Judgment, § V(4)(B). Carryover that a party wishes to designate as Storage Water gets allocated to a party’s Individual Storage Allocation, if available, and if not, then into Community Pool Storage.

¹⁵ *Id.*

Extraction of Water, Generally

Parties with an Adjudicated Right in the West Coast Basin may extract a quantity of water equal to their Adjudicated Amount plus any amount the party holds in storage, and any carryover, with a maximum allowable extraction of 120% of the party's Adjudicated Right unless prior approval of the Storage Panel is obtained.¹⁶ In an emergency, production in excess of a party's Adjudicated Right is permitted in an amount up to two (2) afy or ten percent (10%) of the party's Adjudicated Right, whichever is greater, without court approval.¹⁷ Any greater amount in an emergency situation requires Court approval.¹⁸ The party's Adjudicated Right in the following year is then reduced by the amount of overproduction.¹⁹

Water extracted is credited to the types of water available to a party in the following order: (1) exchange pool production; (2) carryover water; (3) Adjudicated Right water leased from another party; (4) Adjudicated Right; (5) Stored Water; and (6) emergency production.

Water Augmentation Projects

General Concept

As part of the most recent amendment to the Judgment that occurred in December 2014, provisions were added to the West Coast Basin Judgment to allow for water augmentation projects — projects that provide appreciable increases in long-term annual groundwater yield in the Basin.²⁰ The most recent amendments recognized that innovations and improvements in management practices that increase the conservation and maximization of the reasonable and beneficial use of water should be promoted.²¹ In that vein, the terms of participation in a water augmentation project are at the full discretion of the participating parties and water extraction rights derived from them are accounted for separately from Adjudicated Rights, and perhaps more importantly, they do not carry a requirement to pay a replenishment assessment once new water is introduced and verified.²²

¹⁶ Judgment, § IX(1).

¹⁷ Judgment, § V(14).

¹⁸ *Id.*

¹⁹ *Id.*

²⁰ Similarly the Central Basin Judgment was amended to authorize individual augmentation projects — though with a somewhat more rigorous approval and validation process. Central Basin Judgment §IV (N)(¶¶ 1-6).

²¹ Judgment, § V(11)(A).

²² Judgment, § V(11)(B) & (F); Central Basin Judgment §IV (N)(5).

Water augmentation projects may be proposed by any party and they require approval by the Storage Panel.²³ All parties to the Judgment must be given a reasonable opportunity to participate, albeit on the condition they share proportionately in common costs/benefits and exclusively bear the costs of any improvements required to accommodate their individual needs.²⁴ The right to water “created” through an augmentation project is apportioned among the participating parties by the Storage Panel (the Judgment does not specify how the proportionate rights are to be determined); parties to the Judgment that do not participate will not obtain rights to any new water created.²⁵

Process of Obtaining Additional Extraction Rights

The first step with a water augmentation project is for the party(ies) proposing the project (“Project Leads”) to provide advance written notice to all parties to the Judgment, detailing the potential water augmentation project and the proposed terms under which a party may opt-in.²⁶ In response, any party may indicate its desire to participate.²⁷ Each participating party must provide written and legally binding assurances that it will bear its proportionate share of the costs attributable to the project, or provide other valuable consideration deemed sufficient by the Project Leads and all participating parties.²⁸

Once the project participants are determined, an application must be submitted to the Administrative Body (i.e., WRD) of the Watermaster. With limited exceptions, the Administrative Body is required to do groundwater modeling and technical studies for the proposed project in order to determine if the proposed project is technically feasible and to confirm that it will not cause material physical harm to the Basin. The Project Leads also submit the analyses to the Storage Panel for its review in connection with the proposed project. The costs of the modeling and the costs associated with the processing and review of the application (including any other technical studies) are to be borne by the proponent(s) of the proposed augmentation project.²⁹ Any party to the Judgment may submit a report or comments on the proposed project,³⁰ and this process of notice and comment has the potential to add complexity and cost to what would otherwise be a simple augmentation project.

²³ Judgment, § V(11)(E).

²⁴ Judgment, § V(11)(B) & (D).

²⁵ Judgment, § V(11)(H).

²⁶ Judgment, § V(11)(C).

²⁷ Judgment, § V(11)(D).

²⁸ *Id.*

²⁹ Judgment, § V(12)(B)(4).

³⁰ Judgment, § V(12)(B)(5).

With respect to required analysis under the California Environmental Quality Act (“CEQA”), a copy of any public notices required under CEQA must be provided to the Watermaster. The Storage Panel may rely on any CEQA document adopted by a lead agency for purposes of the Watermaster approving the proposed project.

The Judgment requires the Storage Panel to consider a variety of factors during review of the proposed project, including the following: (1) facilities in vicinity of the project; (2) proximity to drinking water wells and depths at which wells are screened; (3) depth at which water will be added; (4) projected resulting groundwater elevations based on groundwater modeling; (5) existing contamination, if any, in the vicinity; (6) preferential groundwater pathways; (7) the project’s source of water; and (8) all information provided by any party.³¹ The Storage Panel’s review must include a public hearing unless it determines that the CEQA document for the project includes the required groundwater modeling, the CEQA document evaluated the above-described factors, and the CEQA document demonstrates that the project is technically feasible and will not cause material physical harm.³²

In order to approve the project, the Storage Panel must make written findings evaluating the above-listed factors, and concluding that the project is both technically feasible and will not cause material physical harm.³³ Any party may seek reconsideration of the Storage Panel’s decision or may request judicial review of it under the continuing jurisdiction of the Court pursuant to procedures found in section XI(4)(D) of the Judgment.³⁴ Such request for judicial review must generally be brought with 60 days of the Storage Panel’s decision.³⁵

Post-Approval Matters

For any water augmentation project that is approved, the Storage Panel must impose certain conditions. The conditions include: no extraction under additional rights until new water has actually been introduced into the Basin; regular monitoring to determine the actual amount of new water introduced into the Basin via the project; makeup water, or equivalent payment therefore, required to the extent that the actual water supply augmentation does not meet projections; and water rights derived from the project shall be adjusted to match the actual water “created.”³⁶ The Storage Panel is also required to impose water quality standards for the

³¹ Judgment, § V(11)(E). Central Basin augmentation projects follow a similar process—detailed in Central Basin Judgment § IV (¶¶ N-P)

³² Judgment, § V(13)(B)(5). Section II of the Judgment defines the terms “technically feasible” and “material physical harm.”

³³ Judgment, § V(11)(E).

³⁴ Judgment, § V(13)(C).

³⁵ Judgment, § XI(4)(D).

³⁶ *Id.*

augmentation water; however, the Judgment does not specify what those standards must be or the way in which they are to be determined.³⁷

Stored Water

Storage Options

The Judgment adjudicates storage space within the West Basin for use by parties to the Judgment and, in certain circumstances, non-parties. The total adjudicated storage capacity is 70,900 af. That total storage capacity is broken down into the following three “levels” of storage: Individual Storage Allocations, Community Pool Storage and Regional Storage.

Individual Storage Allocations are provided to each party to the Judgment in an amount equal to approximately forty percent (40%) of that party’s Adjudicated Right.³⁸ In total, these allocations amount to 25,800 af of the adjudicated storage capacity.³⁹ A party has a first priority right to its Individual Storage Allocation, and water may be assigned to it through carryover conversion or by other means authorized by the Judgment (e.g., water augmentation project).⁴⁰ A party’s Individual Storage Allocation is the first “bucket” filled when a party desires to store water.

Community Pool Storage is available on a first in time, first in right basis, with the caveat that party wishing to use Community Pool Storage must first use its entire Individual Storage Allocation.⁴¹ The total capacity allocated for Community Pool Storage is 35,500 af. Once space in Community Pool Storage is used by a party, that specific capacity is “reserved” for that party’s use for a period of 24 months after the party withdraws water from its community storage stored water. If the vacated capacity is not completely refilled within that 24-month period, the storage space becomes available for use by another party.⁴² If a party maintains water in Community Pool Storage for 10 years or more, and the Community Pool Storage is at least twenty-five percent (25%) occupied, then the party’s stored water assigned to Community Pool Storage either becomes water stored in space-available storage or gets deemed “used first” (*i.e.*, extracted water is, for accounting purposes, deducted from the party’s community storage amount prior to being subtracted from any other amount available to that party).⁴³

³⁷ Judgment, § V(13)(B)(7).

³⁸ Judgment, § V(5)(A).

³⁹ *Id.*

⁴⁰ *Id.*

⁴¹ Judgment, § V(6)(A).

⁴² Judgment, § V(6)(C).

⁴³ Judgment, § V(6)(D).

Regional Storage, which has a total capacity of 9,600 af, is for storage of water pursuant to a Regional Storage Project.⁴⁴ Under the Judgment, a Regional Storage Project is a project that does not enhance the West Basin’s *long-term* reliable yield and that requires storage capacity in excess of a party’s Individual Storage Allocation and the Community Storage Pool capacity.⁴⁵ Examples include in-lieu projects, carryover converted to stored water, physical improvement projects, the recharge of “wet water” by spreading or injection, and projects that reduce the overall cost for WRD to perform its replenishment functions.⁴⁶ Regional Storage Projects must be approved by the Storage Panel. Although a person or entity that is not a party to the Judgment may propose and/or participate in a Regional Storage Project, if such a non-party’s project is approved, that non-party must intervene in the Judgment prior to commencing the project.⁴⁷ The Storage Panel is charged with determining the extraction limits for that “non-party.”⁴⁸

The Judgment contemplates that some of the above-described storage capacity may go unused by the party or parties with priority rights to use such capacity. It, thus, provides that any unused storage capacity (and any Basin Operating Reserve unused by WRD) may be used by any party with an Adjudicated Right for temporary storage purposes — referred to in the Judgment as “Space-Available Storage.” Space-Available Storage may be used without prior approval, however, the party using it assumes all risks of waste and loss.⁴⁹ When Space-Available Storage is used, unused storage space is filled in the following order, with the requirement that all capacity in one category be fully occupied prior to moving to unused space in the next category of storage: Individual Storage Allocation, Regional Storage, Community Storage, then the Basin Operating Reserve.⁵⁰ Because Space-Available Storage is intended for temporary use, it must be vacated within 90 days if another party wants to make use of such space for its original intended purpose (*i.e.*, Individual Storage Allocation, Regional Storage, or Community Pool Storage uses).⁵¹

⁴⁴ Judgment, § V(7).

⁴⁵ Judgment, § V(7)(A).

⁴⁶ Judgment, § V(7)(D). For example, an augmentation project that is too far west to result in an increased basin yield could nevertheless qualify as a Regional Storage Project if it reduces the amount of water that WRD has to obtain for barrier replenishment purposes. At least one of the proposed injection sites proposed by the DC Management Group is in close proximity of one of WRD’s seawater intrusion barriers, so characterization of the Project as a Regional Storage Project may be economically advantageous.

⁴⁷ Judgment, §§ V(7)(B)-(C), (8)(C).

⁴⁸ Judgment, § V(8)(C).

⁴⁹ Judgment, § V(10)(A)(1).

⁵⁰ Judgment, § V(10)(A)(3).

⁵¹ Judgment, § V(10)(A)(5)-(6). An exception exists for parties with Adjudicated Rights under 100 afy; such parties may store a maximum of 200 afy. (Judgment, § V(8)(A).)

Storage Limitations and Extraction of Stored Water

The Judgment places limits on the amount of water that may be stored by a party. Specifically, irrespective of the type(s) of storage used, the maximum allowable storage for a given party is an amount equal to two hundred percent (200%) of the party's Adjudicated Right.⁵² An additional storage amount equal to fifty percent (50%) of a party's Adjudicated Right is available if the party is using Space-Available Storage.⁵³ To the extent that a water augmentation project is undertaken, the Storage Panel is charged with determining annual limitations on the amount of stored water and on extraction of stored water.⁵⁴

Importantly, the Judgment expressly states that extraction of stored water, which is defined to include water resulting from an water augmentation project, is not subject to payment of a replenishment assessment.⁵⁵

Suggested Steps for Acquiring Additional Pumping Allocations Based on Groundwater Added to the Aquifer.

The types of projects being considered as part of the EWMP for the DC Management Group — injection of captured stormwater into the Basin for subsequent withdrawal — appears to be the precise type of project contemplated by the December 2014 amendments to the Judgment concerning water augmentation projects. As explained above, the approval of such a project secures to the participating parties an additional water allocation beyond any Adjudicated Rights. Those additional water rights may then be leased, transferred, sold, etc. in the same manner as the Judgment prescribes for Adjudicated Rights. Although all parties to the Judgment must be given an opportunity to participate, meaning they are able to acquire a portion of the additional water rights, there are assurances that any party that opts in must pay their fair share of the project costs which would result in reduced costs for the other participating parties. Additionally, the Judgment is clear that those who do not participate will not be allocated a right to any groundwater resulting from the project.

To avoid the need for the Storage Panel to hold a hearing on a potential project, it is advisable that the CEQA documentation prepared for injection project(s) include groundwater modeling, an analysis of the factors that the Storage Panel is required to consider, and a discussion demonstrating that the project is technically feasible and will not result in material physical harm to the groundwater basin. Doing so will also help to control costs given that any analysis and studies that the Administrative Body and the Storage Panel do with respect to the

⁵² Judgment, § V(8)(A).

⁵³ Judgment, § V(8)(B).

⁵⁴ Judgment, § V(13(B)(7).

⁵⁵ Judgment, § V(9).

project must be paid for by the project proponents. Incorporation of required modeling and study into CEQA documentation would potentially prevent the same technical work from needing to be performed twice.

All members of the DC Management Group can obtain additional pumping rights in the West Coast Basin since all members of the Group are also parties to the West Coast Basin Judgment. Los Angeles can obtain additional pumping rights in the Central Basin as well. All that is needed is that the project participants for a particular injection site utilize the process laid out in each Judgment for approval of an augmentation project — as such processes were discussed herein.

The more difficult question for DC Management Group Members will be whether the cost of planning, coordinating technical analysis with WRD and the respective Storage Panels, CEQA, environmental permitting, construction, operation and maintenance, and long term administrative costs are justified by the increased pumping allocation associated with a particular inject project over time. The answer will generally depend on how much “new water” is created for each injection site — as allocated across all of the anticipated project costs.

Probability and Costs of Acquiring Additional Pumping Allocations Given the Potential for Claims and Litigation Associated with Taking Those Steps.

It is our view that an augmentation project derived from injection of captured stormwater, if able to demonstrate increased basin yield in either the West Coast or Central Basin, would be able to obtain additional pumping allocations under the respective judgments. Moreover, provided the quality of the injected water did not contain constituents likely to degrade existing supplies of other parties (thereby increasing their respective treatment costs), we believe the risk of significant litigation is not great since the water injected would, as we understand it, otherwise be lost to the productive aquifers in the absence of the augmentation projects. Moreover, any party that wanted to obtain an allocation of new water would have the ability to do so by providing its notice of intent to participate in the proposed project, thereby making it difficult to claim a right to water afterwards having declined to participate when given the opportunity in accordance with the pertinent judgment provisions.

Legal costs are difficult to assess without knowing the scope of the specific project(s) proposed. As previously indicated, it does not appear likely that the proposed projects are likely to lead to litigation — a potentially large multiplier of legal costs and level of effort — but the coordination process with WRD and the Storage Panels will require the assistance of experienced water and environmental attorneys. With litigation, the costs of obtaining the additional allocations could easily exceed one million dollars in legal costs. Without litigation, we would not envision the costs exceeding \$50,000 per site, and likely much less per site if all sites under consideration are submitted for Watermaster approval in a programmatic manner

supported by a programmatic CEQA document. Additionally, some of the legal costs may be reduced by the use of in-house legal assets — such as those available to the City of Los Angeles.

Proposed Strategy for Securing a Water Agency as a Partner to Secure the Additional Pumping Allocations.

The DC Management Group members, as parties to the West Coast Basin Judgment, are all able to partner with other members of the Group or other parties in the West Coast Basin in the development of augmentation projects involving stormwater injection. If there is a desire to inject water into the Central Basin because of better water quality and usability (without treatment) of injected augmentation project water, the best mechanism that DC Management Group members can likely take is to partner with the City of Los Angeles — which has the right to store water in both basins, and which already has the right to extract its full West Coast Basin APA from the Central Basin — up to 5,000 afy.⁵⁶ As previously indicated, partnering with WRD on Regional Storage Projects in the West Coast Basin is also an option that should be explored more fully for possible economic advantage. On the other hand, we believe it would be difficult for any member of the DC Management Group other than Los Angeles to undertake an augmentation project in the Central Basin for meaningful benefit because of the restrictions in the Central Basin Judgment about Central Basin extractions only being used in the Central Basin.⁵⁷

Background and Steps Necessary to Obtain Regulatory Authorization to Inject Stormwater into a Groundwater Aquifer Within the Dominguez Channel Watershed.

The primary state water quality law in California is the Porter-Cologne Water Quality Control Act (PCA) (Water Code §§ 13000 *et seq.*), which was enacted in 1969. The PCA established a State Water Resources Control Board (“SWRCB”) and nine Regional Water Quality Control Boards (“RWQCB” or “Regional Boards”), and authorizes them to regulate the waters of the state “to obtain the highest water quality which is reasonable, considering all demands being made and to be made on those waters and the total values involved, beneficial and detrimental, economic and social, tangible and intangible.” (Water Code §§ 13000, 13001.) The RWQCB responsible for regulating the Dominguez Channel Watershed (and all of Western Los Angeles County) is the Los Angeles Regional Water Quality Control Board (“LA RWQCB” or “LA Regional Board”).

⁵⁶ Central Basin Judgment § IV (K). All water extracted by Los Angeles from the Central Basin must also be replenished in the Central Basin. (*Id.*)

⁵⁷ Central Basin Judgment §§ IV (K)(5); I.C (“Except as expressly authorized herein, or upon further order of the Court, all parties are enjoined and restrained from transporting water extracted from the Central Basin outside the boundaries of the Central Basin Area.”)

Under the PCA, any person proposing to discharge water “that could affect the quality of the waters of the state” must apply for Waste Discharge Requirements (“WDR”), which serve as permits for such discharges, from the appropriate Regional Board. (Water Code § 13260(a).) This requirement expressly applies to the proposed construction or operation of an injection well. (Water Code § 13260(a)(3); *see also* Water Code § 13051 [defining injection well].)

The WDR application process begins by filing a Report of Waste Discharge (“ROWD”) containing all information required by the Regional Board. (Water Code § 13260(a).) That information includes a “complete characterization” of the proposed discharge including “design and actual flows, a list of constituents and the discharge concentration of each constituent, a list of other appropriate waste discharge characteristics, a description and schematic drawing of all treatment processes, a description of any BMPs used, and a description of disposal methods.” (Application/ROWD, p. 7.) It is also recommended that contact be made with the Regional Board staff to discuss the proposed discharge prior to the submission of a ROWD.

Within 30 days of receipt of a ROWD, Regional Board staff will confirm receipt of the application and notify the applicant of any supplemental documents or information required. (See ROWD Application Package.) Once the application is complete, the Regional Board determines whether WDRs should be issued, and if so, distributes them to interested agencies and parties for a minimum 30 day comment period. Thereafter, the Regional Board holds a public hearing, at which it may adopt WDRs by a majority vote of the Board. (See Water Code § 13263(a) [after any necessary hearing, the Regional Board “shall prescribe requirements as to the nature of the proposed discharge”].)

WDRs must “implement any relevant water quality control plans that have been adopted, and shall take into consideration the beneficial uses to be protected, the water quality objectives reasonably required for that purpose, other waste discharges, the need to prevent nuisance, and the provisions of Section 13241.”⁵⁸ (Water Code § 13263(a); *see also* Water Quality Control Plan for the Coastal Watersheds of Los Angeles and Ventural Counties [hereinafter “Basin Plan”], pp. 4-31.)

Here, the pertinent Basin Plan: (1) designates beneficial uses for surface and ground waters; and (2) sets narrative and numerical objectives that must be attained or maintained to protect those designated beneficial uses. (See Basin Plan, p. 1-1.)

The proposed EWMP Planning Area for the Dominguez Channel Watershed, in large measure, overlies the Basin Plan’s Los Angeles Coastal Plain, West Coast Basin, which is

⁵⁸ Section 13241 establishes criteria for establishing water quality objectives, while recognizing that “it may be possible for the quality of water to be changed to some degree without unreasonably affecting beneficial uses.”

expressly designated for Municipal and Domestic Supply (“MUN”) use in the Basin Plan.⁵⁹ (Basin Plan, pp. 2-30, 2-46.) Moreover, while the Averill Park potential regional project site is in an area that does not appear to be within a specific basin listed in the Basin Plan, the Basin Plan notes that “ground waters outside of the major basins are either potential or existing sources of water for downgradient basins, and as such, beneficial uses in the downgradient basins shall apply to these areas.” (Basin Plan, p. 2-46, note ac.) Since the West Coast Basin appears to be downgradient to the Averill Park site, it is assumed to be subject to the same water quality objectives as the other potential sites. (*See also* Basin Plan, p. 5-7 [explaining that, pursuant to State Board Resolution No. 88-63, all waters of the state must be protected as existing or potential sources of municipal water, unless expressly excepted by the Regional Board].)

Thus, the following water quality objectives apply to groundwater beneath all of the proposed injection sites:

- Bacteria: “the concentration of coliform organisms over any seven day period shall be less than 1.1/100 ml.” (Basin Plan, p. 3-39.)
- Chemical Constituents and Radioactivity: “shall not contain concentrations of chemical constituents and radionuclides in excess of the limits” in specified sections of Title 22 of the California Code of Regulations. (Basin Plan, pp. 3-39 to 3-40.)
- Mineral Quality: (Basin Plan, pp. 3-40, 3-44.)⁶⁰
 - o TDS: 800 mg/l
 - o Sulfate: 250 mg/l
 - o Chloride: 250 mg/l
 - o Boron: 1.5 mg/l

⁵⁹ The El Segundo proposed regional project site is near, but just east, of a portion of the basin with no MUN designation.

⁶⁰ Under certain circumstances the Regional Board may grant a variance from implementing the mineral quality objectives when issuing WDRs. (Basin Plan, p. 3-40.) A variance can only be granted after a public hearing, and may be in place for a maximum of 10 years (5 years, plus one 5 year extension). (*Id.*)

- Nitrogen: “shall not exceed 10 mg/L nitrogen as nitrate-nitrogen plus nitrite-nitrogen (NO₃-N + NO₂-N), 45 mg/L as nitrate (NO₃), 10 mg/L as nitrate-nitrogen (NO₃-N), or 1 mg/L as nitrite-nitrogen (NO₂-N).” (Basin Plan, p. 3-41.)
- Taste and Odor: “shall not contain taste or odor-producing substances in concentrations that cause nuisance or adversely affect beneficial uses.”

Thus, any WDRs issued to allow discharge of stormwater into the West Coast Basin would have to be protective of all of the above water quality objectives. If the water to be injected complies with such objectives, obtaining WDRs for the proposed injection wells should not be a problem. If not, the Regional Board may require pre-treatment of such water, depending upon whether and the extent to which the proposed discharges would degrade the quality of the basin water. (See SWRCB Reso. No. 68-16.) If the water does not comply with Basin Plan Objectives, the discharge will not be permitted absent offsets that — on balance — result in no net increase in the pollutant of concern in the receiving water. (See SWRCB *In Re Petition of San Diego Milk Producers Council*, WQO 88-12 at pp.12-14 [pollutant concentrations must not exceed basin plan standards but may be permitted where offsets are utilized or pollutant concentrations are removed through treatment or infiltration process prior to reaching groundwater].) Another option would be to change the Basin Plan objectives in the West Basin, but given the current use of much of the basin for domestic water production, the ability to change such standards in light of the MUN designation would be very limited. (See *id.* at p. 14 [MUN beneficial uses existing near dairies precluded change of basin plan objectives for TDS].)

If the discharge will result in water being injected that is of higher quality than Basin Plan objectives, or the basin otherwise has additional assimilative capacity, then the Regional Board can permit the injection project upon making findings that: (1) the discharge utilizes best practicable treatment or control; (2) a condition of pollution or nuisance will not occur as a result of the discharge; (3) allowing the discharge, notwithstanding allowing some further degradation of otherwise high quality waters, is consistent with maintenance of the highest quality water consistent with the maximum benefit to the people of the state. (*AGUA v. Central Valley Regional Water Quality Control Board* (2012) 210 Cal.App.4th 1255.)

Alternatively, the Regional Board has the authority to waive the requirement that a ROWD be submitted and/or WDRs be obtained “as to a specific discharge or type of discharge if it determines that the waiver “is consistent with any applicable state or regional water quality control plan and is in the public interest.” (Water Code § 13269.) Discharges eligible for such waivers must comply with all applicable Water Quality Control Plans. (Basin Plan, p. 4-17.) A waiver may not exceed 5 years in duration, but may be renewed by the Regional Board. (Water Code § 13269(a)(2).)

As previously indicated, to the extent the water quality objectives set forth in the Basin Plan cannot be met, it may be possible to amend the Basin Plan. (See Basin Plan, p. 1-4.) A Basin Plan amendment requires a public review and hearing process. (*Id.*) Following adoption by the Regional Board, Basin Plan amendments must be approved by the State Board, as well as the State Office of Administrative Law. Further, amendments that involve changes in state standards must be reviewed by USEPA. (Basin Plan, p. 1-5; see also Clean Water Act, § 303(c)(2)(A).)

Additional Regulatory Approvals that May Be Required

EPA Underground Injection Control (UIC) Program

Injection wells are regulated by the US EPA under the Underground Injection Control (UIC) Program. In California, the UIC Program is implemented by US EPA Region 9, for all wells other than “Class II” wells. The EPA has defined five classes of injection wells, “according to the type of fluid they inject and the where the fluid is injected.”⁶¹ Stormwater injection wells are considered “Class V” wells, a category that generally includes wells that inject non-hazardous fluids into or above underground sources of drinking water.⁶² “Class V storm water drainage wells are ‘authorized by rule,’ which means they may be operated without an individual permit so long as the injection does not endanger [an underground source of drinking water], and the owner or operator of the well submits basic inventory information about the well to their permitting authority.” (*Id.*; see also Inventory Form, available at 2007_12_12_uic_class5_form_uic_7520-16.pdf.) Thus, the UIC Program requirements applicable to stormwater injection wells appear to be minimal. Nonetheless, Region 9 should be contacted during project development in order to confirm there are no requirements other than the submission of an inventory form.

State Water Resources Control Board—Drinking Water Branch (“SWRCB-DB”):

The SWRCB-DB is the entity that previously regulated drinking water within the California Department of Public Health (“CDPH”). SWRCB-DB is heavily involved with the permitting of highly treated sewage that is proposed for use as replenishment water. However, the augmentation projects contemplated by the DC Management Group, as we understand them, do not involve any recycled or reclaimed water, only the use of captured stormwater. As such, none of the injection projects under consideration should require permitting or other approval by SWRCB-DB, and any protection of drinking water that SWRCB-DB might require would presumably be addressed via the LA RWQCB’s WDR consideration process given that LA RWQCB is required to protect the MUN beneficial use in any WRD it might issue. That stated,

⁶¹ See www.epa.gov/region9/water/groundwater/uic.html.

⁶² See http://water.epa.gov/type/groundwater/uic/class5/types_stormwater.cfm.

any proposed project should be coordinated with SWRCB-DB personnel to ensure they have no objections or desire for participation outside of the CEQA process.

The Probability of Achieving Authorization from the RWQCB to Inject Collected Stormwater into a Groundwater Aquifer.

The SWRCB has stated that they are strongly in favor of stormwater management options that increase local water supplies in the Los Angeles Region. (*See In Re Petitions Challenging 2012 Los Angeles Municipal Separate Storm Sewer System Permit*⁶³ [Draft Order No. R4-2012-0175, November 21, 2014] at pp. 20-22, 40-42, and 49 [“The alternative compliance path should encourage multi-benefit regional projects that capture, infiltrate, and reuse storm water and support a local sustainable water supply”].) Assuming the constituents in the water to be infiltrated/injected are at or below receiving water limitations in the receiving groundwater, it is very likely that the Project would be permitted by the LA Regional Board — even if the discharge would result in some degradation of receiving water quality. However, to the extent that injected water exceeds pertinent receiving water limitations, permitting would be a much more detailed process requiring demonstration of no impairment of the MUN beneficial use, or the implementation of treatment that would eliminate such impairment prior to injection.

Estimate of Costs for Legal Support to Obtain Authorization from the RWQCB to Inject Collected Stormwater into a Groundwater Aquifer.

Much like the range of potential legal costs for obtaining additional water rights associated with injection of captured stormwater, the potential legal costs associated with permitting of one or more injection projects will vary significantly based upon whether there is opposition to the Project or litigation commenced as a result of permit issuance (or denial). If required WDRs are opposed by third parties, or if the Regional Board staff recommends denial because of failure to meet LA Basin Plan standards, the legal costs (to include the costs of expert and consulting witnesses) associated with obtaining ultimate approval could easily exceed one million dollars. If, however, assimilative capacity exists for all constituents of concern, and no environmental groups or other pumpers challenge the project(s), legal services associated with WDR regulatory permitting could run anywhere from 15,000 to 50,000 dollars depending on the number of sites, the amount of work that can be done through in-house and non-legal resources, and the complexity of the Regional Board hearing.

⁶³ This Draft Order, proposed by the SWRCB for statewide applicability, is available online at http://www.waterboards.ca.gov/public_notices/petitions/water_quality/docs/a2236/a2236_draft_order.pdf.

III. Conclusion.

As previously discussed herein, injection of captured stormwater is potentially a viable means of achieving additional water rights within the Dominguez Channel Watershed. Both the Central and West Coast Basin Judgments provide specifically for approval of enhanced water rights as a result of augmentation projects developed by parties to one or both judgments. Whether injection projects developed through EWMP implementation are cost effective and viable will depend greatly on the quality of the stormwater captured, the parties participating and their respective resources, and the volume of water proposed for development. On balance, projects that are solely in the West Coast Basin are likely to be easier to permit from a water rights perspective given the somewhat more permissive nature of the West Coast Basin Judgment, as well as the fact that eight of the nine project sites overlie the West Coast Basin. Regulatory approvals from the LA Regional Water Quality Control Board are obtainable, and indeed likely to be supported by Regional Board staff (because of the water supply benefit), if the quality of water to be injected meets or exceeds all water quality objectives in the groundwater basin it overlies.

Hopefully the above analysis will be helpful to you, and all of the members of the DC Management Group, in determining which projects to include as part of the implementation of the EWMP in furtherance of the ultimate achievement of water quality objectives within the Dominguez Channel Watershed.

EXHIBIT A

Table 5. Succession of Adjudicated Rights, June 2014 (acre-feet)

<u>ABC NURSERY, INC</u>				MURDOCK			
SUCCESSOR TO JENKINS, HARRY C	1.80			SOLD TO CITY OF TORRANCE	-59.96		
SUCCESSOR TO TITLE, SIDNEY R AND CHARLOTTE W	13.60			TOTAL		0.00	0.00
SUCCESSOR TO VERBURG, WILLIAM AND CLARA B	6.70			BAUMAN, GUS A	0.00		0.00
SUCCESSOR IN PART TO UNITED CALIFORNIA BANK	2.00			TRANSFERRED TO PALOS VERDES BEGONIA FARM			
TOTAL		24.10		BEGO CORPORATION	4.10		
ABELL, FRANK	1.80			SOLD TO ESTATE OF GOLDA DELANEY	-4.10		
SOLD TO CITY OF INGLEWOOD	-1.80			TOTAL		0.00	0.00
TOTAL		0.00		BELVIDERE MUTUAL WATER CO	33.40		
ALCAST FOUNDRY, ET AL	7.20			SOLD TO CITY OF TORRANCE	-33.40		
SOLD TO CITY OF TORRANCE	-7.20			TOTAL		0.00	0.00
TOTAL		0.00		BLACK, DANA			
ALLIED CHEMICAL CORP				SUCCESSOR IN PART TO ESTATE OF JOHN GRANT	11.80		
(SEE INDUSTRIAL CHEMICAL DIVISION, ALLIED CHEMICAL CORP)				SOLD TO ECOGAS, INC.	-11.80		
ALLIED CORP				TOTAL		0.00	0.00
(FORMERLY: ALLIED CHEMICAL CORP)				BOISE CASCADE BUILDING CO			
(NOW KNOWN AS ALLIED-SIGNAL, INC (EL SEGUNDO OFFICE))				SUCCESSOR IN PART TO JOUGHIN TORRANCE RANCH	16.92		
ALLIED-SIGNAL, INC (TORRANCE OFFICE)	22.50			SOLD TO INGLEWOOD, CITY OF	-16.92		
(MERGED WITH HONEYWELL INTERNATIONAL, INC AND NAME CHANGED TO HONEYWELL INTERNATIONAL, INC)	-22.50		0.00	TOTAL		0.00	0.00
TOTAL		0.00		BOARD OF RETIREMENT-LOS ANGELES CO EMPL RET SYS			
ALLIED-SIGNAL, INC (EL SEGUNDO OFFICE)				SECOND WEST COAST BASIN JUDGMENT			
(FORMERLY: ALLIED CORP)	255.00			(NOW KNOWN AS LOS ANGELES COUNTY WESTERN AVE GOLF)			
(MERGED WITH HONEYWELL INTERNATIONAL, INC AND NAME CHANGED TO HONEYWELL INTERNATIONAL, INC)	-255.00			BRANDSMA, MAYNARD			
TOTAL		0.00		SUCCESSOR IN PART TO ESTATE OF JOHN GRANT	11.80		
ALWAG, HILARIO S AND EMMA	53.90			SOLD TO HILLSIDE MEMORIAL PARK	-11.80		
SUCCESSOR TO T C NAVARRO	5.50			TOTAL		0.00	0.00
SUCCESSOR TO PEGGY SWICK	-59.40			BURKE, W F AND LOIS PRICE	9.50		
SOLD TO TORRANCE UNIFIED SCHOOL DISTRICT				SOLD TO H S SCOTT	-9.50		
TOTAL		0.00		TOTAL		0.00	0.00
AMERICAN PLANT GROWERS, INC				CBS INC			
SECOND WEST COAST BASIN JUDGMENT	2.80			FORMERLY COLUMBIA BROADCASTING SYS INC	18.50		
SUCCESSOR TO BEN CLUFF DAIRY	7.40			SOLD TO MORAN, RONALD E	-8.00		
SOLD TO SUNRISE GROWERS, INC	-10.00			TOTAL		9.50	9.50
SUCCESSOR TO SUNRISE GROWERS, INC	10.00			CALIFORNIA, STATE OF			
SOLD TO VUKELICH MIKE, JR.	-10.00			SUCCESSOR TO ROBERT L FULLILOVE	1.00		
TOTAL		0.00		SUCCESSOR TO JOE MONIZ JR	2.20		
ANDERSON, REMBERT C	80.50			SUCCESSOR IN PART TO KELLY PIPE CO	16.30		
SOLD TO SPARKLETT'S DRINKING WATER CORP	-80.50			SUCCESSOR IN PART TO FLAVIO RODRIGUEZ	4.00		
TOTAL		0.00		SUCCESSOR IN PART TO A H SMITH (SAM SURBER AND FRED A SMITH)	2.60		
AQUA CAPITAL MANAGEMENT LP				SOLD TO SPARKLETT'S DRINKING WATER CORP	-26.10		
SUCCESSOR TO ECOGAS	11.80			TOTAL		0.00	0.00
TOTAL		11.80		CALIFORNIA WATER SERVICE CO	3,071.00		
ASAHI FANCY KOI INC				SUCCESSOR TO PALOS VERDES WATER CO	999.00		
SUCCESSOR IN PART TO JAKE ENGELSMA	2.00			TOTAL		4,070.00	4,070.00
ASSOCIATED SOUTHERN INVESTMENT CO				CALIFORNIA WATER SERVICE CO (DOMINGUEZ)			
(FORMERLY EDISON SECURITIES CO)	46.70			DOMINGUEZ WATER CO MERGED WITH AND INTO CALIFORNIA WATER SERVICE CO,	10,162.45		
SOLD TO SOUTHERN CALIFORNIA EDISON CO	-46.70		0.00	WATERMASTER ACCOUNT KNOWN AS CALIFORNIA WATER SERVICE CO (DOMINGUEZ)			
TOTAL		0.00		SUCCESSOR IN PART TO HONEYWELL INTERNATIONAL, INC	255.00		
ATLANTIC RICHFIELD CO				TOTAL		10,417.45	10,417.45
(FORMERLY RICHFIELD OIL CO)	4,428.00			CARSON ESTATE CO	130.00		
SUCCESSOR TO MANVILLE SALES CORP	861.00			SOLD TO DOMINGUEZ WATER CORP	-130.00		
SOLD TO TESORO REFINING AND MARKETING COMPANY LLC (8-13-2013)	-5,309.00		0.00	TOTAL		0.00	0.00
TOTAL		0.00		CARSON HARBOR VILLAGE MOBILE HOME PARK			
AUTOMATION INDUSTRIES, INC-HARRIS TUBE				SUCCESSOR TO ETCHEMENDY, CAROLINE, ESTATE OF	8.20		
SUCCESSOR TO HARRIS TUBE, INC	0.70			SOLD TO MONTROSE CHEMICAL CORPORATION OF CALIFORNIA (9-28-2011)	-1.20		
BALLMAN, ROSEMARY N	7.00			TOTAL		7.00	7.00
SOLD TO UNITED CALIFORNIA BANK	-7.00			CARSON-MADRONA CO			
TOTAL		0.00		SUCCESSOR TO CHANSLOR-WESTERN OIL AND DEVELOP CO	104.00		
BANK OF AMERICA NATIONAL TRUST AND SAVINGS ASSOCIATION (TRUST BI-51)	0.10			AND DEVELOP CO		104.00	104.00
RELEASED TO MICHAEL L ROCKWELL	-0.10			CENTURY BUILDERS			
TOTAL		0.00		SUCCESSOR TO UNION NURSERY, INC	4.70		
BARCLAY HOLLANDER CORP				CHANDLER'S PALOS VERDES SAND AND GRAVEL CORP		4.70	4.70
(FORMERLY BARCLAY HOLLANDER CURCI INC)				SECOND WEST COAST BASIN JUDGMENT	95.20		
SUCCESSOR IN PART TO JOUGHIN TORRANCE RANCH	3.33			SUCCESSOR TO SOUTHWESTERN PORTLAND CEMENT CO	15.00		
SOLD TO TORRANCE, CITY OF	-3.33		0.00	SUCCESSOR TO TORRANCE SAND AND GRAVEL CORP	184.00		
TOTAL		0.00		TOTAL		294.20	294.20
BARCLAY HOLLANDER CURCI INC				CHANSLOR-WESTERN OIL AND DEVELOPMENT CO	104.00		
(NOW KNOWN AS BARCLAY HOLLANDER CORP)				(FORMERLY CHANSLOR-CANFIELD MIDWAY OIL CO)	-104.00		
BARCLAY, RICHARD AND R A WATT				SOLD TO CARSON-MADRONA CO		0.00	0.00
SUCCESSORS TO EMMA J OSBORN	32.66			CHEMICALS CO OF ALLIED CORP			
SUCCESSORS IN PART TO ISABELA J GRANZ ESTATE	13.55			(FORMERLY INDUSTRIAL CHEMICAL DIVISION, ALLIED CHEMICAL CORP)			
SUCCESSORS IN PART TO GEORGE R	13.75						

West Coast Basin

September 2014

CHEVRON USA INC	4,541.70		TOTAL		0.00
(FORMERLY STANDARD OIL CO OF CALIFORNIA)			EDISON SECURITIES CO		
SUBJECT TO LONG TERM LEASE FROM	59.80		(NOW KNOWN AS ASSOCIATED SOUTHERN		
ISABELLA GRANZ PER JUDGEMENT			INVESTMENT CO)		
TOTAL		4,601.30	EL SEGUNDO, CITY OF	953.00	953.00
CHRISTIE, CLEM, DON C FOHL AND LEON	0.02		ENGELSMA, JAKE		
LARSON			SUCCESSOR TO WILBUR HORNSTRA	14.10	
(TRUSTEES OF WILMINGTON CEMETERY ASSOC)			SOLD TO ASAHI FANCY KOI, INC	-2.00	
ABANDONED WATER RIGHT	-0.02		TRANSFERRED TO SUSAN ENGELSMA,	-12.10	
TOTAL		0.00	TRUSTEE ET AL		
CHURCHILL DOWNS CALIFORNIA CO			TOTAL		0.00
SUCCESSOR TO HOLLYWOOD PARK	262.00		ENGELSMA, SUSAN; TRUSTEE OF THE SUSAN		
OPERATING CO			ENGELSMA TRUST		
SOLD TO HOLLYWOOD PARK LAND COMPANY,	-262.00		TRANSFERRED FROM JAKE ENGELSMA	12.10	12.10
LLC			EQUILON ENTERPRISES, LLC		
TOTAL		0.00	SUCCESSOR TO TEXACO REFINING AND	3,432.00	
CLUFF, BEN DAIRY			MARKETING, INC		
SUCCESSOR TO EDWARD AND EMILY COST	7.40		SOLD TO SHELL OIL PRODUCTS US	-3,432.00	
SOLD TO AMERICAN PLANT GROWERS, INC	-7.40		TOTAL		0.00
TOTAL		0.00	ETCHEMENDY, CAROLINE, ESTATE OF	8.20	
COAST FOREST PRODUCTS			SOLD TO CARSON-HARBOR VILLAGE MOBILE	-8.20	
SUCCESSOR TO SOUTHWEST STEEL ROLLING	3.40		HOME PARK		
MILLS			TOTAL		0.00
SOLD TO GEORGIA-PACIFIC CORP	-3.40		EVERGREEN AMERICA CORP		
TOTAL		0.00	SUCCESSOR TO POTHOS CORP	5.40	5.40
COASTLINE CHURCH OF CHRIST			EWING, CARMELITA ROSECRANS	91.30	
SUCCESSOR TO LERMENS, EVELYN	0.70	0.70	SOLD TO SOUTHERN CALIFORNIA WATER CO	-91.30	
COLLISTER, CAMERON			TOTAL		0.00
SUCCESSOR TO JOUGHIN TORRANCE RANCH	136.82		EWING, NED ET AL		
QUITCLAIMED TO NORMANDIE PARK	-136.82		SUCCESSOR IN PART TO ISABEL J GRANZ	6.50	
TOTAL		0.00	ESTATE		
COLUMBIA BROADCASTING SYSTEM, INC			SOLD TO R A WATT, INC	-6.50	
(NOW KNOWN AS CBS INC)			TOTAL		0.00
CONOCOPHILLIPS COMPANY			FLESH, LESLIE R AND ANDOR PASTERNAK, ET AL		
SUCCESSOR TO TOSCO CORPORATION			SUCCESSORS TO ALFRED D AND RUTH	3.50	
(NOW KNOWN AS PHILLIPS 66 COMPANY)			SEABACK		
COST, EDWARD AND EMILY	7.40		SOLD TO STANLEY C LAGERLOF	-3.50	
SOLD TO BEN CLUFF DAIRY	-7.40		TOTAL		0.00
TOTAL		0.00	FLETCHER OIL AND REFINING CO		
CURTIS, OWEN W	3.80		(FORMERLY FLETCHER OIL CO)	86.30	
SOLD TO SOUTHERN CALIFORNIA WATER CO	-3.44		SUCCESSOR TO FLETCHER, ROBERT G ET AL	3.70	
TOTAL		0.36	SOLD TO WESTERN WATER CO	-90.00	
DEL AMO ESTATE CO	121.00		TOTAL		0.00
SOLD TO DOMINGUEZ WATER CORP	-121.00		FLETCHER, ROBERT G, DANIEL S, AND WILFRED O		
TOTAL		0.00	SUCCESSOR TO FRED A JUNGQUIST	3.70	
DELANEY, GOLDA, ESTATE OF			SOLD TO FLETCHER OIL AND REFINING CO	-3.70	
(FORMERLY ARTHUR J DELANEY)			TOTAL		0.00
SUCCESSOR TO BEGO CORP	4.10	4.10	FUJIMOTO, SAMUEL R		
DENNIS, ESTHER M SHEETS			(FORMERLY KNOWN AS FUJIMOTO, SAMUEL R		
(FORMERLY ESTHER M SHEETS)	5.50		AND RAYMOND S)		
SOLD TO TORRANCE, CITY OF	-5.50		SUCCESSOR IN PART TO H J AND DAISY	20.00	
TOTAL		0.00	EARLY		
DESSER ENTERPRISES, INC.			SOLD TO FUJIMOTO, SAMUEL R, STEVEN T	-20.00	
SECOND WEST COAST BASIN JUDGMENT	0.00	0.00	AND JON T JOINT TENANTS		
SOLD TO MYRON Z. CHLAVIN AND NETTIE			TOTAL		0.00
DESSER TRUST AND JHD PROPERTIES, LLC	-0.00	0.00	FUJIMOTO, SAMUEL R AND RAYMOND S		
DOMINGUEZ ESTATE CO	254.00		(SEE FUJIMOTO, SAMUEL R)		
SOLD TO DOMINGUEZ WATER CORP	-254.00		FUJIMOTO, SAMUEL R, STEVEN T AND JON K.		
TOTAL		0.00	JOINT TENANTS		
DOMINGUEZ WATER CORP			SUCCESSOR TO FUJIMOTO, SAMUEL R	20.00	20.00
(NOW KNOWN AS DOMINGUEZ WATER CO)			FULLILOVE, ROBERT L	1.00	
DOMINGUEZ WATER CO	9,477.80		SOLD TO STATE OF CALIFORNIA	-1.00	
(FORMERLY KNOWN AS DOMINGUEZ WATER CORP)			TOTAL		0.00
SUCCESSOR TO CARSON ESTATE CO	130.00		FUTURA INDUSTRIES, INC		
SUCCESSOR TO DEL AMO ESTATE CO	121.00		SUCCESSOR TO SPANISH AMERICAN	44.40	
SUCCESSOR TO DOMINGUEZ ESTATE CO	254.00		INSTITUTE		
SUCCESSOR TO DON WILSON BUILDERS	32.60		SOLD TO KAUFMAN, LEO AND SHELDON BAER	-44.40	
SUCCESSOR TO HEYDENBECK, JEANETTE R	0.70		TOTAL		0.00
SUCCESSOR TO NAKANO, KIKUNO, ET AL	19.30		GARRETT CORP, THE		
SUCCESSOR IN PART TO H J EARLY	91.00		SUCCESSOR TO SHINODA BROTHERS INC	22.50	
SUCCESSOR IN PART TO R A WATT, INC	61.85		TRANSFERRED TO ALLIED-SIGNAL INC	-22.50	
SOLD IN PART TO WATSON LAND CO	-37.60		(TORRANCE OFFICE)		
SUCCESSOR TO THORPE, GREGORY	11.80		TOTAL		0.00
DOMINGUEZ WATER CO MERGED WITH AND	-10,162.45		GATX TANK STORAGE TERMINALS CORP		
INTO CALIFORNIA WATER SERVICE CO,			SUCCESSOR TO PHILLIPS PETROLEUM CO	167.00	
WATERMASTER ACCOUNT KNOWN AS			SOLD TO KINDER MORGAN LIQUIDS	-167.00	
CALIFORNIA WATER SERVICE CO			TERMINALS, LLC		
(DOMINGUEZ)			TOTAL		0.00
TOTAL		0.00	GEORGIA-PACIFIC CORP		
DON WILSON BUILDERS			SUCCESSOR TO COAST FOREST PRODUCTS	3.40	
SUCCESSORS TO KASUO, ISAMU, AND	32.60		SOLD TO INGLEWOOD, CITY OF	-3.40	
YOSHIKI R KITA			TOTAL		0.00
SOLD TO DOMINGUEZ WATER CORP	-32.60		GERAHUE LAND CO		
TOTAL		0.00	SUCCESSOR AND ASSIGNEE FOR A S	11.90	
DOUGLAS AIRCRAFT CO, INC			JOHNSTON DRILL CO		
(SEE MCDONNELL DOUGLAS CORP)			ABANDONED WATER RIGHT	-11.90	
EARLY, H J AND DAISY	111.00		TOTAL		0.00
SOLD TO DOMINGUEZ WATER CORP	-91.00		GILLINGHAM, FLORENCE R, ET AL	2.40	2.40
SOLD TO SAMUEL R AND RAYMOND S	-20.00		GOLDEN STATE WATER COMPANY		
FUJIMOTO			SUCCESSOR TO SOUTHERN CALIFORNIA		
TOTAL		0.00	WATER COMPANY (NAME CHANGE)	7,502.24	7,502.24
ECOGAS, INC.			GONZALES, FELIPE AND GABRIELA		
SUCCESSOR TO BLACK, DANA	11.80		(NOW KNOWN AS GONZALES, GABRIELA AND		
SOLD TO AQUA CAPITAL MANAGEMENT LP	-11.80		MARIA R)		

West Coast Basin

September 2014

GONZALES, GABRIELA AND MARIA R (FORMERLY GONZALES, FELIPE AND GABRIELA)	34.30			HUNT, DONALD G			
SOLD TO TORRANCE, CITY OF	-34.30			SUCCESSOR TO JAMES SCANDA	1.90		
TOTAL		0.00		SOLD TO KENICHI INOSE	-1.90		0.00
GRAND LAND CO				TOTAL			
SUCCESSOR IN PART TO SMITH, A H, ET AL	5.70			INDUSTRIAL CHEMICAL DIVISION, ALLIED CHEMICAL			
ABANDONED WATER RIGHTS 1961-82	-5.70			CORP			
TOTAL		0.00		(FORMERLY ALLIED CHEMICAL CORP, GEN			
GRANT, JOHN, ESTATE OF	59.00			CHEMICAL CO)			
APPORTIONED IN PART TO BLACK, DANA	-11.80			(NOW KNOWN AS ALLIED CORP)			
APPORTIONED IN PART TO BRANDSMA,	-11.80			INGLEWOOD, CITY OF	4,382.00		
MAYNARD				SUCCESSOR TO ABELL, FRANK	1.80		
APPORTIONED IN PART TO HONOLD, KRISTIN	-11.80			SUCCESSOR TO BOISE CASCADE BUILDING	16.82		
BRANDSMA				CO			
APPORTIONED IN PART TO THORPE,	-11.80			SUCCESSOR TO GEORGIA-PACIFIC CORP	3.40		
GREGORY				SUCCESSOR TO KAUFMAN, LEO AND	44.40		
APPORTIONED IN PART TO THORPE,	-11.80			SHELDON BAER			
TERRENCE				SUCCESSOR IN PART TO GEORGE R	1.37		
TOTAL	380.00			MURDOCK			
GRANZ, ISABELA J				TOTAL		4,449.86	
PARTITIONED TO HEIRS:				INOSE ET AL			
ISABELA J GRANZ ESTATE	-33.80			(KEN K INOSE, KAY K INOSE, KIYOKO YOSHIYAMA,			
JOUGHIN TORRANCE RANCH	-212.42			KENICHI INOSE, KAYOKO K INOSE AND			
GEORGE R MURDOCK	-15.12			DAVID T NAKATANI, TRUSTEE OF THE INOSE CHILDREN			
EMMA J OSBORN	-32.66			TRUST U/D/T DATE 11/1/78)			
SUBJECT TO LONG TERM LEASE TO:	-59.60			(FORMERLY INOSE, KENICHI)			
STANDARD OIL CO OF CALIF				SUCCESSOR TO HUNT, DONALD G	1.90		
SUPERIOR OIL CO	-26.40			SUCCESSOR TO THAXTER, RALPH AND LOIS A	3.60		
TOTAL		0.00		LENOIR			
GRANZ, ISABELA J, ESTATE OF				SOLD TO POTHOS CORP	-5.40		0.00
SUCCESSOR IN PART TO ISABELA J GRANZ	33.80			TOTAL			
SOLD IN PART TO RICHARD BARCLAY AND R A	-13.65			INOSE, KENICHI			
WATT				(NOW KNOWN AS INOSE ET AL)			
SOLD IN PART TO NED EWING, ET AL	-6.50			JENKINS, HARRY C			
SOLD IN PART TO R A WATT, INC	-13.75			SUCCESSOR TO H L PERRY	1.80		
TOTAL		0.00		SOLD TO ABC NURSERY, INC	-1.80		0.00
HARRIS, RAND L				TOTAL			
SUCCESSOR TO LAWRENCE I LISTON	0.70			JOHNS-MANVILLE PRODUCTS CORP			
DISCLAIMED WATER RIGHT	-0.70			(SEE JOHNS-MANVILLE SALES CORP)			
TOTAL		0.00		JOHNS-MANVILLE SALES CORP			
HARRIS TUBE, INC				(FORMERLY: JOHNS-MANVILLE PRODUCTS CORP			
SUCCESSOR IN PART TO B ROBINSON AND	0.70			MANVILLE SERVICE CORP)			
ASSOCIATES				(NOW KNOWN AS MANVILLE SALES CORP)			0.00
TRANSFERRED TO AUTOMATION IND INC-	-0.70			TOTAL			
HARRIS TUBE				JOHNSTON, A S, DRILLING CO	11.90		
TOTAL		0.00		ASSIGNED TO GERAHUE LAND CO	-11.90		0.00
HAWTHORNE, CITY OF	1,882.00	1,882.00		TOTAL			
HENDERSON, BEATRICE M	1.30			JONES, ANNA MAE	50.20		
ABANDONED WATER RIGHT	-1.30			SOLD TO CITY OF TORRANCE	-50.20		0.00
TOTAL		0.00		TOTAL			
HEYDENBECK, JEANETTE R				JOUGHIN TORRANCE RANCH			
(FORMERLY JEANETTE R REIFSNYDER)	0.70			SUCCESSOR IN PART TO ISABELA J GRANZ	212.42		
SOLD TO DOMINGUEZ WATER CORP	-0.70			SOLD IN PART TO BARCLAY HOLLANDER	-3.33		
TOTAL		0.00		CURCI INC			
HILLSIDE MEMORIAL PARK	16.70			SOLD IN PART TO BOISE CASCADE BUILDING	-16.82		
SUCCESSOR TO SANTA FE LAND	39.50			CO			
IMPROVEMENT CO				SOLD IN PART TO COLLISTER, CAMERON	-136.82		
SUCCESSOR TO SIGMUND S AND LIONEL S	12.50			SOLD IN PART TO R A WATT, INC	-55.35		0.00
HOCKWALD				TOTAL			
SUCCESSOR TO THORPE, TERRENCE	11.80			JUNGQUIST, FRED A			
SUCCESSOR TO BRANDSMA, MAYNARD	11.80			(FORMERLY KATHERINE P WOODMAN)	3.70		
TOTAL		92.50		SOLD TO ROBERT G FLETCHER ET AL	-3.70		0.00
HOCKWALD, SIGMUND S AND LIONEL S	12.50			TOTAL			
SOLD TO HILLSIDE MEMORIAL PARK	-12.50			KAHLERT, ET AL			
TOTAL		0.00		AND SUCCESSOR IN PART TO KELLY PIPE CO	18.90		
HOLLYWOOD PARK INC				SOLD TO SPARKLETT'S DRINKING WATER	-18.90		0.00
(FORMERLY HOLLYWOOD TURF CLUB)				CORP			
(NOW KNOWN AS HOLLYWOOD PARK OPERATING CO)				TOTAL			
HOLLYWOOD PARK LAND COMPANY LLC	282.00	282.00		KAUFMAN, LEO AND SHELDON BAER			
SUCCESSOR TO CHURCHILL DOWNS				SUCCESSOR TO FUTURA INDUSTRIES INC	44.40		
CALIFORNIA COMPANY				SOLD TO CITY OF INGLEWOOD	-44.40		0.00
HOLLYWOOD PARK OPERATING CO	282.00			TOTAL			
(FORMERLY HOLLYWOOD PARK INC)				KELLY PIPE CO	49.00		
SOLD TO CHURCHILL DOWNS CALIFORNIA CO	-282.00			SOLD IN PART TO STATE OF CALIFORNIA	-16.30		
TOTAL		0.00		SOLD IN PART TO KAHLERT, ET AL	-16.90		
HOLLYWOOD TURF CLUB				SOLD IN PART TO SPARKLETT'S DRINKING	-13.80		
(NOW KNOWN AS HOLLYWOOD PARK INC)				WATER CORP			0.00
HONEYWELL INTERNATIONAL INC				TOTAL			
MERGED WITH ALLIED-SIGNAL INC (EL				KINDER MORGAN LIQUIDS TERMINALS, LLC	167.00	167.00	
SEGUNDO AND TORRANCE OFFICES) AND				SUCCESSOR TO GATX TANK STORAGE			
THE CORP NAME CHANGED TO HONEYWELL				TERMINALS CORP.			
INTERNATIONAL INC	277.50						
SOLD IN PART TO CALIFORNIA WATER	-255.00			KITA, ISAMU, KASUO, AND YOSHIKI R	32.60		
SERVICE CO (DOMINGUEZ)				SOLD TO DON WILSON BUILDERS	-32.60		0.00
TOTAL		22.50		TOTAL			
HONOLD, KRISTIN BRANDSMA				KURTZ, GLADYS	3.50		
SUCCESSOR IN PART TO ESTATE OF JOHN	11.80	11.80		SOLD TO SPARKLETT'S DRINKING WATER	-3.50		0.00
GRANT				CORP			
HORNSTRA, WILBUR	14.10			TOTAL			
SOLD TO JAKE ENGELSMA	-14.10			LAGERLOF, STANLEY C	3.50		
TOTAL		0.00		SUCCESSOR TO LESLIE R FLESCHE AND			
HUGHES AIRCRAFT				ANDOR PASTERNAK, ET AL			
(SEE 1981 JUDGMENT ORDER)		0.00		SOLD TO SHELL OIL CO	-3.50		0.00
				TOTAL			

West Coast Basin

September 2014

LAWLER, JAMES K	3.10		SOLD TO CITY OF TORRANCE	-916.00	
SOLD TO B ROBINSON AND ASSOC	-3.10	0.00	TOTAL		0.00
LERMENS, EVELYN			MONIZ, JOE JR	2.20	
(FORMERLY LERMENS, ALFRED)	0.70		SOLD TO STATE OF CALIFORNIA	-2.20	0.00
SOLD TO COASTLINE CHURCH OF CHRIST	-0.70	0.00	TOTAL		0.00
TOTAL			<u>MONTROSE CHEMICAL CORPORATION OF</u>		
LEUZINGER, EMMA L	1.40	1.40	CALIFORNIA		
LISTON, LAWRENCE	0.70		SUCCESSOR TO CARSON-HARBOR VILLAGE	1.20	1.20
SOLD TO R AND L HARRIS	-0.70	0.00	MOBILE HOME PARK (9-28-2011)		
TOTAL			MORAN, RONALD E		
LITTLE, WILLIAM			SUCCESSOR IN PART TO COLUMBIA	9.00	
SUCCESSOR TO ROCKWELL, MICHAEL	0.10		BROADCASTING SYSTEM, INC		
SOLD TO WATT INDUSTRIAL PROPERTIES	-0.10	0.00	SOLD TO CITY OF TORRANCE	-9.00	0.00
TOTAL			TOTAL		0.00
<u>LOMITA, CITY OF WATER SYSTEM (WWD 13)</u>	1,352.00	1,352.00	<u>MORI, ROY H AND KENJI</u>		
(FORMERLY LOS ANGELES COUNTY			SECOND WEST COAST BASIN JUDGMENT	5.60	
WATERWORKS DISTRICT NO 13)			SOLD TO NOZAKI, SUMIKICHI	-2.00	
LONG BEACH, CITY OF	0.70	0.70	TOTAL		3.60
LONG BEACH, CITY OF	1.70	1.70	MURDOCK, GEORGE R		
LOPES, FRANK			SUCCESSOR IN PART TO ISABELA J GRANZ	15.12	
LOS ANGELES, CITY OF	1,503.00	1,503.00	SOLD IN PART TO R BARCLAY AND R A WATT	-13.75	
LOS ANGELES COUNTY-ALONDRA PARK	26.70		SOLD IN PART TO CITY OF INGLEWOOD	-1.37	0.00
SUCCESSOR TO LOS ANGELES COUNTY	39.00		TOTAL		0.00
FLOOD CONTROL DIST			<u>MYRON Z. CHLAVIN AND NETTIE DESSER TRUST</u>		
MERGED WITH LOS ANGELES COUNTY	-67.70		AND JHD PROPERTIES, LLC		
CHESTER L. WASHINGTON GOLF COURSE			SUCCESSOR TO DESSER ENTERPRISES, INC.	0.00	0.00
UNDER NEW NAME "LOS ANGELES COUNTY			NAKANO, KIKUNO, ET AL	19.30	
RECREATION FACILITIES"		0.00	SOLD TO DOMINGUEZ WATER CORP	-19.30	0.00
TOTAL			TOTAL		0.00
LOS ANGELES COUNTY CHESTER L. WASHINGTON			NAVARRO, T C	53.90	
GOLF COURSE			SOLD TO HILARIO S AND EMMA ALWAG	-53.90	0.00
(FORMERLY LOS ANGELES COUNTY	296.00		TOTAL		0.00
WESTERN AVENUE GOLF COURSE)			NORAIR, A DIVISION OF NORTHROP CORP		
MERGED WITH LOS ANGELES COUNTY	-296.00		(FORMERLY KNOWN AS NORTHROP AIRCRAFT, INC)		
ALONDRA PARK UNDER NEW NAME "LOS			(NOW KNOWN AS NORTHROP CORP)		
ANGELES COUNTY RECREATION FACILITIES"		0.00	NORMANDIE PARK		
TOTAL			SUCCESSOR TO COLLISTER, CAMERON	136.82	
LOS ANGELES COUNTY FLOOD CONTROL	37.60		SOLD TO CITY OF TORRANCE	-136.82	0.00
DISTRICT			TOTAL		0.00
SUCCESSOR IN PART TO A H SMITH, ET AL	1.40		<u>NORTHROP CORP</u>		
SOLD TO LOS ANGELES COUNTY - ALONDRA	-39.00	0.00	(FORMERLY KNOWN AS NORAIR, A DIV OF	38.15	38.15
PARK			NORTHROP CORP)		
TOTAL			<u>NOZAKI, SUMIKICHI</u>		
<u>LOS ANGELES COUNTY RECREATION FACILITIES</u>			SUCCESSOR IN PART TO MORI, ROY H AND	2.00	
MERGER OF LOS ANGELES COUNTY ALONDRA	67.70		KENJI		
PARK, AND			SUCCESSOR IN PART TO UNITED CALIFORNIA	5.00	
LOS ANGELES COUNTY CHESTER L.			BANK		7.00
WASHINGTON GOLF COURSE	296.00	363.70	TOTAL		
TOTAL		102.00	OSBORN, EMMA J		
<u>LOS ANGELES COUNTY SANITATION DIST NO 2</u>	102.00	102.00	SUCCESSOR IN PART TO ISABELA J GRANZ	32.66	
LOS ANGELES COUNTY WATERWORKS DISTRICT NO 13			SOLD TO R BARCLAY AND R A WATT	-32.66	0.00
(NOW KNOWN AS LOMITA, CITY OF WATER			TOTAL		0.00
SYSTEM WWD 13)			<u>OTANI, CHISATO</u>	0.00	0.00
LOS ANGELES COUNTY WATERWORKS DISTRICT	551.00		<u>PACIFIC CREST CEMETERY CO</u>	17.70	
NO 22			SUCCESSOR TO H S SCOTT	9.50	
SOLD TO SOUTHERN CALIF WATER CO	-551.00	0.00	SUCCESSOR TO WADA, KAORU AND SATORU	12.20	39.40
TOTAL			TOTAL		0.00
LOS ANGELES COUNTY WESTERN AVE GOLF COURSE			<u>PALOS VERDES BEGONIA FARM</u>		
(FORMERLY BOARD OF RETIREMENT OF THE LOS			SUCCESSOR TO GUS A BAUMAN	0.00	0.00
ANGELES COUNTY EMPLOYEES RETIREMENT			PALOS VERDES WATER CO	999.00	
SYSTEM)			SOLD TO CALIFORNIA WATER SERVICE CO	-999.00	0.00
(NOW KNOWN AS LOS ANGELES CHESTER L			TOTAL		
WASH GOLF)			PARK WATER CO	160.00	
<u>LOYOLA MARYMOUNT UNIVERSITY</u>			SOLD TO SOUTHERN CALIFORNIA WATER	-160.00	0.00
(FORMERLY LOYOLA UNIVERSITY OF LOS	48.10	48.10	TOTAL		
ANGELES)			PARKE, ZORAIDA	1.80	
<u>MANHATTAN BEACH, CITY OF</u>	1,131.20	1,131.20	SOLD TO H L PERRY	-1.80	0.00
MANVILLE SALES CORP	881.00		TOTAL		0.00
(FORMERLY: JOHNS-MANVILLE SALES CORP			PASCHKE, WILLIAM JOSEPH	0.02	
JOHNS-MANVILLE PRODUCTS			ABANDONED WATER RIGHT	-0.02	0.00
CORP MANVILLE SERVICE)			TOTAL		0.00
SOLD TO ATLANTIC RICHFIELD CO	-881.00	0.00	PERRY, H L		
TOTAL			SUCCESSOR TO ZORAIDA PARKE	1.80	
MANVILLE SERVICE CORP			SOLD TO HARRY C JENKINS	-1.80	0.00
(SEE JOHNS-MANVILLE SALES CORP)			TOTAL		
MARTIN BROTHERS BOX CO, INC	3.40		<u>PHILLIPS 66 COMPANY</u>		
SOLD TO SOUTHWEST STEEL ROLLING MILLS	-3.40	0.00	(FORMERLY CONOCOPHILLIPS COMPANY)	6,170.00	
TOTAL			PHILLIPS PETROLEUM CO		
<u>MAYFLOWER NURSERIES</u>	0.00	0.00	(FORMERLY TIDEWATER OIL CO)	167.00	
(HERBERT SAKAYE FUKUWAI, DBA)			SOLD TO GATX TANK STORAGE TERM CORP	-167.00	6,170.00
MCCANDLESS, JAMES	6.70		TOTAL		
SOLD TO SPARKLETT'S DRINKING WATER	-6.70		POTHOS CORP		
CORP		0.00	SUCCESSOR TO INOSE ET AL	5.40	
TOTAL			SOLD TO EVERGREEN AMERICA CORP	-5.40	0.00
<u>MCDONNELL DOUGLAS CORP</u>			TOTAL		0.00
(FORMERLY DOUGLAS AIRCRAFT, CO INC)			<u>REHOR, JOSEPHINE P</u>	2.20	2.20
LONG TERM LEASE FROM UNITED STATES	1.70	1.70	REIFSNYDER, JEANETTE R		
NAVY DEPARTMENT			(NOW KNOWN AS JEANNETTE R HEYDENBECK)		
<u>MOBIL OIL CORP</u>			RHODIA, INC		
(FORMERLY SOCONY MOBIL OIL CO)	2,570.00		(NOW KNOWN AS SOLVAY USA INC.)		
SUCCESSOR TO SUPERIOR OIL CO	26.40	2,596.40	SUCCESSOR TO RHONE-POULENC INC		
TOTAL			RHONE-POULENC BASIC CHEMICALS CO		
MONETA MUTUAL WATER CO	916.00		SUCCESSOR TO STAUFFER CHEMICAL CO	521.00	

West Coast Basin

September 2014

SOLD TO RHONE-POULENE INC	-521.00	0.00	ROSECRANS		
TOTAL			SUCCESSOR TO LOS ANGELES COUNTY	551.00	
			WATERWORKS DIST NO 22		
RHONE-POULENE INC			SUCCESSOR TO PARK WATER CO	160.00	
SUCCESSOR TO RHONE-POULENE, BASIC	521.00		SUCCESSOR TO RYAN AERONAUTICAL CO	20.20	
CHEMICALS CO			SUCCESSOR TO SOUTHERN PACIFIC CO	166.00	
SOLD TO RHODIA, INC	-521.00		SUCCESSOR IN PART TO OWEN W CURTIS	3.44	
TOTAL		0.00	SUCCESSOR IN PART TO B ROBINSON AND	2.40	
RICHFIELD OIL CORP			ASSOCIATES		
(NOW KNOWN AS ATLANTIC RICHFIELD CO)			SUCCESSOR TO WESTERN WATER SERVICE	242.60	
ROBINSON, B, AND ASSOCIATES			COMPANY		
SUCCESSOR TO JAMES K LAWLER	3.10		NAME CHANGE TO GOLDEN STATE WATER	-7,502.24	
SOLD IN PART TO HARRIS TUBE, INC	-0.70		COMPANY		0.00
SOLD IN PART TO SOUTHERN CALIFORNIA	-2.40		TOTAL		
WATER CO			SOUTHERN PACIFIC CO	166.00	
TOTAL		0.00	SOLD TO SO CALIFORNIA WATER CO	-166.00	0.00
ROCKWELL, MICHAEL L			TOTAL		
SUCCESSOR TO BANK OF AMERICA NATIONAL	0.10		SOUTHERN WESTERN PORTLAND CEMENT	15.00	
TRUST AND SAVINGS ASSOCIATION (TRUST B			COMPANY		
1-51)			SOLD TO CHANDLERS PALOS VERDES AND	-15.00	0.0
SOLD TO LITTLE, WILLIAM	-0.10		GRAVEL CORP		
TOTAL		0.00	TOTAL		
RODRIGUEZ, FLAVIO	6.10		SOUTHWEST STEEL ROLLING MILLS	3.40	
SOLD TO STATE OF CALIFORNIA	-4.00		SUCCESSOR TO MARTIN BROTHERS BOX CO,		
DISCLAIMED WATER RIGHT	-2.10		INC	-3.40	0.00
TOTAL		0.00	SOLD TO COAST FOREST PRODUCTS		
ROMAN CATHOLIC ARCHBISHOP OF LOS	72.30	72.30	TOTAL	44.40	
ANGELES (HOLY CROSS CEMETERY)			SPANISH AMERICAN INSTITUTE	-44.40	0.00
RUFFNER CORP			SOLD TO FUTURA INDUSTRIES, INC		
SUCCESSOR TO LOUIS M SEPULVEDA	0.70		TOTAL		
ABANDONED WATER RIGHT	-0.70		SPARKLETT'S DRINKING WATER CORP	80.60	
TOTAL		0.00	SUCCESSOR TO ANDERSON, REMBERT C, ET		
RYAN AERONAUTICAL CO	20.20		AL	26.10	
SOLD TO SOUTHERN CALIFORNIA WATER CO	-20.20		SUCCESSOR TO CALIFORNIA, STATE OF	18.90	
TOTAL		0.00	SUCCESSOR TO KAHLERT, ET AL	3.50	
SANTA FE LAND IMPROVEMENT CO	39.50		SUCCESSOR TO KURTZ, GLADYS	6.70	
SOLD TO HILLSIDE MEMORIAL PARK	-39.50		SUCCESSOR TO MCCANDLESS, JAMES	3.10	
TOTAL		0.00	SUCCESSOR TO WECHSLER, B A	13.80	
SCANDA, JAMES AND GEORGE NASSIN	1.90		SUCCESSOR IN PART TO KELLY PIPE CO	-152.60	0.00
SOLD TO DONALD G HUNT	-1.90		TOTAL		
TOTAL		0.00	STANDARD OIL CO OF CALIFORNIA		
SCHLAEGEL, KEITH W AND OPAL B	13.60		(NOW KNOWN AS CHEVRON U S A, INC)	521.00	
SOLD TO SIDNEY R AND CHARLOTTE W TITTE	-13.60		STAUFFER CHEMICAL CO	-521.00	
TOTAL		0.00	SOLD TO RHONE-POULENE BASIC CHEMICALS		
SCOTT, H S			CO		0.00
SUCCESSOR TO W F BURKE AND LOIS PRICE	9.50		TOTAL		
QUITCLAIMED TO PACIFIC CREST CEMETERY	-9.50		SUNRISE GROWERS, INC	10.00	
CO			SUCCESSOR TO AMERICAN PLANT GROWERS		
TOTAL		0.00	INC	-10.00	0.00
SEABACK, ALFRED D AND RUTH	3.50		SOLD TO AMERICAN PLANT GROWERS, INC		
SOLD TO LESLIE R FLESH AND OR	-3.50		TOTAL		
PASTERNAK, ET AL		0.00	SUPERIOR OIL CO	26.40	
TOTAL			SUBJECT TO LONG TERM LEASE FROM		
SEPULVEDA, LOUIS M	0.70		ISABELA J GRANZ	-26.40	0.00
ACQUIRED BY RUFFNER CORP	-0.70		SOLD TO MOBIL OIL CORP		
TOTAL		0.00	TOTAL		
SHEETS, ESTHER M			SWICK, PEGGY	5.50	
(FORMERLY CLYDE L SHEETS)			SOLD TO HILARIO AND EMMA ALWAG	-5.50	0.00
(SEE DENNIS, ESTHER M SHEETS)			TOTAL		
SHELL OIL CO	4,515.00		TESORO REFINING AND MARKETING COMPANY		
SUCCESSOR TO LAGERLOF, STANLEY C	3.50		SUCCESSOR TO SHELL OIL PRODUCTS US		
SOLD IN PART TO UNION OIL CO OF CAL	-1,974.00		(NOW KNOWN AS TESORO REFINING &		
SOLD IN PART TO UNION OIL CO OF CAL	-1,526.00	1,019.50	MARKETING COMPANY LLC)		
TOTAL			TESORO REFINING & MARKETING COMPANY LLC		
SHELL OIL PRODUCTS US	3,432.00		(FORMERLY TESORO REFINING AND	3,432.00	
SOLD TO TESORO REFINING AND MARKETING			MARKETING COMPANY)		
COMPANY	-3,432.00	0.00	SUCCESSOR TO ATLANTIC RICHFIELD	5,308.00	8,741.00
TOTAL			COMPANY (6-13-2013)		
SHINODA BROTHERS, INC			TEXACO, INC		
SECOND WEST COAST BASIN JUDGMENT	22.50		(NOW KNOWN AS TEXACO REFINING AND		
SOLD TO GARRETT CORP, THE	-22.50		MARKETING, INC)	3,432.00	
TOTAL		0.00	TEXACO REFINING AND MARKETING, INC		
SMITH, A H (SAM SURBER AND FREDA SMITH)	9.70		(FORMERLY: TEXACO, INC)	-3,432.00	0.00
SOLD IN PART TO STATE OF CALIFORNIA	-2.60		SOLD TO EQUILON ENTERPRISES, LLC		
SOLD IN PART TO GRAND LAND CO	-5.70		TOTAL		
SOLD IN PART TO L A CO FLOOD CONTROL	-1.40		THAXTER, RALPH AND LOIS A LENOIR	3.50	
DISTRICT			SOLD TO KENICHI INOSE	-3.50	0.00
TOTAL		0.00	TOTAL		
SOCONY MOBIL OIL CO	10.40		THORPE, GREGORY	11.80	
(SEE MOBIL OIL CO)			SUCCESSOR IN PART TO ESTATE OF JOHN		
SOLVAY USA INC	521.00	521.00	GRANT	-11.80	0.00
(FORMERLY RHODIA, INC.)			SOLD TO DOMINGUEZ WATER CORP		
TOTAL			TOTAL		
SOUTHERN CALIFORNIA EDISON CO	46.70		THORPE, TERRENCE	11.80	
SUCCESSOR TO ASSOCIATED SOUTHERN			SUCCESSOR IN PART TO ESTATE OF JOHN		
INVESTMENT CO		57.10	GRANT	-11.80	0.00
TOTAL			SOLD TO HILLSIDE MEMORIAL PARK		
SOUTHERN CALIFORNIA WATER CO	5,265.30		TOTAL		
SUCCESSOR TO EWING, CARMELITA	91.30		TIDEWATER OIL CO		
			(SEE PHILLIPS PETROLEUM CO)		
			TITLE, SIDNEY R AND CHARLOTTE W	13.60	
			SUCCESSOR TO KEITH W AND OPAL B		

West Coast Basin

September 2014

SCHLAEGE L				SUCCESSOR TO FLETCHER OIL AND REFINING	90.00	
SOLD TO ABC NURSERY, INC	-13.60	0.00		CO		
TOTAL				SUCCESSOR TO SPARKLETTS DRINKING	152.60	
<u>TORRANCE, CITY OF</u>	<u>2,519.00</u>			WATER CORP		
SUCCESSOR TO BARCLAY HOLLANDER CORP	3.33			SOLD TO WESTERN WATER SERVICES CO	-242.60	
SUCCESSOR TO BARCLAY, RICHARD AND				TOTAL		0.00
WATT, R A	69.88			<u>WESTERN WATER SERVICES CO *</u>		
SUCCESSOR TO BELVIDERE MUTUAL WATER	33.40			SUCCESSOR TO WESTERN WATER CO.	242.60	
CO				SOLD TO SOUTHERN CALIFORNIA WATER	-242.60	
SUCCESSOR TO DENNIS, ESTHER M SHEETS	5.50			COMPANY		0.00
SUCCESSOR TO ALCANT FOUNDRY ET AL	7.20			WESTON INVESTMENT CO	184.00	
SUCCESSOR TO GONZALES, GABRIELA AND	34.30			SOLD TO TORRANCE SAND AND GRAVEL	-184.00	
MARIA R				CORP		
SUCCESSOR TO JONES, ANNA MAE	50.20			TOTAL		0.00
SUCCESSOR TO MONETA WATER CO	916.00			<u>WISEBURN SCHOOL DISTRICT</u>	8.20	0.20
SUCCESSOR TO MORAN, RONALD E	9.00			WOODMAN, KATHERINE P		
SUCCESSOR TO NORMANDIE PARK	136.82			(SEE FRED A JUNGQUIST)		
SUCCESSOR TO TORRANCE UNIFIED SCHOOL	59.40			<u>ZEIGLER, MAXWELL T</u>	0.00	0.00
DISTRICT						
SUCCESSOR TO UNITED STATES STEEL CORP	1,791.00					
SUCCESSOR TO WATT, R A, INC	13.75			GRAND TOTAL	64,468.25	84,468.25
TOTAL		5,639.86				
TORRANCE SAND AND GRAVEL CORP						
SUCCESSOR TO WESTON INVESTMENT CO	184.00					
SOLD TO CHANDLERS PALOS VERDES	-184.00					
SAND AND GRAVEL CORP						
TOTAL			0.00			
TORRANCE UNIFIED SCHOOL DISTRICT						
SUCCESSOR TO HILARIO S AND EMMA ALWAG	59.40					
SOLD TO CITY OF TORRANCE	-59.40					
TOTAL			0.00			
TOSCO CORP						
SUCCESSOR TO UNION OIL CO OF CALIF	6,170.00					
MERGED INTO CONOCOPHILLIS COMPANY	-6,170.00					
TOTAL			0.00			
TUNE, MATES, ET AL						
SUCCESSOR TO JOSEPHINE WATKINSON	3.10					
SOLD TO B A WECHSLER	-3.10					
TOTAL			0.00			
UNION NURSERY, INC						
SECOND WEST COAST BASIN JUDGMENT	4.70					
SOLD TO CENTURY BUILDERS	-4.70					
TOTAL			0.00			
UNION OIL CO OF CALIFORNIA	2,670.00					
SUCCESSOR IN PART TO SHELL OIL CO	1,974.00					
SUCCESSOR IN PART TO SHELL OIL CO	1,526.00					
SOLD TO TOSCO CORP	-6,170.00					
TOTAL			0.00			
UNITED CALIFORNIA BANK						
SUCCESSOR TO BALLMAN, ROSEMARY N	7.00					
SOLD TO A B C NURSERY, INC	-2.00					
SOLD TO NOZAKI, SUMIKICHI	-5.00					
TOTAL			0.00			
UNITED STATES NAVY DEPARTMENT	1.70					
LONG TERM LEASE TO MCDONNELL DOUGLAS	-1.70					
CORP PER JUDGMENT						
TOTAL			0.00			
UNITED STATES STEEL CORP	1,791.00					
SOLD TO TORRANCE, CITY OF	-1,791.00					
TOTAL			0.00			
VERBURG, WILLIAM AND CLARA B	6.70					
SOLD TO ABC NURSERY, INC	-6.70					
TOTAL			0.00			
<u>VUKELICH MIKE, JR.</u>						
SUCCESSOR TO AMERICAN PLANT	10.00					
GROWERS, INC.						
TOTAL	12.20					
WADA, KAORU AND SATORU						
SOLD TO PACIFIC CREST CEMETERY CO	-12.20					
TOTAL			0.00			
WATKINSON, JOSEPHINE	3.10					
SOLD TO MATES TUNE, ET AL	-3.10					
TOTAL			0.00			
<u>WATSON LAND CO</u>	42.60					
SUCCESSOR IN PART TO DOMINGUEZ WATER	37.60					
CORP						
TOTAL			80.20			
<u>WATT INDUSTRIAL PROPERTIES</u>						
SUCCESSOR TO WILLIAM LITTLE	0.10					
TOTAL			0.10			
WATT, R A, INC						
SUCCESSOR TO NED EWING, ET AL	6.50					
SUCCESSOR IN PART TO ISABELA J GRANZ	13.75					
ESTATE						
SUCCESSOR IN PART TO JOUGHIN TORRANCE	56.35					
RANCH						
SOLD TO DOMINGUEZ WATER CORP	-61.85					
SOLD TO CITY OF TORRANCE	-13.75					
TOTAL			0.00			
WECHSLER, B A						
SUCCESSOR TO MATES TUNE, ET AL	3.10					
SOLD TO SPARKLETTS DRINKING WATER	-3.10					
CORP						
TOTAL			0.00			
WESTERN WATER CO						

Attachment B

TMDL Water Quality Objectives

This attachment includes tables summarizing the existing Total Maximum Daily Load (TMDL) requirements relevant to the Dominguez Channel Watershed Management Group (DC WMG), corresponding with Section 1.3.2 of the DC WMG Enhanced Watershed Management Program (EWMP). The following TMDL water quality objectives are outlined in this attachment:

- Los Angeles Harbor Bacteria TMDL (Inner Cabrillo Beach and Main Ship Channel);
- Machado Lake Trash TMDL;
- Machado Lake Nutrient TMDL;
- Machado Lake Pesticides and PCBs TMDL; and
- Dominguez Channel and Greater Los Angeles and Long Beach Harbor Waters Toxic Pollutants TMDL (DC and LA Harbor Toxic Pollutants TMDL).

Attachment B List of Tables

Table B.1: DC WMG TMDLs.....	B-2
Table B.2: Los Angeles Harbor Bacteria TMDL WQBELS	B-3
Table B.3: Los Angeles Harbor Bacteria TMDL RWLs	B-3
Table B.4: Los Angeles Harbor Bacteria TMDL RWLs upon TMDL Revision.....	B-3
Table B.5: Los Angeles Harbor Bacteria TMDL Geometric Mean RWLs.....	B-4
Table B.6: Los Angeles Harbor Bacteria TMDL WQBELS for Station CB1	B-4
Table B.7: Los Angeles Harbor Bacteria TMDL RWLs for Station CB1	B-4
Table B.8: Machado Lake Trash TMDL WQBELS	B-5
Table B.9: Machado Lake Nutrient TMDL WQBELS.....	B-5
Table B.10: Machado Lake Nutrient TMDL RWLs (City of Los Angeles)	B-6
Table B.11: Machado Lake Nutrient TMDL WQBELS (Los Angeles County)	B-6
Table B.12: Machado Lake Pesticides and PCBs TMDL WQBELS.....	B-6
Table B.13: DC and LA Harbor Waters Toxic Pollutants TMDL Interim Freshwater Metals WQBELS for Wet-Weather	B-7
Table B.14: DC and LA Harbor Waters Toxic Pollutants TMDL Sediment Interim WQBELS	B-7
Table B.15: DC and LA Harbor Waters Toxic Pollutants TMDL Final Freshwater Metals WQBELS for Wet-Weather	B-8
Table B.16: DC and LA Harbor Waters Toxic Pollutants TMDL Final Freshwater Metals WQBELS for Wet-Weather in Torrance Lateral	B-8
Table B.17: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELS for Wet-Weather in Torrance Lateral	B-8
Table B.18: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELS for DC Estuary and Los Angeles Harbor	B-9
Table B.19: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELS for DC Estuary and Los Angeles Harbor	B-9
Table B.20: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELS for DC Estuary and Los Angeles Harbor	B-9
Table B.21: DC and LA Harbor Waters Toxic Pollutants TMDL Compliance Determination	B-10

Table B.1 demonstrates which DC WMG members are affected by each of the TMDLs per Attachment K, Table K-4, of the Los Angeles County Municipal Separate Storm and Sewer System (MS4) Permit.

As recognized by the footnote in Attachment K-4 of the Permit, the County of Los Angeles, the Los Angeles County Flood Control District (LACFCD), and the Cities of El Segundo, Hawthorne, Inglewood, and Los Angeles have entered into an Amended Consent Decree with the United States and the State of California, including the Regional Board, pursuant to which the Regional Board has released the DC WMG members from responsibility for Toxic pollutants in the Dominguez Channel and the Greater Los Angeles and Long Beach Harbors. Accordingly, no inference should be drawn from the submission of this EWMP or from any action or implementation taken pursuant to it that the DC WMG members are obligated to implement the Toxics TMDL, including this EWMP or any of the Toxics TMDL's other obligations or plans, or that the DC WMG members have waived any rights under the Amended Consent Decree.

Table B.1: DC WMG TMDLs					
DC WMG Member	Los Angeles Harbor Bacteria TMDL	Machado Lake Trash TMDL	Machado Lake Nutrient TMDL	Machado Lake Pesticides and PCBs TMDL	DC and LA Harbor Waters Toxic Pollutants TMDL
El Segundo					X
Hawthorne					X
Inglewood					X
Lomita		X	X	X	
Los Angeles	X	X	X	X	X
Los Angeles County	X	X	X	X	X
LACFCD		X	X	X	X

Los Angeles Harbor Bacteria TMDL (Inner Cabrillo Beach and Main Ship Channel)

The Los Angeles Harbor Bacteria TMDL became effective on March 10, 2004 as Resolution No. 2004-011. Reconsideration of certain technical matters pertaining to this TMDL were approved by the State Board on March 19, 2013 as Resolution No. R12-007. In response to the Time Schedule Order (TSO) discussed below, a Pollution Prevention Plan Work Plan was submitted to the Regional Board by the Port of Los Angeles and the City of Los Angeles Department of Public Works Bureau of Sanitation Watershed Protection Division. The Work Plan for the Pollution Prevention Plan is discussed in Section 3.1.3 of the EWMP.

Per Attachment N Part A.2 of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with the final Water Quality Based Effluent Limitations (WQBELs) listed in Table B.2 for discharges to the Los Angeles Harbor Main Ship Channel, Los Angeles and Long Beach Harbor, and Inner Cabrillo Beach as of December 28, 2012, the effective date of the MS4 Permit.

Table B.2: Los Angeles Harbor Bacteria TMDL WQBELs		
Constituent	Effluent Limitations (MPN or cfu)	
	Daily Maximum	Geometric Mean
Total coliform	10,000/100 mL	1,000/100 mL
Fecal coliform	400/100 mL	200/100 mL
<i>Enterococcus</i>	104/100 mL	35/100 mL

¹ Total coliform density shall not exceed a daily maximum of 1,000/100 mL if the ratio of fecal-to-total coliform exceeds 0.1.

Per Attachment N Part A.3.a of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with the single sample bacteria Receiving Water Limitations (RWLs) listed in Table B.3 for the Los Angeles Harbor Main Ship Channel and Inner Cabrillo Beach as of December 28, 2012, the effective date of the MS4 Permit. The RWLs in Table B.3 will only be applicable until the effective date of the revised Los Angeles Harbor Bacteria TMDL (Attachment C of Resolution No. R12-007). Upon the effective date of this revision, the Permittees must comply with the final single sample bacteria RWLs listed in Table B.4, per Attachment N Part A.3.b of the MS4 Permit. The revised Los Angeles Harbor Bacteria TMDL was approved by the State Board on March 19, 2013 and will become effective following USEPA approval.

Table B.3: Los Angeles Harbor Bacteria TMDL RWLs				
Time Period	Receiving Water	Compliance Monitoring Location	Annual Allowable Exceedance Days of the Single Sample Objective (days)	
			Daily Sampling	Weekly Sampling
Summer Dry-Weather (April 1 to October 31)	Inner Cabrillo Beach	CB1 & CB2	0	0
	Main Ship Channel	HW07	0	0
Winter Dry-Weather (November 1 to March 31)	Inner Cabrillo Beach	CB1 & CB2	0	0
	Main Ship Channel	HW07	3	1
Wet Weather ¹ (Year-round)	Inner Cabrillo Beach	CB1 & CB2	0	0
	Main Ship Channel	HW07	15	3

¹ Wet weather is defined as days with 0.1-inch of rain or greater and the three days following the rain event.

Table B.4: Los Angeles Harbor Bacteria TMDL RWLs upon TMDL Revision				
Time Period	Receiving Water	Compliance Monitoring Location	Annual Allowable Exceedance Days of the Single Sample Objective (days)	
			Daily Sampling	Weekly Sampling
Summer Dry-Weather (April 1 to October 31)	Inner Cabrillo Beach	CB1 & CB2	0	0
	Main Ship Channel	HW07	0	0
Winter Dry-Weather (November 1 to March 31)	Inner Cabrillo Beach	CB1 & CB2	0	0
	Main Ship Channel	HW07	8	1
Wet Weather ¹ (Year-round)	Inner Cabrillo Beach	CB1 & CB2	0	0
	Main Ship Channel	HW07	15	3

¹ Wet weather is defined as days with 0.1-inch of rain or greater and the three days following the rain event.

Per Attachment N Part A.3.c of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with the geometric mean RWLs identified in Table B.5 for the Los Angeles Harbor

Main Ship Channel, Los Angeles and Long Beach Inner Harbor, and Inner Cabrillo Beach as of December 28, 2013, the effective date of the MS4 Permit.

Table B.5: Los Angeles Harbor Bacteria TMDL Geometric Mean RWLs	
Constituent	Geometric Mean
Total coliform	1,000 MPN/100 mL
Fecal coliform	200 MPN/100 mL
<i>Enterococcus</i>	35 MPN/100 mL

On February 6, 2014, a TSO was approved for Inner Cabrillo Beach, at the boat launch ramp (Station CB1). In summary, the TSO (Order No. R4-2014-0023) states that the Permittees believe additional time is necessary to comply with the WQBELs and RWLs at Station CB1. The TSO presented monitoring data suggesting that the WQBELs and RWLs were not being met, as well as identifying the activities that have been completed with the intent of meeting the load allocations. The TSO identifies new WQBELs and RWLs, as well as an implementation schedule for additional watershed control measures such as monitoring, BMP implementation, BMP effectiveness assessments, and feasibility studies. From February 6, 2013 to December 28, 2017, the City of Los Angeles MS4 discharges to Inner Cabrillo Beach shall not exceed the WQBELs for total coliform, fecal coliform, and *enterococcus* per the allowable exceedance days presented in Table B.6 on an annual basis (November 1st - October 31st). From February 6, 2013 to December 28, 2017, the City of Los Angeles shall comply with the interim RWLs for total coliform, fecal coliform, and *enterococcus* per the allowable exceedance days presented in Table B.7 on an annual basis (November 1st - October 31st).

Table B.6: Los Angeles Harbor Bacteria TMDL WQBELs for Station CB1			
Compliance Monitoring Station	Annual Allowable Exceedance Days (days)		
	Single Sample Summer Dry-Weather	Single Sample Winter Dry-Weather	Geometric Mean Year Round
Station CB1	23	18	79

Table B.7: Los Angeles Harbor Bacteria TMDL RWLs for Station CB1			
Compliance Monitoring Station	Annual Allowable Exceedance Days (days)		
	Single Sample Summer Dry-Weather	Single Sample Winter Dry-Weather	Geometric Mean Year Round
Station CB1	23	18	79

Machado Lake Trash TMDL

The Machado Lake Trash TMDL became effective on March 6, 2008 as Resolution No. 2007-006.

Per Attachment N Part B of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with the final WQBEL of zero trash discharged to Machado Lake no later than March 6, 2016, and every year thereafter. In addition, Permittees must comply with interim and final WQBELs as illustrated in Table B.8. If Permittees opt to derive a site specific trash generation rate through its Trash Monitoring and Reporting Plan (TMRP), the baseline limitation will be calculated by multiplying the point source area(s) by the derived trash generation rate(s).

Table B.8: Machado Lake Trash TMDL WQBELs						
DC WMG Member	Baseline¹	3/6/12 (80%)	3/6/13 (60%)	3/6/14 (40%)	3/6/15 (20%)	3/6/16 (0%)
		Annual Trash Discharge (gallons/year)				
Lomita	9,393	7,514	5,636	3,757	1,879	0
Los Angeles	12,331	9,865	7,399	4,932	2,466	0
Los Angeles County	8,304	6,643	4,982	3,322	1,661	0
LACFCD	16	13	10	7	3	0

¹ The Regional Board calculated the baseline WQBELs for the Permittees based on the estimated trash generation rate of 5,334 gallons of uncompressed trash per square mile per year.

Machado Lake Nutrient TMDL

The Machado Lake Nutrient TMDL became effective on March 11, 2009 as Resolution No. 2008-006. Los Angeles County Unincorporated Areas has developed a Multipollutant TMDL implementation plan applicable to this TMDL. In addition, the LACFCD also completed a TMDL implementation plan addressing this TMDL. Both the implementation plans are reviewed in Section 3.1.3.

Per Attachment N Part C.2 of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with the interim and final WQBELs listed in Table B.9 for discharges to Machado Lake.

Table B.9: Machado Lake Nutrient TMDL WQBELs		
Deadline	Interim and Final Effluent Limitations	
	Monthly Average of Total Phosphorus (mg/L)	Monthly Average of Total Nitrogen¹ (mg/L)
As of December 12, 2013 ²	1.25	3.50
March 11, 2014	1.25	2.45
September 11, 2018	0.10	1.00

¹ TKN+NO₃-N+NO₂-N

² Effective date of the MS4 Permit

Per Attachment N Part C.3 of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, may be deemed in compliance with the WQBELs by actively participating in a Lake Water Quality Management Plan (LWQMP) and attaining RWLs. The City of Los Angeles has entered into a Memorandum of Agreement (MOA) with the Regional Board to implement the LWQMP and reduce external nutrient loading to attain the RWLs listed in Table B.10. Permittees also may be deemed in compliance with the WQBELs by demonstrating reduction of total nitrogen and total phosphorus on an annual mass basis measured at the storm drain outfall of the Permittee's drainage area where approved by the Regional Board Executive Officer based on the results of a special study. The annual mass based allocation demonstrated should be equivalent to a monthly average concentration of 0.1 mg/L total phosphorus and 1.0 mg/L total nitrogen based on approved flow conditions. The County of Los Angeles submitted a special study work plan, which was approved by the Regional Board Executive Officer, establishing the annual mass based WQBELs listed in Table B.11.

Table B.10: Machado Lake Nutrient TMDL RWLs (City of Los Angeles)		
Deadline	Interim and Final Effluent Limitations	
	Monthly Average of Total Phosphorus (mg/L)	Monthly Average of Total Nitrogen (mg/L)
As of December 12, 2013 ¹	1.25	3.50
March 11, 2014	1.25	2.45
September 11, 2018	0.10	1.00

¹ Effective date of the MS4 Permit

Table B.11: Machado Lake Nutrient TMDL WQBELs (Los Angeles County)		
Deadline	Interim and Final Effluent Limitations	
	Annual Load Total Phosphorus (kg)	Annual Load Total Nitrogen KN+NO3-N+NO2-N (kg)
March 11, 2014	887	1,739
September 11, 2018	71	710

Machado Lake Pesticides and PCBs TMDL

The Machado Lake Pesticides and PCBs TMDL (also known as the Machado Lake Toxics TMDL) became effective on March 20, 2012 as Resolution No. R10-008. Los Angeles County Unincorporated Areas has developed a Multipollutant TMDL implementation plan applicable to this TMDL, which is reviewed in Section 3.1.3 of the EWMP.

Per Attachment N Part D of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with the WQBELs listed in Table B.12 for discharges of suspended sediments to Machado Lake, applied as a three year average no later than September 19, 2019.

Table B.12: Machado Lake Pesticides and PCBs TMDL WQBELs	
Pollutant	Effluent Limitations for Suspended Sediment-Associated Contaminants (µg/kg dry weight)
Total PCBs	59.8
DDT (all congeners)	4.16
DDE (all congeners)	3.16
DDD (all congeners)	4.88
Total DDT	5.28
Chlordane	3.24
Dieldrin	1.90

DC and LA Harbor Waters Toxic Pollutants TMDL

The DC and LA Harbor Waters Toxic Pollutants TMDL (also known as the Los Angeles and Long Beach Harbor Toxic and Metals TMDL) became effective on March 23, 2012 as Resolution No. R11-008. According to the Regional Board implementation schedule, implementation plans must be developed by the responsible parties and submitted to the Regional Board by March 23, 2014. The development of an EWMP will satisfy the implementation plan requirements.

Per Attachment N Part E.2 of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with interim WQBELs for discharges to Dominguez Channel freshwater during wet-weather and concentration-based WQBELs for pollutant concentrations in the sediment discharged to the Dominguez Channel Estuary and Greater Los Angeles and Long Beach Harbor Waters by December 28, 2012, the effective date of the MS4 Permit. For discharges to Dominguez Channel freshwater during wet-weather, the freshwater toxicity interim WQBEL is 2 TUc. This interim limitation should be implemented as a trigger requiring initiation of the TRE/TIE process outlined in USEPAs "Understanding and Accounting for Method Variability in Whole Effluent Toxicity Applications Under the National Pollutant Discharge Elimination System Program" (2000). The interim metals WQBELs for the Dominguez Channel freshwater and Torrance Lateral during wet-weather are presented in Table B.13. For sediment discharges to the Dominguez Channel Estuary and Greater Los Angeles and Long Beach Harbor Waters, Permittees should comply with interim concentration-based WQBELs presented in Table B.14.

Table B.13: DC and LA Harbor Waters Toxic Pollutants TMDL Interim Freshwater Metals WQBELs for Wet-Weather	
Pollutant	Interim Effluent Limitation Daily Maximum (µg/L)
Total Copper	207.51
Total Lead	122.88
Total Zinc	898.87

Table B.14: DC and LA Harbor Waters Toxic Pollutants TMDL Sediment Interim WQBELs						
Water Body	Interim Effluent Limitations Daily Maximum (mg/kg sediment)					
	Copper	Lead	Zinc	DDT	PAHs	PCBs
Dominguez Channel Estuary (below Vermont Avenue)	220.0	510.0	789.0	1.727	31.60	1.490
Los Angeles Inner Harbor	154.1	145.5	362.0	0.341	90.30	2.107
Los Angeles Outer Harbor (inside breakwater)	104.1	46.7	150	0.097	4.022	0.310
Los Angeles Harbor - Cabrillo Marina	367.6	72.6	281.8	0.186	36.12	0.199
Los Angeles Harbor - Consolidated Slip	1,470.0	1,100.0	1,705.0	1.724	386.00	1.920
Los Angeles Harbor - Inner Cabrillo Beach Area	129.7	46.7	163.1	0.145	4.022	0.033
Fish Harbor	558.6	116.5	430.5	40.5	2,102.7	36.6

Per Attachment N Part E.3 of the MS4 Permit, the Permittees subject to this TMDL, as identified in Table B.1, must comply with final WQBELs for discharges to Dominguez Channel freshwater during wet-weather and concentration-based WQBELs for pollutant concentrations in the sediment discharged to the Dominguez Channel Estuary and Greater Los Angeles and Long Beach Harbor Waters by March 23, 2032 and every year thereafter. Per Attachment N Part E.3.a of the MS4 Permit, for discharges to Dominguez Channel freshwater during wet-weather, the freshwater toxicity effluent limitation should not exceed the monthly median of 1 TUc. The Permittees should also comply with the final metals WQBELs presented in Table B.15 for discharges to Dominguez Channel and all upstream reaches and tributaries of the Dominguez Channel above Vermont Avenue.

Table B.15: DC and LA Harbor Waters Toxic Pollutants TMDL Final Freshwater Metals WQBELs for Wet-Weather	
Metals	Water Column Mass-Based Final Effluent Limitation Daily Maximum (g/day)
Total Copper	1,300.3
Total Lead	5,733.7
Total Zinc	9,355.5

Per Attachment N Part E.3.b of the MS4 Permit, the Torrance Lateral must comply with freshwater final metals WQBELs and final concentration-based WQBELs for sediments, as shown in Table B.16 and Table B.17 respectively.

Table B.16: DC and LA Harbor Waters Toxic Pollutants TMDL Final Freshwater Metals WQBELs for Wet-Weather in Torrance Lateral	
Metals	Water Column Effluent Limitation Daily Maximum (unfiltered, µg/L)
Total Copper	9.7
Total Lead	42.7
Total Zinc	69.7

Table B.17: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELs for Wet-Weather in Torrance Lateral	
Metals	Concentration-Based Effluent Limitation Daily Maximum (mg/kg dry)
Total Copper	31.6
Total Lead	35.8
Total Zinc	121

Per Attachment N Part E.3.c of the MS4 Permit, the Dominguez Channel Estuary and Greater Los Angeles (and Long Beach) Harbor Waters must comply with final mass-based WQBELs, expressed as an annual loading of pollutants in the sediment deposited to the Dominguez Channel Estuary and the Greater Los Angeles and Long Beach Harbor Waters and final concentration-based WQBELs for sediments as shown in Table B.18. Permittees should also comply with final concentration-based WQBELs for pollutant concentrations in the sediments discharged to the Dominguez Channel Estuary, Consolidated Slip, and Fish Harbor as shown in Table B.19. Compliance with these limitations should be met by March 23, 2032 and every year thereafter.

Table B.18: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELs for DC Estuary and Los Angeles Harbor				
Water Body	Final Effluent Limitations Annual (kg/yr)			
	Total Cu	Total Pb	Total Zn	Total PAHs
Dominguez Channel Estuary	22.4	54.2	271.8	0.134
Consolidated Slip	2.73	3.63	28.7	0.0058
Inner Harbor	1.7	34.0	115.9	0.088
Outer Harbor	0.91	26.1	81.5	0.105
Fish Harbor (POLA)	0.00017	0.54	1.62	0.007
Cabrillo Marina	0.0196	0.289	0.74	0.00016

Table B.19: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELs for DC Estuary and Los Angeles Harbor			
Waterbody	Effluent Limitations Daily Maximum (mg/kg dry sediment)		
	Cadmium	Chromium	Mercury
Dominguez Channel Estuary	1.2	--	--
Consolidated Slip	1.2	81	0.15
Fish Harbor	--	--	0.15

Per Attachment N Part E.3.d of the MS4 Permit, Permittees must comply with final mass-based WQBELs, listed in Table B.20, expressed as an annual loading of total DDT and total PCBs in the sediment deposited to the Dominguez Channel Estuary and Greater Los Angeles (and Long Beach) Harbor Waters by March 23, 2032 and every year thereafter.

Table B.20: DC and LA Harbor Waters Toxic Pollutants TMDL Final Sediment Metals WQBELs for DC Estuary and Los Angeles Harbor		
Waterbody	Final Effluent Limitations Annual (g/yr)	
	Total DDTs	Total PCBs
Dominguez Channel Estuary	0.250	0.207
Consolidated Slip	0.009	0.004
Inner Harbor	0.051	0.059
Outer Harbor	0.005	0.020
Fish Harbor (POLA)	0.0003	0.0019
Cabrillo Marina	0.000028	0.000025
Inner Cabrillo Beach	0.0001	0.0003

Per Attachment N Part E.4, compliance with the limitations specified in Attachment N Part E.3.a-d, listed in Table B.15 to Table B.20, can be determined according to Table B.21. The table includes the MS4 Permit Section, which specifies the WQBELs associated with the DC and LA Harbor Waters Toxic Pollutants TMDL, the Table Reference for which the limitations are specified within this document and the various compliance determination methods.


Table B.21: DC and LA Harbor Waters Toxic Pollutants TMDL Compliance Determination		
MS4 Permit Section ¹	Table Reference	Compliance Determination
Part E.2.b	Table B.14	i. Demonstrate that the sediment quality condition of <i>Unimpacted</i> or <i>Likely Unimpacted</i> via the interpretation and integration of multiple lines of evidence as defined in the Sediment Quality Objectives (SQO) Part 1 is met. ii. Meet the interim WQBELs in bed sediment over a three-year averaging period. iii. Meet the interim WQBELs in the discharge over a three-year averaging period.
Parts E.3.a.ii and E.3.b.i	Table B.15 and Table B.16	i. Final metals WQBELs are met. ii. California Toxics Rule (CTR) total metals criteria are met instream. iii. CTR total metals criteria are met in the discharge.
Parts E.3.c.i and E.3.c.ii	Table B.18 and Table B.19	i. Final WQBELs for pollutants in the sediment are met ii. The qualitative sediment conditions of <i>Unimpacted</i> or <i>Likely Unimpacted</i> via the interpretation and integration of multiples lines of evidence as defined in the SQO Part 1, is met, with the exception of chromium, which is not included in the SQO Part 1. iii. Sediment numeric targets are met in the bed sediments over a three-year averaging period.
Part E.3.d	Table B.20	i. Fish tissue targets are met in species resident to the specified waterbodies ² .
		ii. Final WQBELs for pollutants in the sediment are met.

¹ Attachment N of the MS4 Permit² A site-specific study to determine resident species should be submitted to the Regional Board Executive Officer for approval

Attachment C

Water Quality Priorities Figures

PAGE INTENTIONALLY LEFT BLANK



Copyright © 2014 Esri


Figure C.1
Dominguez Channel Sampling Locations

PAGE INTENTIONALLY LEFT BLANK



Figure C.2
Machado Lake Sampling Locations

PAGE INTENTIONALLY LEFT BLANK




Copyright © 2014 Esri



Figure C.3
Cathchment Prioritization Index (CPI) Map

PAGE INTENTIONALLY LEFT BLANK



Copyright © 2014 Esri

Figure C.4
MS4 Locations

PAGE INTENTIONALLY LEFT BLANK

Attachment D

Data and Sources for Water Quality Analysis

This attachment includes a table summarizing sources of water quality data and a table that includes the data collected and the results of the data analysis. The data analysis was used to identify water quality priorities within the Dominguez Channel Watershed Management Group (DC WMG) and is provided in support of Section 2.1 of the DC WMG Enhanced Watershed Management Program (EWMP). The tables are also in support of the figures in Attachment C.

Attachment D Table of Contents

Table D.1: Data Sources for Water Quality Analysis.....	D-2
Table D.2: Dominguez Channel - Metals Data Summary	D-5
Table D.3: Dominguez Channel - At Station S-28 Data Summary.....	D-14
Table D.4: Dominguez Channel - Bacteria Data Summary	D-22
Table D.5: Machado Lake - Water Quality Data Summary	D-23
Table D.6: Dominguez Channel - Ammonia Study Data Summary.....	D-28

Table D.1: Data Sources for Water Quality Analysis					
Source	Monitoring Program	Monitoring Frequency	Sampling Location	Constituents	Date Range
LACDPW	Dominguez Channel MS4 NPDES Mass Emission Monitoring Program	Multiple samples taken before and after storm events annually.	Dominguez Channel S28 Sampling Station at Artesia Blvd.	Conventional, bacteria, general, nutrients, metals, semi-volatile organics, chlorinated pesticides, organophosphate pesticides, herbicides, polychlorinated biphenyls	2002-2013
LACDPW	Storm Master	Samples taken during storm events 10/2004 - 3/9/2005	Dominguez Channel S28 Sampling Station at Artesia Blvd.	Bacteria, nutrients, metals, semi-volatile organics, chlorinated pesticides, organophosphate pesticides, herbicides, polychlorinated biphenyls	2004-2005
POLA Study by AMEC	Artesia Pollutograph Study	Multiple samples before and after storm events at the following dates: 5/16/2005, 5/17/2005, 8/17/2005, 8/18/2005, 2/27/2006, 2/28/2006 and 3/17/2006.	Dominguez Channel S28 Sampling Station at Artesia Blvd.	Conventional, bacteria, general, nutrients, metals, chlorinated pesticides, polychlorinated biphenyls, polycyclic aromatic hydrocarbons	2005-2006

Table D.1: Data Sources for Water Quality Analysis					
Source	Monitoring Program	Monitoring Frequency	Sampling Location	Constituents	Date Range
LABOS	Special Ammonia Sampling in Dominguez Channel	Samples taken weekly: 7/1/2009 - 8/13/2009	Dominguez Channel at: • El Segundo Blvd • Yukon Ave (tributary) • Western Ave • Vermont Ave • Carson Plaza Dr. (tributary) • Main St. (Torrance Lateral) Dominguez Channel Estuary at: • Wilmington Ave • Henry Ford Ave	Ammonia	2009
LABOS	Status and Trends Monitoring in Dominguez Channel	Monthly (Metals), Weekly (Bacteria)	Dominguez Channel at: • El Segundo Blvd • Yukon Ave. (tributary) • Western Ave. • Vermont Ave. • Carson Plaza Dr. (tributary) • Main St. (Torrance Lateral) Dominguez Channel Estuary at: • Wilmington Ave. • Henry Ford Ave.	Bacteria and Metals	2001-2009
LABOS	Machado Lake Nutrient TMDL Monitoring Program	Bi-monthly	Machado Lake at four locations (ML-1, ML-2, ML-3, ML-4)	General chemistry, ammonia and nutrients	2011-2012
LABOS	Machado Lake Water Quality Monitoring Program	Weekly	Machado Lake at four locations (ML-1, ML-2, ML-3, ML-4) and adjacent storm drains (Project 510, Project 77 and Wilmington Drain)	General chemistry, bacteria and nutrients	2006-2011

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
Carson Plaza Dr.	Wet	Channel	Ag (sol)	µg/L	4/28/05	2/22/07	4	3	0.36	0.36	0.17	0.10	0.36	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Ag (tot)	µg/L	4/28/05	2/22/07	4	3	0.5	0.5	0.20	0.10	0.50						
Carson Plaza Dr.	Wet	Channel	As (sol)	µg/L	4/28/05	2/22/07	4	0	0.8	4.8	3.08	3.35	3.35	0	CTR	340	0.00	0 exceedances in 2 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	As (tot)	µg/L	4/28/05	2/22/07	4	0	0.9	31.6	10.08	3.90	3.90						
Carson Plaza Dr.	Wet	Channel	Ba (sol)	µg/L	4/28/05	2/22/07	4	0	18	69	47.98	52.45	52.45						
Carson Plaza Dr.	Wet	Channel	Ba (tot)	µg/L	4/28/05	2/22/07	4	0	49.4	325	128.85	70.50	70.50						
Carson Plaza Dr.	Wet	Channel	Be (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Carson Plaza Dr.	Wet	Channel	Be (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Carson Plaza Dr.	Wet	Channel	Cd (sol)	µg/L	4/28/05	2/22/07	4	3	0.165	0.165	0.15	0.15	0.17	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Cd (tot)	µg/L	4/28/05	2/22/07	4	2	0.165	0.3	0.19	0.16	0.23						
Carson Plaza Dr.	Wet	Channel	Co (sol)	µg/L	4/28/05	8/25/05	3	1	0.4	0.4	0.30	0.40	0.40						
Carson Plaza Dr.	Wet	Channel	Co (tot)	µg/L	4/28/05	8/25/05	3	0	0.4	24	8.40	0.80	0.80						
Carson Plaza Dr.	Wet	Channel	Cr (sol)	µg/L	4/28/05	2/22/07	4	0	0.34	3	1.09	0.50	0.50	0	CTR	16	0.00	0 exceedances in 2 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Cr (tot)	µg/L	4/28/05	2/22/07	4	0	0.6	70.2	18.18	0.95	0.95						
Carson Plaza Dr.	Wet	Channel	Cu (sol)	µg/L	4/28/05	2/22/07	4	0	9	11	10.25	10.50	10.50	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Carson Plaza Dr.	Wet	Channel	Cu (tot)	mg/L	4/28/05	2/22/07	4	0	12	74	32.50	22.00	22.00						
Carson Plaza Dr.	Wet	Channel	Hardness	µg/L	4/28/05	2/22/07	4	0	39.7	228	163.18	192.50	192.50						
Carson Plaza Dr.	Wet	Channel	Hg (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.01	0.01	0.00	0	TMDL	0.051	0.00	0 exceedances in 1 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Hg (tot)	µg/L	4/28/05	8/25/05	3	2	0.031	0.031	0.02	0.01	0.03						
Carson Plaza Dr.	Wet	Channel	Ni (sol)	µg/L	4/28/05	2/22/07	4	0	3.97	4	3.99	4.00	4.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Ni (tot)	µg/L	4/28/05	2/22/07	4	0	4.46	48	16.62	7.00	7.00						
Carson Plaza Dr.	Wet	Channel	Pb (sol)	µg/L	4/28/05	2/22/07	4	0	0.55	2	1.39	1.50	1.50	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Carson Plaza Dr.	Wet	Channel	Pb (tot)	µg/L	4/28/05	2/22/07	4	0	0.55	28	8.39	2.50	2.50						
Carson Plaza Dr.	Wet	Channel	Sb (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	1.00	1.00	0.00	0	CTR	4300	0.00	0 exceedances in 1 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Sb (tot)	µg/L	4/28/05	8/25/05	3	1	2	2	1.67	2.00	2.00						
Carson Plaza Dr.	Wet	Channel	Se (sol)	µg/L	4/28/05	2/22/07	4	0	0.4	0.6	0.50	0.50	0.50						
Carson Plaza Dr.	Wet	Channel	Se (tot)	µg/L	4/28/05	2/22/07	4	0	0.4	0.6	0.53	0.55	0.55						
Carson Plaza Dr.	Wet	Channel	Th (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.50	0.50	0.00	0	CTR	6.3	0.00	0 exceedances in 1 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Th (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.50	0.50	0.00						
Carson Plaza Dr.	Wet	Channel	Zn (sol)	µg/L	4/28/05	2/22/07	4	0	8	16	11.50	11.00	11.00	0	TMDL	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Carson Plaza Dr.	Wet	Channel	Zn (tot)	µg/L	4/28/05	2/22/07	4	0	23	174	63.25	28.00	28.00						
Carson Plaza Dr.	Dry	Channel	Ag (sol)	µg/L	3/31/05	5/26/09	35	14	0.03	0.66	0.12	0.04	0.04						
Carson Plaza Dr.	Dry	Channel	Ag (tot)	µg/L	3/31/05	5/26/09	35	14	0.03	0.49	0.13	0.10	0.08						
Carson Plaza Dr.	Dry	Channel	As (sol)	µg/L	3/31/05	5/26/09	37	0	0.8	4.4	2.01	2.06	2.06	0	CTR	150	0.00	0 exceedances in 5 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	As (tot)	µg/L	3/31/05	5/26/09	37	0	0.8	6.8	2.68	2.10	2.10						
Carson Plaza Dr.	Dry	Channel	Ba (sol)	µg/L	3/31/05	5/26/09	36	0	32.9	102	52.98	49.90	49.90						
Carson Plaza Dr.	Dry	Channel	Ba (tot)	µg/L	3/31/05	5/26/09	36	0	39	144	69.81	58.80	58.80						
Carson Plaza Dr.	Dry	Channel	Be (sol)	µg/L	3/31/05	2/24/06	9	9	0	0	0.20	0.20	0.00						
Carson Plaza Dr.	Dry	Channel	Be (tot)	µg/L	3/31/05	2/24/06	9	9	0	0	0.20	0.20	0.00						
Carson Plaza Dr.	Dry	Channel	Cd (sol)	µg/L	3/31/05	5/26/09	36	9	0.01	0.72	0.18	0.17	0.17	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Cd (tot)	µg/L	3/31/05	5/26/09	36	6	0.01	5.53	0.45	0.17	0.37						
Carson Plaza Dr.	Dry	Channel	Co (sol)	µg/L	3/31/05	2/24/06	9	2	0.2	1	0.40	0.40	0.40						
Carson Plaza Dr.	Dry	Channel	Co (tot)	µg/L	3/31/05	2/24/06	9	0	0.4	2.7	0.98	0.60	0.60						
Carson Plaza Dr.	Dry	Channel	Cr (sol)	µg/L	3/31/05	5/26/09	36	2	0.1	4.15	1.19	0.75	0.89	0	CTR	11	0.00	0 exceedances in 5 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Cr (tot)	µg/L	3/31/05	5/26/09	36	1	0.105	14.1	2.93	1.70	1.79						
Carson Plaza Dr.	Dry	Channel	Cu (sol)	µg/L	3/31/05	5/26/09	36	0	6	120	17.55	12.70	12.70	9	CTR	Hardness Dependent	0.06	9 exceedances in 5 Year(s)	25%
Carson Plaza Dr.	Dry	Channel	Cu (tot)	µg/L	3/31/05	5/26/09	36	0	7.7	178	30.11	18.50	18.50						
Carson Plaza Dr.	Dry	Channel	Hardness	mg/L	3/31/05	5/26/09	37	0	113	2230	532.35	199.00	199.00						
Carson Plaza Dr.	Dry	Channel	Hg (sol)	µg/L	3/31/05	2/24/06	9	9	0	0	0.01	0.01	0.00	0	TMDL	0.051	0.00	0 exceedances in 1 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Hg (tot)	µg/L	3/31/05	2/24/06	9	8	0.023	0.023	0.01	0.01	0.02						
Carson Plaza Dr.	Dry	Channel	Ni (sol)	µg/L	3/31/05	5/26/09	35	0	2	12.2	4.86	3.85	3.85	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Ni (tot)	µg/L	3/31/05	5/26/09	36	0	1.97	14.8	6.58	4.93	4.93						
Carson Plaza Dr.	Dry	Channel	Pb (sol)	µg/L	3/31/05	5/26/09	36	11	0.055	6	1.05	0.55	0.72	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Pb (tot)	µg/L	3/31/05	5/26/09	36	3	0.53	81.4	7.36	1.92	2.00						
Carson Plaza Dr.	Dry	Channel	Sb (sol)	µg/L	3/31/05	2/24/06	9	5	2	3	1.78	1.00	3.00	0	CTR	4300	0.00	0 exceedances in 1 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Sb (tot)	µg/L	3/31/05	2/24/06	9	5	2	4	1.78	1.00	2.50						
Carson Plaza Dr.	Dry	Channel	Se (sol)	µg/L	3/31/05	5/26/09	37	0	0.2	8.8	1.79	0.60	0.60						

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
Carson Plaza Dr.	Dry	Channel	Se (tot)	µg/L	3/31/05	5/26/09	37	0	0.2	8.7	1.86	0.60	0.60	7	CTR	5	0.05	7 exceedances in 5 Year(s)	19%
Carson Plaza Dr.	Dry	Channel	Th (sol)	µg/L	3/31/05	2/24/06	9	5	1	2	0.83	0.50	1.00	0	CTR	6.3	0.00	0 exceedances in 1 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Th (tot)	µg/L	3/31/05	2/24/06	9	7	1	2	0.72	0.50	1.50						
Carson Plaza Dr.	Dry	Channel	Zn (sol)	µg/L	3/31/05	5/26/09	36	0	7	109	24.48	18.90	18.90	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Carson Plaza Dr.	Dry	Channel	Zn (tot)	µg/L	3/31/05	5/26/09	36	0	13	326	70.63	42.55	42.55						
El Segundo Blvd.	Wet	Channel	Ag (sol)	mg/L	7/25/02	2/22/07	11	10	0.68	0.68	0.34	0.13	0.68	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
El Segundo Blvd.	Wet	Channel	Ag (tot)	µg/L	7/25/02	2/22/07	11	9	0.2	0.61	0.34	0.13	0.41						
El Segundo Blvd.	Wet	Channel	As (sol)	µg/L	7/25/02	2/22/07	11	0	1	5.6	3.05	3.20	3.20	0	CTR	340	0.00	0 exceedances in 5 Year(s)	0%
El Segundo Blvd.	Wet	Channel	As (tot)	µg/L	7/25/02	2/22/07	11	0	1.1	15.8	4.50	3.60	3.60						
El Segundo Blvd.	Wet	Channel	Ba (sol)	µg/L	7/25/02	2/22/07	11	0	15	59	38.22	41.90	41.90						
El Segundo Blvd.	Wet	Channel	Ba (tot)	µg/L	7/25/02	2/22/07	11	0	29	171	63.71	58.00	58.00						
El Segundo Blvd.	Wet	Channel	Be (sol)	µg/L	7/25/02	8/25/05	10	10	0	0	0.19	0.20	0.00						
El Segundo Blvd.	Wet	Channel	Be (tot)	µg/L	7/25/02	8/25/05	10	10	0	0	0.19	0.20	0.00						
El Segundo Blvd.	Wet	Channel	Cd (sol)	µg/L	7/25/02	2/22/07	11	8	0.165	0.9	0.28	0.17	0.30	1	CTR	Hardness Dependent	0.02	1 exceedances in 5 Year(s)	9%
El Segundo Blvd.	Wet	Channel	Cd (tot)	µg/L	7/25/02	2/22/07	11	7	0.3	0.5	0.30	0.30	0.42						
El Segundo Blvd.	Wet	Channel	Co (sol)	µg/L	7/25/02	8/25/05	10	6	0.2	1	2.24	0.25	0.35						
El Segundo Blvd.	Wet	Channel	Co (tot)	µg/L	7/25/02	8/25/05	10	3	0.3	9.37	3.39	0.75	0.70						
El Segundo Blvd.	Wet	Channel	Cr (sol)	µg/L	7/25/02	2/22/07	11	2	0.59	3.1	1.32	1.00	1.00	0	CTR	16	0.00	0 exceedances in 5 Year(s)	0%
El Segundo Blvd.	Wet	Channel	Cr (tot)	µg/L	7/25/02	2/22/07	11	0	0.7	29.8	9.20	3.90	3.90						
El Segundo Blvd.	Wet	Channel	Cu (sol)	µg/L	7/25/02	2/22/07	11	1	7.9	39	17.59	12.00	16.50	5	TMDL	Hardness Dependent	0.10	5 exceedances in 5 Year(s)	45%
El Segundo Blvd.	Wet	Channel	Cu (tot)	µg/L	7/25/02	2/22/07	11	1	6.4	65.3	27.83	24.00	28.50						
El Segundo Blvd.	Wet	Channel	Hardness	µg/L	2/26/04	2/22/07	8	0	17	188	112.56	135.00	135.00						
El Segundo Blvd.	Wet	Channel	Hg (sol)	µg/L	7/25/02	8/25/05	10	6	0.02	0.1	0.03	0.01	0.05	2	TMDL	0.051	0.06	2 exceedances in 4 Year(s)	20%
El Segundo Blvd.	Wet	Channel	Hg (tot)	µg/L	7/25/02	8/25/05	10	6	0.04	0.1	0.03	0.01	0.07						
El Segundo Blvd.	Wet	Channel	Ni (sol)	µg/L	7/25/02	2/22/07	11	2	1.39	6	3.91	4.40	5.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
El Segundo Blvd.	Wet	Channel	Ni (tot)	µg/L	7/25/02	2/22/07	11	2	2.51	19.7	6.36	6.00	6.00						
El Segundo Blvd.	Wet	Channel	Pb (sol)	µg/L	7/25/02	2/22/07	11	6	0.55	19	5.09	2.00	2.00	2	TMDL	Hardness Dependent	0.04	2 exceedances in 5 Year(s)	18%
El Segundo Blvd.	Wet	Channel	Pb (tot)	µg/L	7/25/02	2/22/07	11	3	0.55	46	9.62	5.00	5.50						
El Segundo Blvd.	Wet	Channel	Sb (sol)	µg/L	7/25/02	8/25/05	10	3	2	5	3.29	3.50	3.00	0	CTR	4300	0.00	0 exceedances in 4 Year(s)	0%
El Segundo Blvd.	Wet	Channel	Sb (tot)	µg/L	7/25/02	8/25/05	10	3	2	5	3.10	3.00	3.00						
El Segundo Blvd.	Wet	Channel	Se (sol)	µg/L	7/25/02	2/22/07	11	3	0.2	0.9	0.33	0.30	0.40						
El Segundo Blvd.	Wet	Channel	Se (tot)	µg/L	7/25/02	2/22/07	11	0	0.2	0.9	0.43	0.40	0.40						
El Segundo Blvd.	Wet	Channel	Th (sol)	µg/L	7/25/02	8/25/05	9	6	1	4	1.54	1.00	2.00	0	CTR	6.3	0.00	0 exceedances in 4 Year(s)	0%
El Segundo Blvd.	Wet	Channel	Th (tot)	µg/L	7/25/02	8/25/05	10	8	1	1	0.99	0.55	1.00						
El Segundo Blvd.	Wet	Channel	Zn (sol)	µg/L	7/25/02	2/22/07	11	2	18.5	178	44.19	32.00	32.00	3	TMDL	Hardness Dependent	0.06	3 exceedances in 5 Year(s)	27%
El Segundo Blvd.	Wet	Channel	Zn (tot)	µg/L	7/25/02	2/22/07	11	2	20.3	310	97.68	90.00	90.00						
El Segundo Blvd.	Dry	Channel	Ag (sol)	µg/L	4/26/01	5/26/09	82	50	0.03	0.8	0.44	0.13	0.09						
El Segundo Blvd.	Dry	Channel	Ag (tot)	µg/L	4/26/01	5/26/09	82	49	0.03	2.07	0.47	0.13	0.04						
El Segundo Blvd.	Dry	Channel	As (sol)	µg/L	4/26/01	5/26/09	84	6	0.4	8.38	2.60	2.15	2.10	0	CTR	150	0.00	0 exceedances in 9 Year(s)	0%
El Segundo Blvd.	Dry	Channel	As (tot)	µg/L	4/26/01	5/26/09	84	4	0.4	35.6	3.46	2.60	2.52						
El Segundo Blvd.	Dry	Channel	Ba (sol)	µg/L	4/26/01	5/26/09	83	1	18.5	97.4	47.45	41.20	41.60						
El Segundo Blvd.	Dry	Channel	Ba (tot)	µg/L	4/26/01	5/26/09	83	1	20.8	248	59.23	51.00	51.35						
El Segundo Blvd.	Dry	Channel	Be (sol)	µg/L	4/26/01	2/24/06	46	43	0.025	0.08	0.20	0.20	0.06						
El Segundo Blvd.	Dry	Channel	Be (tot)	µg/L	4/26/01	2/24/06	47	42	0.008	6.3	0.33	0.20	0.04						
El Segundo Blvd.	Dry	Channel	Cd (sol)	µg/L	4/26/01	5/26/09	82	42	0.01	1.1	0.26	0.17	0.17	0	CTR	Hardness Dependent	0.00	0 exceedances in 9 Year(s)	0%
El Segundo Blvd.	Dry	Channel	Cd (tot)	mg/L	4/26/01	5/26/09	83	35	0.01	6.2	0.38	0.30	0.30						
El Segundo Blvd.	Dry	Channel	Co (sol)	µg/L	4/26/01	2/24/06	45	35	0.2	0.6	2.88	0.25	0.30						
El Segundo Blvd.	Dry	Channel	Co (tot)	µg/L	4/26/01	2/24/06	45	30	0.2	5.2	3.12	0.60	0.60						
El Segundo Blvd.	Dry	Channel	Cr (sol)	µg/L	4/26/01	5/26/09	83	24	0.045	18	1.73	1.00	1.10	1	CTR	11	0.00	1 exceedances in 9 Year(s)	1%
El Segundo Blvd.	Dry	Channel	Cr (tot)	µg/L	4/26/01	5/26/09	83	14	0.045	33	4.86	2.07	2.51						
El Segundo Blvd.	Dry	Channel	Cu (sol)	µg/L	4/26/01	5/26/09	83	6	4	442	19.10	13.00	13.00	35	CTR	Hardness Dependent	0.05	35 exceedances in 9 Year(s)	42%
El Segundo Blvd.	Dry	Channel	Cu (tot)	µg/L	4/26/01	5/26/09	83	6	4	795	30.05	18.00	20.00						
El Segundo Blvd.	Dry	Channel	Hardness	µg/L	1/29/04	5/26/09	56	0	84.7	302	183.04	173.00	173.00						
El Segundo Blvd.	Dry	Channel	Hg (sol)	µg/L	4/26/01	2/24/06	46	35	0.03	0.17	0.05	0.01	0.07	8	TMDL	0.051	0.04	8 exceedances in 5 Year(s)	17%
El Segundo Blvd.	Dry	Channel	Hg (tot)	µg/L	4/26/01	2/24/06	46	34	0.027	0.17	0.05	0.01	0.08						
El Segundo Blvd.	Dry	Channel	Ni (sol)	µg/L	4/26/01	5/26/09	81	18	0.9	34	4.21	4.00	4.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 9 Year(s)	0%
El Segundo Blvd.	Dry	Channel	Ni (tot)	µg/L	4/26/01	5/26/09	83	15	0.9	41.1	5.74	4.68	4.59						

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
El Segundo Blvd.	Dry	Channel	Pb (sol)	µg/L	4/26/01	5/26/09	81	34	0.055	28	2.83	1.40	1.04	8	CTR	Hardness Dependent	0.01	8 exceedances in 9 Year(s)	10%
El Segundo Blvd.	Dry	Channel	Pb (tot)	µg/L	4/26/01	5/26/09	83	24	0.055	96	6.95	4.00	4.00						
El Segundo Blvd.	Dry	Channel	Sb (sol)	µg/L	4/26/01	2/24/06	47	33	1.3	12.3	3.01	2.50	3.00	0	CTR	4300	0.00	0 exceedances in 5 Year(s)	0%
El Segundo Blvd.	Dry	Channel	Sb (tot)	µg/L	4/26/01	2/24/06	47	34	1.8	24.6	3.45	2.50	3.00						
El Segundo Blvd.	Dry	Channel	Se (sol)	µg/L	5/31/01	5/26/09	82	11	0.1	2.2	0.83	0.40	0.40						
El Segundo Blvd.	Dry	Channel	Se (tot)	µg/L	5/31/01	5/26/09	82	10	0.1	2.28	0.87	0.50	0.50	0	CTR	5	0.00	0 exceedances in 8 Year(s)	0%
El Segundo Blvd.	Dry	Channel	Th (sol)	µg/L	4/26/01	2/24/06	47	36	1	9.5	2.70	2.00	3.00	2	CTR	6.3	0.01	2 exceedances in 5 Year(s)	4%
El Segundo Blvd.	Dry	Channel	Th (tot)	µg/L	4/26/01	2/24/06	47	38	1.2	6	2.61	2.50	4.00						
El Segundo Blvd.	Dry	Channel	Va(sol)	µg/L	4/26/01	5/31/01	2	1	6.1	6.1	4.30	4.30	6.10						
El Segundo Blvd.	Dry	Channel	Va(tot)	µg/L	4/26/01	5/31/01	2	1	6.1	6.1	4.30	4.30	6.10						
El Segundo Blvd.	Dry	Channel	Zn (sol)	µg/L	4/26/01	5/26/09	82	7	2.4	120	27.71	20.00	22.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 9 Year(s)	0%
El Segundo Blvd.	Dry	Channel	Zn (tot)	µg/L	4/26/01	5/26/09	83	6	8	445	67.93	50.00	53.40						
Main St.	Wet	Channel	Ag (sol)	µg/L	4/28/05	2/22/07	4	3	0.36	0.36	0.17	0.10	0.36	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Main St.	Wet	Channel	Ag (tot)	µg/L	4/28/05	2/22/07	4	3	0.48	0.48	0.20	0.10	0.48						
Main St.	Wet	Channel	As (sol)	µg/L	4/28/05	2/22/07	4	0	0.4	3.5	2.48	3.00	3.00	0	CTR	340	0.00	0 exceedances in 2 Year(s)	0%
Main St.	Wet	Channel	As (tot)	µg/L	4/28/05	2/22/07	4	0	0.5	3.7	2.58	3.05	3.05						
Main St.	Wet	Channel	Ba (sol)	µg/L	4/28/05	2/22/07	4	0	20	82	52.70	54.40	54.40						
Main St.	Wet	Channel	Ba (tot)	µg/L	4/28/05	2/22/07	4	0	27	82	56.80	59.10	59.10						
Main St.	Wet	Channel	Be (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Main St.	Wet	Channel	Be (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Main St.	Wet	Channel	Cd (sol)	µg/L	4/28/05	2/22/07	4	1	0.165	2.1	0.68	0.23	0.30	1	CTR	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Main St.	Wet	Channel	Cd (tot)	µg/L	4/28/05	2/22/07	4	1	0.165	0.5	0.30	0.28	0.40						
Main St.	Wet	Channel	Co (sol)	µg/L	4/28/05	8/25/05	3	0	0.2	0.6	0.40	0.40	0.40						
Main St.	Wet	Channel	Co (tot)	µg/L	4/28/05	8/25/05	3	0	0.3	0.5	0.40	0.40	0.40						
Main St.	Wet	Channel	Cr (sol)	µg/L	4/28/05	2/22/07	4	0	0.4	2.6	1.01	0.52	0.52	0	CTR	16	0.00	0 exceedances in 2 Year(s)	0%
Main St.	Wet	Channel	Cr (tot)	µg/L	4/28/05	2/22/07	4	0	0.08	3.9	1.33	0.66	0.66						
Main St.	Wet	Channel	Cu (sol)	µg/L	4/28/05	2/22/07	4	0	8	15	12.75	14.00	14.00	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Main St.	Wet	Channel	Cu (tot)	µg/L	4/28/05	2/22/07	4	0	12	36	23.75	23.50	23.50						
Main St.	Wet	Channel	Hardness	µg/L	4/28/05	2/22/07	4	0	41.7	291	181.68	197.00	197.00						
Main St.	Wet	Channel	Hg (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.01	0.01	0.00	0	TMDL	0.051	0.00	0 exceedances in 1 Year(s)	0%
Main St.	Wet	Channel	Hg (tot)	µg/L	4/28/05	8/25/05	3	2	0.022	0.022	0.01	0.01	0.02						
Main St.	Wet	Channel	Ni (sol)	µg/L	4/28/05	2/22/07	4	0	3.87	6	4.72	4.50	4.50	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Main St.	Wet	Channel	Ni (tot)	mg/L	4/28/05	2/22/07	4	0	3.65	6	5.16	5.50	5.50						
Main St.	Wet	Channel	Pb (sol)	µg/L	4/28/05	2/22/07	4	0	0.55	4	2.39	2.50	2.50	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Main St.	Wet	Channel	Pb (tot)	µg/L	4/28/05	2/22/07	4	0	0.55	6	2.89	2.50	2.50						
Main St.	Wet	Channel	Sb (sol)	µg/L	4/28/05	8/25/05	3	1	2	3	2.00	2.00	2.50	0	CTR	4300	0.00	0 exceedances in 1 Year(s)	0%
Main St.	Wet	Channel	Sb (tot)	µg/L	4/28/05	8/25/05	3	2	3	3	1.67	1.00	3.00						
Main St.	Wet	Channel	Se (sol)	µg/L	4/28/05	2/22/07	4	0	0.4	0.5	0.43	0.40	0.40						
Main St.	Wet	Channel	Se (tot)	µg/L	4/28/05	2/22/07	4	0	0.4	0.6	0.45	0.40	0.40						
Main St.	Wet	Channel	Th (sol)	µg/L	4/28/05	8/25/05	3	1	1	1	0.83	1.00	1.00	0	CTR	6.3	0.00	0 exceedances in 1 Year(s)	0%
Main St.	Wet	Channel	Th (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.50	0.50	0.00						
Main St.	Wet	Channel	Zn (sol)	µg/L	4/28/05	2/22/07	4	0	15	72	32.50	21.50	21.50	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Main St.	Wet	Channel	Zn (tot)	µg/L	4/28/05	2/22/07	4	0	29	101	50.25	35.50	35.50						
Main St.	Dry	Channel	Ag (sol)	µg/L	1/27/05	5/26/09	46	17	0.03	0.87	0.12	0.04	0.04						
Main St.	Dry	Channel	Ag (tot)	µg/L	1/27/05	5/26/09	46	16	0.03	4.18	0.18	0.06	0.04						
Main St.	Dry	Channel	As (sol)	µg/L	1/27/05	5/26/09	48	0	1	7.7	2.91	2.75	2.75	0	CTR	150	0.00	0 exceedances in 5 Year(s)	0%
Main St.	Dry	Channel	As (tot)	µg/L	1/27/05	5/26/09	48	0	1.1	106	5.45	3.10	3.10						
Main St.	Dry	Channel	Ba (sol)	µg/L	1/27/05	5/26/09	47	0	23	143	68.14	65.00	65.00						
Main St.	Dry	Channel	Ba (tot)	µg/L	1/27/05	5/26/09	47	0	29	4510	180.95	74.70	74.70						
Main St.	Dry	Channel	Be (sol)	µg/L	1/27/05	2/24/06	11	11	0	0	0.20	0.20	0.00						
Main St.	Dry	Channel	Be (tot)	µg/L	1/27/05	2/24/06	11	9	0.4	0.7	0.26	0.20	0.55						
Main St.	Dry	Channel	Cd (sol)	µg/L	1/27/05	5/26/09	47	9	0.01	0.8	0.22	0.17	0.17	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Main St.	Dry	Channel	Cd (tot)	µg/L	1/27/05	5/26/09	47	4	0.01	22.5	0.79	0.17	0.29						
Main St.	Dry	Channel	Co (sol)	µg/L	1/27/05	2/24/06	11	0	0.4	1.9	0.76	0.70	0.70						
Main St.	Dry	Channel	Co (tot)	µg/L	1/27/05	2/24/06	11	0	0.2	19.9	3.23	0.80	0.80						
Main St.	Dry	Channel	Cr (sol)	µg/L	1/27/05	5/26/09	47	2	0.045	5.17	1.36	1.00	1.09	0	CTR	11	0.00	0 exceedances in 5 Year(s)	0%
Main St.	Dry	Channel	Cr (tot)	µg/L	1/27/05	5/26/09	47	2	0.045	456	13.27	1.39	1.49						

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
Main St.	Dry	Channel	Cu (sol)	µg/L	1/27/05	5/26/09	47	0	4.25	36	14.58	12.30	12.30	16	CTR	Hardness Dependent	0.08	16 exceedances in 5 Year(s)	34%
Main St.	Dry	Channel	Cu (tot)	µg/L	1/27/05	5/26/09	47	0	8.47	1010	43.56	16.90	16.90						
Main St.	Dry	Channel	Hardness	µg/L	1/27/05	5/26/09	48	0	65.8	446	235.20	225.00	225.00						
Main St.	Dry	Channel	Hg (sol)	µg/L	1/27/05	2/24/06	11	11	0	0	0.01	0.01	0.00	0	TMDL	0.051	0.00	0 exceedances in 2 Year(s)	0%
Main St.	Dry	Channel	Hg (tot)	µg/L	1/27/05	2/24/06	11	10	0.106	0.106	0.02	0.01	0.11						
Main St.	Dry	Channel	Ni (sol)	µg/L	1/27/05	5/26/09	47	0	0.1	9.75	5.00	5.00	5.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Main St.	Dry	Channel	Ni (tot)	µg/L	1/27/05	5/26/09	47	0	3	367	14.54	5.23	5.23						
Main St.	Dry	Channel	Pb (sol)	µg/L	1/27/05	5/26/09	47	6	0.055	27	1.83	0.93	1.00	2	CTR	Hardness Dependent	0.01	2 exceedances in 5 Year(s)	4%
Main St.	Dry	Channel	Pb (tot)	µg/L	1/27/05	5/26/09	47	2	0.055	955	25.80	2.00	2.00						
Main St.	Dry	Channel	Sb (sol)	µg/L	1/27/05	2/24/06	11	6	2	5	2.00	1.00	3.00	0	CTR	4300	0.00	0 exceedances in 2 Year(s)	0%
Main St.	Dry	Channel	Sb (tot)	µg/L	1/27/05	2/24/06	11	6	2	5	2.09	1.00	4.00						
Main St.	Dry	Channel	Se (sol)	µg/L	1/27/05	5/26/09	48	0	0.1	1.3	0.53	0.40	0.40						
Main St.	Dry	Channel	Se (tot)	µg/L	1/27/05	5/26/09	48	0	0.1	3.5	0.64	0.45	0.45	0	CTR	5	0.00	0 exceedances in 5 Year(s)	0%
Main St.	Dry	Channel	Th (sol)	mg/L	1/27/05	2/24/06	11	8	2	2	0.91	0.50	2.00	0	CTR	6.3	0.00	0 exceedances in 2 Year(s)	0%
Main St.	Dry	Channel	Th (tot)	µg/L	1/27/05	2/24/06	11	7	1	2	0.77	0.50	1.00						
Main St.	Dry	Channel	Zn (sol)	µg/L	1/27/05	5/26/09	47	0	4	95.8	27.99	24.00	24.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Main St.	Dry	Channel	Zn (tot)	µg/L	1/27/05	5/26/09	47	0	18.5	3500	138.40	40.00	40.00						
Vermont Ave.	Wet	Channel	Ag (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.10	0.10	0.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 1 Year(s)	0%
Vermont Ave.	Wet	Channel	Ag (tot)	µg/L	4/28/05	2/22/07	4	3	0.54	0.54	0.21	0.10	0.54						
Vermont Ave.	Wet	Channel	As (sol)	µg/L	4/28/05	2/22/07	4	0	0.4	1.7	1.23	1.40	1.40	0	CTR	340	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Wet	Channel	As (tot)	µg/L	4/28/05	2/22/07	4	0	0.5	3.5	1.85	1.70	1.70						
Vermont Ave.	Wet	Channel	Ba (sol)	µg/L	4/28/05	2/22/07	4	0	15	91.5	62.13	71.00	71.00						
Vermont Ave.	Wet	Channel	Ba (tot)	µg/L	4/28/05	2/22/07	4	0	52	95.2	75.30	77.00	77.00						
Vermont Ave.	Wet	Channel	Be (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Vermont Ave.	Wet	Channel	Be (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Vermont Ave.	Wet	Channel	Cd (sol)	µg/L	4/28/05	2/22/07	4	1	0.165	0.5	0.30	0.28	0.40	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Wet	Channel	Cd (tot)	µg/L	4/28/05	2/22/07	4	1	0.165	0.3	0.23	0.23	0.30						
Vermont Ave.	Wet	Channel	Co (sol)	µg/L	4/28/05	8/25/05	3	2	0.2	0.2	0.13	0.10	0.20						
Vermont Ave.	Wet	Channel	Co (tot)	µg/L	4/28/05	8/25/05	3	0	0.2	2.2	0.90	0.30	0.30						
Vermont Ave.	Wet	Channel	Cr (sol)	µg/L	4/28/05	2/22/07	4	0	0.6	1.4	1.05	1.09	1.09	0	CTR	16	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Wet	Channel	Cr (tot)	mg/L	4/28/05	2/22/07	4	0	0.54	6.3	2.36	1.30	1.30						
Vermont Ave.	Wet	Channel	Cu (sol)	µg/L	4/28/05	2/22/07	4	0	8	14	10.75	10.50	10.50	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Vermont Ave.	Wet	Channel	Cu (tot)	µg/L	4/28/05	2/22/07	4	0	9	30	17.50	15.50	15.50						
Vermont Ave.	Wet	Channel	Hardness	µg/L	4/28/05	2/22/07	4	0	32.7	351	235.93	280.00	280.00						
Vermont Ave.	Wet	Channel	Hg (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.01	0.01	0.00	0	TMDL	0.051	0.00	0 exceedances in 1 Year(s)	0%
Vermont Ave.	Wet	Channel	Hg (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.01	0.01	0.00						
Vermont Ave.	Wet	Channel	Ni (sol)	µg/L	4/28/05	2/22/07	4	0	2	5	3.25	3.00	3.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Wet	Channel	Ni (tot)	µg/L	4/28/05	2/22/07	4	0	3	6	4.90	5.30	5.30						
Vermont Ave.	Wet	Channel	Pb (sol)	µg/L	4/28/05	2/22/07	3	1	0.55	1	0.68	0.55	0.78	1	TMDL	Hardness Dependent	0.18	1 exceedances in 2 Year(s)	33%
Vermont Ave.	Wet	Channel	Pb (tot)	µg/L	4/28/05	2/22/07	4	0	0.55	8	2.89	1.50	1.50						
Vermont Ave.	Wet	Channel	Sb (sol)	µg/L	4/28/05	8/25/05	3	2	2	2	1.33	1.00	2.00	0	CTR	4300	0.00	0 exceedances in 1 Year(s)	0%
Vermont Ave.	Wet	Channel	Sb (tot)	µg/L	4/28/05	8/25/05	3	2	3	3	1.67	1.00	3.00						
Vermont Ave.	Wet	Channel	Se (sol)	µg/L	4/28/05	2/22/07	4	0	0.2	0.8	0.43	0.35	0.35						
Vermont Ave.	Wet	Channel	Se (tot)	µg/L	4/28/05	2/22/07	4	0	0.2	0.9	0.45	0.35	0.35						
Vermont Ave.	Wet	Channel	Th (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.50	0.50	0.00	0	CTR	6.3	0.00	0 exceedances in 1 Year(s)	0%
Vermont Ave.	Wet	Channel	Th (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.50	0.50	0.00						
Vermont Ave.	Wet	Channel	Zn (sol)	µg/L	4/28/05	2/22/07	4	0	15	42	26.50	24.50	24.50	0	TMDL	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Wet	Channel	Zn (tot)	µg/L	4/28/05	2/22/07	4	0	28	111	57.25	45.00	45.00						
Vermont Ave.	Dry	Channel	Ag (sol)	µg/L	1/27/05	5/26/09	46	17	0.03	0.72	0.11	0.04	0.04						
Vermont Ave.	Dry	Channel	Ag (tot)	µg/L	1/27/05	5/26/09	46	17	0.03	0.65	0.13	0.04	0.04						
Vermont Ave.	Dry	Channel	As (sol)	µg/L	1/27/05	5/26/09	48	0	0.2	8.07	1.57	1.31	1.31	0	CTR	150	0.00	0 exceedances in 5 Year(s)	0%
Vermont Ave.	Dry	Channel	As (tot)	µg/L	1/27/05	5/26/09	48	0	0.5	8.01	1.92	1.53	1.53						
Vermont Ave.	Dry	Channel	Ba (sol)	µg/L	1/27/05	5/26/09	47	0	19.8	95.5	63.88	60.50	60.50						
Vermont Ave.	Dry	Channel	Ba (tot)	µg/L	1/27/05	5/26/09	47	0	36	248	78.51	76.00	76.00						
Vermont Ave.	Dry	Channel	Be (sol)	µg/L	1/27/05	2/24/06	11	11	0	0	0.20	0.20	0.00						
Vermont Ave.	Dry	Channel	Be (tot)	µg/L	1/27/05	2/24/06	11	11	0	0	0.20	0.20	0.00						
Vermont Ave.	Dry	Channel	Cd (sol)	µg/L	1/27/05	5/26/09	47	14	0.01	1.23	0.18	0.15	0.07	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
Vermont Ave.	Dry	Channel	Cd (tot)	µg/L	1/27/05	5/26/09	47	9	0.01	1.71	0.33	0.17	0.23						
Vermont Ave.	Dry	Channel	Co (sol)	µg/L	1/27/05	2/24/06	11	3	0.2	0.5	0.29	0.30	0.40						
Vermont Ave.	Dry	Channel	Co (tot)	µg/L	1/27/05	2/24/06	11	2	0.2	1.7	0.52	0.40	0.60						
Vermont Ave.	Dry	Channel	Cr (sol)	µg/L	1/27/05	5/26/09	47	3	0.045	12.1	1.50	1.01	1.09	1	CTR	11	0.00	1 exceedances in 5 Year(s)	2%
Vermont Ave.	Dry	Channel	Cr (tot)	µg/L	1/27/05	5/26/09	47	2	0.045	22.1	2.90	1.80	1.90						
Vermont Ave.	Dry	Channel	Cu (sol)	µg/L	1/27/05	5/26/09	47	0	2.98	29	13.20	13.00	13.00	7	CTR	Hardness Dependent	0.03	7 exceedances in 5 Year(s)	15%
Vermont Ave.	Dry	Channel	Cu (tot)	µg/L	1/27/05	5/26/09	47	0	4.07	90	20.38	16.10	16.10						
Vermont Ave.	Dry	Channel	Hardness	µg/L	1/27/05	5/26/09	48	0	87.1	2770	555.88	298.00	298.00						
Vermont Ave.	Dry	Channel	Hg (sol)	µg/L	1/27/05	2/24/06	11	10	0.03	0.03	0.01	0.01	0.03	0	TMDL	0.051	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Dry	Channel	Hg (tot)	mg/L	1/27/05	2/24/06	11	9	0.022	0.035	0.01	0.01	0.03						
Vermont Ave.	Dry	Channel	Ni (sol)	µg/L	1/27/05	5/26/09	47	0	0.1	8.9	4.22	4.04	4.04	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Vermont Ave.	Dry	Channel	Ni (tot)	µg/L	1/27/05	5/26/09	47	0	2	18.5	5.58	5.05	5.05						
Vermont Ave.	Dry	Channel	Pb (sol)	µg/L	1/27/05	5/26/09	47	13	0.055	11.5	0.96	0.55	0.55	1	CTR	Hardness Dependent	0.00	1 exceedances in 5 Year(s)	2%
Vermont Ave.	Dry	Channel	Pb (tot)	µg/L	1/27/05	5/26/09	47	5	0.055	25.7	3.22	1.44	1.85						
Vermont Ave.	Dry	Channel	Sb (sol)	µg/L	1/27/05	2/24/06	11	6	2	5	1.91	1.00	2.00	0	CTR	4300	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Dry	Channel	Sb (tot)	µg/L	1/27/05	2/24/06	11	8	2	4	1.64	1.00	4.00						
Vermont Ave.	Dry	Channel	Se (sol)	µg/L	1/27/05	5/26/09	48	1	0.1	1.05	0.41	0.40	0.40						
Vermont Ave.	Dry	Channel	Se (tot)	µg/L	1/27/05	5/26/09	48	0	0.1	1.1	0.44	0.40	0.40	0	CTR	5	0.00	0 exceedances in 5 Year(s)	0%
Vermont Ave.	Dry	Channel	Th (sol)	µg/L	1/27/05	2/24/06	11	6	1	5	1.36	0.50	2.00	0	CTR	6.3	0.00	0 exceedances in 2 Year(s)	0%
Vermont Ave.	Dry	Channel	Th (tot)	µg/L	1/27/05	2/24/06	11	6	1	5	1.55	0.50	2.00						
Vermont Ave.	Dry	Channel	Zn (sol)	µg/L	1/27/05	5/26/09	47	0	3.27	57	28.26	27.00	27.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Vermont Ave.	Dry	Channel	Zn (tot)	µg/L	1/27/05	5/26/09	47	0	23.5	296	67.22	48.00	48.00						
Western Ave.	Wet	Channel	Ag (sol)	µg/L	7/25/02	2/22/07	11	10	0.55	0.55	0.33	0.13	0.55	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Western Ave.	Wet	Channel	Ag (tot)	µg/L	7/25/02	2/22/07	11	10	0.93	0.93	0.36	0.13	0.93						
Western Ave.	Wet	Channel	As (sol)	mg/L	7/25/02	2/22/07	11	0	0.3	4.9	2.23	1.70	1.70	0	CTR	340	0.00	0 exceedances in 5 Year(s)	0%
Western Ave.	Wet	Channel	As (tot)	µg/L	7/25/02	2/22/07	11	0	0.3	5.3	2.57	2.20	2.20						
Western Ave.	Wet	Channel	Ba (sol)	µg/L	7/25/02	2/22/07	11	0	16	96.9	44.84	40.00	40.00						
Western Ave.	Wet	Channel	Ba (tot)	µg/L	7/25/02	2/22/07	11	0	34	104	57.67	44.90	44.90						
Western Ave.	Wet	Channel	Be (sol)	µg/L	7/25/02	8/25/05	10	10	0	0	0.19	0.20	0.00						
Western Ave.	Wet	Channel	Be (tot)	µg/L	7/25/02	8/25/05	10	9	1.1	1.1	0.25	0.20	1.10						
Western Ave.	Wet	Channel	Cd (sol)	µg/L	7/25/02	2/22/07	11	10	0.165	0.165	0.18	0.15	0.17	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Western Ave.	Wet	Channel	Cd (tot)	µg/L	7/25/02	2/22/07	11	5	0.165	1.8	0.40	0.30	0.35						
Western Ave.	Wet	Channel	Co (sol)	µg/L	7/25/02	8/25/05	10	7	0.2	1.1	2.24	0.16	0.50						
Western Ave.	Wet	Channel	Co (tot)	µg/L	7/25/02	8/25/05	10	3	0.3	2.2	2.68	0.82	0.73						
Western Ave.	Wet	Channel	Cr (sol)	µg/L	7/25/02	2/22/07	11	2	0.42	2	1.07	0.70	1.40	0	CTR	16	0.00	0 exceedances in 5 Year(s)	0%
Western Ave.	Wet	Channel	Cr (tot)	µg/L	7/25/02	2/22/07	11	0	0.5	28	7.33	3.60	3.60						
Western Ave.	Wet	Channel	Cu (sol)	µg/L	7/25/02	2/22/07	11	0	5.3	30	12.49	9.00	9.00	4	TMDL	Hardness Dependent	0.08	4 exceedances in 5 Year(s)	36%
Western Ave.	Wet	Channel	Cu (tot)	µg/L	7/25/02	2/22/07	11	0	6.5	39	17.82	15.00	15.00						
Western Ave.	Wet	Channel	Hardness	µg/L	2/26/04	2/22/07	8	0	36.6	369	172.09	170.50	170.50						
Western Ave.	Wet	Channel	Hg (sol)	µg/L	7/25/02	8/25/05	10	6	0.02	0.1	0.03	0.01	0.05	2	TMDL	0.051	0.06	2 exceedances in 4 Year(s)	20%
Western Ave.	Wet	Channel	Hg (tot)	µg/L	7/25/02	8/25/05	10	3	0.028	0.12	0.04	0.03	0.04						
Western Ave.	Wet	Channel	Ni (sol)	µg/L	7/25/02	2/22/07	11	2	1.7	5	2.82	2.68	3.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Western Ave.	Wet	Channel	Ni (tot)	µg/L	7/25/02	2/22/07	11	2	2.12	6	4.04	3.65	4.00						
Western Ave.	Wet	Channel	Pb (sol)	µg/L	7/25/02	2/22/07	11	6	0.55	16.5	3.85	1.50	2.00	3	TMDL	Hardness Dependent	0.06	3 exceedances in 5 Year(s)	27%
Western Ave.	Wet	Channel	Pb (tot)	µg/L	7/25/02	2/22/07	11	3	0.55	18.7	7.00	5.00	8.50						
Western Ave.	Wet	Channel	Sb (sol)	µg/L	7/25/02	8/25/05	10	5	2	3.3	2.39	2.00	2.00	0	CTR	4300	0.00	0 exceedances in 4 Year(s)	0%
Western Ave.	Wet	Channel	Sb (tot)	µg/L	7/25/02	8/25/05	10	6	2	4	2.39	2.00	2.90						
Western Ave.	Wet	Channel	Se (sol)	µg/L	7/25/02	2/22/07	11	2	0.2	0.9	0.39	0.30	0.40						
Western Ave.	Wet	Channel	Se (tot)	µg/L	7/25/02	2/22/07	11	0	0.2	0.9	0.46	0.40	0.40						
Western Ave.	Wet	Channel	Th (sol)	µg/L	7/25/02	8/25/05	10	10	0	0	0.90	0.55	0.00	0	CTR	6.3	0.00	0 exceedances in 4 Year(s)	0%
Western Ave.	Wet	Channel	Th (tot)	µg/L	7/25/02	8/25/05	10	10	0	0	0.90	0.55	0.00						
Western Ave.	Wet	Channel	Zn (sol)	mg/L	7/25/02	2/22/07	11	1	10.8	143	37.16	26.80	28.40	2	TMDL	Hardness Dependent	0.04	2 exceedances in 5 Year(s)	18%
Western Ave.	Wet	Channel	Zn (tot)	µg/L	7/25/02	2/22/07	11	1	19.4	155	67.84	59.00	66.20						
Western Ave.	Dry	Channel	Ag (sol)	µg/L	4/26/01	5/26/09	82	54	0.03	0.81	0.42	0.13	0.04						
Western Ave.	Dry	Channel	Ag (tot)	µg/L	4/26/01	5/26/09	82	52	0.03	1.78	0.48	0.13	0.04						
Western Ave.	Dry	Channel	As (sol)	µg/L	4/26/01	5/26/09	84	4	0.1	7.41	2.33	2.00	1.90	0	CTR	150	0.00	0 exceedances in 9 Year(s)	0%
Western Ave.	Dry	Channel	As (tot)	µg/L	4/26/01	5/26/09	84	5	0.4	6.6	2.68	2.30	2.20						

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
Western Ave.	Dry	Channel	Ba (sol)	µg/L	4/26/01	5/26/09	83	1	17.4	101	56.78	54.90	54.95						
Western Ave.	Dry	Channel	Ba (tot)	mg/L	4/26/01	5/26/09	83	1	23.2	270	71.40	59.70	60.35						
Western Ave.	Dry	Channel	Be (sol)	µg/L	4/26/01	2/24/06	47	43	0.03	0.3	0.20	0.20	0.07						
Western Ave.	Dry	Channel	Be (tot)	µg/L	4/26/01	2/24/06	46	41	0.048	0.6	0.22	0.20	0.08						
Western Ave.	Dry	Channel	Cd (sol)	µg/L	4/26/01	5/26/09	82	46	0.01	6.54	0.31	0.17	0.17	1	CTR	Hardness Dependent	0.00	1 exceedances in 9 Year(s)	1%
Western Ave.	Dry	Channel	Cd (tot)	µg/L	4/26/01	5/26/09	83	44	0.01	7.71	0.42	0.25	0.30						
Western Ave.	Dry	Channel	Co (sol)	µg/L	4/26/01	2/24/06	45	37	0.2	0.7	2.87	0.25	0.35						
Western Ave.	Dry	Channel	Co (tot)	µg/L	4/26/01	2/24/06	45	34	0.3	5.6	3.03	0.40	0.40						
Western Ave.	Dry	Channel	Cr (sol)	µg/L	4/26/01	5/26/09	83	25	0.045	5.44	1.58	1.06	1.14	0	CTR	11	0.00	0 exceedances in 9 Year(s)	0%
Western Ave.	Dry	Channel	Cr (tot)	µg/L	4/26/01	5/26/09	83	11	0.045	36	4.87	1.60	1.90						
Western Ave.	Dry	Channel	Cu (sol)	µg/L	4/26/01	5/26/09	82	6	4.2	32	12.88	11.25	11.95	16	CTR	Hardness Dependent	0.02	16 exceedances in 9 Year(s)	20%
Western Ave.	Dry	Channel	Cu (tot)	µg/L	4/26/01	5/26/09	83	4	4.47	204	22.14	16.30	18.00						
Western Ave.	Dry	Channel	Hardness	µg/L	1/29/04	5/26/09	56	0	87.5	393	257.83	269.50	269.50						
Western Ave.	Dry	Channel	Hg (sol)	µg/L	4/26/01	2/24/06	46	35	0.026	0.23	0.05	0.01	0.09	7	TMDL	0.051	0.03	7 exceedances in 5 Year(s)	15%
Western Ave.	Dry	Channel	Hg (tot)	µg/L	4/26/01	2/24/06	46	33	0.022	0.23	0.06	0.01	0.08						
Western Ave.	Dry	Channel	Ni (sol)	µg/L	4/26/01	5/26/09	80	16	0.88	27	4.12	3.30	3.30	0	CTR	Hardness Dependent	0.00	0 exceedances in 9 Year(s)	0%
Western Ave.	Dry	Channel	Ni (tot)	µg/L	4/26/01	5/26/09	83	16	1.08	23.1	5.61	4.62	4.62						
Western Ave.	Dry	Channel	Pb (sol)	µg/L	4/26/01	5/26/09	81	36	0.055	21.6	2.32	1.09	1.00	2	CTR	Hardness Dependent	0.00	2 exceedances in 9 Year(s)	2%
Western Ave.	Dry	Channel	Pb (tot)	µg/L	4/26/01	5/26/09	83	28	0.055	70.4	5.54	2.80	2.90						
Western Ave.	Dry	Channel	Sb (sol)	µg/L	4/26/01	2/24/06	47	37	1.4	3	2.48	2.00	2.00	0	CTR	4300	0.00	0 exceedances in 5 Year(s)	0%
Western Ave.	Dry	Channel	Sb (tot)	µg/L	4/26/01	2/24/06	47	32	1.3	13.7	2.81	2.00	2.00						
Western Ave.	Dry	Channel	Se (sol)	µg/L	5/31/01	5/26/09	82	6	0.2	2.12	0.87	0.50	0.50						
Western Ave.	Dry	Channel	Se (tot)	µg/L	5/31/01	5/26/09	82	5	0.1	2.16	0.94	0.50	0.50	0	CTR	5	0.00	0 exceedances in 8 Year(s)	0%
Western Ave.	Dry	Channel	Th (sol)	µg/L	4/26/01	2/24/06	47	42	1	6.4	2.11	0.55	1.20	1	CTR	6.3	0.00	1 exceedances in 5 Year(s)	2%
Western Ave.	Dry	Channel	Th (tot)	µg/L	4/26/01	2/24/06	47	40	1	6.4	2.16	0.55	1.20						
Western Ave.	Dry	Channel	Va(sol)	µg/L	4/26/01	5/31/01	2	2	0	0	2.50	2.50	0.00						
Western Ave.	Dry	Channel	Va(tot)	µg/L	4/26/01	5/31/01	2	2	0	0	2.50	2.50	0.00						
Western Ave.	Dry	Channel	Zn (sol)	µg/L	4/26/01	5/26/09	82	4	4.2	88.4	23.74	21.80	22.45	0	CTR	Hardness Dependent	0.00	0 exceedances in 9 Year(s)	0%
Western Ave.	Dry	Channel	Zn (tot)	µg/L	4/26/01	5/26/09	83	3	11	876	67.81	37.00	38.10						
Yukon Ave.	Wet	Channel	Ag (sol)	µg/L	4/28/05	2/22/07	4	3	0.58	0.58	0.22	0.10	0.58	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Wet	Channel	Ag (tot)	µg/L	4/28/05	2/22/07	4	3	0.73	0.73	0.26	0.10	0.73						
Yukon Ave.	Wet	Channel	As (sol)	µg/L	4/28/05	2/22/07	4	0	0.05	2.8	1.41	1.40	1.40	0	CTR	340	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Wet	Channel	As (tot)	µg/L	4/28/05	2/22/07	4	0	0.1	3.6	2.10	2.35	2.35						
Yukon Ave.	Wet	Channel	Ba (sol)	µg/L	4/28/05	2/22/07	4	0	57.8	102	73.70	67.50	67.50						
Yukon Ave.	Wet	Channel	Ba (tot)	µg/L	4/28/05	2/22/07	4	0	70.6	270	139.65	109.00	109.00						
Yukon Ave.	Wet	Channel	Be (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Yukon Ave.	Wet	Channel	Be (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.20	0.20	0.00						
Yukon Ave.	Wet	Channel	Cd (sol)	µg/L	4/28/05	2/22/07	4	0	0.165	0.8	0.54	0.60	0.60	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Wet	Channel	Cd (tot)	µg/L	4/28/05	2/22/07	4	0	0.165	1.8	1.09	1.20	1.20						
Yukon Ave.	Wet	Channel	Co (sol)	µg/L	4/28/05	8/25/05	3	2	0.8	0.8	0.33	0.10	0.80						
Yukon Ave.	Wet	Channel	Co (tot)	µg/L	4/28/05	8/25/05	3	0	0.5	3.4	2.07	2.30	2.30						
Yukon Ave.	Wet	Channel	Cr (sol)	µg/L	4/28/05	2/22/07	4	0	0.105	15.6	4.60	1.35	1.35	0	CTR	16	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Wet	Channel	Cr (tot)	µg/L	4/28/05	2/22/07	4	0	0.47	33.2	10.89	4.95	4.95						
Yukon Ave.	Wet	Channel	Cu (sol)	µg/L	4/28/05	2/22/07	4	0	4	69	41.50	46.50	46.50	3	TMDL	Hardness Dependent	0.41	3 exceedances in 2 Year(s)	75%
Yukon Ave.	Wet	Channel	Cu (tot)	µg/L	4/28/05	2/22/07	4	0	6	171	106.00	123.50	123.50						
Yukon Ave.	Wet	Channel	Hardness	µg/L	4/28/05	2/22/07	4	0	52.4	298	209.85	244.50	244.50						
Yukon Ave.	Wet	Channel	Hg (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.01	0.01	0.00	0	TMDL	0.051	0.00	0 exceedances in 1 Year(s)	0%
Yukon Ave.	Wet	Channel	Hg (tot)	µg/L	4/28/05	8/25/05	3	1	0.024	0.034	0.02	0.02	0.03						
Yukon Ave.	Wet	Channel	Ni (sol)	µg/L	4/28/05	2/22/07	4	0	1.98	12	7.00	7.00	7.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Wet	Channel	Ni (tot)	mg/L	4/28/05	2/22/07	4	0	2.89	17	11.72	13.50	13.50						
Yukon Ave.	Wet	Channel	Pb (sol)	µg/L	4/28/05	2/22/07	4	2	0.55	2	0.89	0.53	1.28	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Yukon Ave.	Wet	Channel	Pb (tot)	µg/L	4/28/05	2/22/07	4	0	0.55	49	25.14	25.50	25.50						
Yukon Ave.	Wet	Channel	Sb (sol)	µg/L	4/28/05	8/25/05	3	2	9	9	3.67	1.00	9.00	0	CTR	4300	0.00	0 exceedances in 1 Year(s)	0%
Yukon Ave.	Wet	Channel	Sb (tot)	µg/L	4/28/05	8/25/05	3	2	35	35	12.33	1.00	35.00						
Yukon Ave.	Wet	Channel	Se (sol)	µg/L	4/28/05	2/22/07	4	0	0.1	0.5	0.33	0.35	0.35						
Yukon Ave.	Wet	Channel	Se (tot)	µg/L	4/28/05	2/22/07	4	0	0.1	0.6	0.38	0.40	0.40						
Yukon Ave.	Wet	Channel	Th (sol)	µg/L	4/28/05	8/25/05	3	3	0	0	0.50	0.50	0.00	0	CTR	6.3	0.00	0 exceedances in 1 Year(s)	0%

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	%Exceed
					From	To						With ND	Without ND						
Yukon Ave.	Wet	Channel	Th (tot)	µg/L	4/28/05	8/25/05	3	3	0	0	0.50	0.50	0.00						
Yukon Ave.	Wet	Channel	Zn (sol)	µg/L	4/28/05	2/22/07	4	0	8	94	61.50	72.00	72.00	1	TMDL	Hardness Dependent	0.14	1 exceedances in 2 Year(s)	25%
Yukon Ave.	Wet	Channel	Zn (tot)	µg/L	4/28/05	2/22/07	4	0	15	376	221.50	247.50	247.50						
Yukon Ave.	Dry	Channel	Ag (sol)	µg/L	1/27/05	5/26/09	45	18	0.03	0.5	0.09	0.04	0.04						
Yukon Ave.	Dry	Channel	Ag (tot)	µg/L	1/27/05	5/26/09	45	18	0.03	0.66	0.11	0.04	0.04						
Yukon Ave.	Dry	Channel	As (sol)	µg/L	1/27/05	5/26/09	47	4	0.05	8.4	1.24	1.00	1.10	0	CTR	150	0.00	0 exceedances in 5 Year(s)	0%
Yukon Ave.	Dry	Channel	As (tot)	µg/L	1/27/05	5/26/09	47	3	0.05	22.2	1.90	1.20	1.30						
Yukon Ave.	Dry	Channel	Ba (sol)	µg/L	1/27/05	5/26/09	46	0	32.2	134	60.12	53.70	53.70						
Yukon Ave.	Dry	Channel	Ba (tot)	µg/L	1/27/05	5/26/09	46	0	40	719	88.52	62.35	62.35						
Yukon Ave.	Dry	Channel	Be (sol)	µg/L	1/27/05	2/24/06	11	11	0	0	0.20	0.20	0.00						
Yukon Ave.	Dry	Channel	Be (tot)	µg/L	1/27/05	2/24/06	11	11	0	0	0.20	0.20	0.00						
Yukon Ave.	Dry	Channel	Cd (sol)	µg/L	1/27/05	5/26/09	46	9	0.01	1.6	0.29	0.17	0.17	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Yukon Ave.	Dry	Channel	Cd (tot)	µg/L	1/27/05	5/26/09	46	5	0.01	16.6	0.85	0.35	0.41						
Yukon Ave.	Dry	Channel	Co (sol)	µg/L	1/27/05	2/24/06	11	5	0.2	0.4	0.18	0.20	0.20						
Yukon Ave.	Dry	Channel	Co (tot)	µg/L	1/27/05	2/24/06	11	3	0.2	11.5	1.75	0.30	0.75						
Yukon Ave.	Dry	Channel	Cr (sol)	µg/L	1/27/05	5/26/09	46	2	0.045	23.8	2.28	1.06	1.14	2	CTR	11	0.01	2 exceedances in 5 Year(s)	4%
Yukon Ave.	Dry	Channel	Cr (tot)	µg/L	1/27/05	5/26/09	46	1	0.045	118	6.61	1.83	1.86						
Yukon Ave.	Dry	Channel	Cu (sol)	µg/L	1/27/05	5/26/09	45	1	2.91	141	16.70	11.00	11.00	14	CTR	Hardness Dependent	0.07	14 exceedances in 5 Year(s)	31%
Yukon Ave.	Dry	Channel	Cu (tot)	µg/L	1/27/05	5/26/09	46	1	4.27	166	33.62	16.50	17.00						
Yukon Ave.	Dry	Channel	Hardness	µg/L	1/27/05	5/26/09	47	0	79.5	332	197.07	192.00	192.00						
Yukon Ave.	Dry	Channel	Hg (sol)	µg/L	1/27/05	2/24/06	11	9	0.026	0.026	0.01	0.01	0.03	0	TMDL	0.051	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Dry	Channel	Hg (tot)	µg/L	1/27/05	2/24/06	11	5	0.024	0.133	0.03	0.02	0.03						
Yukon Ave.	Dry	Channel	Ni (sol)	µg/L	1/27/05	5/26/09	46	1	0.17	12.1	3.61	2.92	3.00	0	CTR	Hardness Dependent	0.00	0 exceedances in 5 Year(s)	0%
Yukon Ave.	Dry	Channel	Ni (tot)	µg/L	1/27/05	5/26/09	46	1	1.01	80	7.03	4.19	4.30						
Yukon Ave.	Dry	Channel	Pb (sol)	mg/L	1/27/05	5/26/09	46	7	0.055	15.9	1.62	0.88	1.00	2	CTR	Hardness Dependent	0.01	2 exceedances in 5 Year(s)	4%
Yukon Ave.	Dry	Channel	Pb (tot)	µg/L	1/27/05	5/26/09	46	3	0.055	113	11.40	4.25	4.73						
Yukon Ave.	Dry	Channel	Sb (sol)	µg/L	1/27/05	2/24/06	11	9	3	3	1.36	1.00	3.00	0	CTR	4300	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Dry	Channel	Sb (tot)	µg/L	1/27/05	2/24/06	11	5	2	6	2.18	2.00	2.50						
Yukon Ave.	Dry	Channel	Se (sol)	µg/L	1/27/05	5/26/09	47	3	0.05	1.03	0.31	0.20	0.20						
Yukon Ave.	Dry	Channel	Se (tot)	µg/L	1/27/05	5/26/09	47	2	0.05	2.2	0.38	0.20	0.29	0	CTR	5	0.00	0 exceedances in 5 Year(s)	0%
Yukon Ave.	Dry	Channel	Th (sol)	µg/L	1/27/05	2/24/06	11	7	1	4	1.05	0.50	1.50	0	CTR	6.3	0.00	0 exceedances in 2 Year(s)	0%
Yukon Ave.	Dry	Channel	Th (tot)	µg/L	1/27/05	2/24/06	11	8	1	4	0.91	0.50	1.00						
Yukon Ave.	Dry	Channel	Zn (sol)	µg/L	1/27/05	5/26/09	46	0	5	171	48.91	31.50	31.50	1	CTR	Hardness Dependent	0.01	1 exceedances in 5 Year(s)	2%
Yukon Ave.	Dry	Channel	Zn (tot)	µg/L	1/27/05	5/26/09	46	0	12	669	121.62	72.85	72.85						
Henry Ford Ave.	Wet	Estuary	Ag (sol)	µg/L	7/25/02	2/22/07	11	10	0.03	0.03	0.28	0.13	0.03	0	CTR	1.9	0.00	0 exceedances in 5 Year(s)	0%
Henry Ford Ave.	Wet	Estuary	Ag (tot)	µg/L	7/25/02	2/22/07	11	9	0.09	2.48	0.50	0.13	1.29						
Henry Ford Ave.	Wet	Estuary	As (sol)	µg/L	7/25/02	2/22/07	11	0	1	2.9	1.79	1.80	1.80	0	CTR	150	0.00	0 exceedances in 5 Year(s)	0%
Henry Ford Ave.	Wet	Estuary	As (tot)	µg/L	7/25/02	2/22/07	11	0	1	4	2.14	2.00	2.00						
Henry Ford Ave.	Wet	Estuary	Ba (sol)	µg/L	7/25/02	2/22/07	11	0	6	22	10.12	10.00	10.00						
Henry Ford Ave.	Wet	Estuary	Ba (tot)	µg/L	7/25/02	2/22/07	11	0	6	56	15.88	11.00	11.00						
Henry Ford Ave.	Wet	Estuary	Be (sol)	mg/L	7/25/02	8/25/05	10	10	0	0	0.19	0.20	0.00						
Henry Ford Ave.	Wet	Estuary	Be (tot)	µg/L	7/25/02	8/25/05	10	10	0	0	0.19	0.20	0.00						
Henry Ford Ave.	Wet	Estuary	Cd (sol)	µg/L	7/25/02	2/22/07	11	6	0.2	1	0.41	0.40	0.69	0	CTR	Hardness Dependent*	0.00	0 exceedances in 5 Year(s)	0%
Henry Ford Ave.	Wet	Estuary	Cd (tot)	µg/L	7/25/02	2/22/07	11	4	0.165	0.8	0.41	0.31	0.31						
Henry Ford Ave.	Wet	Estuary	Co (sol)	µg/L	7/25/02	8/25/05	10	5	0.3	1.5	2.37	0.40	0.40						
Henry Ford Ave.	Wet	Estuary	Co (tot)	µg/L	7/25/02	8/25/05	10	3	0.4	2.4	2.84	1.30	1.10						
Henry Ford Ave.	Wet	Estuary	Cr (sol)	µg/L	7/25/02	2/22/07	10	5	0.1	3	0.75	0.50	0.60						
Henry Ford Ave.	Wet	Estuary	Cr (tot)	µg/L	7/25/02	2/22/07	11	2	0.39	27.6	7.31	1.50	2.60						
Henry Ford Ave.	Wet	Estuary	Cu (sol)	µg/L	7/25/02	2/22/07	10	4	2.3	17	5.52	3.15	7.50	5	TMDL	Hardness Dependent*	0.11	5 exceedances in 5 Year(s)	50%
Henry Ford Ave.	Wet	Estuary	Cu (tot)	µg/L	7/25/02	2/22/07	11	5	1	55	10.35	2.00	10.00						
Henry Ford Ave.	Wet	Estuary	Hardness	µg/L	2/26/04	2/22/07	8	0	25.9	5390	3,499.86	4,490.00	4,490.00						
Henry Ford Ave.	Wet	Estuary	Hg (sol)	µg/L	7/25/02	8/25/05	10	3	0.03	0.136	0.05	0.04	0.04						
Henry Ford Ave.	Wet	Estuary	Hg (tot)	µg/L	7/25/02	8/25/05	10	2	0.022	0.165	0.05	0.04	0.04						
Henry Ford Ave.	Wet	Estuary	Ni (sol)	µg/L	7/25/02	2/22/07	11	2	1.94	12.8	5.03	3.00	3.32	1	CTR	Hardness Dependent*	0.02	1 exceedances in 5 Year(s)	9%
Henry Ford Ave.	Wet	Estuary	Ni (tot)	µg/L	7/25/02	2/22/07	11	2	3	12.1	5.24	3.10	5.45						
Henry Ford Ave.	Wet	Estuary	Pb (sol)	µg/L	7/25/02	2/22/07	11	5	0.55	12.6	4.45	5.00	6.00	2	TMDL	Hardness Dependent*	0.04	2 exceedances in 5 Year(s)	18%
Henry Ford Ave.	Wet	Estuary	Pb (tot)	µg/L	7/25/02	2/22/07	11	3	0.55	36.4	10.81	6.00	9.50						

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
Henry Ford Ave.	Wet	Estuary	Sb (sol)	µg/L	7/25/02	8/25/05	10	5	2	13	3.70	2.90	4.00						
Henry Ford Ave.	Wet	Estuary	Sb (tot)	µg/L	7/25/02	8/25/05	10	5	3	13	3.86	3.00	4.40						
Henry Ford Ave.	Wet	Estuary	Se (sol)	µg/L	7/25/02	2/22/07	11	5	0.2	2.1	0.36	0.20	0.20						
Henry Ford Ave.	Wet	Estuary	Se (tot)	µg/L	7/25/02	2/22/07	11	4	0.2	2.5	0.43	0.20	0.20	0	CTR	290	0.00	0 exceedances in 5 Year(s)	0%
Henry Ford Ave.	Wet	Estuary	Th (sol)	µg/L	7/25/02	8/25/05	9	4	0.7	16	3.24	1.40	1.40	1	CTR	6.3	0.04	1 exceedances in 4 Year(s)	11%
Henry Ford Ave.	Wet	Estuary	Th (tot)	µg/L	7/25/02	8/25/05	10	5	0.7	12	3.03	1.00	1.00						
Henry Ford Ave.	Wet	Estuary	Zn (sol)	µg/L	7/25/02	2/22/07	11	2	12	61	25.15	18.00	20.00	1	TMDL	90	0.02	1 exceedances in 5 Year(s)	9%
Henry Ford Ave.	Wet	Estuary	Zn (tot)	µg/L	7/25/02	2/22/07	11	2	24	243	54.13	28.20	31.00						
Henry Ford Ave.	Dry	Estuary	Ag (sol)	µg/L	4/26/01	5/26/09	75	52	0.03	4	0.58	0.13	0.04	3	CTR	Hardness Dependent*	0.00	3 exceedances in 9 Year(s)	4%
Henry Ford Ave.	Dry	Estuary	Ag (tot)	µg/L	4/26/01	5/26/09	75	52	0.03	10.5	0.84	0.13	0.30						
Henry Ford Ave.	Dry	Estuary	As (sol)	µg/L	4/26/01	5/26/09	78	4	0.3	3.2	1.62	1.50	1.40	0	CTR	36	0.00	0 exceedances in 9 Year(s)	0%
Henry Ford Ave.	Dry	Estuary	As (tot)	µg/L	4/26/01	5/26/09	79	4	0.3	3.4	1.75	1.60	1.60						
Henry Ford Ave.	Dry	Estuary	Ba (sol)	µg/L	4/26/01	5/26/09	76	3	2.46	41.1	13.22	10.50	12.00						
Henry Ford Ave.	Dry	Estuary	Ba (tot)	µg/L	4/26/01	5/26/09	76	2	2.69	45.6	14.26	12.60	13.00						
Henry Ford Ave.	Dry	Estuary	Be (sol)	µg/L	4/26/01	2/24/06	47	37	0.043	2.4	0.32	0.20	0.50						
Henry Ford Ave.	Dry	Estuary	Be (tot)	µg/L	4/26/01	2/24/06	47	34	0.022	2.3	0.33	0.25	0.40						
Henry Ford Ave.	Dry	Estuary	Cd (sol)	µg/L	4/26/01	5/26/09	76	34	0.01	5.6	0.47	0.33	0.33	0	CTR	Hardness Dependent*	0.00	0 exceedances in 9 Year(s)	0%
Henry Ford Ave.	Dry	Estuary	Cd (tot)	µg/L	4/26/01	5/26/09	76	34	0.01	5.8	0.56	0.29	0.29						
Henry Ford Ave.	Dry	Estuary	Co (sol)	µg/L	4/26/01	2/24/06	44	19	0.2	2.5	3.25	0.85	0.60						
Henry Ford Ave.	Dry	Estuary	Co (tot)	µg/L	4/26/01	2/24/06	45	20	0.38	12	3.52	0.90	0.70						
Henry Ford Ave.	Dry	Estuary	Cr (sol)	µg/L	4/26/01	5/26/09	76	46	0.045	42.5	2.83	0.50	1.61						
Henry Ford Ave.	Dry	Estuary	Cr (tot)	µg/L	4/26/01	5/26/09	76	27	0.045	31.3	4.47	1.16	2.40						
Henry Ford Ave.	Dry	Estuary	Cu (sol)	µg/L	4/26/01	5/26/09	73	21	1.3	75	10.74	6.00	11.50	43	TMDL	Hardness Dependent*	0.07	43 exceedances in 9 Year(s)	59%
Henry Ford Ave.	Dry	Estuary	Cu (tot)	mg/L	4/26/01	5/26/09	76	16	1.3	83	13.32	7.40	11.50						
Henry Ford Ave.	Dry	Estuary	Hardness	µg/L	4/29/04	5/26/09	49	0	986	6260	4,689.92	5,120.00	5,120.00						
Henry Ford Ave.	Dry	Estuary	Hg (sol)	µg/L	4/26/01	2/24/06	45	23	0.025	0.17	0.06	0.04	0.04	8	TMDL	0.051	0.04	8 exceedances in 5 Year(s)	18%
Henry Ford Ave.	Dry	Estuary	Hg (tot)	µg/L	4/26/01	2/24/06	46	22	0.023	0.17	0.06	0.04	0.05						
Henry Ford Ave.	Dry	Estuary	Ni (sol)	µg/L	4/26/01	5/26/09	74	15	0.1	23.3	7.20	5.45	6.43	19	CTR	Hardness Dependent*	0.03	19 exceedances in 9 Year(s)	26%
Henry Ford Ave.	Dry	Estuary	Ni (tot)	µg/L	4/26/01	5/26/09	76	14	0.1	37.3	7.77	5.75	6.90						
Henry Ford Ave.	Dry	Estuary	Pb (sol)	µg/L	4/26/01	5/26/09	75	31	0.055	42	5.82	5.00	5.75	14	TMDL	Hardness Dependent*	0.02	14 exceedances in 9 Year(s)	19%
Henry Ford Ave.	Dry	Estuary	Pb (tot)	µg/L	4/26/01	5/26/09	76	27	0.055	60.2	7.40	5.00	7.00						
Henry Ford Ave.	Dry	Estuary	Sb (sol)	µg/L	4/26/01	2/24/06	46	41	2.3	12.8	2.71	1.00	4.90	0	CTR	4300	0.00	0 exceedances in 5 Year(s)	0%
Henry Ford Ave.	Dry	Estuary	Sb (tot)	µg/L	4/26/01	2/24/06	47	37	1.1	23.2	3.40	2.00	3.65						
Henry Ford Ave.	Dry	Estuary	Se (sol)	µg/L	5/31/01	5/26/09	75	18	0.05	2.4	0.67	0.20	0.20						
Henry Ford Ave.	Dry	Estuary	Se (tot)	µg/L	5/31/01	5/26/09	77	15	0.05	2.4	0.72	0.20	0.20	0	CTR	5	0.00	0 exceedances in 8 Year(s)	0%
Henry Ford Ave.	Dry	Estuary	Th (sol)	µg/L	4/26/01	1/26/06	46	34	2	12	3.41	2.50	5.15	5	CTR	6.3	0.02	5 exceedances in 5 Year(s)	11%
Henry Ford Ave.	Dry	Estuary	Th (tot)	µg/L	4/26/01	1/26/06	46	33	0.669	12	3.39	2.50	4.00						
Henry Ford Ave.	Dry	Estuary	Va(sol)	µg/L	4/26/01	5/31/01	2	2	0	0	2.50	2.50	0.00						
Henry Ford Ave.	Dry	Estuary	Va(tot)	µg/L	4/26/01	5/31/01	2	2	0	0	2.50	2.50	0.00						
Henry Ford Ave.	Dry	Estuary	Zn (sol)	µg/L	4/26/01	5/26/09	74	13	2	78	21.19	16.05	19.00	0	TMDL	Hardness Dependent*	0.00	0 exceedances in 9 Year(s)	0%
Henry Ford Ave.	Dry	Estuary	Zn (tot)	µg/L	4/26/01	5/26/09	76	10	2	145	29.86	26.00	28.85						
Wilmington Ave.	Wet	Estuary	Ag (sol)	µg/L	7/25/02	2/22/07	11	10	0.03	0.03	0.28	0.13	0.03	0	CTR	1.9	0.00	0 exceedances in 5 Year(s)	0%
Wilmington Ave.	Wet	Estuary	Ag (tot)	µg/L	7/25/02	2/22/07	11	10	0.03	0.03	0.28	0.13	0.03						
Wilmington Ave.	Wet	Estuary	As (sol)	µg/L	7/25/02	2/22/07	11	0	1	2.7	1.76	1.80	1.80	0	CTR	150	0.00	0 exceedances in 5 Year(s)	0%
Wilmington Ave.	Wet	Estuary	As (tot)	µg/L	7/25/02	2/22/07	11	0	1	2.8	2.04	2.10	2.10						
Wilmington Ave.	Wet	Estuary	Ba (sol)	µg/L	7/25/02	8/25/05	10	0	9.1	32	20.47	20.80	20.80						
Wilmington Ave.	Wet	Estuary	Ba (tot)	µg/L	7/25/02	2/22/07	11	0	14	39	26.32	26.60	26.60						
Wilmington Ave.	Wet	Estuary	Be (sol)	µg/L	7/25/02	8/25/05	10	10	0	0	0.19	0.20	0.00						
Wilmington Ave.	Wet	Estuary	Be (tot)	µg/L	7/25/02	8/25/05	10	10	0	0	0.19	0.20	0.00						
Wilmington Ave.	Wet	Estuary	Cd (sol)	µg/L	7/25/02	2/22/07	11	7	0.16	1.2	0.32	0.17	0.33	0	CTR	Hardness Dependent*	0.00	0 exceedances in 5 Year(s)	0%
Wilmington Ave.	Wet	Estuary	Cd (tot)	µg/L	7/25/02	2/22/07	11	5	0.165	1	0.39	0.29	0.40						
Wilmington Ave.	Wet	Estuary	Co (sol)	µg/L	7/25/02	8/25/05	10	5	0.3	0.6	2.23	0.30	0.30						
Wilmington Ave.	Wet	Estuary	Co (tot)	µg/L	7/25/02	8/25/05	10	3	0.28	1.5	2.59	0.85	0.80						
Wilmington Ave.	Wet	Estuary	Cr (sol)	µg/L	7/25/02	2/22/07	11	5	0.3	2.4	0.78	0.50	0.80						
Wilmington Ave.	Wet	Estuary	Cr (tot)	µg/L	7/25/02	2/22/07	11	2	0.5	24.7	5.92	1.70	2.30						
Wilmington Ave.	Wet	Estuary	Cu (sol)	µg/L	7/25/02	2/22/07	11	1	3.9	78	13.86	8.70	9.35	10	TMDL	Hardness Dependent*	0.20	10 exceedances in 5 Year(s)	91%
Wilmington Ave.	Wet	Estuary	Cu (tot)	µg/L	7/25/02	2/22/07	11	1	4.1	78	16.61	11.00	11.00						

Table D.2: Dominguez Channel - Metals Data Summary																			
Location	Weather	Type	Constituent	Unit	Dates Sampled		Total No. of Values	No. Values with/ ND	Min.	Max.	Avg.	Median		No. of exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance /Time	% Exceed
					From	To						With ND	Without ND						
Wilmington Ave.	Wet	Estuary	Hardness	µg/L	2/26/04	2/22/07	8	0	19	4590	2,394.03	2,645.00	2,645.00						
Wilmington Ave.	Wet	Estuary	Hg (sol)	µg/L	7/25/02	8/25/05	10	3	0.03	0.07	0.03	0.03	0.04						
Wilmington Ave.	Wet	Estuary	Hg (tot)	µg/L	7/25/02	8/25/05	10	2	0.026	0.1	0.04	0.04	0.04						
Wilmington Ave.	Wet	Estuary	Ni (sol)	µg/L	7/25/02	2/22/07	11	2	1.54	9.1	4.32	3.00	3.00	1	CTR	Hardness Dependent*	0.02	1 exceedances in 5 Year(s)	9%
Wilmington Ave.	Wet	Estuary	Ni (tot)	µg/L	7/25/02	2/22/07	11	2	3	10.1	4.99	3.42	4.00						
Wilmington Ave.	Wet	Estuary	Pb (sol)	µg/L	7/25/02	2/22/07	11	6	0.55	8	3.38	4.00	5.60	0	TMDL	Hardness Dependent*	0.00	0 exceedances in 5 Year(s)	0%
Wilmington Ave.	Wet	Estuary	Pb (tot)	mg/L	7/25/02	2/22/07	11	3	0.55	11.4	5.90	6.00	7.50						
Wilmington Ave.	Wet	Estuary	Sb (sol)	µg/L	7/25/02	8/25/05	10	8	3.1	4	2.08	1.00	3.55						
Wilmington Ave.	Wet	Estuary	Sb (tot)	µg/L	7/25/02	8/25/05	10	6	1.1	5	2.48	2.05	3.50						
Wilmington Ave.	Wet	Estuary	Se (sol)	µg/L	7/25/02	2/22/07	11	5	0.2	2.3	0.45	0.20	0.45						
Wilmington Ave.	Wet	Estuary	Se (tot)	µg/L	7/25/02	2/22/07	11	2	0.2	2.5	0.53	0.30	0.40	0	CTR	290	0.00	0 exceedances in 5 Year(s)	0%
Wilmington Ave.	Wet	Estuary	Th (sol)	µg/L	7/25/02	8/25/05	10	8	2	14	2.40	0.55	8.00	1	CTR	6.3	0.03	1 exceedances in 4 Year(s)	10%
Wilmington Ave.	Wet	Estuary	Th (tot)	µg/L	7/25/02	8/25/05	10	7	1	10	2.62	0.55	9.80						
Wilmington Ave.	Wet	Estuary	Zn (sol)	µg/L	7/25/02	8/25/05	10	2	13.2	97	33.83	37.00	38.00	2	TMDL	90	0.06	2 exceedances in 4 Year(s)	20%
Wilmington Ave.	Wet	Estuary	Zn (tot)	µg/L	7/25/02	2/22/07	11	2	22.2	124	51.62	47.00	48.00						
Wilmington Ave.	Dry	Estuary	Ag (sol)	µg/L	4/26/01	5/26/09	75	55	0.03	2.94	0.49	0.13	0.04	1	CTR	Hardness Dependent*	0.00	1 exceedances in 9 Year(s)	1%
Wilmington Ave.	Dry	Estuary	Ag (tot)	µg/L	4/26/01	5/26/09	75	54	0.03	19.5	0.76	0.13	0.04						
Wilmington Ave.	Dry	Estuary	As (sol)	µg/L	4/26/01	5/26/09	79	4	0.2	3.9	1.77	1.50	1.49	0	CTR	36	0.00	0 exceedances in 9 Year(s)	0%
Wilmington Ave.	Dry	Estuary	As (tot)	µg/L	4/26/01	5/26/09	79	4	0.3	5.9	1.99	1.80	1.70						
Wilmington Ave.	Dry	Estuary	Ba (sol)	mg/L	4/26/01	5/26/09	76	1	4.8	69.7	25.52	23.00	23.00						
Wilmington Ave.	Dry	Estuary	Ba (tot)	µg/L	4/26/01	5/26/09	76	1	4.36	75.5	27.08	23.75	24.00						
Wilmington Ave.	Dry	Estuary	Be (sol)	µg/L	4/26/01	2/24/06	47	38	0.07	2.2	0.30	0.25	0.40						
Wilmington Ave.	Dry	Estuary	Be (tot)	µg/L	4/26/01	2/24/06	47	38	0.044	2.4	0.31	0.20	0.40						
Wilmington Ave.	Dry	Estuary	Cd (sol)	µg/L	4/26/01	5/26/09	76	39	0.01	3.52	0.45	0.25	0.35	0	CTR	Hardness Dependent*	0.00	0 exceedances in 9 Year(s)	0%
Wilmington Ave.	Dry	Estuary	Cd (tot)	µg/L	4/26/01	5/26/09	76	35	0.01	5.2	0.49	0.27	0.28						
Wilmington Ave.	Dry	Estuary	Co (sol)	µg/L	4/26/01	2/24/06	45	26	0.28	7.2	3.32	0.80	0.60						
Wilmington Ave.	Dry	Estuary	Co (tot)	µg/L	4/26/01	2/24/06	45	24	0.3	10.5	3.48	1.00	0.71						
Wilmington Ave.	Dry	Estuary	Cr (sol)	µg/L	4/26/01	5/26/09	76	37	0.045	43.1	2.67	0.50	0.99						
Wilmington Ave.	Dry	Estuary	Cr (tot)	µg/L	4/26/01	5/26/09	76	23	0.045	33.2	4.80	1.40	2.85						
Wilmington Ave.	Dry	Estuary	Cu (sol)	µg/L	4/26/01	5/26/09	72	22	0.5	56	10.70	6.00	11.10	44	TMDL	Hardness Dependent*	0.08	44 exceedances in 9 Year(s)	61%
Wilmington Ave.	Dry	Estuary	Cu (tot)	µg/L	4/26/01	5/26/09	75	17	0.5	69	13.99	9.89	13.00						
Wilmington Ave.	Dry	Estuary	Hardness	µg/L	4/29/04	5/26/09	49	0	65.2	5390	3,614.37	4,020.00	4,020.00						
Wilmington Ave.	Dry	Estuary	Hg (sol)	µg/L	4/26/01	2/24/06	46	26	0.0008	0.2	0.06	0.04	0.05	10	TMDL	0.051	0.04	10 exceedances in 5 Year(s)	22%
Wilmington Ave.	Dry	Estuary	Hg (tot)	µg/L	4/26/01	2/24/06	46	23	0.026	0.2	0.06	0.04	0.06						
Wilmington Ave.	Dry	Estuary	Ni (sol)	µg/L	4/26/01	5/26/09	75	16	0.1	36.7	7.20	5.00	5.87	16	CTR	Hardness Dependent*	0.03	16 exceedances in 9 Year(s)	21%
Wilmington Ave.	Dry	Estuary	Ni (tot)	µg/L	4/26/01	5/26/09	76	15	0.1	37.5	7.65	6.00	6.42						
Wilmington Ave.	Dry	Estuary	Pb (sol)	µg/L	4/26/01	5/26/09	72	28	0.055	32.2	5.70	5.00	5.50	12	TMDL	Hardness Dependent*	0.02	12 exceedances in 9 Year(s)	17%
Wilmington Ave.	Dry	Estuary	Pb (tot)	µg/L	4/26/01	5/26/09	76	27	0.055	46.5	6.38	5.00	6.00						
Wilmington Ave.	Dry	Estuary	Sb (sol)	µg/L	4/26/01	2/24/06	46	38	1.3	18	2.93	1.55	4.00	0	CTR	4300	0.00	0 exceedances in 5 Year(s)	0%
Wilmington Ave.	Dry	Estuary	Sb (tot)	µg/L	4/26/01	2/24/06	47	39	1.1	18	2.90	1.00	4.00						
Wilmington Ave.	Dry	Estuary	Se (sol)	µg/L	5/31/01	5/26/09	77	10	0.05	3.9	0.76	0.30	0.24						
Wilmington Ave.	Dry	Estuary	Se (tot)	µg/L	5/31/01	5/26/09	77	7	0.05	3.9	0.78	0.30	0.25	0	CTR	5	0.00	0 exceedances in 8 Year(s)	0%
Wilmington Ave.	Dry	Estuary	Th (sol)	µg/L	4/26/01	2/24/06	47	36	1.3	14	3.04	2.40	3.00	4	CTR	6.3	0.02	4 exceedances in 5 Year(s)	9%
Wilmington Ave.	Dry	Estuary	Th (tot)	µg/L	4/26/01	2/24/06	47	34	0.519	13	3.05	2.50	3.00						
Wilmington Ave.	Dry	Estuary	Va(sol)	µg/L	4/26/01	5/31/01	2	2	0	0	2.50	2.50	0.00						
Wilmington Ave.	Dry	Estuary	Va(tot)	µg/L	4/26/01	5/31/01	2	2	0	0	2.50	2.50	0.00						
Wilmington Ave.	Dry	Estuary	Zn (sol)	mg/L	4/26/01	5/26/09	75	10	2	143	29.74	25.40	27.00	4	TMDL	Hardness Dependent*	0.01	4 exceedances in 9 Year(s)	5%
Wilmington Ave.	Dry	Estuary	Zn (tot)	µg/L	4/26/01	5/26/09	76	9	2	179	38.80	32.00	33.00						

Notes:
Water quality data available but no screening criteria was determined.
Source:
Dominguez Channel Status and Trends (Metals, 2001-2009)

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency(# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
Dry	1,2 Benzanthracene	µg/L	10/31/06	11/25/07	6	6	0.05	-	-	0.05	-						
Dry	1,2,4-Trichlorobenzene	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-						
Dry	1,2-Dichlorobenzene	µg/L	10/31/06	06/12/13	28	28	0.39	-	-	0.50	-	0	CTR	17,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	1,3-Dichlorobenzene	µg/L	10/31/06	06/12/13	28	28	0.39	-	-	0.50	-	0	CTR	2,600.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	1,4-Dichlorobenzene	µg/L	10/31/06	06/12/13	28	28	0.39	-	-	0.50	-	0	CTR	2,600.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	2- Chlorophenol	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	400.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	2,4,5-TP-SILVEX	µg/L	10/31/06	06/12/13	28	28	1.49	-	-	0.10	-						
Dry	2,4-D	µg/L	10/31/06	06/12/13	28	27	0.74	-	0.553	0.01	0.553						
Dry	2,4-dichlorophenol	µg/L	10/31/06	06/12/13	30	30	0.68	-	-	0.50	-	0	CTR	790.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	2,6-Dinitrotoluene	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-						
Dry	2-Chloroethyl vinyl ether	µg/L	04/02/07	04/09/13	27	27	0.89	-	-	1.25	-						
Dry	2-Chloronaphthalene	µg/L	10/31/06	06/12/13	28	28	4.64	-	-	5.00	-	0	CTR	4,300.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	2-nitrophenol	µg/L	10/31/06	06/12/13	30	30	2.92	-	-	1.50	-						
Dry	3,3-Dichlorobenzidine	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-	0	CTR	0.08	0.00	0 exceedances in 7 Year(s)	0%
Dry	4,4'-DDD	µg/L	07/13/09	06/12/13	17	17	0.03	-	-	0.03	-	0	CTR	0.00084	0.00	0 exceedances in 4 Year(s)	0%
Dry	4,4'-DDE	µg/L	07/13/09	06/12/13	17	17	0.03	-	-	0.03	-	0	CTR	0.00059	0.00	0 exceedances in 4 Year(s)	0%
Dry	4,4'-DDT	µg/L	07/13/09	06/12/13	17	17	0.01	-	-	0.01	-	0	TMDL	0.00100	0.00	0 exceedances in 4 Year(s)	0%
Dry	4-Bromophenyl phenyl ether	µg/L	10/31/06	06/12/13	28	28	1.54	-	-	2.50	-						
Dry	4-Chlorophenyl phenyl ether	µg/L	10/31/06	06/12/13	28	28	1.36	-	-	2.50	-						
Dry	4-nitrophenol	µg/L	10/31/06	06/12/13	30	30	1.90	-	-	2.00	-						
Dry	Acenaphthene	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-	0	CTR	2,700.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Acenaphthylene	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-						
Dry	Aldrin	µg/L	10/31/06	06/12/13	28	28	0.01	-	-	0.00	-	0	CTR	0.00014	0.00	0 exceedances in 7 Year(s)	0%
Dry	Alkalinity	mg/L	10/10/02	04/25/06	5		127.58	55	178	118.00	118						
Dry	alpha-BHC	µg/L	10/31/06	06/12/13	28	28	0.01	-	-	0.01	-	0	CTR	0.01	0.00	0 exceedances in 7 Year(s)	0%
Dry	alpha-chlordane	µg/L	10/31/06	06/12/13	27	27	0.04	-	-	0.05	-						
Dry	Anthracene	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	110,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Atrazine	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-						
Dry	Benzidine	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-	0	CTR	0.00054	0.00	0 exceedances in 7 Year(s)	0%
Dry	Benzo(a)pyrene	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	Benzo(k)flouranthene	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	beta-BHC	µg/L	10/31/06	06/12/13	28	28	0.01	-	-	0.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	BOD	mg/L	10/10/02	06/12/13	33	4	10.14	-	45.9	7.77	8.78						
Dry	Butyl benzyl phthalate	µg/L	10/31/06	06/12/13	28	28	2.74	-	-	5.00	-	0	CTR	5,200.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Chlordane	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.03	-	0	CTR	0.00059	0.00	0 exceedances in 7 Year(s)	0%
Dry	Chloride	mg/L	10/10/02	06/12/13	33	3	119.69	-	314	151.00	156						
Dry	Chlorpyrifos	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.03	-						
Dry	Chrysene	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	Cyanazine	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-						
Dry	Cyanide	mg/L	04/02/07	04/09/13	20	10	0.01	-	0.049	0.00	0.0095	0	Basin Plan	5.20	0.00	0 exceedances in 7 Year(s)	0%
Dry	delta-BHC	µg/L	10/31/06	06/12/13	28	28	0.01	-	-	0.00	-						
Dry	Diazinon	µg/L	10/31/06	06/12/13	28	28	0.00	-	-	0.01	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	Dieldrin	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.01	-	0	CTR	0.00014	0.00	0 exceedances in 7 Year(s)	0%
Dry	Diethyl phthalate	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	120,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Dimethyl phthalate	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	2,900,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	di-n-Butyl phthalate	µg/L	10/28/03	06/12/13	26	25	4.59	-	4.3	5.00	4.3	0	CTR	12,000.00	0.00	0 exceedances in 10 Year(s)	0%
Dry	di-n-Octyl phthalate	µg/L	10/31/06	06/12/13	25	25	4.60	-	-	5.00	-						
Dry	Dissolved Aluminum	µg/L	10/31/06	06/12/13	28	20	119.78	-	780	50.00	258						
Dry	Dissolved Antimony	µg/L	10/10/02	06/12/13	31	7	1.93	-	5.94	1.84	1.815	0	CTR	4,300.00	0.00	0 exceedances in 11 Year(s)	0%
Dry	Dissolved Arsenic	µg/L	10/10/02	06/12/13	31	11	1.67	-	3.55	1.63	1.775	0	CTR	150.00	0.00	0 exceedances in 11 Year(s)	0%
Dry	Dissolved Barium	µg/L	01/24/06	06/12/13	30	7	53.84	-	91.2	57.15	60.1						
Dry	Dissolved Cadmium	µg/L	10/31/06	06/12/13	28	21	0.21	-	0.494	0.13	0.339	0	CTR	Hardness Dependent	0.00	0 exceedances in 7 Year(s)	0%
Dry	Dissolved Chromium	µg/L	10/10/02	06/12/13	33	7	2.51	-	6.65	1.90	1.855						
Dry	Dissolved Chromium +6	µg/L	10/31/06	06/12/13	28	21	1.16	-	1.27	0.63	0.46	0	CTR	11.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Dissolved Copper	µg/L	10/10/02	06/12/13	33	7	16.45	-	64.4	12.00	11.9	7	CTR	Hardness Dependent	0.02	7 exceedances in 11 Year(s)	21%
Dry	Dissolved Iron	µg/L	10/31/06	06/12/13	28	16	211.32	-	1260	66.35	281.5						
Dry	Dissolved Lead	µg/L	04/30/03	06/12/13	30	11	2.40	-	21.8	0.65	1.18	1	TMDL	Hardness Dependent	0.00	1 exceedances in 11 Year(s)	3%
Dry	Dissolved Mercury	µg/L	10/31/06	06/12/13	28	28	0.19	-	-	0.25	-	0	Basin Plan	0.05	0.00	0 exceedances in 7 Year(s)	0%

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
Dry	Dissolved Nickel	µg/L	10/10/02	06/12/13	33	7	3.90	-	6.64	4.03	3.7	0	CTR	Hardness Dependent	0.00	0 exceedances in 11 Year(s)	0%
Dry	Dissolved Oxygen	mg/L	10/10/02	04/09/13	25		14.82	7.8	24.9	14.18	14.18	0	Basin Plan	5.00	0.00	0 exceedances in 11 Year(s)	0%
Dry	Dissolved Phosphorus	mg/L	10/10/02	06/12/13	33	5	0.21	-	0.89	0.16	0.19						
Dry	Dissolved Selenium	µg/L	10/10/02	06/12/13	32	12	1.93	-	5.98	2.00	2.155						
Dry	Dissolved Silver	µg/L	10/31/06	06/12/13	28	28	0.64	-	-	0.13	-						
Dry	Dissolved Thallium	µg/L	10/31/06	06/12/13	28	28	0.39	-	-	0.50	-						
Dry	Dissolved Zinc	µg/L	10/10/02	06/12/13	33	3	63.59	-	368	35.80	37.4	2	CTR	Hardness Dependent	0.01	2 exceedances in 11 Year(s)	6%
Dry	Endosulfan sulfate	µg/L	10/31/06	06/12/13	28	28	0.03	-	-	0.03	-	0	CTR	240.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Endrin	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.01	-	0	CTR	0.81	0.00	0 exceedances in 7 Year(s)	0%
Dry	Endrin aldehyde	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.01	-	0	CTR	0.81	0.00	0 exceedances in 7 Year(s)	0%
Dry	Fecal Coliform	MPN/100mL	10/10/02	04/09/13	27		24,415.56	20	240000	1,300.00	1300	19	Basin Plan	400.00	0.07	19 exceedances in 11 Year(s)	70%
Dry	Fecal Enterococcus	MPN/100ml	10/10/02	04/09/13	27	2	21,893.33	-	240000	500.00	500						
Dry	Fecal Streptococcus	MPN/100ml	10/10/02	04/09/13	27	1	24,537.04	-	240000	500.00	500						
Dry	Fluoranthene	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.03	-	0	CTR	370.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Fluorene	µg/L	10/31/06	06/12/13	28	28	0.05	-	-	0.05	-	0	CTR	14,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	gamma-BHC (lindane)	µg/L	10/31/06	06/12/13	28	28	0.01	-	0.0109	0.01	-	0	CTR	0.06	0.00	0 exceedances in 7 Year(s)	0%
Dry	gamma-chlordane	µg/L	10/31/06	06/12/13	27	27	0.04	-	-	0.05	-						
Dry	Glyphosate	µg/L	10/31/06	06/12/13	28	25	7.44	-	53.5	2.50	9.07						
Dry	Hardness	mg/L	10/10/02	04/25/06	26		285.38	170	430	270.00	270						
Dry	Heptachlor	µg/L	10/31/06	06/12/13	28	28	0.01	-	-	0.01	-	0	CTR	0.00021	0.00	0 exceedances in 7 Year(s)	0%
Dry	Heptachlor Epoxide	µg/L	10/31/06	06/12/13	28	28	0.01	-	-	0.01	-	0	CTR	0.00011	0.00	0 exceedances in 7 Year(s)	0%
Dry	Hexachlorobenzene	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-	0	CTR	0.00077	0.00	0 exceedances in 7 Year(s)	0%
Dry	Hexachlorobutadiene	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-	0	CTR	50.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Hexachloro-cyclopentadiene	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-	0	CTR	17,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Hexachloroethane	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-	0	CTR	8.90	0.00	0 exceedances in 7 Year(s)	0%
Dry	Isophorone	µg/L	04/25/06	06/12/13	29	28	0.46	-	0.24	0.50	0.24	0	CTR	600.00	0.00	0 exceedances in 8 Year(s)	0%
Dry	Kjeldahl-N	mg/L	10/10/02	06/12/13	33		1.68	0.1	8.4	1.24	1.24						
Dry	Malathion	µg/L	10/31/06	06/12/13	28	28	0.66	-	-	0.50	-						
Dry	MBAS	mg/L	01/24/06	04/25/06	2		0.10	0.076	0.131	0.10	0.1035						
Dry	Methyl Tertiary Butyl Ether	µg/L	04/02/07	04/09/13	20	20	0.50	-	-	0.50	-						
Dry	Naphthalene	µg/L	10/31/06	06/12/13	28	28	0.09	-	-	0.10	-						
Dry	NH3-N	mg/L	10/10/02	06/12/13	31	8	0.29	-	1.48	0.21	0.27						
Dry	Nitrate	mg/L	10/10/02	04/25/06	5		5.82	2.47	13.9	3.70	3.7	0	Basin Plan	45.00	0.00	0 exceedances in 4 Year(s)	0%
Dry	Nitrate-N	mg/L	10/10/02	06/12/13	28	3	1.66	-	3.19	1.77	1.975	0	Basin Plan	10.00	0.00	0 exceedances in 11 Year(s)	0%
Dry	Nitrite-N	mg/L	10/10/02	06/12/13	31	21	0.05	-	0.457	0.02	0.064	0	Basin Plan	1.00	0.00	0 exceedances in 11 Year(s)	0%
Dry	Nitrobenzene	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-	0	CTR	1,900.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	N-Nitroso-dimethyl amine	µg/L	10/31/06	07/20/09	13	13	2.12	-	-	2.50	-						
Dry	N-Nitroso-di-n-propyl amine	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-	0	CTR	1.40	0.00	0 exceedances in 7 Year(s)	0%
Dry	N-Nitroso-diphenyl amine	µg/L	10/31/06	07/20/09	13	13	0.42	-	-	0.50	-						
Dry	Oil and Grease	mg/L	04/02/07	04/09/13	20	18	3.28	-	28.2	2.50	14.75						
Dry	Pentachlorophenol	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	8.20	0.00	0 exceedances in 7 Year(s)	0%
Dry	pH	0.00	10/10/02	06/12/13	33		8.05	6.19	9.62	8.22	8.22	9	Basin Plan	8.50	0.03	9 exceedances in 11 Year(s)	27%
Dry	Phenanthrene	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.03	-						
Dry	Phenol	µg/L	10/31/06	06/12/13	27	27	0.49	-	-	0.50	-	0	CTR	4,600,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Prometryn	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-						
Dry	Pyrene	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.03	-	0	CTR	11,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Ratio Fecal Coliform/Total Coliform	0.00	10/10/02	04/25/06	5		0.15	0.02	0.43	0.10	0.10						
Dry	Simazine	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-						
Dry	Specific Conductance	umhos/cm	10/10/02	06/12/13	33		809.23	1.2	1670	1,025.00	1025						
Dry	Sulfate	mg/L	10/10/02	06/12/13	33	3	76.04	-	186	84.00	89.2						
Dry	Total Aluminum	µg/L	04/30/03	04/25/06	3		140.67	100	218	104.00	104						
Dry	Total Antimony	µg/L	10/10/02	04/25/06	4		0.90	0.54	1.23	0.91	0.91						
Dry	Total Arsenic	µg/L	10/10/02	04/25/06	4		2.16	1.17	3.55	1.97	1.965						
Dry	Total Barium	µg/L	10/19/05	04/25/06	4		72.10	14.2	161	56.60	56.6						
Dry	Total Chromium	µg/L	10/10/02	04/25/06	5		7.82	2.08	12.4	7.29	7.29						
Dry	Total Coliform	MPN/100ml	10/10/02	04/09/13	27		100,848.15	300	900000	16,000.00	16000						
Dry	Total Copper	µg/L	10/10/02	04/25/06	5		15.41	6.36	26.2	13.80	13.8						

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
Dry	Total Dissolved Solids	mg/L	10/10/02	06/12/13	33	3	500.35	-	1080	622.00	674						
Dry	Total Iron	µg/L	10/10/02	04/25/06	4		225.00	133	398	184.50	184.5						
Dry	Total Lead	µg/L	10/10/02	04/25/06	5		1.26	0.59	2.54	0.85	0.85						
Dry	Total Nickel	µg/L	10/10/02	04/25/06	5		10.40	2.32	26	2.87	2.87						
Dry	Total Organic Carbon	mg/L	10/10/02	06/12/13	54	3	11.25	-	47.5	10.25	11						
Dry	Total Phosphorus	mg/L	10/10/02	04/25/06	5		0.16	0.094	0.258	0.15	0.148						
Dry	Total Selenium	µg/L	10/10/02	04/25/06	4		2.00	1.29	3.09	1.80	1.8	0	CTR	5.00	0.00	0 exceedances in 4 Year(s)	0%
Dry	Total Suspended Solids	mg/L	10/10/02	06/12/13	64	9	52.19	-	252	24.00	27						
Dry	Total Zinc	µg/L	10/10/02	04/25/06	5		33.07	9.15	83	27.70	27.7						
Dry	Toxaphene	µg/L	10/31/06	06/12/13	28	28	0.33	-	-	0.25	-	0	CTR	0.00075	0.00	0 exceedances in 7 Year(s)	0%
Dry	Turbidity	NTU	10/10/02	06/12/13	33	1	4.22	-	28.3	2.41	2.505						
Dry	Volatile Suspended Solids	mg/L	10/10/02	06/12/13	33	2	24.58	-	91	14.00	17						
Dry	Bis(2-Chloroethoxy) methane	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-						
Dry	Bis(2-Chloroisopropyl) ether	µg/L	10/31/06	06/12/13	28	28	0.93	-	-	1.00	-	0	CTR	170,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	4-chloro-3-methylphenol	µg/L	10/31/06	06/12/13	30	30	0.90	-	-	0.50	-						
Dry	Bis(2-Chloroethyl) ether	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-	0	CTR	1.40	0.00	0 exceedances in 7 Year(s)	0%
Dry	Bis(2-Ethylhexyl) phthalate	µg/L	10/28/03	06/12/13	30	29	7.12	-	146	2.50	146	1	CTR	5.90	0.00	1 exceedances in 10 Year(s)	3%
Dry	4-6-Dinitro-2-methylphenol	µg/L	10/31/06	06/12/13	28	28	2.04	-	-	2.50	-						
Dry	Indeno (1,2,3-cd) pyrene	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.03	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	Chemical Oxygen Demand	mg/L	10/10/02	06/12/13	33	4	63.64	-	328	58.30	62.2						
Dry	Fluoride	mg/L	10/10/02	06/12/13	33	3	0.44	-	0.863	0.43	0.513						
Dry	Dissolved Beryllium	µg/L	10/31/06	06/12/13	28	28	0.26	-	-	0.25	-						
Dry	2-4-dinitrophenol	µg/L	10/31/06	06/12/13	30	30	1.83	-	-	1.50	-	0	CTR	14,000.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Endosulfan I (alpha)	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.01	-						
Dry	Endosulfan II (beta)	µg/L	10/31/06	06/12/13	28	28	0.02	-	-	0.01	-						
Dry	Cadmium	µg/L	05/16/05	06/12/13	65	30	0.52	-	2.16	0.16	0.255						
Dry	Chromium	µg/L	05/16/05	06/12/13	65	6	2.72	-	16.8	1.56	1.55						
Dry	Nickel	µg/L	05/16/05	06/12/13	65	13	3.87	-	23.2	3.61	3.43						
Dry	1-2-Diphenylhydrazine	µg/L	10/31/06	06/12/13	28	28	0.46	-	-	0.50	-	0	CTR	0.54	0.00	0 exceedances in 7 Year(s)	0%
Dry	2-4'-DDD	µg/L	10/31/06	07/20/09	13	13	0.02	-	-	0.03	-						
Dry	2-4'-DDE	µg/L	10/31/06	07/20/09	13	13	0.02	-	-	0.03	-						
Dry	2-4'-DDT	µg/L	10/31/06	07/20/09	13	13	0.00	-	-	0.00	-						
Dry	2-4-6-trichlophenol	µg/L	10/31/06	07/13/09	12	12	0.42	-	-	0.50	-						
Dry	2-4-Dinitrotoluene	µg/L	10/31/06	06/12/13	28	28	2.32	-	-	2.50	-						
Dry	2-4-dimethylphenol	µg/L	10/31/06	06/12/13	30	30	0.93	-	-	1.00	-						
Dry	Benzo[b]fluoranthene	µg/L	10/31/06	06/12/13	28	28	2.70	-	-	5.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	Benzo[g-h-i]perylene	µg/L	10/31/06	06/12/13	28	28	1.44	-	-	2.50	-						
Dry	Beryllium	µg/L	05/16/05	06/12/13	65	65	0.43	-	-	0.25	-						
Dry	Dibenzo(a-h)anthracene	µg/L	10/31/06	06/12/13	28	28	0.05	-	-	0.05	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Dry	Endrin ketone	µg/L	10/31/06	07/20/09	13	13	0.42	-	-	0.50	-						
Dry	Mercury	µg/L	05/16/05	06/12/13	65	51	0.12	-	0.235	0.05	0.013	1	Basin Plan	0.05	0.00	1 exceedances in 9 Year(s)	2%
Dry	Methoxychlor	µg/L	10/31/06	06/12/13	28	28	0.23	-	-	0.25	-						
Dry	Methylene Blue Active Substances (MBAS)	mg/L	10/31/06	06/12/13	28	15	0.30	-	1.4	0.18	0.23						
Dry	PCB-1016 (Aroclor 1016)	µg/L	10/31/06	06/12/13	28	28	0.17	-	-	0.25	-						
Dry	PCB-1221 (Aroclor 1221)	µg/L	10/31/06	06/12/13	31	31	0.18	-	-	0.25	-						
Dry	PCB-1232 (Aroclor 1232)	µg/L	10/31/06	06/12/13	28	28	0.17	-	-	0.25	-						
Dry	PCB-1242 (Aroclor 1242)	µg/L	10/31/06	06/12/13	28	28	0.17	-	-	0.25	-						
Dry	PCB-1248 (Aroclor 1248)	µg/L	10/31/06	06/12/13	28	28	0.17	-	-	0.25	-						
Dry	PCB-1254 (Aroclor 1254)	µg/L	10/31/06	06/12/13	28	28	0.17	-	-	0.25	-						
Dry	PCB-1260 (Aroclor 1260)	µg/L	10/31/06	06/12/13	28	28	0.17	-	-	0.25	-						
Dry	Thallium	µg/L	05/16/05	06/12/13	65	65	0.39	-	-	0.50	-						
Dry	Phenolics- Total recoverable	mg/L	04/02/07	04/09/13	20	18	0.06	-	0.17	0.05	0.15						
Dry	Total Petroleum Hydrocarbons	mg/L	04/02/07	04/09/13	20	19	2.03	-	6.02	2.50	6.02						
Dry	Phosphorus- Total (as P)	mg/L	10/31/06	06/12/13	28	3	0.35	-	1.26	0.28	0.32						
Dry	Nitrate (NO3)	mg/L	10/31/06	06/12/13	23	3	7.57	-	14.1	8.75	9.69	0	Basin Plan	45.00	0.00	0 exceedances in 7 Year(s)	0%
Dry	Ammonia	mg/l	03/17/06	06/12/13	33	9	0.37	-	1.79	0.11	0.285	5	Basin Plan	0.66	0.02	5 exceedances in 8 Year(s)	15%

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
Dry	Selenium	µg/L	05/16/05	06/12/13	65	29	1.62	-	6.62	1.62	1.735	0			0.00		
Dry	Carbofuran	µg/L	10/12/07	04/09/08	3	3	2.50	-	-	2.50	-						
Dry	1-2-Benzanthracene	µg/L	04/09/08	06/12/13	22	22	1.72	-	-	2.50	-						
Dry	2-4-6-Trichlorophenol	µg/L	07/13/09	06/12/13	19	19	4.05	-	-	5.00	-						
Dry	N-Nitrosodimethylamine	µg/L	07/13/09	06/12/13	17	17	2.50	-	-	2.50	-	0	CTR	8.10	0.00	0 exceedances in 4 Year(s)	0%
Dry	N-Nitrosodiphenylamine	µg/L	07/13/09	06/12/13	17	17	0.50	-	-	0.50	-	0	CTR	16.00	0.00	0 exceedances in 4 Year(s)	0%
Dry	Aluminum	µg/L	05/16/05	06/12/13	65	19	491.28	-	6780	19.70	15.25						
Dry	Arsenic	µg/L	05/16/05	06/12/13	65	14	1.46	-	4.31	1.54	1.56	0	CTR	150.00	0.00	0 exceedances in 9 Year(s)	0%
Dry	Barium	µg/L	10/31/06	06/12/13	28	7	77.77	-	181	78.65	82.4	0			0.00		
Dry	Silver	µg/L	05/16/05	06/12/13	65	64	0.69	-	1.3	0.13	1.3						
Dry	Copper	µg/L	05/16/05	06/12/13	65	5	21.47	-	245	12.90	9.045						
Dry	Iron	µg/L	05/16/05	06/12/13	65	5	730.17	-	9710	92.70	94.5						
Dry	Lead	µg/L	05/16/05	06/12/13	65	6	4.49	-	79.6	0.83	0.71						
Dry	Zinc	µg/L	05/16/05	06/12/13	65	3	82.24	-	1300	21.50	20.65						
Dry	Alkalinity as CaCO3	mg/L	10/31/06	06/12/13	28	2	129.81	-	264	176.45	178.5						
Dry	Hardness as CaCO3	mg/L	10/31/06	06/12/13	28		207.93	2	390	270.00	270						
Dry	Chromium +6	µg/L	10/31/06	06/12/13	28	20	1.26	-	1.27	0.71	0.465						
Dry	Alkalinity as Bicarbonate	mg/L	09/21/10	09/22/11	5	1	117.54	-	193	152.00	165.5						
Dry	E. Coli	MPN/100mL	10/10/12	04/09/13	4		8,239.85	393	21870	5,348.20	5348.2	4	Basin Plan	235.00	2.02	4 exceedances in 1 Year(s)	100%
Dry	Antimony	µg/L	05/16/05	06/12/13	65	16	1.90	-	9.53	1.36	1.36	0	CTR	4,300.00	0.00	0 exceedances in 9 Year(s)	0%
Dry	Benzioic Acid	µG/L	11/16/04	03/09/05	2	2		-	-	0.00	-						
Dry	Benzyl alcohol	µG/L	11/16/04	03/09/05	2	2		-	-	0.00	-						
Dry	Alkalinity (mg/L as CaCO3)	mg/L as CaCO3	05/16/05	03/17/06	21		194.76	110	270	180.00	180						
Dry	Baryium	µg/L	08/17/05	03/17/06	21		42.73	0.09	97.4	0.10	53.09999847						
Dry	Cobalt	µg/L	05/16/05	03/17/06	37	11	0.16	0.011	0.32	0.22	0.216						
Dry	Detectable DDTs (µg/L)	µg/L	05/16/05	03/17/06	21	20	-	-	-	-	-						
Dry	Dissolved Organic Carbon	mg/L	05/16/05	03/17/06	21		10.90	5.3	15	12.00	12						
Dry	Manganese	µg/L	05/16/05	03/17/06	37		6.25	0.356	31.3	4.00	4						
Dry	Molybdenum	µg/L	05/16/05	03/17/06	37	14	12.37	0.03	49.9	8.20	8.2						
Dry	Other Pesticides (µg/L)	µg/L	05/16/05	03/17/06	21	21	#DIV/0!	0	0	#NUM!	-						
Dry	Strontium	µg/L	08/17/05	03/17/06	21		447.23	0.06	988	0.07	551.00						
Dry	Tin	µg/L	05/16/05	03/17/06	37	25	0.07	0.016	0.230000004	0.02	0.0205						
Dry	Titanium	µg/L	05/16/05	03/17/06	37		0.54	0.05	3.150000095	0.37	0.373						
Dry	Total Aroclors	µg/L	05/16/05	03/17/06	21	21	-	-	-	-	-						
Dry	Total PAHs (ng/L)	ng/L	05/16/05	03/17/06	21		45.36	14.1	117.1999969	43.00	43						
Dry	Vanadium	µg/L	05/16/05	03/17/06	37	7	3.15	0.02	6.86	3.89	3.885						
Wet	1,2 Benzanthracene	µg/L	12/9/2006	12/18/2007	7	7	0.05	-	-	0.05	-						
Wet	1,2,4-Trichlorobenzene	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-						
Wet	1,2-Dichlorobenzene	µg/L	12/9/2006	1/24/2013	27	27	0.39	-	-	0.50	-	0	CTR	17,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	1,3-Dichlorobenzene	µg/L	12/9/2006	1/24/2013	27	27	0.39	-	-	0.50	-	0	CTR	2,600.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	1,4-Dichlorobenzene	µg/L	12/9/2006	1/24/2013	27	27	0.39	-	-	0.50	-	0	CTR	2,600.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	2- Chlorophenol	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-	0	CTR	400.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	2,4,5-TP-SILVEX	µg/L	12/9/2006	1/24/2013	27	27	1.54	-	-	0.10	-						
Wet	2,4-D	µg/L	12/9/2006	1/24/2013	27	27	0.75	-	-	0.01	-						
Wet	2,4-dichlorophenol	µg/L	12/9/2006	1/24/2013	28	28	0.61	-	-	0.50	-	0	CTR	790.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	2,6-Dinitrotoluene	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-						
Wet	2-Chloroethyl vinyl ether	µg/L	12/9/2006	1/24/2013	36	36	1.00	-	-	1.25	-						
Wet	2-Chloronaphthalene	µg/L	12/9/2006	1/24/2013	27	27	4.44	-	-	5.00	-	0	CTR	4,300.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	2-nitrophenol	µg/L	12/9/2006	1/24/2013	28	28	3.34	-	-	5.00	-						
Wet	3,3-Dichlorobenzidine	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-						
Wet	4,4'-DDD	µg/L	11/4/2008	1/24/2013	17	17	0.03	-	-	0.03	-	0	CTR	0.00084	0.00	0 exceedances in 5 Year(s)	0%
Wet	4,4'-DDE	µg/L	11/4/2008	1/24/2013	17	17	0.03	-	-	0.03	-	0	CTR	0.00059	0.00	0 exceedances in 5 Year(s)	0%

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
Wet	4,4'-DDT	µg/L	11/4/2008	1/24/2013	17	17	0.00	-	-	0.01	-	0	TMDL	1.10	0.00	0 exceedances in 5 Year(s)	0%
Wet	4-Bromophenyl phenyl ether	µg/L	12/9/2006	1/24/2013	27	27	1.63	-	-	2.50	-						
Wet	4-Chlorophenyl phenyl ether	µg/L	12/9/2006	1/24/2013	27	27	1.50	-	-	2.50	-						
Wet	4-nitrophenol	µg/L	12/9/2006	1/24/2013	28	28	1.91	-	-	2.50	-						
Wet	Acenaphthene	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	2,700.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Acenaphthylene	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-						
Wet	Aldrin	µg/L	12/9/2006	1/24/2013	27	27	0.01	-	-	0.00	-	0	CTR	0.00014	0.00	0 exceedances in 7 Year(s)	0%
Wet	Alkalinity	mg/L	11/8/2002	2/27/2006	12		49.77	11	113.3	32.45	32.45						
Wet	alpha-BHC	µg/L	12/9/2006	1/24/2013	27	27	0.01	-	-	0.01	-	0	CTR	0.01	0.00	0 exceedances in 7 Year(s)	0%
Wet	alpha-chlordane	µg/L	12/9/2006	1/24/2013	27	27	0.04	-	-	0.05	-						
Wet	Anthracene	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-	0	CTR	110,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Atrazine	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-						
Wet	Benzidine	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-	0	CTR	0.00054	0.00	0 exceedances in 7 Year(s)	0%
Wet	Benzo(a)pyrene	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	Benzo(k)flouranthene	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	beta-BHC	µg/L	12/9/2006	1/24/2013	27	27	0.01	-	-	0.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	BOD	mg/L	11/8/2002	1/24/2013	40		19.20	3.39	146	12.65	12.65						
Wet	Butyl benzyl phthalate	µg/L	12/9/2006	1/24/2013	27	27	2.96	-	3.66	5.00	-	0	CTR	5,200.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Chlordane	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.03	-	0	CTR	0.00059	0.00	0 exceedances in 7 Year(s)	0%
Wet	Chloride	mg/L	11/8/2002	1/24/2013	39		27.45	2.58	96.7	15.80	15.8						
Wet	Chlorpyrifos	µg/L	10/17/2005	1/24/2013	28	27	0.05	-	0.91	0.03	0.91						
Wet	Chrysene	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	Cyanazine	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-						
Wet	Cyanide	mg/L	12/25/2003	1/24/2013	34	15	0.02	-	0.338	0.01	0.009	0	Basin Plan	22.00	0.00	0 exceedances in 10 Year(s)	0%
Wet	delta-BHC	µg/L	12/9/2006	1/24/2013	27	27	0.01	-	-	0.00	-						
Wet	Diazinon	µg/L	2/11/2003	1/24/2013	31	27	0.05	-	0.96	0.01	0.271	3	CTR	0.08	0.01	3 exceedances in 10 Year(s)	10%
Wet	Dieldrin	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.01	-	0	CTR	0.00014	0.00	0 exceedances in 7 Year(s)	0%
Wet	Diethyl phthalate	µg/L	1/1/2004	1/24/2013	28	27	0.90	-	1.2	1.00	1.2	0	CTR	120,000.00	0.00	0 exceedances in 10 Year(s)	0%
Wet	Dimethyl phthalate	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-	0	CTR	2,900,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	di-n-Butyl phthalate	µg/L	12/9/2006	1/24/2013	23	23	4.35	-	-	5.00	-	0	CTR	12,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	di-n-Octyl phthalate	µg/L	12/9/2006	1/24/2013	23	23	4.35	-	-	5.00	-						
Wet	Dissolved Aluminum	µg/L	10/17/2005	1/24/2013	28	13	387.71	-	1790	133.00	516.5						
Wet	Dissolved Antimony	µg/L	11/8/2002	1/24/2013	38	3	2.81	-	7.33	2.55	2.33	0	CTR	4,300.00	0.00	0 exceedances in 11 Year(s)	0%
Wet	Dissolved Arsenic	µg/L	11/8/2002	1/24/2013	36	2	1.81	-	3.03	1.64	1.67	0	CTR	340.00	0.00	0 exceedances in 11 Year(s)	0%
Wet	Dissolved Barium	µg/L	10/18/2005	1/24/2013	31	3	42.72	-	177	27.70	26.15						
Wet	Dissolved Cadmium	µg/L	12/16/2002	1/24/2013	28	19	0.37	-	2.59	0.13	0.522	0	CTR	Hardness Dependent	0.00	0 exceedances in 11 Year(s)	0%
Wet	Dissolved Chromium	µg/L	11/8/2002	1/24/2013	39	3	2.66	-	8.16	2.11	2.04						
Wet	Dissolved Chromium +6	µg/L	12/9/2006	1/24/2013	27	20	1.20	-	0.88	0.71	0.46	0	CTR	11.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Dissolved Copper	µg/L	11/8/2002	1/24/2013	39	1	32.60	-	163	18.80	18.75	21	TMDL	Hardness Dependent	0.05	21 exceedances in 11 Year(s)	54%
Wet	Dissolved Iron	µg/L	11/8/2002	1/24/2013	34	5	590.94	-	3220	206.00	435						
Wet	Dissolved Lead	µg/L	11/8/2002	1/24/2013	34	1	8.69	-	59	2.40	2.4	5	TMDL	Hardness Dependent	0.01	5 exceedances in 11 Year(s)	15%
Wet	Dissolved Mercury	µg/L	12/9/2006	1/24/2013	27	27	0.18	-	-	0.25	-	0	Basin Plan	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	Dissolved Nickel	µg/L	11/8/2002	1/24/2013	39	3	5.82	-	27	4.49	3.9	0	CTR	Hardness Dependent	0.00	0 exceedances in 11 Year(s)	0%
Wet	Dissolved Oxygen	mg/L	11/8/2002	1/24/2013	42	1	9.73	-	13.47	9.86	9.92	1	Basin Plan	5.00	0.00	1 exceedances in 11 Year(s)	2%
Wet	Dissolved Phosphorus	mg/L	11/8/2002	1/24/2013	38	1	0.27	-	0.742	0.21	0.21						
Wet	Dissolved Selenium	µg/L	11/8/2002	1/24/2013	30	24	0.82	-	1.66	0.50	1.33						
Wet	Dissolved Silver	µg/L	12/9/2006	1/24/2013	27	27	0.65	-	-	0.13	-	0	CTR	Hardness Dependent	0.00	0 exceedances in 7 Year(s)	0%
Wet	Dissolved Thallium	µg/L	12/9/2006	1/24/2013	27	27	0.37	-	-	0.50	-						
Wet	Dissolved Zinc	µg/L	11/8/2002	1/24/2013	39		213.56	19	1510	107.00	107	18	TMDL	Hardness Dependent	0.05	18 exceedances in 11 Year(s)	46%
Wet	Endosulfan sulfate	µg/L	12/9/2006	1/24/2013	27	27	0.03	-	-	0.03	-	0	CTR	240.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Endrin	µg/L	12/9/2006	1/24/2013	27	27	0	-	-	0.01	-	0	CTR	0.81	0.00	0 exceedances in 7 Year(s)	0%
Wet	Endrin aldehyde	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.01	-	0	CTR	0.81	0.00	0 exceedances in 7 Year(s)	0%
Wet	Fecal Coliform	MPN/100mL	11/8/2002	1/24/2013	46		194,961.09	110	1700000	32,500.00	32500	44	Basin Plan	400.00	0.09	44 exceedances in 11 Year(s)	96%
Wet	Fecal Enterococcus	MPN/100ml	11/8/2002	1/24/2013	46		196,259.35	130	900000	90,000.00	90000						
Wet	Fecal Streptococcus	MPN/100ml	11/8/2002	1/24/2013	46		217,172.39	130	900000	160,000.0	160000						
Wet	Fluoranthene	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.03	-	0	CTR	370.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Fluorene	µg/L	12/9/2006	1/24/2013	27	27	0.04	-	-	0.05	-	0	CTR	14,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	gamma-BHC (lindane)	µg/L	12/9/2006	1/24/2013	27	27	0.01	-	-	0.01	-	0	CTR	0.06	0.00	0 exceedances in 7 Year(s)	0%

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
Wet	gamma-chlordane	µg/L	12/9/2006	1/24/2013	27	27	0.04	-	-	0.05	-						
Wet	Glyphosate	µg/L	12/9/2006	1/24/2013	27	20	7.86	-	17.5	8.80	12.3						
Wet	Hardness	mg/L	11/8/2002	2/28/2006	22	5	103.17	15.2	300	70.00	70						
Wet	Heptachlor	µg/L	12/9/2006	1/24/2013	27	27	0.01	-	-	0.01	-	0	CTR	0.00021	0.00	0 exceedances in 7 Year(s)	0%
Wet	Heptachlor Epoxide	µg/L	12/9/2006	1/24/2013	27	27	0.01	-	-	0.01	-	0	CTR	0.00011	0.00	0 exceedances in 7 Year(s)	0%
Wet	Hexachlorobenzene	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	0.00077	0.00	0 exceedances in 7 Year(s)	0%
Wet	Hexachlorobutadiene	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	50.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Hexachloro-cyclopentadiene	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-	0	CTR	17,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Hexachloroethane	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	8.90	0.00	0 exceedances in 7 Year(s)	0%
Wet	Isophorone	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	600.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Kjeldahl-N	mg/L	11/8/2002	1/24/2013	39		3.22	0.193	16.2	1.72	1.72						
Wet	Malathion	µg/L	12/9/2006	1/24/2013	26	26	0.60	-	-	0.50	-						
Wet	MBAS	mg/L	11/8/2002	2/27/2006	9		0.22	0.071	0.5998	0.18	0.184						
Wet	Methyl Tertiary Butyl Ether (MTBE)	µg/L	11/1/2006	1/24/2013	30	29	0.50	-	-	0.50	-						
Wet	Naphthalene	µg/L	12/9/2006	1/24/2013	27	27	0.09	-	-	0.10	-						
Wet	NH3-N	mg/L	11/8/2002	1/24/2013	35	2	0.79	-	3.26	0.42	0.55						
Wet	Nitrate	mg/L	12/16/2002	2/27/2006	11		4.50	2.28	9.69	4.02	4.02	0	Basin Plan	45.00	0.00	0 exceedances in 4 Year(s)	0%
Wet	Nitrate-N	mg/L	12/16/2002	1/24/2013	32		1.06	0.504	3.35	0.84	0.8365	0	Basin Plan	10.00	0.00	0 exceedances in 11 Year(s)	0%
Wet	Nitrite-N	mg/L	2/11/2003	1/24/2013	33	22	0.06	-	0.514	0.02	0.085	0	Basin Plan	1.00	0.00	0 exceedances in 10 Year(s)	0%
Wet	Nitrobenzene	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	1,900.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	N-Nitroso-dimethyl amine	µg/L	12/9/2006	2/13/2009	11	11	1.82	-	-	2.50	-						
Wet	N-Nitroso-di-n-propyl amine	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-	0	CTR	1.40	0.00	0 exceedances in 7 Year(s)	0%
Wet	N-Nitroso-diphenyl amine	µg/L	12/9/2006	2/13/2009	11	11	0.36	-	-	0.50	-						
Wet	Oil and Grease	mg/L	11/8/2002	1/24/2013	38	20	2.37	-	5.8	2.28	1.95						
Wet	Pentachlorophenol	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-	0	CTR	8.20	0.00	0 exceedances in 7 Year(s)	0%
Wet	pH	0.00	11/8/2002	1/24/2013	39		7.10	5.99	8.26	6.96	6.96	5	Basin Plan	8.50	0.01	5 exceedances in 11 Year(s)	13%
Wet	Phenanthrene	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.03	-						
Wet	Phenol	µg/L	12/9/2006	1/24/2013	27	27	0.48	-	-	0.50	-	0	CTR	4,600,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Prometryn	µg/L	12/9/2006	1/24/2013	27	27	1	-	-	1.00	-						
Wet	Pyrene	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.03	-	0	CTR	11,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Ratio Fecal Coliform/Total Coliform	0.00	11/8/2002	2/27/2006	12		0.80	0.34	1.02	0.99	0.98622549						
Wet	Simazine	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-						
Wet	Specific Conductance	umhos/cm	11/8/2002	1/24/2013	39		237.88	47.6	735	162.00	162						
Wet	Sulfate	mg/L	11/8/2002	1/24/2013	39		19.80	2.89	50.8	12.80	12.8						
Wet	Total Aluminum	µg/L	11/8/2002	2/27/2006	9		769.22	134	2270	560.00	560						
Wet	Total Antimony	µg/L	11/8/2002	2/27/2006	11		2.84	1.11	7.42	1.75	1.75						
Wet	Total Arsenic	µg/L	11/8/2002	2/27/2006	11		5.29	1.04	34.7	1.80	1.8						
Wet	Total Barium	µg/L	1/14/2006	2/27/2006	2		26.55	17.8	35.3	26.55	26.55						
Wet	Total Cadmium	µg/L	11/8/2002	10/17/2005	4		0.84	0.37	1.55	0.73	0.725						
Wet	Total Chromium	µg/L	11/8/2002	2/27/2006	12		6.15	1.56	12.3	5.28	5.275						
Wet	Total Coliform	MPN/100ml	11/8/2002	1/24/2013	46		559,293.48	500	3000000	240,000.00	240000						
Wet	Total Copper	µg/L	11/8/2002	2/27/2006	12		30.90	6.33	115	22.70	22.7						
Wet	Total Dissolved Solids	mg/L	11/8/2002	1/24/2013	39		152.82	28	446	106.00	106						
Wet	Total Iron	µg/L	11/8/2002	2/27/2006	11		975.18	191	3780	438.00	438						
Wet	Total Lead	µg/L	11/8/2002	2/27/2006	12		8.24	0.82	39.2	2.78	2.775						
Wet	Total Mercury	µg/L	1/1/2004	1/1/2004	1		0.21	0.209	0.209	0.21	0.209						
Wet	Total Nickel	µg/L	11/8/2002	2/27/2006	12		8.17	3.48	18.9	5.53	5.525						
Wet	Total Organic Carbon	mg/L	11/8/2002	1/24/2013	49		17.83	3.72	70.6	9.90	9.9						
Wet	Total Phosphorus	mg/L	11/8/2002	2/27/2006	11		0.34	0.12	0.874	0.29	0.29						
Wet	Total Selenium	µg/L	11/8/2002	1/14/2006	4		8.32	1.31	28.1	1.94	1.94						
Wet	Total Suspended Solids	mg/L	11/8/2002	5/6/2013	83	2	175.44	11	1123	123.00	123						
Wet	Total Zinc	µg/L	11/8/2002	2/27/2006	12		160.96	55	667	114.00	114						
Wet	Toxaphene	µg/L	12/9/2006	1/24/2013	27	27	0.30	-	-	0.25	-	0	CTR	0.00075	0.00	0 exceedances in 7 Year(s)	0%
Wet	TPH	mg/L	12/16/2002	10/17/200	7		1.90	1.1	3.3	2.00	2						

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
				5													
Wet	Turbidity	NTU	11/8/2002	1/24/2013	40		16.82	1.01	75.7	11.85	11.85						
Wet	Volatile Suspended Solids	mg/L	11/8/2002	1/24/2013	40		71.04	1.3	257	55.50	55.5						
Wet	Bis(2-Chloroethoxy) methane	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-						
Wet	Bis(2-Chloroisopropyl) ether	µg/L	12/9/2006	1/24/2013	27	27	0.89	-	-	1.00	-	0	CTR	170,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	4-chloro-3-methylphenol	µg/L	12/9/2006	1/24/2013	28	28	0.77	-	-	0.50	-						
Wet	Bis(2-Chloroethyl) ether	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	1.40	0.00	0 exceedances in 7 Year(s)	0%
Wet	Bis(2-Ethylhexyl) phthalate	µg/L	10/31/2003	1/24/2013	31	28	3.34	-	19.7	2.50	15	3	CTR	5.90	0.01	3 exceedances in 10 Year(s)	10%
Wet	4-6-Dinitro-2-methylphenol	µg/L	1/1/2004	1/24/2013	28	27	2.00	-	4.1	2.50	4.1						
Wet	Indeno (1,2,3-cd) pyrene	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.03	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	Chemical Oxygen Demand	mg/L	11/8/2002	1/24/2013	38	1	61.75	16.9	241	43.14	43.4						
Wet	Fluoride	mg/L	11/8/2002	1/24/2013	35	2	0.25	-	0.904	0.22	0.223						
Wet	Total Silver	µg/L	10/17/2005	10/17/2005	1		0.25	0.25	0.25	0.25	0.25						
Wet	Dissolved Beryllium	µg/L	12/9/2006	1/24/2013	27	27	0.24	-	0.154	0.25	-						
Wet	2-4-dinitrophenol	µg/L	12/9/2006	1/24/2013	28	28	1.91	-	-	2.50	-	0	CTR	14,000.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Endosulfan I (alpha)	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.01	-						
Wet	Endosulfan II (beta)	µg/L	12/9/2006	1/24/2013	27	27	0.02	-	-	0.01	-						
Wet	Cadmium	µg/L	2/27/2006	1/24/2013	37	10	0.96	-	6.4	0.50	0.51						
Wet	Chromium	µg/L	2/27/2006	1/24/2013	37		8.74	0.96	43.3	6.26	6.26						
Wet	Nickel	µg/L	2/27/2006	1/24/2013	37	1	10.40	-	47.8	7.03	7.05						
Wet	1-2-Diphenylhydrazine	µg/L	12/9/2006	1/24/2013	27	27	0.44	-	-	0.50	-	0	CTR	0.54	0.00	0 exceedances in 7 Year(s)	0%
Wet	2-4'-DDD	µg/L	12/9/2006	2/13/2009	11	11	0.02	-	-	0.03	-						
Wet	2-4'-DDE	µg/L	12/9/2006	2/13/2009	11	11	0.02	-	-	0.03	-						
Wet	2-4'-DDT	µg/L	12/9/2006	2/13/2009	11	11	0.00	-	-	0.00	-						
Wet	2-4-6-trichlorophenol	µg/L	12/9/2006	2/13/2009	11	11	0.36	-	-	0.50	-						
Wet	2-4-Dinitrotoluene	µg/L	12/9/2006	1/24/2013	27	27	2.22	-	-	2.50	-	0			0.00		
Wet	2-4-dimethylphenol	µg/L	12/9/2006	1/24/2013	28	28	0.89	-	-	1.00	-						
Wet	Benzo[b]fluoranthene	µg/L	12/9/2006	1/24/2013	27	27	2.98	-	-	5.00	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	Benzo[g-h-i]perylene	µg/L	12/9/2006	1/24/2013	27	27	1.56	-	-	2.50	-						
Wet	Beryllium	µg/L	2/27/2006	1/24/2013	37	35	0.26	-	0.416	0.25	0.155						
Wet	Dibenzo(a-h)anthracene	µg/L	12/9/2006	1/24/2013	27	27	0.04	-	-	0.05	-	0	CTR	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	Endrin ketone	µg/L	12/9/2006	2/13/2009	11	11	0.36	-	-	0.50	-						
Wet	Mercury	µg/L	2/27/2006	1/24/2013	37	32	0.16	-	0.177	0.25	0.08	0	0.00	0.05	0.00	0 exceedances in 7 Year(s)	0%
Wet	Methoxychlor	µg/L	12/9/2006	1/24/2013	27	27	0.22	-	-	0.25	-						
Wet	Methylene Blue Active Substances (MBAS)	mg/L	12/9/2006	1/24/2013	27	5	0.74	0.183	3.96	0.46	0.57						
Wet	PCB-1016 (Aroclor 1016)	µg/L	12/9/2006	1/24/2013	27	27	0.16	-	-	0.25	-						
Wet	PCB-1221 (Aroclor 1221)	µg/L	12/9/2006	1/24/2013	29	29	0.17	-	-	0.25	-						
Wet	PCB-1232 (Aroclor 1232)	µg/L	12/9/2006	1/24/2013	27	27	0.16	-	-	0.25	-						
Wet	PCB-1242 (Aroclor 1242)	µg/L	12/9/2006	1/24/2013	27	27	0.16	-	-	0.25	-						
Wet	PCB-1248 (Aroclor 1248)	µg/L	12/9/2006	1/24/2013	27	27	0.16	-	-	0.25	-						
Wet	PCB-1254 (Aroclor 1254)	µg/L	12/9/2006	1/24/2013	27	27	0.16	-	-	0.25	-						
Wet	PCB-1260 (Aroclor 1260)	µg/L	12/9/2006	1/24/2013	27	27	0.16	-	-	0.25	-						
Wet	Thallium	µg/L	2/27/2006	1/24/2013	37	37	0.36	-	0.179	0.50	-						
Wet	Phenolics- Total recoverable	mg/L	11/1/2006	1/24/2013	30	27	0.06	-	0.235	0.05	0.13						
Wet	Total Petroleum Hydrocarbons	mg/L	11/1/2006	1/24/2013	30	21	2.48	-	5.9	2.50	2.3						
Wet	Phosphorus- Total (as P)	mg/L	12/9/2006	1/24/2013	27		0.45	0.2	1.25	0.34	0.34						
Wet	Nitrate (NO3)	mg/L	12/9/2006	1/24/2013	21		4.77	2.23	14.8	3.55	3.55	0	Basin Plan	45.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Ammonia	mg/l	2/27/2006	1/24/2013	37	4	0.78	-	3.35	0.48	0.508	0	Basin Plan	3.74	0.00	0 exceedances in 7 Year(s)	0%
Wet	Selenium	µg/L	2/27/2006	1/24/2013	37	23	0.79	-	2.10	0.50	0.78						
Wet	Carbofuran	µg/L	9/21/2007	12/18/2007	4	4	2.50	-	-	2.50	-						
Wet	1-2-Benzanthracene	µg/L	11/4/2008	1/24/2013	20	20	2.00	-	-	2.50	-						
Wet	2-4-6-Trichlorophenol	µg/L	11/4/2008	1/24/2013	17	17	4.74	-	-	5.00	-						
Wet	N-Nitrosodimethylamine	µg/L	11/4/2008	1/24/2013	17	17	2.50	-	-	2.50	-	0	CTR	8.10	0.00	0 exceedances in 5 Year(s)	0%
Wet	N-Nitrosodiphenylamine	µg/L	11/4/2008	1/24/2013	17	17	0.50	-	-	0.50	-	0	CTR	16.00	0.00	0 exceedances in 5 Year(s)	0%

Table D.3: Dominguez Channel - At Station S-28 Data Summary																	
Weather	Constituent	Unit	Dates Sampled		Total No. of Values	No. with/ ND	Min.	Max.	Avg.	Median		No of Exceed.	Regulatory Source	Regulatory Threshold	Exceed. Frequency (# of exceed. per year)	Exceedance / Time	% Exceed
			From	To						With ND	Without ND						
Wet	Aluminum	µg/L	2/27/2006	1/24/2013	37		2,381.31	20.90	14,200.00	1,500.00	1,500.00						
Wet	Arsenic	µg/L	2/27/2006	1/24/2013	37	1	2.46	-	7.88	2.17	2.18	0	CTR	350.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Barium	µg/L	12/9/2006	1/24/2013	27	2	107.39	-	389.00	66.60	76.80						
Wet	Silver	µg/L	2/27/2006	1/24/2013	37	29	0.82	-	1.91	0.14	0.49						
Wet	Copper	µg/L	2/27/2006	1/24/2013	37	1	89.86	-	565.00	49.20	50.30						
Wet	Iron	µg/L	2/27/2006	1/24/2013	37		3,676.65	118.00	24,800.00	2,550.00	2,550.00						
Wet	Lead	µg/L	2/27/2006	1/24/2013	37		46.52	0.88	806.00	18.50	18.50						
Wet	Zinc	µg/L	2/27/2006	1/24/2013	37		419.63	27.40	2,250.00	237.00	237.00						
Wet	Alkalinity as CaCO3	mg/L	12/9/2006	1/24/2013	26		44.45	14.30	124.30	28.00	28.00						
Wet	Hardness as CaCO3	mg/L	12/9/2006	1/24/2013	27		73.89	30	190	50.00	50						
Wet	Chromium +6	µg/L	12/9/2006	1/24/2013	28	18	1.25	-	1.8	0.71	0.54						
Wet	Alkalinity as Bicarbonate	mg/L	10/6/2010	11/20/2011	5	1	31.98	-	83	16.50	30.8						
Wet	E. Coli	MPN/100mL	10/11/2012	1/24/2013	5		12,578.84	2419.2	34500	7,915.00	7915	5	Basin Plan	235.00	3.48	5 exceedances in 1 Year(s)	100%
Wet	Antimony	µg/L	2/27/2006	1/24/2013	37	1	5.10	-	18.6	3.80	3.85	0	CTR	4,300.00	0.00	0 exceedances in 7 Year(s)	0%
Wet	Benzoic Acid	µG/L	10/17/2004	1/7/2005	4	4	-	-	-	-	-						
Wet	Benzyl alcohol	µG/L	10/17/2004	1/7/2005	4	4	-	-	-	-	-						
Wet	Alkalinity (mg/L as CaCO3)	mg/L as CaCO3	2/27/2006	2/28/2006	10		69.60	14	220	22.00	22						
Wet	Baryium	µg/L	2/27/2006	2/28/2006	10		41.55	13.20	82.60	25.65	25.65						
Wet	Cobalt	µg/L	2/27/2006	2/28/2006	10		0.82	0.27	2.34	0.65	0.65						
Wet	Detectable DDTs (µg/L)	µg/L	2/27/2006	2/28/2006	10	10	#DIV/0!	0.00	0.00	#NUM!	-						
Wet	Dissolved Organic Carbon	mg/L	2/27/2006	2/28/2006	10		10.84	5.60	25.00	8.35	8.35						
Wet	Manganese	µg/L	2/27/2006	2/28/2006	10		37.74	11.40	137.00	20.40	20.40						
Wet	Molybdenum	µg/L	2/27/2006	2/28/2006	10		2.99	0.45	8.97	1.36	1.36						
Wet	Other Pesticides (µg/L)	µg/L	2/27/2006	2/28/2006	10	10	-	-	-	-	-						
Wet	Strontium	µg/L	2/27/2006	2/28/2006	10		248.06	30.70	826.00	62.55	62.55						
Wet	Tin	µg/L	2/27/2006	2/28/2006	10		0.21	0.13	0.34	0.21	0.21						
Wet	Titanium	µg/L	2/27/2006	2/28/2006	10		11.76	1.60	23.60	11.15	11.15						
Wet	Total Aroclors	µg/L	2/27/2006	2/28/2006	10	10	-	-	-	-	-						
Wet	Total PAHs (ng/L)	ng/L	2/27/2006	2/28/2006	10		986.83	53.70	3,652.60	614.30	614.30						
Wet	Vanadium	µg/L	2/27/2006	2/28/2006	10		3.77	2.15	8.36	3.16	3.16						

Notes:
Water quality data available but no screening criteria was determined.

Source:
Mass Emissions Monitoring.
Appendix B 2002-2006 Sampling Results for Dominguez Channel

Table D.4: Dominguez Channel - Bacteria Data Summary																
Waterbody	Weather	Location	Constituent	Dates Sampled		Total No. of Values	Min.	Max.	Avg.	Median	No. of Exceed.	Regulatory Threshold	Regulatory Source	Exceed. Frequency (# exceed. per year)	Exceedance / Time	% Exceed
				From	To											
Dominguez Channel	Dry	El Segundo Blvd.	E. coli (MPN/100 mL)	4/3/2001	5/26/2009	246	100	240,000	3,192	310	22	235	Basin Plan	0.01	22 exceedances in 9 Year(s)	9%
Dominguez Channel	Dry	El Segundo Blvd.	Enterococcus (MPN/100 mL)	4/3/2001	5/26/2009	244	10	12,000	456	310						
Dominguez Channel	Dry	El Segundo Blvd.	Total Coliform (MPN/100 mL)	4/3/2001	5/26/2009	246	100	240,000	59,819	310						
Dominguez Channel	Dry	"Tributary @ Carson Plaza Dr.	E. coli (MPN/100 mL)	1/17/2002	5/26/2009	63	100	73,000	4,047	2,800	11	235	Basin Plan	0.02	11 exceedances in 8 Year(s)	17%
Dominguez Channel	Dry	"Tributary @ Carson Plaza Dr.	Enterococcus (MPN/100 mL)	1/17/2002	5/26/2009	63	31	24,000	3,896	2,800						
Dominguez Channel	Dry	"Tributary @ Carson Plaza Dr.	Total Coliform (MPN/100 mL)	1/17/2002	5/26/2009	63	1,600	240,000	141,392	2,800						
Dominguez Channel	Dry	Tributary @ Main St.	E. coli (MPN/100 mL)	3/31/2005	5/26/2009	44	100	240,000	10,298	3,950	12	235	Basin Plan	0.07	12 exceedances in 5 Year(s)	27%
Dominguez Channel	Dry	Tributary @ Main St.	Enterococcus (MPN/100 mL)	3/31/2005	5/26/2009	44	20	24,000	2,832	3,950						
Dominguez Channel	Dry	Tributary @ Main St.	Total Coliform (MPN/100 mL)	3/31/2005	5/26/2009	44	19,000	240,000	146,750	3,950						
Dominguez Channel	Dry	Vermont Ave.	E. coli (MPN/100 mL)	1/20/2005	5/26/2009	127	100	77,000	3,553	1,500	20	235	Basin Plan	0.04	20 exceedances in 5 Year(s)	16%
Dominguez Channel	Dry	Vermont Ave.	Enterococcus (MPN/100 mL)	1/20/2005	5/26/2009	127	10	6,500	518	1,500						
Dominguez Channel	Dry	Vermont Ave.	Total Coliform (MPN/100 mL)	1/20/2005	5/26/2009	127	5,900	240,000	125,484	1,500						
Dominguez Channel	Dry	Western Ave.	E. coli (MPN/100 mL)	4/3/2001	5/26/2009	246	100	120,000	2,571	1,100	25	235	Basin Plan	0.01	25 exceedances in 9 Year(s)	10%
Dominguez Channel	Dry	Western Ave.	Enterococcus (MPN/100 mL)	4/3/2001	5/26/2009	244	10	16,000	656	1,100						
Dominguez Channel	Dry	Western Ave.	Total Coliform (MPN/100 mL)	4/3/2001	5/26/2009	246	100	240,000	82,327	1,100						
Dominguez Channel	Dry	Yukon Ave.	E. coli (MPN/100 mL)	1/17/2002	5/26/2009	76	100	46,000	3,827	1,250	13	235	Basin Plan	0.02	13 exceedances in 8 Year(s)	17%
Dominguez Channel	Dry	Yukon Ave.	Enterococcus (MPN/100 mL)	1/17/2002	5/26/2009	76	10	24,000	4,010	1,250						
Dominguez Channel	Dry	Yukon Ave.	Total Coliform (MPN/100 mL)	1/17/2002	5/26/2009	76	100	240,000	83,370	1,250						
Dominguez Channel	Wet	El Segundo Blvd.	E. coli (MPN/100 mL)	2/19/2002	12/23/2008	37	100	19,000	3,714	980	9	235	Basin Plan	0.04	9 exceedances in 7 Year(s)	24%
Dominguez Channel	Wet	El Segundo Blvd.	Enterococcus (MPN/100 mL)	2/19/2002	12/23/2008	37	10	17,000	1,761	980						
Dominguez Channel	Wet	El Segundo Blvd.	Total Coliform (MPN/100 mL)	2/19/2002	12/23/2008	37	100	240,000	88,609	980						
Dominguez Channel	Wet	"Tributary @ Carson Plaza Dr.	E. coli (MPN/100 mL)	2/27/2003	1/31/2008	11	100	41,000	8,631	14,000	5	235	Basin Plan	0.09	5 exceedances in 5 Year(s)	45%
Dominguez Channel	Wet	"Tributary @ Carson Plaza Dr.	Enterococcus (MPN/100 mL)	2/27/2003	1/31/2008	11	52	24,000	10,497	14,000						
Dominguez Channel	Wet	"Tributary @ Carson Plaza Dr.	Total Coliform (MPN/100 mL)	2/27/2003	1/31/2008	11	14,000	240,000	157,364	14,000						
Dominguez Channel	Wet	Tributary @ Main St.	E. coli (MPN/100 mL)	1/27/2005	12/23/2008	7	410	160,000	26,197	8,200	4	235	Basin Plan	0.15	4 exceedances in 4 Year(s)	57%
Dominguez Channel	Wet	Tributary @ Main St.	Enterococcus (MPN/100 mL)	1/27/2005	12/23/2008	7	200	24,000	5,624	8,200						
Dominguez Channel	Wet	Tributary @ Main St.	Total Coliform (MPN/100 mL)	1/27/2005	12/23/2008	7	40,000	240,000	167,286	8,200						
Dominguez Channel	Wet	Vermont Ave.	E. coli (MPN/100 mL)	1/6/2005	12/23/2008	21	100	240,000	15,481	4,100	8	235	Basin Plan	0.10	8 exceedances in 4 Year(s)	38%
Dominguez Channel	Wet	Vermont Ave.	Enterococcus (MPN/100 mL)	1/6/2005	12/23/2008	21	10	24,000	2,479	4,100						
Dominguez Channel	Wet	Vermont Ave.	Total Coliform (MPN/100 mL)	1/6/2005	12/23/2008	21	1,100	240,000	128,319	4,100						
Dominguez Channel	Wet	Western Ave.	E. coli (MPN/100 mL)	2/19/2002	12/23/2008	37	100	110,000	6,326	1,600	6	235	Basin Plan	0.02	6 exceedances in 7 Year(s)	16%
Dominguez Channel	Wet	Western Ave.	Enterococcus (MPN/100 mL)	2/19/2002	12/23/2008	37	10	24,000	1,952	1,600						
Dominguez Channel	Wet	Western Ave.	Total Coliform (MPN/100 mL)	2/19/2002	12/23/2008	37	100	240,000	85,251	1,600						
Dominguez Channel	Wet	Yukon Ave.	E. coli (MPN/100 mL)	2/27/2003	12/23/2008	12	100	16,000	3,588	5,950	3	235	Basin Plan	0.04	3 exceedances in 6 Year(s)	25%
Dominguez Channel	Wet	Yukon Ave.	Enterococcus (MPN/100 mL)	2/27/2003	12/23/2008	12	10	24,000	7,173	5,950						
Dominguez Channel	Wet	Yukon Ave.	Total Coliform (MPN/100 mL)	2/27/2003	12/23/2008	12	740	240,000	108,762	5,950						
Dominguez Channel (Estuary)	Dry	Henry Ford Ave.	E. coli (MPN/100 mL)	4/3/2001	5/26/2009	242	100	240,000	1,698	100						
Dominguez Channel (Estuary)	Dry	Henry Ford Ave.	Enterococcus (MPN/100 mL)	4/3/2001	5/26/2009	240	10	24,000	263	100	12	104	Basin Plan Amendment	0.01	12 exceedances in 9 Year(s)	5%
Dominguez Channel (Estuary)	Dry	Wilmington Ave.	Enterococcus (MPN/100 mL)	4/3/2001	5/26/2009	244	10	24,000	238	185	31	104	Basin Plan Amendment	0.02	31 exceedances in 9 Year(s)	13%
Dominguez Channel (Estuary)	Dry	Wilmington Ave.	E. coli (MPN/100 mL)	4/3/2001	5/26/2009	246	100	46,000	697	185						

Notes:
Water quality data available but no screening criteria was determined.

Source:
City of Los Angeles Department of Public Works Bureau of Sanitation
Watershed Protection Division - Pollutant Assessment Section
Status and Trends Monitoring in Dominguez Channel (Main Stem)
Fecal Indicator Bacteria

Table D.5: Machado Lake - Water Quality Data Summary																
Location	Weather	Constituent	Units	Total No. of Values	No. Values with ND	Dates Sampled		Min.	Max.	Avg.	Median		No. of Exceed.	Regulatory Threshold	Regulatory Source	Exceed. Frequency (# exceed. per year)
						From	To				w/o ND	w/ND				
ML-1	Undefined	E. Coli	(MPN/100mL)	56	0	12/20/2007	9/29/2008	100	1,400	278	150.00	150.00	25	235	Basin Plan	0.35
ML-1	Undefined	Ent.	(MPN/100mL)	56	0	12/20/2007	9/29/2008	10	3,600	148	67.50	67.50				
ML-1	Undefined	Tot. Coli.	(MPN/100mL)	55	0	12/20/2007	9/29/2008	520	240,000	58,179	28,000.00	28,000.00				
ML-1	Dry	(EMD Lab) Chlorophyll-a	µg/L	55	0	5/19/2008	2/7/2011	6	234	52	53.00	47.00	43	20	TMDL	2.13
ML-1	Dry	Alkalinity	mg/L	32	0	10/25/2007	5/4/2009	60	254	145	136.00	136.00				
ML-1	Dry	Hardness	mg/L	27	0	10/25/2007	5/4/2009	91.4	473	252	241.00	241.00				
ML-1	Dry	Inorganic Nitrogen	mg/L	105	0	6/16/2006	2/7/2011	0.04	0.68	0	0.16	0.05				
ML-1	Dry	Kjeldhal-N	mg/L	92	0	10/25/2007	2/7/2011	0.16	5	2	1.55	1.55				
ML-1	Dry	NH3-N	mg/L	106	0	6/16/2006	2/7/2011	0.05	0.53	0	0.08	0.05				
ML-1	Dry	NO2	mg/L	106	0	6/16/2006	2/7/2011	0.046	0.14	0	0.07	0.02				
ML-1	Dry	NO3	mg/L	106	0	6/16/2006	2/7/2011	0.04	0.33	0	0.10	0.02	0	45	Basin Plan	0.00
ML-1	Dry	Organic-N	mg/L	92	0	10/25/2007	2/7/2011	0.11	5	2	1.50	1.50				
ML-1	Dry	Ortho-Phosphorus	mg/L	106	0	6/16/2006	2/7/2011	0.13	1.61	1	0.64	0.64				
ML-1	Dry	TDS	mg/L	67	0	6/16/2006	2/7/2011	84	1108	527	508.00	492.00				
ML-1	Dry	Total Nitrogen	mg/L	106	0	6/16/2006	2/7/2011	0.3	5	2	1.82	1.82	89	1	TMDL	3.90
ML-1	Dry	Total Phosphate	mg/L	106	0	6/16/2006	2/7/2011	0.31	1.91	1	0.81	0.81				
ML-1	Dry	TSS	mg/L	103	0	6/16/2006	2/7/2011	2.4	148	31	29.50	29.00				
ML-1	Wet	(EMD Lab) Chlorophyll-a	µg/L	2	0	5/23/2008	2/17/2009	74.3	74.3	40	74.30	40.15	1	20	TMDL	0.37
ML-1	Wet	Alkalinity	mg/L	4	0	12/20/2007	2/17/2009	16	42	31	33.00	33.00				
ML-1	Wet	Hardness	mg/L	4	0	12/20/2007	2/17/2009	45.4	74	60	59.60	59.60				
ML-1	Wet	Inorganic Nitrogen	mg/L	6	0	4/17/2007	2/17/2009	0.46	0.64	0	0.57	0.52				
ML-1	Wet	Kjeldhal-N	mg/L	5	0	12/20/2007	2/17/2009	0.4	2.5	1	0.70	0.70				
ML-1	Wet	NH3-N	mg/L	6	0	4/17/2007	2/17/2009	0.1	0.2	0	0.10	0.10				
ML-1	Wet	NO2	mg/L	6	0	4/17/2007	2/17/2009	0	0	0	0.02	0.02				
ML-1	Wet	NO3	mg/L	6	0	4/17/2007	2/17/2009	0.39	0.49	0	0.45	0.42	0	45	Basin Plan	0.00
ML-1	Wet	Organic-N	mg/L	5	0	12/20/2007	2/17/2009	0.4	2.4	1	0.60	0.60				
ML-1	Wet	Ortho-Phosphorus	mg/L	6	0	4/17/2007	2/17/2009	0.29	0.71	0	0.43	0.43				
ML-1	Wet	TDS	mg/L	5	0	4/17/2007	2/17/2009	120	612	237	146.00	146.00				
ML-1	Wet	Total Nitrogen	mg/L	6	0	4/17/2007	2/17/2009	0.86	3.26	2	1.35	1.35	5	1	TMDL	1.53
ML-1	Wet	Total Phosphate	mg/L	6	0	4/17/2007	2/17/2009	0.39	1.13	1	0.43	0.43				
ML-1	Wet	TSS	mg/L	6	0	4/17/2007	2/17/2009	11	72	27	20.00	20.00				
ML-1	Undefined	ALGAL BIOMASS	µg/L(mg/M3)	41	8	4/4/2011	12/10/2012	10	166	32	31.00	26.00				
ML-1	Undefined	AMMONIA-N	mg/L	39	35	4/4/2011	12/26/2012	0.1	0.21	0	0.14	0.03	0	2.15	TMDL	0.00
ML-1	Undefined	LAKE DEPTH	ft	46	0	4/4/2011	12/26/2012	2	4.58	3	3.50	3.50				
ML-1	Undefined	NITRATE-N	mg/L	35	30	4/4/2011	12/26/2012	0.13	0.68	0	0.38	0.01	0	10	Basin Plan	0.00
ML-1	Undefined	NITRITE-N	mg/L	43	43	4/4/2011	12/26/2012	0	0	0	0.00	0.01	0	1	Basin Plan	0.00
ML-1	Undefined	ORGANIC-N	mg/L	46	1	4/4/2011	12/26/2012	0.17	3.48	1	0.91	0.86				
ML-1	Undefined	OXYGEN (DISSOLVED)	mg/L	46	0	4/4/2011	12/26/2012	0.17	8.5	4	3.50	3.50	38	5	TMDL	1.43
ML-1	Undefined	PHOSPHORUS (ORTHO)	mg/L	46	0	4/4/2011	12/26/2012	0.29	1.2	1	0.66	0.66				
ML-1	Undefined	PHOSPHORUS (TOTAL)	mg/L	46	0	4/4/2011	12/26/2012	0.33	1.39	1	0.77	0.77	46	0.1	TMDL	1.73
ML-1	Undefined	SECCHI DEPTH	in	46	0	4/4/2011	12/26/2012	10	45	25	25.00	25.00				
ML-1	Undefined	SUSPENDED SOLIDS	mg/L	46	0	4/4/2011	12/26/2012	2.3	117	18	9.50	9.50				
ML-1	Undefined	TOTAL DISSOLVED SOLIDS	mg/L	46	0	4/4/2011	12/26/2012	80	668	357	334.00	334.00				
ML-1	Undefined	TURBIDITY	NTU	46	0	4/4/2011	12/26/2012	1.4	51.9	9	6.45	6.45				
ML-2	Undefined	E. Coli	(MPN/100mL)	56	0	12/20/2007	9/29/2008	100	1,100	237	200.00	200.00	19	235	Basin Plan	0.26
ML-2	Undefined	Ent.	(MPN/100mL)	56	0	12/20/2007	9/29/2008	10	4,300	148	63.00	63.00				
ML-2	Undefined	Tot. Coli.	(MPN/100mL)	55	0	12/20/2007	9/29/2008	410	240,000	55,284	25,000.00	25,000.00				
ML-2	Dry	(EMD Lab) Chlorophyll-a	µg/L	55	0	5/19/2008	2/7/2011	7	170	51	50.00	50.00	46	20	TMDL	2.28
ML-2	Dry	Alkalinity	mg/L	32	0	10/25/2007	5/4/2009	58	250	143	136.00	136.00				
ML-2	Dry	Hardness	mg/L	27	0	10/25/2007	5/4/2009	85	466	250	247.00	247.00				
ML-2	Dry	Inorganic Nitrogen	mg/L	106	0	6/16/2006	2/7/2011	0.03	0.7	0	0.16	0.05				
ML-2	Dry	Kjeldhal-N	mg/L	92	0	10/25/2007	2/7/2011	0.3	3.3	2	1.69	1.69				
ML-2	Dry	NH3-N	mg/L	106	0	6/16/2006	2/7/2011	0.05	0.58	0	0.09	0.05				
ML-2	Dry	NO2	mg/L	106	0	6/16/2006	2/7/2011	0.04	0.28	0	0.07	0.02				
ML-2	Dry	NO3	mg/L	106	0	6/16/2006	2/7/2011	0.03	0.34	0	0.12	0.02	0	45	Basin Plan	0.00
ML-2	Dry	Organic-N	mg/L	92	0	10/25/2007	2/7/2011	0.3	3.3	2	1.62	1.62				
ML-2	Dry	Ortho-Phosphorus	mg/L	106	0	6/16/2006	2/7/2011	0.2	1.44	1	0.64	0.64				
ML-2	Dry	TDS	mg/L	67	0	6/16/2006	2/7/2011	32	1090	526	480.00	480.00				

Table D.5: Machado Lake - Water Quality Data Summary																
Location	Weather	Constituent	Units	Total No. of Values	No. Values with ND	Dates Sampled		Min.	Max.	Avg.	Median		No. of Exceed.	Regulatory Threshold	Regulatory Source	Exceed. Frequency (# exceed. per year)
						From	To				w/o ND	w/ND				
ML-2	Dry	Total Nitrogen	mg/L	106	0	6/16/2006	2/7/2011	0.3	4.62	2	1.79	1.79	92	1	TMDL	4.04
ML-2	Dry	Total Phosphate	mg/L	106	0	6/16/2006	2/7/2011	0.33	1.51	1	0.80	0.80				
ML-2	Dry	TSS	mg/L	104	0	6/16/2006	2/7/2011	3.2	91	29	27.50	27.50				
ML-2	Wet	(EMD Lab) Chlorophyll-a	µg/L	2	0	5/23/2008	2/17/2009	60.8	60.80	33.40	60.80	33.40	1	20	TMDL	0.37
ML-2	Wet	Alkalinity	mg/L	4	0	12/20/2007	2/17/2009	22	54.00	35.50	33.00	33.00				
ML-2	Wet	Hardness	mg/L	4	0	12/20/2007	2/17/2009	31.1	83.50	53.38	49.45	49.45				
ML-2	Wet	Inorganic Nitrogen	mg/L	5	0	12/20/2007	2/17/2009	0.41	0.60	0.43	0.52	0.47				
ML-2	Wet	Kjeldhal-N	mg/L	5	0	12/20/2007	2/17/2009	0.48	1.60	0.96	0.87	0.87				
ML-2	Wet	NH3-N	mg/L	5	0	12/20/2007	2/17/2009	0.07	0.18	0.11	0.13	0.09				
ML-2	Wet	NO2	mg/L	5	0	12/20/2007	2/17/2009	0	0.00	0.02	0.02	0.02				
ML-2	Wet	NO3	mg/L	5	0	12/20/2007	2/17/2009	0.34	0.42	0.30	0.37	0.36	0	45	Basin Plan	0.00
ML-2	Wet	Organic-N	mg/L	5	0	12/20/2007	2/17/2009	0.3	1.60	0.86	0.70	0.70				
ML-2	Wet	Ortho-Phosphorus	mg/L	5	0	12/20/2007	2/17/2009	0.32	0.58	0.44	0.46	0.46				
ML-2	Wet	TDS	mg/L	4	0	12/20/2007	2/17/2009	93	160.00	128.25	130.00	130.00				
ML-2	Wet	Total Nitrogen	mg/L	5	0	12/20/2007	2/17/2009	0.9	1.60	1.30	1.27	1.27	4	1	TMDL	0.93
ML-2	Wet	Total Phosphate	mg/L	5	0	12/20/2007	2/17/2009	0.38	0.78	0.51	0.45	0.45				
ML-2	Wet	TSS	mg/L	5	0	12/20/2007	2/17/2009	13	44.00	23.40	17.00	17.00				
ML-2	Undefined	ALGAL BIOMASS	µg/L(mg/M3)	42	9	4/4/2011	12/10/2012	12	103	32	29.00	26.50				
ML-2	Undefined	AMMONIA-N	mg/L	39	35	4/4/2011	12/26/2012	0.15	0.35	0	0.15	0.03	0	2.15	TMDL	0.00
ML-2	Undefined	LAKE DEPTH	ft	46	0	4/4/2011	12/26/2012	3.08	4.83	4	4.25	4.25				
ML-2	Undefined	NITRATE-N	mg/L	38	33	5/2/2011	12/26/2012	0.12	0.63	0	0.27	0.01	0	10	Basin Plan	0.00
ML-2	Undefined	NITRITE-N	mg/L	44	44	4/4/2011	12/26/2012	0	0	0	0.00	0.01	0	1	Basin Plan	0.00
ML-2	Undefined	ORGANIC-N	mg/L	46	0	4/4/2011	12/26/2012	0.27	3.87	1	1.00	1.00				
ML-2	Undefined	OXYGEN (DISSOLVED)	mg/L	46	0	4/4/2011	12/26/2012	0.08	8.17	3	2.57	2.57	42	5	TMDL	1.58
ML-2	Undefined	PHOSPHORUS (ORTHO)	mg/L	46	0	4/4/2011	12/26/2012	0.3	1.23	1	0.61	0.61				
ML-2	Undefined	PHOSPHORUS (TOTAL)	mg/L	46	0	4/4/2011	12/26/2012	0.33	1.37	1	0.71	0.71	46	0.1	TMDL	1.73
ML-2	Undefined	SECCHI DEPTH	in	46	0	4/4/2011	12/26/2012	11	52	26	25.00	25.00				
ML-2	Undefined	SUSPENDED SOLIDS	mg/L	46	0	4/4/2011	12/26/2012	1.4	35.5	13	9.10	9.10				
ML-2	Undefined	TOTAL DISSOLVED SOLIDS	mg/L	46	0	4/4/2011	12/26/2012	80	672	356	344.00	344.00				
ML-2	Undefined	TURBIDITY	NTU	46	0	4/4/2011	12/26/2012	1.3	17.7	7	5.80	5.80				
ML-3	Undefined	E. Coli	(MPN/100mL)	56	0	12/20/2007	9/29/2008	100	2,300	604	515.00	515.00	44	235	Basin Plan	0.61
ML-3	Undefined	Ent.	(MPN/100mL)	56	0	12/20/2007	9/29/2008	10	3,500	325	255.00	255.00				
ML-3	Undefined	Tot. Coli.	(MPN/100mL)	55	0	12/20/2007	9/29/2008	1,200	240,000	57,104	28,000.00	28,000.00				
ML-3	Dry	(EMD Lab) Chlorophyll-a	µg/L	20	0	5/19/2008	9/29/2008	40	88	61	60.50	60.50	20	20	TMDL	0.36
ML-3	Dry	Inorganic Nitrogen	mg/L	47	0	5/19/2008	9/29/2008	0.05	0.19	0	0.12	0.05				
ML-3	Dry	Kjeldhal-N	mg/L	47	0	5/19/2008	9/29/2008	0.3	3.3	2	1.75	1.70				
ML-3	Dry	NH3-N	mg/L	47	0	5/19/2008	9/29/2008	0.05	0.09	0	0.06	0.05				
ML-3	Dry	NO2	mg/L	47	0	5/19/2008	9/29/2008	0.14	0.19	0	0.17	0.02				
ML-3	Dry	NO3	mg/L	47	0	5/19/2008	9/29/2008	0	0	0	0.02	0.02	0	45	Basin Plan	0.00
ML-3	Dry	Organic-N	mg/L	47	0	5/19/2008	9/29/2008	0.3	3.3	2	1.80	1.80				
ML-3	Dry	Ortho-Phosphorus	mg/L	47	0	5/19/2008	9/29/2008	0.33	1	1	0.68	0.68				
ML-3	Dry	Total Nitrogen	mg/L	47	0	5/19/2008	9/29/2008	0.3	3.3	2	1.89	1.89	45	1	TMDL	0.35
ML-3	Dry	Total Phosphate	mg/L	47	0	5/19/2008	9/29/2008	0.52	1.22	1	0.81	0.81				
ML-3	Dry	TSS	mg/L	47	0	5/19/2008	9/29/2008	22	70	39	38.00	38.00				
ML-3	Wet	(EMD Lab) Chlorophyll-a	µg/L	1	0	5/23/2008	5/23/2008	73.90	73.90	73.90	73.90	73.90	1	20	TMDL	0.00
ML-3	Wet	Inorganic Nitrogen	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.05	0.05	0.05				
ML-3	Wet	Kjeldhal-N	mg/L	1	0	5/23/2008	5/23/2008	1.47	1.47	1.47	1.47	1.47				
ML-3	Wet	NH3-N	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.05	0.05	0.05				
ML-3	Wet	NO2	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.02	0.02	0.02				
ML-3	Wet	NO3	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.02	0.02	0.02	0	45	Basin Plan	0.00
ML-3	Wet	Organic-N	mg/L	1	0	5/23/2008	5/23/2008	1.47	1.47	1.47	1.47	1.47				
ML-3	Wet	Ortho-Phosphorus	mg/L	1	0	5/23/2008	5/23/2008	0.57	0.57	0.57	0.57	0.57				
ML-3	Wet	Total Nitrogen	mg/L	1	0	5/23/2008	5/23/2008	1.47	1.47	1.56	1.56	1.56	1	1	TMDL	0.00
ML-3	Wet	Total Phosphate	mg/L	1	0	5/23/2008	5/23/2008	0.76	0.76	0.76	0.76	0.76				
ML-3	Wet	TSS	mg/L	1	0	5/23/2008	5/23/2008	52.00	52.00	52.00	52.00	52.00				
ML-4	Undefined	E. Coli	(MPN/100mL)	47	0	5/19/2008	9/29/2008	100	520	157	100.00	100.00	8	235	Basin Plan	0.06
ML-4	Undefined	Ent.	(MPN/100mL)	47	0	5/19/2008	9/29/2008	10	270	43	30.00	30.00				
ML-4	Undefined	Tot. Coli.	(MPN/100mL)	46	0	5/19/2008	9/29/2008	2,200	240,000	54,120	25,000.00	25,000.00				

Table D.5: Machado Lake - Water Quality Data Summary																
Location	Weather	Constituent	Units	Total No. of Values	No. Values with ND	Dates Sampled		Min.	Max.	Avg.	Median		No. of Exceed.	Regulatory Threshold	Regulatory Source	Exceed. Frequency (# exceed. per year)
						From	To				w/o ND	w/ND				
ML-4	Dry	(EMD Lab) Chlorophyll-a	µg/L	19	0	5/19/2008	9/26/2008	30.4	86.4	57	60.00	60.00	19	20	TMDL	0.36
ML-4	Dry	Inorganic Nitrogen	mg/L	47	0	5/19/2008	9/29/2008	0.05	0.14	0	0.15	0.05				
ML-4	Dry	Kjeldhal-N	mg/L	47	0	5/19/2008	9/29/2008	0.3	2.8	2	1.70	1.70				
ML-4	Dry	NH3-N	mg/L	47	0	5/19/2008	9/29/2008	0.05	0.11	0	0.09	0.05				
ML-4	Dry	NO2	mg/L	47	0	5/19/2008	9/29/2008	0.087	0.14	0	0.11	0.02				
ML-4	Dry	NO3	mg/L	47	0	5/19/2008	9/29/2008	0	0	0	0.02	0.02	0	45	Basin Plan	0.00
ML-4	Dry	Organic-N	mg/L	47	0	5/19/2008	9/29/2008	0.3	2.8	2	1.70	1.70				
ML-4	Dry	Ortho-Phosphorus	mg/L	47	0	5/19/2008	9/29/2008	0.33	0.96	1	0.68	0.68				
ML-4	Dry	Total Nitrogen	mg/L	47	0	5/19/2008	9/29/2008	0.3	2.8	2	1.79	1.79	44	1	TMDL	0.34
ML-4	Dry	Total Phosphate	mg/L	47	0	5/19/2008	9/29/2008	0.47	1.1	1	0.79	0.79				
ML-4	Dry	TSS	mg/L	47	0	5/19/2008	9/29/2008	14	58	34	34.00	34.00				
ML-4	Wet	(EMD Lab) Chlorophyll-a	µg/L	1	0	5/23/2008	5/23/2008	58.20	58.20	58.20	58.20	58.20	1	20	TMDL	0.00
ML-4	Wet	Inorganic Nitrogen	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.05	0.05	0.05				
ML-4	Wet	Kjeldhal-N	mg/L	1	0	5/23/2008	5/23/2008	1.30	1.30	1.30	1.30	1.30				
ML-4	Wet	NH3-N	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.05	0.05	0.05				
ML-4	Wet	NO2	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.02	0.02	0.02				
ML-4	Wet	NO3	mg/L	1	0	5/23/2008	5/23/2008	0.00	0.00	0.02	0.02	0.02	0	45	Basin Plan	0.00
ML-4	Wet	Organic-N	mg/L	1	0	5/23/2008	5/23/2008	1.30	1.30	1.30	1.30	1.30				
ML-4	Wet	Ortho-Phosphorus	mg/L	1	0	5/23/2008	5/23/2008	0.61	0.61	0.61	0.61	0.61				
ML-4	Wet	Total Nitrogen	mg/L	1	0	5/23/2008	5/23/2008	1.30	1.30	1.39	1.39	1.39	1	1	TMDL	0.00
ML-4	Wet	Total Phosphate	mg/L	1	0	5/23/2008	5/23/2008	0.82	0.82	0.82	0.82	0.82				
ML-4	Wet	TSS	mg/L	1	0	5/23/2008	5/23/2008	43	43	43	43.00	43.00				
ML-4	Undefined	ALGAL BIOMASS	µg/L(mg/M3)	45	45	4/4/2011	12/10/2012	0	0	3	0.00	3.00				
ML-4	Undefined	AMMONIA-N	mg/L	45	45	4/4/2011	12/26/2012	0	0	0	0.00	0.03	0	2.15	TMDL	0.00
ML-4	Undefined	NITRATE-N	mg/L	45	45	4/4/2011	12/26/2012	0	0	0	0.00	0.01	0	10	Basin Plan	0.00
ML-4	Undefined	NITRITE-N	mg/L	46	46	4/4/2011	12/26/2012	0	0	0	0.00	0.01	0	1	Basin Plan	0.00
ML-4	Undefined	ORGANIC-N	mg/L	46	45	4/4/2011	12/26/2012	0.84	0.84	0	0.84	0.05				
ML-4	Undefined	PHOSPHORUS (ORTHO)	mg/L	45	45	4/4/2011	12/26/2012	0	0	0	0.00	0.03				
ML-4	Undefined	PHOSPHORUS (TOTAL)	mg/L	46	46	4/4/2011	12/26/2012	0	0	0	0.00	0.03	0	0.1	TMDL	0.00
ML-4	Undefined	SUSPENDED SOLIDS	mg/L	46	42	4/4/2011	12/26/2012	1	1.9	1	1.10	0.50				
ML-4	Undefined	TOTAL DISSOLVED SOLIDS	mg/L	45	44	4/4/2011	12/26/2012	40	40	15	40.00	14.00				
ML-4	Undefined	TURBIDITY	NTU	46	10	4/4/2011	12/26/2012	0.1	0.6	0	0.10	0.10				
ML-4	Undefined	ALGAL BIOMASS	µg/L(mg/M3)	42	9	4/4/2011	12/10/2012	10	167	34	31.00	26.00				
ML-4	Undefined	AMMONIA-N	mg/L	39	34	4/4/2011	12/26/2012	0.1	0.21	0	0.11	0.03	0	2.15	TMDL	0.00
ML-4	Undefined	NITRATE-N	mg/L	40	35	4/4/2011	12/26/2012	0.12	0.63	0	0.24	0.01	0	10	Basin Plan	0.00
ML-4	Undefined	NITRITE-N	mg/L	44	44	4/4/2011	12/26/2012	0	0	0	0.00	0.01	0	1	Basin Plan	0.00
ML-4	Undefined	ORGANIC-N	mg/L	46	0	4/4/2011	12/26/2012	0.32	2.55	1	0.97	0.97				
ML-4	Undefined	PHOSPHORUS (ORTHO)	mg/L	46	0	4/4/2011	12/26/2012	0.3	1.19	1	0.65	0.65				
ML-4	Undefined	PHOSPHORUS (TOTAL)	mg/L	46	0	4/4/2011	12/26/2012	0.33	1.37	1	0.75	0.75	46	0.1	TMDL	1.73
ML-4	Undefined	SUSPENDED SOLIDS	mg/L	46	0	4/4/2011	12/26/2012	1.7	64.7	15	11.40	11.40				
ML-4	Undefined	TOTAL DISSOLVED SOLIDS	mg/L	46	0	4/4/2011	12/26/2012	80	696	363	348.00	348.00				
ML-4	Undefined	TURBIDITY	NTU	46	0	4/4/2011	12/26/2012	1.5	29.7	8	5.50	5.50				
Project 510 Drain	Undefined	E. Coli	(MPN/100mL)	1	0	12/26/2007	12/26/2007	100	100	100	100.00	100.00	0	235	Basin Plan	0.00
Project 510 Drain	Undefined	Ent.	(MPN/100mL)	1	0	12/26/2007	12/26/2007	10	10	10	10.00	10.00				
Project 510 Drain	Undefined	Tot. Coli.	(MPN/100mL)	1	0	12/26/2007	12/26/2007	100	100	100	100.00	100.00				
Project 510 Drain	Dry	Alkalinity	mg/L	27	0	10/19/2007	5/4/2009	84	144	113	114.00	114.00				
Project 510 Drain	Dry	Hardness	mg/L	23	0	10/19/2007	5/4/2009	189	340	256	254.00	254.00				
Project 510 Drain	Dry	Inorganic Nitrogen	mg/L	31	0	10/19/2007	6/29/2009	0.29	2.53	1	0.97	0.91				
Project 510 Drain	Dry	Kjeldhal-N	mg/L	31	0	10/19/2007	6/29/2009	0.3	7.51	2	1.40	1.40				
Project 510 Drain	Dry	NH3-N	mg/L	31	0	10/19/2007	6/29/2009	0.07	0.61	0	0.34	0.32				
Project 510 Drain	Dry	NO2	mg/L	31	0	10/19/2007	6/29/2009	0.04	0.31	0	0.08	0.02				
Project 510 Drain	Dry	NO3	mg/L	31	0	10/19/2007	6/29/2009	0.29	2.45	1	0.63	0.63	0	45	Basin Plan	0.00
Project 510 Drain	Dry	Organic-N	mg/L	31	0	10/19/2007	6/29/2009	0.2	7	1	1.10	1.10				
Project 510 Drain	Dry	Ortho-Phosphorus	mg/L	30	0	10/19/2007	6/29/2009	0.06	1.09	0	0.28	0.26				
Project 510 Drain	Dry	TDS	mg/L	29	0	10/19/2007	6/29/2009	456	804	619	636.00	636.00				
Project 510 Drain	Dry	Total Nitrogen	mg/L	31	0	10/19/2007	6/29/2009	0.71	8	3	2.18	2.18	29	1	TMDL	1.59
Project 510 Drain	Dry	Total Phosphate	mg/L	30	0	10/19/2007	6/29/2009	0.06	1.24	0	0.33	0.33				
Project 510 Drain	Dry	TSS	mg/L	30	0	10/19/2007	6/29/2009	1	864	36	4.00	3.15				

Table D.5: Machado Lake - Water Quality Data Summary																
Location	Weather	Constituent	Units	Total No. of Values	No. Values with ND	Dates Sampled		Min.	Max.	Avg.	Median		No. of Exceed.	Regulatory Threshold	Regulatory Source	Exceed. Frequency (# exceed. per year)
						From	To				w/o ND	w/ND				
Project 510 Drain	Wet	Alkalinity	mg/L	1	0	11/30/2007	11/30/2007	14	14	14	14.00	14.00				
Project 510 Drain	Wet	Hardness	mg/L	1	0	11/30/2007	11/30/2007	15.1	15.1	15	15.10	15.10				
Project 510 Drain	Wet	Inorganic Nitrogen	mg/L	1	0	11/30/2007	11/30/2007	1.43	1.43	1	1.45	1.45				
Project 510 Drain	Wet	Kjeldhal-N	mg/L	1	0	11/30/2007	11/30/2007	1.39	1.39	1	1.39	1.39				
Project 510 Drain	Wet	NH3-N	mg/L	1	0	11/30/2007	11/30/2007	0.66	0.66	1	0.66	0.66				
Project 510 Drain	Wet	NO2	mg/L	1	0	11/30/2007	11/30/2007	0	0	0	0.02	0.02				
Project 510 Drain	Wet	NO3	mg/L	1	0	11/30/2007	11/30/2007	0.77	0.77	1	0.77	0.77	0	45	Basin Plan	0.00
Project 510 Drain	Wet	Organic-N	mg/L	1	0	11/30/2007	11/30/2007	0.73	0.73	1	0.73	0.73				
Project 510 Drain	Wet	Ortho-Phosphorus	mg/L	1	0	11/30/2007	11/30/2007	0.78	0.78	1	0.78	0.78				
Project 510 Drain	Wet	TDS	mg/L	1	0	11/30/2007	11/30/2007	36	36	36	36.00	36.00				
Project 510 Drain	Wet	Total Nitrogen	mg/L	1	0	11/30/2007	11/30/2007	2.16	2.16	2	2.18	2.18	1	1	TMDL	0.00
Project 510 Drain	Wet	Total Phosphate	mg/L	1	0	11/30/2007	11/30/2007	0.8	0.8	1	0.80	0.80				
Project 510 Drain	Wet	TSS	mg/L	1	0	11/30/2007	11/30/2007	130	130	130	130.00	130.00				
Project 77 Drain	Undefined	E. Coli	(MPN/100mL)	4	0	12/26/2007	2/27/2008	100	4600	1,278	205.00	205.00	2	235	Basin Plan	0.09
Project 77 Drain	Undefined	Ent.	(MPN/100mL)	4	0	12/26/2007	2/27/2008	10	480	128	10.00	10.00				
Project 77 Drain	Undefined	Tot. Coli.	(MPN/100mL)	4	0	12/26/2007	2/27/2008	100	29000	9,750	4,950.00	4,950.00				
Project 77 Drain	Dry	Alkalinity	mg/L	35	0	10/19/2007	5/4/2009	58	198	116	112.00	112.00				
Project 77 Drain	Dry	Hardness	mg/L	30	0	10/19/2007	5/4/2009	178	363	269	265.00	265.00				
Project 77 Drain	Dry	Inorganic Nitrogen	mg/L	41	0	10/19/2007	6/29/2009	0.53	2.79	1	1.02	1.02				
Project 77 Drain	Dry	Kjeldhal-N	mg/L	41	0	10/19/2007	6/29/2009	0.19	23.41	2	1.59	1.59				
Project 77 Drain	Dry	NH3-N	mg/L	41	0	10/19/2007	6/29/2009	0.05	0.83	0	0.16	0.13				
Project 77 Drain	Dry	NO2	mg/L	41	0	10/19/2007	6/29/2009	0.06	0.72	0	0.12	0.02				
Project 77 Drain	Dry	NO3	mg/L	41	0	10/19/2007	6/29/2009	0.37	2.48	1	0.86	0.85	0	45	Basin Plan	0.00
Project 77 Drain	Dry	Organic-N	mg/L	41	0	10/19/2007	6/29/2009	0.1	23.1	2	1.50	1.50				
Project 77 Drain	Dry	Ortho-Phosphorus	mg/L	41	0	10/19/2007	6/29/2009	0.1	1.15	0	0.35	0.35				
Project 77 Drain	Dry	TDS	mg/L	39	0	10/19/2007	6/29/2009	500	2980	715	628.00	628.00				
Project 77 Drain	Dry	Total Nitrogen	mg/L	41	0	10/19/2007	6/29/2009	0.88	25.89	3	2.60	2.60	40	1	TMDL	1.65
Project 77 Drain	Dry	Total Phosphate	mg/L	41	0	10/19/2007	6/29/2009	0.16	4.18	1	0.42	0.42				
Project 77 Drain	Dry	TSS	mg/L	40	0	10/19/2007	6/29/2009	1.6	181	12	4.00	4.00				
Project 77 Drain	Wet	Alkalinity	mg/L	6	0	11/30/2007	2/17/2009	28	124	83	88.00	88.00				
Project 77 Drain	Wet	Hardness	mg/L	6	0	11/30/2007	2/17/2009	30.4	264	147	130.50	130.50				
Project 77 Drain	Wet	Inorganic Nitrogen	mg/L	6	0	11/30/2007	2/17/2009	1.01	3.41	2	1.77	1.77				
Project 77 Drain	Wet	Kjeldhal-N	mg/L	6	0	11/30/2007	2/17/2009	0.74	2.83	2	2.61	2.61				
Project 77 Drain	Wet	NH3-N	mg/L	6	0	11/30/2007	2/17/2009	0.14	0.76	0	0.50	0.50				
Project 77 Drain	Wet	NO2	mg/L	6	0	11/30/2007	2/17/2009	0.1	0.56	0	0.14	0.06				
Project 77 Drain	Wet	NO3	mg/L	6	0	11/30/2007	2/17/2009	0.74	2.42	1	1.12	1.12	0	45	Basin Plan	0.00
Project 77 Drain	Wet	Organic-N	mg/L	6	0	11/30/2007	2/17/2009	0.6	2.3	2	1.95	1.95				
Project 77 Drain	Wet	Ortho-Phosphorus	mg/L	6	0	11/30/2007	2/17/2009	0.06	2.01	1	0.52	0.52				
Project 77 Drain	Wet	TDS	mg/L	6	0	11/30/2007	2/17/2009	92	620	386	378.00	378.00				
Project 77 Drain	Wet	Total Nitrogen	mg/L	6	0	11/30/2007	2/17/2009	1.77	5.71	4	3.92	3.92	6	1	TMDL	1.22
Project 77 Drain	Wet	Total Phosphate	mg/L	6	0	11/30/2007	2/17/2009	0.2	1.99	1	0.64	0.64				
Project 77 Drain	Wet	TSS	mg/L	6	0	11/30/2007	2/17/2009	3	311	93	31.50	31.50				
Wilmington Drain	Undefined	E. Coli	(MPN/100mL)	4	0	12/26/2007	2/27/2008	100	1400	450	150.00	150.00	1	235	Basin Plan	0.04
Wilmington Drain	Undefined	Ent.	(MPN/100mL)	4	0	12/26/2007	2/27/2008	10	1200	310	15.00	15.00				
Wilmington Drain	Undefined	Tot. Coli.	(MPN/100mL)	4	0	12/26/2007	2/27/2008	5400	19000	10,675	9,150.00	9,150.00				
Wilmington Drain	Dry	Alkalinity	mg/L	29	0	10/19/2007	2/2/2009	108	238	169	164.00	164.00				
Wilmington Drain	Dry	Hardness	mg/L	31	0	10/19/2007	6/15/2009	137	1000	554	573.00	573.00				
Wilmington Drain	Dry	Inorganic Nitrogen	mg/L	30	0	10/19/2007	2/2/2009	0.29	1.97	1	0.91	0.89				
Wilmington Drain	Dry	Kjeldhal-N	mg/L	30	0	10/19/2007	2/2/2009	0.85	16.33	2	1.91	1.91				
Wilmington Drain	Dry	NH3-N	mg/L	39	0	10/19/2007	2/2/2009	0.15	1.44	1	0.52	0.52				
Wilmington Drain	Dry	NO2	mg/L	30	0	10/19/2007	2/2/2009	0.05	0.35	0	0.12	0.02				
Wilmington Drain	Dry	NO3	mg/L	30	0	10/19/2007	2/2/2009	0.1	2.09	1	0.37	0.37	0	45	Basin Plan	0.00
Wilmington Drain	Dry	Organic-N	mg/L	30	0	10/19/2007	2/2/2009	0.6	15.4	2	1.30	1.30				
Wilmington Drain	Dry	Ortho-Phosphorus	mg/L	30	0	10/19/2007	2/2/2009	0.21	4.42	1	0.40	0.39				
Wilmington Drain	Dry	TDS	mg/L	29	0	10/19/2007	2/2/2009	580	1760	1,217	1,240.00	1,240.00				
Wilmington Drain	Dry	Total Nitrogen	mg/L	30	0	10/19/2007	2/2/2009	1.29	18.42	3	2.31	2.31	30	1	TMDL	1.29
Wilmington Drain	Dry	Total Phosphate	mg/L	30	0	10/19/2007	2/2/2009	0.11	4.66	1	0.51	0.51				
Wilmington Drain	Dry	TSS	mg/L	30	0	10/19/2007	2/2/2009	2	38	12	8.00	8.00				

Table D.5: Machado Lake - Water Quality Data Summary																
Location	Weather	Constituent	Units	Total No. of Values	No. Values with ND	Dates Sampled		Min.	Max.	Avg.	Median		No. of Exceed.	Regulatory Threshold	Regulatory Source	Exceed. Frequency (# exceed. per year)
						From	To				w/o ND	w/ND				
Wilmington Drain	Wet	Alkalinity	mg/L	6	0	11/30/2007	2/17/2009	14	158	85	84.00	84.00				
Wilmington Drain	Wet	Hardness	mg/L	6	0	11/30/2007	2/17/2009	22.8	442	190	204.50	204.50				
Wilmington Drain	Wet	Inorganic Nitrogen	mg/L	6	0	11/30/2007	2/17/2009	0.61	1.67	1	1.35	1.35				
Wilmington Drain	Wet	Kjeldhal-N	mg/L	6	0	11/30/2007	2/17/2009	0.89	1.76	1	1.26	1.26				
Wilmington Drain	Wet	NH3-N	mg/L	7	0	11/30/2007	2/17/2009	0.16	0.86	0	0.50	0.50				
Wilmington Drain	Wet	NO2	mg/L	6	0	11/30/2007	2/17/2009	0.06	0.06	0	0.06	0.02				
Wilmington Drain	Wet	NO3	mg/L	6	0	11/30/2007	2/17/2009	0.45	1.17	1	0.85	0.85	0	45	Basin Plan	0.00
Wilmington Drain	Wet	Organic-N	mg/L	6	0	11/30/2007	2/17/2009	0.6	0.94	1	0.90	0.90				
Wilmington Drain	Wet	Ortho-Phosphorus	mg/L	6	0	11/30/2007	2/17/2009	0.07	0.9	0	0.45	0.45				
Wilmington Drain	Wet	TDS	mg/L	6	0	11/30/2007	2/17/2009	52	820	421	374.00	374.00				
Wilmington Drain	Wet	Total Nitrogen	mg/L	6	0	11/30/2007	2/17/2009	1.51	2.57	2	2.13	2.13	6	1	TMDL	1.22
Wilmington Drain	Wet	Total Phosphate	mg/L	6	0	11/30/2007	2/17/2009	0.13	0.93	0	0.50	0.50				
Wilmington Drain	Wet	TSS	mg/L	6	0	11/30/2007	2/17/2009	4	88	40	39.50	39.50				

Notes:
Water quality data available but no screening criteria was determined.
Source:
City of Los Angeles Department of Public Works Bureau of Sanitation
Watershed Protection Division - Pollutant Assessment Section
Machado Lake Nutrient TMDL Monitoring Program

Table D.6: Dominguez Channel - Ammonia Study Data Summary														
Date	Sampling Site	Waterbody	Sample ID EMD	Sample ID WPD	MDL (mg/L)	ML (mg/L)	Total Ammonia Concentration (mg/L NH ₃ -N)	pH	Temperature (°C)	Unionized Ammonia (mg/L)	Weather	Basin Plan Amendment (2002, 2004) Criteria		Exceed.
												Total Ammonia (NH ₃ -N) (mg/L)	Unionized Ammonia (NH ₃ -N) (mg/L)	
7/1/2009	190th St. @ Figueroa St.	Estuary	HT132614-4	DC-E-190	0.05	0.1	ND	7.56	24.90		Dry			
7/8/2009	190th St. @ Figueroa St.	Estuary	HT132877-4	DC-E-190	0.05	0.1	ND	7.53	24.30		Dry			
7/15/2009	190th St. @ Figueroa St.	Estuary	HT133123-4	DC-E-190	0.05	0.1	ND	7.68	26.90		Dry			
7/22/2009	190th St. @ Figueroa St.	Estuary	HT133363-4	DC-E-190	0.05	0.1	ND	7.66	27.90		Dry			
7/29/2009	190th St. @ Figueroa St.	Estuary	HT133594-4	DC-E-190	0.05	0.1	0.23	7.61	26.80	0.006	Dry	1.783	0.029	No
8/5/2009	190th St. @ Figueroa St.	Estuary	HT133830-4	DC-E-190	0.05	0.1	ND	7.78	26.90		Dry			
8/13/2009	190th St. @ Figueroa St.	Estuary	HT134118-4	DC-E-190	0.05	0.1	ND	7.82	25.30		Dry			
7/1/2009	223rd St. @ Wilmington Ave.	Estuary	HT132614-3	DC-E-223	0.05	0.1	ND	7.65	24.10		Dry			
7/8/2009	223rd St. @ Wilmington Ave.	Estuary	HT132877-3	DC-E-223	0.05	0.1	ND	7.69	24.30		Dry			
7/15/2009	223rd St. @ Wilmington Ave.	Estuary	HT133123-3	DC-E-223	0.05	0.1	ND	7.81	25.30		Dry			
7/22/2009	223rd St. @ Wilmington Ave.	Estuary	HT133363-3	DC-E-223	0.05	0.1	ND	7.62	25.00		Dry			No
7/29/2009	223rd St. @ Wilmington Ave.	Estuary	HT133594-3	DC-E-223	0.05	0.1	0.16	7.73	26.00	0.005	Dry	1.650	0.029	
8/5/2009	223rd St. @ Wilmington Ave.	Estuary	HT133830-3	DC-E-223	0.05	0.1	ND	7.71	25.20		Dry			
8/13/2009	223rd St. @ Wilmington Ave.	Estuary	HT134118-3	DC-E-223	0.05	0.1	ND	7.84	24.50		Dry			
7/1/2009	Henry Ford Ave.	Estuary	HT132614-1	DC-E-HFD	0.05	0.1	ND	7.60	25.30		Dry			
7/8/2009	Henry Ford Ave.	Estuary	HT132877-1	DC-E-HFD	0.05	0.1	ND	7.72	24.30		Dry			
7/15/2009	Henry Ford Ave.	Estuary	HT133123-1	DC-E-HFD	0.05	0.1	ND	7.74	25.10		Dry			
7/22/2009	Henry Ford Ave.	Estuary	HT133363-1	DC-E-HFD	0.05	0.1	ND	7.76	25.30		Dry			
7/29/2009	Henry Ford Ave.	Estuary	HT133594-1	DC-E-HFD	0.05	0.1	0.16	7.75	21.00	0.004	Dry	2.225	0.029	No
8/5/2009	Henry Ford Ave.	Estuary	HT133830-1	DC-E-HFD	0.05	0.1	ND	7.75	21.90		Dry			
8/13/2009	Henry Ford Ave.	Estuary	HT134118-1	DC-E-HFD	0.05	0.1	ND	7.74	25.50		Dry			
7/1/2009	Sepulveda Blvd. @ Alameda St.	Estuary	HT132614-2	DC-E-SPV	0.05	0.1	ND	7.63	23.30		Dry			
7/8/2009	Sepulveda Blvd. @ Alameda St.	Estuary	HT132877-2	DC-E-SPV	0.05	0.1	ND	7.71	24.30		Dry			
7/15/2009	Sepulveda Blvd. @ Alameda St.	Estuary	HT133123-2	DC-E-SPV	0.05	0.1	ND	7.75	24.90		Dry			
7/22/2009	Sepulveda Blvd. @ Alameda St.	Estuary	HT133363-2	DC-E-SPV	0.05	0.1	ND	7.73	25.40		Dry			
7/29/2009	Sepulveda Blvd. @ Alameda St.	Estuary	HT133594-2	DC-E-SPV	0.05	0.1	0.16	7.62	24.50	0.004	Dry	2.047	0.288	No
8/5/2009	Sepulveda Blvd. @ Alameda St.	Estuary	HT133830-2	DC-E-SPV	0.05	0.1	ND	7.69	22.40		Dry			
8/13/2009	Sepulveda Blvd. @ Alameda St.	Estuary	HT134118-2	DC-E-SPV	0.05	0.1	ND	7.76	23.60		Dry			
7/1/2009	Artesia Blvd. @ Western Ave.	Freshwater	HT132614-6	DC-F-ART	0.05	0.1	ND	8.77	24.30		Dry			
7/8/2009	Artesia Blvd. @ Western Ave.	Freshwater	HT132877-6	DC-F-ART	0.05	0.1	DNQ (0.08)	8.42	24.30		Dry			
7/15/2009	Artesia Blvd. @ Western Ave.	Freshwater	HT133123-6	DC-F-ART	0.05	0.1	ND	8.56	29.50		Dry			
7/22/2009	Artesia Blvd. @ Western Ave.	Freshwater	HT133363-6	DC-F-ART	0.05	0.1	ND	9.04	31.20		Dry			
7/29/2009	Artesia Blvd. @ Western Ave.	Freshwater	HT133594-6	DC-F-ART	0.05	0.1	0.12	8.81	25.50	0.033	Dry	0.320	-	No
8/5/2009	Artesia Blvd. @ Western Ave.	Freshwater	HT133830-6	DC-F-ART	0.05	0.1	ND	9.16	29.40		Dry			
8/13/2009	Artesia Blvd. @ Western Ave.	Freshwater	HT134118-6	DC-F-ART	0.05	0.1	ND	9.01	26.80		Dry			
7/1/2009	El Segundo Blvd.	Freshwater	HT132614-8	DC-F-ELS	0.05	0.1	ND	9.76	24.30		Dry			
7/8/2009	El Segundo Blvd.	Freshwater	HT132877-8	DC-F-ELS	0.05	0.1	ND	9.88	24.70		Dry			
7/15/2009	El Segundo Blvd.	Freshwater	HT133123-8	DC-F-ELS	0.05	0.1	ND	10.12	32.00		Dry			
7/22/2009	El Segundo Blvd.	Freshwater	HT133363-8	DC-F-ELS	0.05	0.1	ND	8.99	31.50		Dry			
7/29/2009	El Segundo Blvd.	Freshwater	HT133594-8	DC-F-ELS	0.05	0.1	0.18	10.14	30.00	0.165	Dry	0.070	-	Yes
8/5/2009	El Segundo Blvd.	Freshwater	HT133830-8	DC-F-ELS	0.05	0.1	ND	9.57	30.70		Dry			
8/13/2009	El Segundo Blvd.	Freshwater	HT134118-8	DC-F-ELS	0.05	0.1	ND	9.69	27.80		Dry			
7/1/2009	Manhattan Beach Blvd.	Freshwater	HT132614-7	DC-F-MAN	0.05	0.1	ND	8.84	24.30		Dry			
7/8/2009	Manhattan Beach Blvd.	Freshwater	HT132877-7	DC-F-MAN	0.05	0.1	ND	8.60	24.50		Dry			
7/15/2009	Manhattan Beach Blvd.	Freshwater	HT133123-7	DC-F-MAN	0.05	0.1	ND	8.62	25.70		Dry			
7/22/2009	Manhattan Beach Blvd.	Freshwater	HT133363-7	DC-F-MAN	0.05	0.1	ND	8.79	26.90		Dry			
7/29/2009	Manhattan Beach Blvd.	Freshwater	HT133594-7	DC-F-MAN	0.05	0.1	1.50	8.93	26.00	0.513	Dry	0.257	-	Yes
8/5/2009	Manhattan Beach Blvd.	Freshwater	HT133830-7	DC-F-MAN	0.05	0.1	ND	8.41	25.40		Dry			
8/13/2009	Manhattan Beach Blvd.	Freshwater	HT134118-7	DC-F-MAN	0.05	0.1	ND	8.48	24.60		Dry			
7/1/2009	Vermont Ave.	Freshwater	HT132614-5	DC-F-VER	0.05	0.1	ND	8.71	24.30		Dry			
7/8/2009	Vermont Ave.	Freshwater	HT132877-5	DC-F-VER	0.05	0.1	ND	8.57	24.40		Dry			
7/15/2009	Vermont Ave.	Freshwater	HT133123-5	DC-F-VER	0.05	0.1	ND	8.89	29.50		Dry			
7/22/2009	Vermont Ave.	Freshwater	HT133363-5	DC-F-VER	0.05	0.1	0.15	7.96	28.70	0.009	Dry	1.033	-	No
7/29/2009	Vermont Ave.	Freshwater	HT133594-5	DC-F-VER	0.05	0.1	0.17	8.70	25.10	0.038	Dry	0.3933	-	No
8/5/2009	Vermont Ave.	Freshwater	HT133830-5	DC-F-VER	0.05	0.1	ND	8.69	27.40		Dry			
8/13/2009	Vermont Ave.	Freshwater	HT134118-5	DC-F-VER	0.05	0.1	ND	8.91	26.50		Dry			

Notes:
MDL = Method Detection Limit (the concentration of a substance that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero, as defined in 40 CFR Part 136 Appendix B).

Table D.6: Dominguez Channel - Ammonia Study Data Summary														
Date	Sampling Site	Waterbody	Sample ID EMD	Sample ID WPD	MDL (mg/L)	ML (mg/L)	Total Ammonia Concentration (mg/L NH ₃ -N)	pH	Temperature (° C)	Unionized Ammonia (mg/L)	Weather	Basin Plan Amendment (2002, 2004) Criteria		Exceed.
												Total Ammonia (NH ₃ - N) (mg/L)	Unionized Ammonia (NH ₃ -N) (mg/L)	

ML = Minimum Level (the concentration of a substance equivalent to the lowest calibration standard).
ND = Not Detected (concentration below MDL).
DNQ = Detected, NOT Quantified (concentration falls below the ML, but above the MDL). Estimated values shown in parentheses.
AE = Analysis Error (no value to report)
pH/Temperature were measured using a temperature-compensated pH probe, calibrated daily prior to use.

Source:
City of Los Angeles, Department of Public Works, Bureau of Sanitation, Watershed Protection Division, Pollution Assessment Section
Special Ammonia Sampling at Dominguez Channel
4 Freshwater, 4 Estuary Stations

DRAFT


PAGE INTENTIONALLY LEFT BLANK

DRAFT

Attachment E

Watershed Control Measures Figures

PAGE INTENTIONALLY LEFT BLANK



Copyright © 2013 Esri



Figure E.1
Existing Distributed BMPs

PAGE INTENTIONALLY LEFT BLANK

Attachment F

Regional and Distributed BMP Types

PAGE INTENTIONALLY LEFT BLANK

This attachment includes a variety of regional and distributed Best Management Practices (BMPs) and regional BMPs that could potentially be implemented in the future by the Dominguez Channel Watershed Management Group (DC WMG), corresponding with Section 3.1.1 of the DC WMG Enhanced Watershed Management Program (EWMP).

Regional BMPs

Regional BMPs are large scale runoff treatment and retention systems that accept runoff from tens to hundreds of acres of development. For reference, a 0.75-inch storm falling over a typical hundred acre urban area can generate five acre-feet of runoff or over 1.6 million gallons (City of Los Angeles, 2013). They are generally owned by agencies with dedicated funding support for their maintenance or where the facilities support multiple beneficial uses such as groundwater recharge and recreation to achieve Integrated Regional Water Management Program objectives. Typically the first flush of runoff, which carries the pollutants of concern and debris at high concentrations, receives solids removal pretreatment. In most areas, after the runoff is captured and stored it can be treated and discharged, used for non-potable purposes, infiltrated into the soil, or a combination of the three.



Surface Infiltration Basins

Surface infiltration basins make an important contribution towards regional groundwater management. A key characteristic of these basins is placement over alluvial soils that allow rapid drawdown following the storm event. The DC WMG has limited areas suitable for rapid infiltration, therefore careful planning, along with multiple infiltration tests, should be conducted to verify site specific infiltration capabilities.



Underground Cisterns

For areas where infiltration is deemed infeasible, the 2012 Municipal Separate Storm and Sewer System (MS4) Permit directs the implementation of water capture and use projects which can be supported using underground cisterns that temporarily store the runoff until needed for use such as for irrigation. These systems can take many forms such as below grade water tanks, medium sized modular precast concrete units, or very large precast bridge or arch structures. Modular units are installed over a water proof geotextile to retain the water within the cistern. Holding times are a concern with underground cisterns and vector control measures should be implemented if holding times are greater than seventy-two hours. Additionally, the Department of Health has specific criteria for blended irrigation systems which should be reviewed during the preliminary design period. A recently constructed example of this technology is Garvanza Park in the City of Los Angeles. Modular units were installed under an existing park to accept stormwater runoff. Flows beyond the cistern capacity are bypassed down the existing storm drain. The stored water is used for park irrigation during the early morning hours when the park is closed and the risk of bodily contact is least.



Subsurface Infiltration Basins

In areas where infiltration is favorable, a similar cistern design can be used, except the geotextile is omitted so that the runoff may infiltrate into the ground below the cistern and be naturally filtered before recharging the regional groundwater table. One example of a subsurface infiltration basin is the City of Downey Discovery Park. The Park utilizes cisterns, which provides 3.3 acre-feet of infiltration storage and an additional 4.8 acre-feet of peak flow detention to reduce regional flooding. Systems for this size warrant multiple entry points and a vent system to allow air to escape during periods of peak runoff inflow, which has been estimated at one-hundred cubic feet per second.



Extended Retention Wetlands


Extended retention wetlands are favored where rainfall or runoff is present year round so that replenishment water is available to maintain the wetland and aquatic life. They must also discharge when large storm events or storm event series are encountered. Water depths in extended retention wetlands are greater than depths seen in subsurface flow wetlands, therefore the area requirements are lessened and there is a significant risk of the water becoming stagnant and overgrown with algae mats. Extended retention wetlands are expected to function for retention. Depending on the anticipated rainfall depth, the volume required for retention could be excessively large, demanding a large wetland area.

Seasonal Dry Detention Ponds

Seasonal detention ponds are an effective method for detaining runoff so that it can be metered out through secondary treatment, such as a bioswale, sand filter, or media filter. They are also effective in avoiding damage associated with hydromodification or flooding due to limited downstream conveyance capacity.

Constructed/Subsurface Flow Wetlands

Unless extensive land area and substrate is available, subsurface flow wetlands are generally reserved as a tertiary treatment or polish for the effluent from wastewater treatment facilities, but can be utilized in relatively small catchments where nutrients are a significant issue. The design is generally based on either a relatively dependable and consistent inflow or the ability to primarily function in detention rather than extended retention. They may also be practical for remediation of dry-weather and very low first flush runoff drainage systems, so long as higher flows may be diverted away. They are impractical where water depths of over a few feet would be present for more than seventy-two hours.



Low Flow Diversion Pump Stations

Low flow diversion pump stations are operationally straight forward, but connection to the sanitary sewer system can be problematic due to capacity issues, connection limitations, treatment costs and unexpected prohibitions due to changes in the water quality. Low flow diversion pump stations are very effective at diverting dry-weather flows. Typically, they are constructed adjacent to manholes and are slightly deeper than the adjacent drainage channels such that low flow runoff is diverted from the peak flow. It is possible to use the low flow diversion in connection with a detention basin where larger flows can be held during a peak event and slowly discharged to the sanitary sewers for treatment.

Sand and Media Filters

Surface, or Austin sand filters, are at ground-level and typically earthen. They are easy to maintain, but have a large footprint. Perimeter, or Delaware, sand filters consist of two parallel trench chambers located in concrete vaults below an impervious surface, such as a parking lot. Sand filters are estimated to remove 80 percent of total suspended solids, 50 percent of total phosphorus, 25 percent of total nitrogen, 40 percent of fecal coliform, and 50 percent of heavy metals from typical stormwater runoff (San Francisco, 2010). Media filters detain and treat stormwater through filtration and absorption of pollutants to the filter media. Media filters containing both organic and mineral filtration materials generally have greater ion exchange capacity than sand filters, and therefore can more effectively remove soluble metals and other dissolved pollutants. This renders media filters particularly effective for roadways and highly industrial sites that contribute higher concentrations of metals to stormwater runoff, particularly zinc and copper. These filters have been shown to consistently remove over 85 percent of oil and grease, 82 percent of heavy metals, and around 40 percent of total phosphorus (San Francisco, 2010). While media filters are generally better at removing metals and organics, new media types may have the capabilities to reduce nutrients and sulfate in the future.

Membrane Filtration Systems

Membrane Filtration water treatment systems use semi-permeable membranes under high pressure to exude clean water, leaving behind a brine with the pollutants. The higher pressure membrane types such as reverse osmosis or ultrafiltration are highly effective at removing dissolved contaminants, while lower pressure systems filter bacteria and viruses. These systems usually require pre-treatment as particulate matter can foul the ion selective membrane and reduce performance. Operation and maintenance costs associated with membrane filtration are high due to the large consumption of energy required for filtration. In addition, membrane filtration systems are very expensive to operate and treatment volumes are relatively small.

Ion Exchange Systems

Ion exchange is a polishing step that specifically targets polar dissolved constituents, such as sulfate. Pretreatment is required prior to ion exchange as suspended solids will clog the exchange columns. Ion exchange systems can be used to treat stormwater from pollution generating impervious surfaces at the end of pipe using a pump system; they are also commonly used to treat contaminated groundwater. Operation and maintenance costs associated with ion exchange are high due to the large consumption of energy required to run an exchange system.

Distributed BMPs

Generally, distributed BMPs are installed and constructed during the development/redevelopment process or at construction sites as part of the various Minimum Control Measure (MCM) programs required by the MS4 Permit as discussed in greater detail in Section 3.2 of the DC WMG EWMP. Distributed BMPs are implemented at the street-scale level for parcels typically less than one acre. They are generally owned by agencies with dedicated funding support for their maintenance or by private developments. Typically, distributed BMPs are sized to treat the first flush of runoff, which carries the pollutants of concern and debris at high concentrations.

Bioretention Planters and Rain Gardens

Bioretention is a BMP that relies on inundation tolerant vegetation and native or engineered soils with high organic content, to capture, infiltrate, and transpire runoff, while retaining pollutants. If designed properly, especially where native soils are sufficiently permeable and without other constraints to infiltration, rain gardens and larger bioretention facilities can be aesthetic amenities in addition to being cost effective. The planters should be flat and require maintenance such as weeding, trimming, and the replacement of dead plants (San Francisco, 2010).



Rain Barrels

Rain barrels hold roof runoff, usually delivered by rain gutters and downspouts, and store the water for later use. Screen installations at the downspout inlets prevent sediment, leaves, debris and mosquitoes from entering the rain barrel. Rain barrels are easily constructed for aesthetic purposes to compliment adjacent structures. Overall, maintenance requirements are minimal and include frequent visual inspections during the storm season and removal of accumulated sediment or debris. When effectively designed to capture and contain the runoff from a rooftop structure, a rain barrel can prevent runoff from small frequency storm events from leaving the property. This will reduce onsite water usage and the amount of pollutants that may potentially be carried offsite. This Low Impact Development (LID) BMP can be implemented throughout residential areas, as approved by the Los Angeles County West Vector and Vector-Borne Disease Control District (Saviskas, 2009).



Cisterns

Cisterns provide retention storage in above or below ground storage tanks that accept diverted roof runoff and distribute it for later use, usually by pump to adjacent landscaped areas. Runoff collected in the cistern tank is often used for onsite landscape irrigation since outdoor irrigation can account for 40% of water consumption during spring and summer (USEPA, 2013a). Cisterns can be constructed using nearly any impervious water retaining material and are distinguishable from rain barrels only by their larger sizes and different shapes. Cisterns are an effective onsite retrofit option for treating rooftop runoff from selected residential, commercial, industrial, institutional, and municipal sites. By using cisterns, a quantifiable amount of stormwater runoff from impervious surfaces such as rooftops, parking structures, and elevated walkways can be captured and stored onsite to reduce the runoff volume and peak runoff flow rates. For smaller storm events, this captured runoff will reduce pollutant loads to the MS4 by preventing the first flush of contaminants over the source site. Stored rainwater may also conserve potable water supplies and reduce water utility bills. Cisterns can be utilized on both a large and small scale for regional or distributed projects.




Infiltration Pits and Drywells

Infiltration pits are among the first BMPs used in the Los Angeles region and are typically constructed by digging pits sized to accommodate the runoff source and design storm, lined with geotextile filter fabric, and filled with gravel or aggregate. The retention volume can be increased using various open retention systems or large diameter plastic half pipes in addition to the aggregate. The surface can be either open to accept incoming runoff or receive the downspout from a rain gutter and then covered with vegetation.



A dry well is operationally similar to an infiltration pit, but larger and more formally constructed. Pretreatment techniques, such as grass filter strips, a sand layer, clean aggregates, or a small settling chamber, are recommended to prevent clogging and maintain infiltration. It is recommended that dry wells maintain a minimum clearance of ten feet from the surface of the seasonal high water table and any foundations. Dry wells are lined with geotextile filter fabric to prevent soil intrusion and filled with clean graded aggregate or volume enhancing structures, such as open plastic half pipes (San Francisco, 2010).

When designed properly, a dry well can serve small impervious areas such as residential rooftops, however if they are bored, drilled, driven shaft, or a dug hole that is deeper than its widest surface dimension, it may be classified as a Class V injection well and requires permitting through the United States Environmental Protection Agency (USEPA). This LID BMP has high pollutant removal efficiencies for sediments, nutrients, trash, metals, bacteria, oil, grease, and organics.



Infiltration Basins, Swales, and Trenches

An infiltration basin or trench is a shallow impoundment over permeable soil that holds and stores runoff until infiltration can occur, using the natural filtering ability of the soil to filter out pollutants. This LID BMP is effective at retaining sediment associated pollutants, but can become clogged, requiring removal of the upper soil. Use of a vegetated swale, or settling forebay, will extend the basin's longevity and reduce maintenance costs. Infiltration basins are best constructed over soils with infiltration rates of half an inch per hour or greater and they should have at least a four foot separation from basin bottom to groundwater table (San Francisco, 2010).




If adequate space is available, infiltration basins are cost-effective measures, even for regional scale projects, because little infrastructure is needed for their construction. However, site-specific conditions can cause significant variations in cost. California Stormwater Quality Association (CASQA) (2003) cites costs ranging from approximately three to eighteen dollars per cubic foot of storage. Annual maintenance costs are estimated to be approximately five to ten percent of construction costs (USEPA, 2013b).



Porous/Pervious Pavements

Pervious pavement allows rainfall to drain into an aggregate bed or structural retention unit where it is stored until infiltration can occur. There are many pervious pavements including porous concrete, plastic grid system, interlocking paving stones, brick, grass pavers, gravel pavers, and crushed stones. These materials allow for onsite infiltration that efficiently filters out pollutants such as bacteria, nutrients, and metals. Infiltration rates of the native soil are a key element to the overall design. Pervious pavements can be designed with a perforated underdrain system to redirect stormwater to a storm drain in areas where infiltration is infeasible. Using an underdrain system still results in improved water quality since stormwater will have passed through the BMP and undergone natural filtration and treatment processes. This type of BMP can also be used to disconnect directly connected impervious areas such as rooftops and parking lots. Vegetated runoff should not drain onto the pervious pavement as it may clog the system and require more frequent maintenance. Permeable



pavements may be used in many locations where conventional pavements are used, such as parking lots, driveways, and walkways. Areas with the potential for spills, such as gas stations, should be avoided. Using proper maintenance techniques, pervious pavement can remove a significant portion of pollutants in stormwater runoff and reduce pavement ponding.

Green Roofs are commonly recommended BMPs that are appropriate in some climates, but may be challenging to maintain or support in areas with a risk of brush fires and little annual rainfall. Intensive systems have large depths and cover much of the roof while extensive systems feature minimal plantings that require little maintenance. Green roofs enhance water quality, reduce runoff and are visually appealing as a rest area above office buildings. The amount of stormwater that a green roof can contain is proportional to the area of coverage, types of plants, slope, and many other factors. Green roofs can be constructed during the building's construction phase or included as a retrofit. When retrofitting, it must be noted that the building needs to support the weight of the green roof under fully saturated conditions. A waterproof membrane should be laid over the building to protect it from structural damage and overflow should be addressed through a drainage layer. Green roofs also provide insulation, help reduce building temperatures during summer months, and counter the heat island effect.



Like LID, Green Street design is strongly encouraged by the 2012 MS4 Permit and all of the Permittees within the DC WMG have developed or adopted green streets policies. They can take many forms such as an inverted street cross section with a vegetated low center median, vegetated curb extensions, parkways that trap and hold gutter flows, or planter boxes connected to the gutter and filled with highly porous soil and appropriate vegetation. In areas where sediment generation is limited or can be accommodated by pretreatment through a bioswale, porous concrete may be used to construct gutters so that flows may infiltrate. The City of Santa Monica is currently investigating the construction of large infiltration systems within the parkway that may be designed to accept dry-weather or design storm flows for small residential catchments. When properly designed, these structural BMPs can alleviate many of the types of pollutants that are of particular concern to the City.



Connector Pipe Screens

While several devices have been certified as meeting the definition of full capture, the most commonly installed device in Los Angeles County is a Connector Pipe Screen (CPS). Generically, CPSs are made from stainless steel mesh, with five millimeter openings, that stretch in front of the lateral or outlet from a catch basin and are secured to the walls and floor of the catch basin, with an opening above the screen that is greater in area than the outlet. During most events, runoff will flow through the screen leaving the trash upstream of, or on, the screen. During high intensity storms or if the mesh becomes occluded runoff can still flow over the screen and out of the catch basin to prevent flooding. Based on experience in other jurisdictions, 75-90 percent or more of the catch basins can be retrofitted with this device (Gateway Cities Council of Governments Trash Implementation, 2013). While regular maintenance to remove debris trapped on the upstream side of the screen is required, the intensity of maintenance is correlated with the amount of trash and debris collected. Many jurisdictions are familiar with the device and assessing compliance through their use, so it is expected that implementation should be relatively straight forward. In locations where the trash load results in excessive maintenance costs or to provide additional efforts to reduce trash, many jurisdictions also install Automatic Retracting Screens (ARS).



The only trash TMDL that is currently applicable to the DC WMG is the Machado Lake Trash TMDL. Areas tributary to Machado Lake are planning on installing CPS devices within each catch basin by 2016.

Automatic Retracting Screens

An ARS extends across the opening or “mouth” of the catch basin and traps trash and debris at street level where street sweepers or hand crews may remove the trash before it can enter into the catch basin or drain. However, in order to avoid flooding and reduce maintenance costs, the ARS will open or retract to allow trash to enter the catch basin and be trapped on the CPS. Areas that generate sufficient trash and debris to warrant the use of ARS in combination with a CPS are usually also subject to enhanced street sweeping on a weekly or even more frequent basis.



Hydrodynamic Separation Devices

While the DC WMG has several trash BMPs in place, more can be installed to help the Permittees reach zero trash in compliance with the Machado Lake Trash TMDL and other MS4 Permit requirements. Hydrodynamic Separation Devices effectively screen, separate, and trap debris, sediment, oil, and grease from stormwater and urban runoff. The indirect screening capability of the system allows for up to 100 percent removal of floatables and neutrally buoyant materials, without binding. These systems utilize the natural motion of water to separate and trap sediments by indirect filtration. As the storm water flows through the system, a very fine screen deflects the pollutants, which are captured in a litter sump in the center of the system. Hydrodynamic Separation Devices generally have screens that are self-cleaning. The water velocities within the swirl chamber continually shear debris off the screen to keep it clean. Hydrodynamic Separation Device systems are ineffective in removing soluble pollutants and smaller, less-settleable solids. They can provide effective pretreatment when paired with filtration devices, such as media filters or bioretention areas, covered in sections above to achieve higher removals of nutrient,

metals, and organics. Between storms, the CDS system can have standing water that could raise mosquito breeding concerns, which increase the concerns of vector control (San Francisco, 2010).

One Hydrodynamic Separation Devices is the Continuous Deflective Separation (CDS) system. The processing capacities of a CDS unit vary from three to three-hundred cubic feet per second, depending on the application. Precast modules are available for flows up to sixty-two cubic feet per second, while higher flow processing requires cast-in-place construction. Every unit requires a detailed hydraulic analysis before it is installed to ensure that it achieves optimum solids separation. The cost per unit (including installation) ranges from 2,300 to 7,200 dollars per cubic feet per second capacity, depending on site specific conditions and does not include any required maintenance (Hydrodynamic Separators, EPA).



Maintenance of the CDS system is site-specific but the manufacturer recommends that the unit be checked after every runoff event for the first thirty days after installation. During this initial installation period, the unit should be visually inspected and the amount of deposition should be measured to give the operator an idea of the expected rate of sediment deposition. After the initial operational period, it is recommended that the CDS system be inspected at least once, thirty days after the wet season. During these inspections, the floatables should be removed and the sump cleaned out. It is also recommended that the CDS systems be pumped out and the screen inspected for damage at least once per year.

PAGE INTENTIONALLY LEFT BLANK

Attachment G

Existing Structural BMPs

PAGE INTENTIONALLY LEFT BLANK

This attachment includes tables summarizing the existing Best Management Practices (BMPs) implemented by the Dominguez Channel Watershed Management Group (DC WMG), corresponding with Section 3.1 of the DC WMG Enhanced Watershed Management Program (EWMP).

Attachment G List of Tables

Table G.1: Number of Reported BMPs Maintained during 2010-2011 by the DC WMG	G-3
Table G.2: Number of Reported BMPs Maintained during 2011-2012 by the DC WMG	G-5
Table G.3: Number of Reported BMPs Installed during 2010-2011 by the DC WMG.....	G-9
Table G.4: Number of Reported BMPs Installed during 2011-2012 by the DC WMG.....	G-11
Table G.5: City of Los Angeles/Inglewood BMPs in the DC WMG	G-14
Table G.6: Detailed List of Existing Distributed BMPs in DC WMG	G-16

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table G.1: Number of Reported BMPs Maintained during 2010-2011 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
Structural BMPs									
Category	Subcategory	BMPs							
Regional	Infiltration	Infiltration Basin		3					3
	Detention								
	Constructed Wetland								
	Treatment Facilities								
	Low Flow Diversions	Diversion Structure						4	4
Distributed	Site-Scale Detention								
	Green Infrastructure	Biofilters		2					2
		Geo Block Porous Pavement					12		12
		Infiltration Trenches		1			42		43
	Flow-through Treatment BMPs								
	Source Control Structural BMPs	Abtech Ultra Urban Catch Basin Insert					82		82
		Automatic Retractable Screen Catch Basin (ARS)						179	179
		CDS Gross Pollutant Separators		1			14		15
		Clean Screen Catch Basin Inserts	15					60	75
		Connector Pipe Screens Catch Basin (CPS)						179	179
		Covered Material Bunkers	12						12
		Covered Trash Bins	15	1				2	18

Table G.1: Number of Reported BMPs Maintained during 2010-2011 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
Distributed	Source Control Structural BMPs (Continued)	Drain Pac Catch Basin Inserts					352		352
		Extra Trash Cans	62					159	221
		Floating Trash Booms						1	1
		Fossil Filter Catch Basin Inserts	1	43			198	4	246
		Grate Plate - Entrance						2	2
		Restaurant Vent Traps	44						44
		Sand Bag						800	800
		Sand Filter		3					3
		Signage & Stenciling		65					65
		Silt Fence						1	1
		Stormceptor Gross Pollutant Separators	6				9		15
		Straw Mulch						5	5
Institutional BMPs									
	Dog Parks	2				7		9	
	Enhanced Street Sweeping	2					1	3	

Table G.2: Number of Reported BMPs Maintained during 2011-2012 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
Structural BMPs									
Category	Subcategory	BMPs							
Regional	Infiltration	Infiltration Basin / Chamber		4					4
	Detention								
	Constructed Wetland								
	Treatment Facilities								
	Low Flow Diversions								
Distributed	Site-Scale Detention								
	Green Infrastructure	Bioretention Facility(planter box)					144		144
		Bioswale		4					4
		Filtterra Biofiltration Unit						4	4
		Geo Block Porous Pavement					12		12
		Green Roof					1		1
		Infiltration Trenches		1			44	3	48
		Vegetated Swale/Strip					29		29
	Flow-through Treatment BMPs								
	Source Control Structural BMPs	Abtech Ultra Urban Catch Basin Insert					82		82
		Automatically Retractable Screens (ARS)						160	160
		Catch Basin Connector Pipe Full Capture(CPS)						193	193

Table G.2: Number of Reported BMPs Maintained during 2011-2012 by the DC WMG

BMP Type		El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
Distributed	Source Control Structural BMPs (Continued)	Catch Basin Insert				2		2
		Catch Basin Opening Screen				3460		3460
		CDS Gross Pollutant Separators	1			17		18
		Check Dam					3	3
		Clean Screen Catch Basin Inserts	15				15	30
		Concrete Washout Containers					3	3
		Covered Material Bunkers	12				59	71
		Covered Trash Bins	15	1			12	28
		Covered Waste Fuel Tanks					1	1
		Drain Pac Catch Basin Inserts				352		352
		Extra Trash Cans	62				182	244
		Fiber Rolls					6	6
		Fossil Filter Catch Basin Inserts	1	43		237	18	299
		Gravel Bag Berm					4	4
		Jensen				1		1
		Potable Water / Irrigation					4	4
		Restaurant Vent Traps	44					44
		Sand Filter		4		1		5
		Sandbags					821	821

Table G.2: Number of Reported BMPs Maintained during 2011-2012 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
Distributed	Source Control Structural BMPs (Continued)	Secondary Containment for Waste Oil Tanks						1	1
		Sediment Trap						5	5
		Shakers						2	2
		Signage & Stenciling		73					73
		Slope Stabilization						2	2
		Soil Stabilizer Tracking Control						2	2
		Spill Containment-Temp. Hazardous Material Storage						4	4
		Spill Prevention & Control						4	4
		Stabilized Construction Entrance/Exit						35	35
		Steel Plate						30	30
		Stormceptor Gross Pollutant Separators	6				9	6	21
		Storm Drain Inlet Protection						26	26
		Trench Drain Inlet						2	2
		Upgraded Fuel System with Canopy						2	2
Institutional BMPs									
		Concrete Curing			38				38
		Concrete Finishing			38				38
		Concrete Waste Management			15				15
		Dog Parks	2	7					9

Table G.2: Number of Reported BMPs Maintained during 2011-2012 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
		Dust Control			2				2
		Erosion Control			4				4
		Enhanced Street Sweeping	2					61	63
		Hazardous Waste Management						3	3
		Liquid Waste Management			1				1
		Material Delivery & Storage			4				4
		Off-site Vehicle & Equipment Fueling			7				7
		Paving & Grinding Operations			8				8
		Preservation of Existing Vegetation			4				4
		Sanitary Septic Waste Management			4				4
		Scheduling			1				1
		Solid Waste Management						7	7
		Stockpile Management			12				12
		Vehicle & Equipment Maintenance			4				4
		Water Conservation Practices			4				4
		Water Trucks			2				2
		Wind Erosion Control			7				7

Table G.3: Number of Reported BMPs Installed during 2010-2011 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	City of Los Angeles	County of Los Angeles	Total
Structural BMPs									
Category	Subcategory	BMPs							
Regional	Infiltration	Infiltration Basin, Chamber, Pit		2					2
	Detention								
	Constructed Wetland								
	Treatment Facilities								
	Low Flow Diversions								
Distributed	Site-Scale Detention								
	Green Infrastructure	Bioswale		1					1
		Infiltration Trenches					5		5
	Flow-through Treatment BMPs								
	Source Control Structural BMPs	Abtech Ultra Urban Catch Basin Insert					16		16
		Automatic Retractable Screens Catch Basin (ARS)			179				179
		Clean Screen Catch Basin Inserts						1	1
		Connector Pipe Screens Catch Basin (CPS)			179				179
		Covered Trash Bins						2	2
		Fossil Filter Catch Basin Inserts					25		25
		Grate Plate Entrance			2				2
		Sand Filter		1					1

Table G.3: Number of Reported BMPs Installed during 2010-2011 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	City of Los Angeles	County of Los Angeles	Total
	Source Control Structural BMPs (Continued)	Sandbag			300				300
		Signage & Stenciling		10					10
		Silt Fence			1				1
		Straw Mulch			5				5
Institutional BMPs									
		Enhanced Street Sweeping						1	1

Table G.4: Number of Reported BMPs Installed during 2011-2012 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
Structural BMPs									
Category	Subcategory	BMPs							
Regional BMPs	Infiltration	Infiltration Basin, Chamber, Pit, Trench		1	3				4
	Detention	Detention Basin							1
	Constructed Wetland								
	Treatment Facilities								
	Low Flow Diversions								
Distributed BMPs	Site-Scale Detention								
	Green Infrastructure	Bio-retention Facility					15		15
		Bioswale		2	1				3
		Dry Well			1				1
		Filtterra Biofiltration Unit						4	4
		Green Roof					1		1
		Infiltration Trenches			2		2	1	5
		Vegetated Swales			1		3		4
	Flow-through Treatment BMPs								
	Source Control Structural BMPs	Abtech Ultra Urban Catch Basin Insert					16		16
		Catch Basin Inserts (various)			21	2	3		26
		Catch Basin Opening Screen					502		502

Table G.4: Number of Reported BMPs Installed during 2011-2012 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
Distributed	Source Control Structural BMPs (Continued)	CDS Gross Pollutant Separators					3		3
		Check Dams						3	3
		Clean Screen Catch Basin Inserts						4	4
		Covered Trash Bins			5				5
		Fossil Filter Catch Basin Inserts					39		39
		Fueling Area Control				1			1
		Gravel Bag Berm						4	4
		Jensen					1		1
		Rooftop Runoff Control				1			1
		Sand Filter		1			1		2
		Signage & Stenciling		8		3			11
		Silt Fence						4	4
		Stabilized Construction Entrance/Exit						6	6
		Storm Drain Inlet Protection						12	12
		StormFilter			3				3
		Trash Storage Area				1			1
		Vertex Separator				1			1
Institutional BMPs									
		Concrete Curing						15	15

Table G.4: Number of Reported BMPs Installed during 2011-2012 by the DC WMG									
BMP Type			El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	County of Los Angeles	Total
		Concrete Finishing						5	5
		Concrete Waste Management						5	5
		Enhanced Street Sweeping						3	3
		Hazardous Waste Management						3	3
		Offsite Vehicle & Equipment Fueling						2	2
		Paving & Grinding Operations						2	2
		Potable Water/ Irrigation						2	2
		Preservation of Existing Vegetation						4	4
		Sanitary Septic Waste Management						3	3
		Scheduling						1	1
		Solid Waste Management						4	4
		Spill Prevention & Control						3	3
		Stockpile Management						8	8
		Vehicle & Equipment Maintenance						2	2
		Water Conservation Practices						3	3
		Wind Erosion Control						3	3

Table G.5: City of Los Angeles/ Inglewood BMPs in the DC WMG					
BMP Type			Inglewood	Los Angeles	Total
Structural BMPs					
Category	Subcategory	BMPs			
Regional	Infiltration	Infiltration System Peck Park Canyon Stormwater Enhancement Rosecrans Recreational Center Stormwater Enhancements Wilmington Drain Rehabilitation		3	3
	Detention	Detention System Peck Park Canyon Stormwater Enhancement Rosecrans Recreational Center Stormwater Enhancements Wilmington Drain Rehabilitation		3	3
	Constructed Wetland				
	Treatment Facilities	Carson Regional Water Recycling Project	1		1
	Low Flow Diversions				
Distributed	Site-Scale Detention				
	Green Infrastructure	Bio-retention Planters Peck Park Canyon Stormwater Enhancement Rosecrans Recreational Center Stormwater Enhancements Wilmington Drain Rehabilitation		3	3
		Drought Tolerant Plants Peck Park Canyon Stormwater Enhancement Rosecrans Recreational Center Stormwater Enhancements Wilmington Drain Rehabilitation		3	3
	Flow-through Treatment BMPs				
	Source Control Structural BMPs				
Institutional BMPs					
		Stormwater Re-use Carson Regional Water Recycling Project Peck Park Canyon Stormwater Enhancement Rosecrans Recreational Center Stormwater Enhancements Wilmington Drain Rehabilitation Well 7	1	4	5

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
Hawthorne							
1	SUSMP	Institutional	Storm Drain Stencil and Signage	1 Northrop Ave	33.920038	-118.334708	12/7/2005
2	SUSMP	Source Control	7 Filter Inserts	1 Northrop Ave	33.920038	-118.334708	12/7/2005
3	SUSMP	Institutional	Storm Drain Stencil and Signage	10320 Cerise Ave	33.919236	-118.333397	
4	SUSMP	Source Control	Clarifier	10320 Cerise Ave	33.919236	-118.333397	
5	SUSMP	Institutional	Storm Drain Stencil and Signage	11330 Hawthorne Blvd	33.931214	-118.352108	9/22/2004
6	SUSMP	Source Control	3 Filter Inserts	11330 Hawthorne Blvd	33.931214	-118.352108	9/22/2004
7	SUSMP	Green Infrastructure	Vegetated Swale	11436 Hawthorne Blvd	33.930169	-118.351858	4/30/2007
8	SUSMP	Institutional	Storm Drain Stencil and Signage	11436 Hawthorne Blvd	33.930169	-118.351858	4/30/2007
9	SUSMP	Source Control	3 Filter Inserts	11436 Hawthorne Blvd	33.930169	-118.351858	4/30/2007
10	SUSMP	Institutional	Storm Drain Stencil and Signage	11540 Hawthorne Blvd	33.929622	-118.352097	
11	SUSMP	Source Control	1 Filter Insert	11540 Hawthorne Blvd	33.929622	-118.352097	
12	SUSMP	Institutional	Storm Drain Stencil and Signage	11604 Prairie Ave	33.928614	-118.343183	10/21/2002
13	SUSMP	Source Control	1 Filter Insert	11604 Prairie Ave	33.928614	-118.343183	10/21/2002
14	SUSMP	Institutional	Oil-Water Separator	11643 S Prairie Ave	33.928367	-118.344144	
15	SUSMP	Institutional	Storm Drain Stencil and Signage	11643 S Prairie Ave	33.928367	-118.344144	
16	SUSMP	Institutional	Storm Drain Stencil and Signage	11646 Prairie Ave	33.928158	-118.343464	10/21/2002
17	SUSMP	Source Control	1 Filter Insert	11646 Prairie Ave	33.928158	-118.343464	10/21/2002
18	SUSMP	Green Infrastructure	33 Filterra Biotreatment System	12013 S Van Ness Ave	33.923447	-118.317603	6/25/2007
19	SUSMP	Source Control	Oil-Sediment Separator	12013 S Van Ness Ave	33.923447	-118.317603	6/25/2007
20	SUSMP	Institutional	Storm Drain Stencil and Signage	12101 Crenshaw Blvd	33.922183	-118.326969	7/17/2008
21	SUSMP	Source Control	4 Filter Inserts	12101 Crenshaw Blvd	33.922183	-118.326969	7/17/2008
22	SUSMP	Source Control	1 Sand Filter	12101 Crenshaw Blvd	33.922183	-118.326969	7/17/2008
23	SUSMP	Institutional	Storm Drain Stencil and Signage	12200 Wilkie Way	33.920656	-118.322111	
24	SUSMP	Source Control	6 Filter Inserts	12200 Wilkie Way	33.920656	-118.322111	
25	SUSMP	Source Control	3 Filter Inserts	12501 S Hawthorne Blvd	33.919569	-118.353169	6/21/2002
26	SUSMP	Source Control	3 Filter Inserts	12923 Inglewood Ave	33.9149	-118.361669	
27	SUSMP	Institutional	Storm Drain Stencil and Signage	13436 Roselle Ave	33.909836	-118.342533	
28	SUSMP	Source Control	4 Filter Inserts	13436 Roselle Ave	33.909836	-118.342533	
29	SUSMP	Institutional	Storm Drain Stencil and Signage	13811 Cordary Ave	33.906167	-118.34175	4/20/2006
30	SUSMP	Source Control	1 Filter Insert	13811 Cordary Ave	33.906167	-118.34175	4/20/2006
31	SUSMP	Institutional	Storm Drain Stencil and Signage	13914-13928 Lemoli Ave	33.904964	-118.33065	8/15/2006
32	SUSMP	Source Control	2 Filter Insert	13914-13928 Lemoli Ave	33.904964	-118.33065	8/15/2006
33	SUSMP	Institutional	Storm Drain Stencil and Signage	14250 S Prairie Ave	33.902242	-118.343269	2/10/2005
34	SUSMP	Source Control	2 Filter Insert	14250 S Prairie Ave	33.902242	-118.343269	2/10/2005
35	SUSMP	Green Infrastructure	3 Grass Swales	1440 Hindry Ave	33.900886	-118.371842	
36	SUSMP	Green Infrastructure	3 Dry Wells	1440 Hindry Ave	33.900886	-118.371842	
37	SUSMP	Institutional	Storm Drain Stencil and Signage	1440 Hindry Ave	33.900886	-118.371842	
38	SUSMP	Source Control	1 Filter Insert	1440 Hindry Ave	33.900886	-118.371842	
39	SUSMP	Institutional	Storm Drain Stencil and Signage	14600 Ocean Gate Ave	33.898469	-118.366183	
40	SUSMP	Source Control	3 Filter Inserts	14600 Ocean Gate Ave	33.898469	-118.366183	
41	SUSMP	Institutional	Storm Drain Stencil and Signage	14610 Hindry Ave	33.900886	-118.371592	
42	SUSMP	Source Control	(# Unknown) Filter Inserts	14610 Hindry Ave	33.900886	-118.371592	
43	SUSMP	Institutional	Storm Drain Stencil and Signage	14900 Hindry Ave	33.897167	-118.371086	
44	SUSMP	Source Control	9 Filter Inserts	14900 Hindry Ave	33.897167	-118.371086	
45	SUSMP	Green Infrastructure	9 Filterra Biotreatment System	2301 W 120 th St	33.924389	-118.320328	7/24/2007
46	SUSMP	Institutional	Storm Drain Stencil and Signage	2301 W 120 th St	33.924389	-118.320328	7/24/2007
47	SUSMP	Source Control	9 Filter Inserts	2301 W 120 th St	33.924389	-118.320328	7/24/2007
48	SUSMP	Source Control	1 Vortex Separator	2301 W 120 th St	33.924389	-118.320328	7/24/2007
49	SUSMP	Green Infrastructure	9 Filterra Biotreatment System	2400 El Segundo Blvd	33.916225	-118.319208	3/6/2007
50	SUSMP	Infiltration	4 Infiltration Systems	2400 El Segundo Blvd	33.916225	-118.319208	3/6/2007
51	SUSMP	Institutional	Storm Drain Stencil and Signage	2400 El Segundo Blvd	33.916225	-118.319208	3/6/2007

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
52	SUSMP	Source Control	35 Filter Inserts	2400 El Segundo Blvd	33.916225	-118.319208	3/6/2007
53	SUSMP	Institutional	Storm Drain Stencil and Signage	2750 W 120 th St	33.916225	-118.324339	
54	SUSMP	Source Control	1 Filter Insert	2750 W 120 th St	33.916225	-118.324339	
55	SUSMP	Source Control	1 Vortex Separator	2750 W 120 th St	33.916225	-118.324339	
56	SUSMP	Institutional	Storm Drain Stencil and Signage	2800 W 120 th St	33.922392	-118.324128	
57	SUSMP	Source Control	11 Filter Insert	2800 W 120 th St	33.922392	-118.324128	
58	SUSMP	Institutional	Storm Drain Stencil and Signage	2808, 2815 El Segundo Blvd	33.9182	-118.328461	
59	SUSMP	Source Control	3 Filter Inserts	2808, 2815 El Segundo Blvd	33.9182	-118.328461	
60	SUSMP	Source Control	1 CDS Unit	2808, 2815 El Segundo Blvd	33.9182	-118.328461	
61	SUSMP	Source Control	5 Filter Inserts	2831-2909 W 120 th St	33.924075	-118.324422	
62	SUSMP	Institutional	Storm Drain Stencil and Signage	2891 W 120 th St	33.924247	-118.325311	
63	SUSMP	Source Control	2 Filter Inserts	2891 W 120 th St	33.924247	-118.325311	
64	SUSMP	Source Control	21 Filter Inserts	3329-3525 Jack Northrop Ave	33.919906	-118.332789	12/21/2006
65	SUSMP	Institutional	Storm Drain Stencil and Signage	3440 W El Segundo Blvd	33.916169	-118.333742	10/17/2003
66	SUSMP	Source Control	1 CDS Unit	3440 W El Segundo Blvd	33.916169	-118.333742	10/17/2003
67	SUSMP	Institutional	Landscape Design	4569 El Segundo Blvd	33.916169	-118.371753	4/9/2002
68	SUSMP	Source Control	4 Filter Inserts	4773 W El Segundo Blvd	33.916603	-118.360833	2/23/2006
69	SUSMP	Source Control	1 Oil-Water Separator	4773 W El Segundo Blvd	33.916603	-118.360833	2/23/2006
70	SUSMP	Institutional	Storm Drain Stencil and Signage	4775 Rosecrans Ave	33.90225	-118.360906	
71	SUSMP	Source Control	4 Filter Inserts	4775 Rosecrans Ave	33.90225	-118.360906	
72	SUSMP	Institutional	Storm Drain Stencil and Signage	4859 W El Segundo	33.916836	-118.363317	10/10/2005
73	SUSMP	Source Control	2 Filter Inserts	4859 W El Segundo	33.916836	-118.363317	10/10/2005
74	SUSMP	Institutional	Storm Drain Stencil and Signage	4917 W 147 th St	33.898028	-118.364358	
75	SUSMP	Source Control	3 Filter Inserts	4917 W 147 th St	33.898028	-118.364358	
76	SUSMP	Institutional	Storm Drain Stencil and Signage	4951 W 119 th St	33.925528	-118.365189	
77	SUSMP	Source Control	15 Filter Inserts	4951 W 119 th St	33.925528	-118.365189	
78	SUSMP	Institutional	Storm Drain Stencil and Signage	5100 Rosecrans Ave	33.901086	-118.36845	
79	SUSMP	Source Control	6 Filter Inserts	5100 Rosecrans Ave	33.901086	-118.36845	
80	SUSMP	Source Control	Clarifier	5100 Rosecrans Ave	33.901086	-118.36845	
81	SUSMP	Source Control	1 Filter Insert	5105 W Rosecrans Ave	33.902253	-118.367225	8/13/2007
82	SUSMP	Source Control	1 Clarifier	5105 W Rosecrans Ave	33.902253	-118.367225	8/13/2007
83	SUSMP	Source Control	1 Filter Insert	5111 Marine Ave	33.894806	-118.368011	
84	SUSMP	Source Control	1 CDS Unit	Aviation Blvd. and Marine Ave	33.894511	-118.378467	11/29/2004
85	SUSMP	Infiltration	1 Cultec Infiltration System	NWC Hawthorne and 120 th St	33.923914	-118.353072	3/13/2007
86	SUSMP	Institutional	Storm Drain Stencil and Signage	NWC Hawthorne and 120 th St	33.923914	-118.353072	3/13/2007
87	SUSMP	Source Control	2 Filter Inserts	NWC Hawthorne and 120 th St	33.923914	-118.353072	3/13/2007
88	SUSMP	Source Control	3 Filter Inserts	11524 Hawthorne Blvd	33.929597	-118.352144	9/14/2005
89	SUSMP	Green Infrastructure	Filtrerra Biotreatment System	NEC Aviation Blvd And El Segundo Blvd	33.916572	-118.3782	3/6/2007
90	SUSMP	Infiltration	3 Infiltration Systems	NEC Aviation Blvd And El Segundo Blvd	33.916572	-118.3782	3/6/2007
91	SUSMP	Source Control	1 Filter Insert	NEC Aviation Blvd And El Segundo Blvd	33.916572	-118.3782	3/6/2007
92	SUSMP	Institutional	Storm Drain Stencil and Signage	13812 Cordary Ave	33.906139	-118.341575	4/19/2006
93	SUSMP	Source Control	1 Filter Insert	13812 Cordary Ave	33.906139	-118.341575	4/19/2006
94	SUSMP	Source Control	Sand Filter	4150 W El Segundo Blvd	33.916625	-118.344144	
95	SUSMP	Source Control	Filter Inserts	4150 W El Segundo Blvd	33.916625	-118.344144	
96	SUSMP	Infiltration	Infiltration Gravel Basin	11300 Hawthorne Blvd	33.931572	-118.352778	
97	SUSMP	Source Control	1 C.B. Filter Insert	11300 Hawthorne Blvd	33.931572	-118.352778	
98	SUSMP	Green Infrastructure	Bio-Retention Boxes	4730 Imperial Hwy	33.930783	-118.360114	
99	SUSMP	Infiltration	Infiltration Trench	3211 Northrop Ave	33.919853	-118.330044	
100	SUSMP	Source Control	2 CB Filter Inserts	3211 Northrop Ave	33.919853	-118.330044	
101	SUSMP	Source Control	Sand Filter	3211 Northrop Ave	33.919853	-118.330044	
102	SUSMP	Permeable Pavement	Permeable Unit Paver	4160 W El Segundo Blvd	33.916244	-118.347406	
103	SUSMP	Permeable Pavement	Permeable Unit Paver	4320 Imperial Hw	33.930756	-118.352006	
104	SUSMP	Green Infrastructure	Drywell	1 Rocket Rd	33.919981	-118.326825	

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
105	SUSMP	Green Infrastructure	Vegetated Swale	1 Rocket Rd	33.919981	-118.326825	
106	SUSMP	Green Infrastructure	Bio-Retention Box	14441 Inglewood Ave	33.900197	-118.362019	
107	SUSMP	Source Control	4 C.B. Filter Inserts	14441 Inglewood Ave	33.900197	-118.362019	
108	SUSMP	Permeable Pavement	Permeable Unit Paver	13403 Kornblum Ave	33.910772	-118.337406	
109	SUSMP	Infiltration	Infiltration Chamber	11300 Hawthorne Blvd	33.931828	-118.352364	
110	SUSMP	Source Control	Filter Inserts	11300 Hawthorne Blvd	33.931828	-118.352364	
111	SUSMP	Permeable Pavement	Permeable Unit Paver	Various			
112	SUSMP	Infiltration	Infiltration Chambers	On Hawthorne Blvd from El Segundo Blvd to Rosecrans Ave			
Inglewood							
1	SUSMP	Source Control	Grease Interceptor	401 E Hillcrest Blvd	33.961078	-118.349833	4/4/2013
2	SUSMP	Infiltration	Infiltration System	1155 W Arbor Vitae St	33.954914	-118.376772	2/8/2006
3	SUSMP	Source Control	Filter Inserts	1155 W Arbor Vitae St	33.954914	-118.376772	2/8/2006
4	SUSMP	Institutional	Storm Drain Stencils	1155 W Arbor Vitae St	33.954914	-118.376772	2/8/2006
5	SUSMP	Source Control	Grease Interceptor	3900 W Manchester Blvd	33.957556	-118.341972	5/17/2013
6	SUSMP	Source Control	Filter Inserts	3900 W Manchester Blvd	33.957556	-118.341972	5/17/2013
7	SUSMP	Infiltration	Infiltration System	3000 W Century Blvd	33.945136	-118.32595	5/28/2013
8	SUSMP	Source Control	Inlet Filters	3000 W Century Blvd	33.945136	-118.32595	5/28/2013
9	SUSMP	Source Control	Trench Filters	3000 W Century Blvd	33.945136	-118.32595	5/28/2013
10	SUSMP	Infiltration	Infiltration System	215 W 94th St	33.950933	-118.35745	7/9/2013
11	SUSMP	Source Control	Inlet Filters	215 W 94th St	33.950933	-118.35745	7/9/2013
12	SUSMP	Source Control	Trench Filters	215 W 94th St	33.950933	-118.35745	7/9/2013
13	SUSMP	Green Infrastructure	Dry Well	8090 S Crenshaw Blvd	33.960119	-118.326706	7/16/2013
14	SUSMP	Source Control	Inlet Filters	8090 S Crenshaw Blvd	33.960119	-118.326706	7/16/2013
15	SUSMP	Source Control	Trench Filters	8090 S Crenshaw Blvd	33.960119	-118.326706	7/16/2013
16	SUSMP	Source Control	Trash Enclosure	8090 S Crenshaw Blvd	33.960119	-118.326706	7/16/2013
17	SUSMP	Infiltration	Infiltration System	927 W Manchester Blvd	33.960619	-118.372944	9/26/3013
18	SUSMP	Source Control	Inlet Filter	927 W Manchester Blvd	33.960619	-118.372944	9/26/3013
19	SUSMP	Source Control	Sump Area	927 W Manchester Blvd	33.960619	-118.372944	9/26/3013
20	SUSMP	Unknown		1050 S Prairie Ave	33.949536	-118.340478	
21	SUSMP	Unknown		317 S La Brea Ave	33.959569	-118.353519	
22	SUSMP	Unknown		3405 W Imperial Hwy	33.931094	-118.3321	
23	SUSMP	Infiltration	Infiltration System	555 E Hardty St	33.950825	-118.348367	4/24/2012
24	SUSMP	Source Control	6 Flogard Plus C.B. Inserts	555 E Hardty St	33.950825	-118.348367	4/24/2012
25	SUSMP	Green Infrastructure	Dry Well	335 S Glasgow Ave	33.958922	-118.371544	4/25/2012
26	SUSMP		Cudo SW Tank	335 S Glasgow Ave	33.958922	-118.371544	4/25/2012
27	SUSMP		Detention Area	335 S Glasgow Ave	33.958922	-118.371544	4/25/2012
28	SUSMP	Source Control	Trash Enclosure	335 S Glasgow Ave	33.958922	-118.371544	4/25/2012
29	SUSMP	Source control	Filters	740 Centinela Ave	33.9757	-118.352183	5/14/2012
30	SUSMP	Green Infrastructure	Landscape	740 Centinela Ave	33.9757	-118.352183	5/14/2012
31	SUSMP	Source Control	Trash Enclosure	740 Centinela Ave	33.9757	-118.352183	5/14/2012
32	SUSMP	Infiltration	Infiltration System	225 N La Brea Ave	33.965794	-118.353778	1/30/2013
33	SUSMP	Source Control	Filters	225 N La Brea Ave	33.965794	-118.353778	1/30/2013
34	SUSMP	Source Control	Sump Pump	225 N La Brea Ave	33.965794	-118.353778	1/30/2013
35	SUSMP	Source Control	Trash Enclosure	225 N La Brea Ave	33.965794	-118.353778	1/30/2013
36	SUSMP	Infiltration	Infiltration System	8831 Aviation Blvd	33.956392	-118.378289	12/13/2012
37	SUSMP	Green Infrastructure	Bioswales	8831 Aviation Blvd	33.956392	-118.378289	12/13/2012
38	SUSMP	Source Control	Inlet Filters	8831 Aviation Blvd	33.956392	-118.378289	12/13/2012
39	SUSMP	Source Control	Wastewater Interceptor w/ Sump Pump	427 S Hindry Ave	33.957681	-118.373778	6/14/2011
40	SUSMP	Source Control	Grease Interceptor	424 S Isis Ave	33.957778	-118.375536	7/21/2011
41	SUSMP	Source Control	Trash Enclosure	424 S Isis Ave	33.957778	-118.375536	7/21/2011
42	SUSMP	Green Infrastructure	Dry Well	527 Regent St	33.964778	-118.365394	8/23/2011
43	SUSMP	Source Control	Grease Interceptor	675 S La Brea Ave	33.9556	-118.352564	12/13/2011
44	SUSMP	Source Control	Trash Enclosure	675 S La Brea Ave	33.9556	-118.352564	12/13/2011
45	SUSMP	Source Control	Grease Interceptor	1100 W Florence Ave	33.960839	-118.375539	2/4/2010
46	SUSMP	Source Control	Trash Enclosure	1100 W Florence Ave	33.960839	-118.375539	2/4/2010
47	SUSMP	Infiltration	Vegetated Swale	670 W Arbor Vitae St	33.952408	-118.367669	6/29/2010
48	SUSMP	Infiltration	Infiltration System	670 W Arbor Vitae St	33.952408	-118.367669	6/29/2010
49	SUSMP	Infiltration	Infiltration System with Filters	151 N Locust St	33.963792	-118.350808	11/3/2010
50	SUSMP	Source Control	Grease Interceptor	621 W Manchester Blvd	33.961797	-118.367297	10/21/2010
51	SUSMP	Source Control	Trash Enclosure	621 W Manchester Blvd	33.961797	-118.367297	10/21/2010

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
52	SUSMP	Institutional	Storm Drain Stencils	621 W Manchester Blvd	33.961797	-118.367297	10/21/2010
53	SUSMP	Source Control	Grease Interceptor	2323 W Manchester Blvd	33.960164	-118.319478	11/23/2010
54	SUSMP	Source Control	Trash Enclosure	2323 W Manchester Blvd	33.960164	-118.319478	11/23/2010
55	SUSMP	Source Control	Drain Filters	619 S Prairie Ave	33.955778	-118.344169	2/2/2009
56	SUSMP	Source Control	Trash Enclosure	619 S Prairie Ave	33.955778	-118.344169	2/2/2009
57	SUSMP			527 W Regent St	33.964831	-118.3654	
58	SUSMP	Detention	Detention System	701 Grace Ave	33.968622	-118.345239	4/17/2009
59	SUSMP	Institutional	Storm Drain Stencils	701 Grace Ave	33.968622	-118.345239	4/17/2009
60	SUSMP	Source Control	Filter	610 N Eucalyptus Ave	33.970386	-118.358778	8/3/2009
61	SUSMP	Institutional	Storm Drain Stencils	610 N Eucalyptus Ave	33.970386	-118.358778	8/3/2009
62	SUSMP	Source Control	Trash Enclosure	610 N Eucalyptus Ave	33.970386	-118.358778	8/3/2009
63	SUSMP	Source Control	Grease Interceptor	3236 W Manchester Blvd	33.959697	-118.328539	10/2/2009
64	SUSMP	Source Control	Trash Enclosure	3236 W Manchester Blvd	33.959697	-118.328539	10/2/2009
65	SUSMP	Institutional	Storm Drain Stencils	3236 W Manchester Blvd	33.959697	-118.328539	10/2/2009
66	SUSMP	Green Infrastructure	Retention System	447 N Prairie Ave	33.970272	-118.344367	10/7/2009
67	SUSMP	Source Control	Trash Enclosure	447 N Prairie Ave	33.970272	-118.344367	10/7/2009
68	SUSMP	Institutional	Storm Drain Stencils	447 N Prairie Ave	33.970272	-118.344367	10/7/2009
69	SUSMP	Source Control	Grease Interceptor	315 S Market St	33.959892	-118.352172	12/21/2009
70	SUSMP	Institutional	Storm Drain Stencils	315 S Market St	33.959892	-118.352172	12/21/2009
71	SUSMP	Infiltration	Infiltration System	733 S Hindry Ave	33.953461	-118.374311	4/8/2010
72	SUSMP	Source Control	Filters	733 S Hindry Ave	33.953461	-118.374311	4/8/2010
73	SUSMP	Source Control	Trash Enclosure	733 S Hindry Ave	33.953461	-118.374311	4/8/2010
74	SUSMP	Institutional	Storm Drain Stencils	733 S Hindry Ave	33.953461	-118.374311	4/8/2010
75	SUSMP	Source Control	Grease Interceptor	4656 W Century Blvd	33.945667	-118.358897	12/31/2009
76	SUSMP	Institutional	Storm Drain Stencils	4656 W Century Blvd	33.945667	-118.358897	12/31/2009
77	SUSMP	Green Infrastructure	Dry Well	812 S Osage Ave	33.953444	-118.345322	8/22/2008
78	SUSMP	Source Control	Filters	812 S Osage Ave	33.953444	-118.345322	8/22/2008
79	SUSMP	Source Control	Trash Enclosure	812 S Osage Ave	33.953444	-118.345322	8/22/2008
80	SUSMP		Sump Pump	812 S Osage Ave	33.953444	-118.345322	8/22/2008
81	SUSMP	Source Control	Grease Interceptor	3949 W 111th St	33.93485	-118.343428	9/23/2008
82	SUSMP	Source Control	Inlet Filters	3949 W 111th St	33.93485	-118.343428	9/23/2008
83	SUSMP	Source Control	Trash Enclosure	3949 W 111th St	33.93485	-118.343428	9/23/2008
84	SUSMP	Source Control	Grease Interceptor	739 E Hyde Park Blvd	33.977461	-118.344758	10/9/2008
85	SUSMP	Source Control	Inlet Filters	739 E Hyde Park Blvd	33.977461	-118.344758	10/9/2008
86	SUSMP	Source Control	Trash Enclosure	739 E Hyde Park Blvd	33.977461	-118.344758	10/9/2008
87	SUSMP	Green Infrastructure	Retention System	546 W Olive St	33.960872	-118.365825	2/14/2007
88	SUSMP	Source Control	Inlet Filters	546 W Olive St	33.960872	-118.365825	2/14/2007
89	SUSMP	Source Control	Trash Enclosure	546 W Olive St	33.960872	-118.365825	2/14/2007
90	SUSMP	Green Infrastructure	Retention System	1300 Centinela Ave	33.976767	-118.361761	3/8/2007
91	SUSMP	Source Control	Inlet Filters	1300 Centinela Ave	33.976767	-118.361761	3/8/2007
92	SUSMP	Source Control	Trash Enclosure	1300 Centinela Ave	33.976767	-118.361761	3/8/2007
93	SUSMP	Green Infrastructure	Retention System	3945-3947 W Imperial Hwy	33.931147	-118.343444	3/23/2007
94	SUSMP	Source Control	Inlet Filters	3945-3947 W Imperial Hwy	33.931147	-118.343444	3/23/2007
95	SUSMP	Source Control	Trash Enclosure	3945-3947 W Imperial Hwy	33.931147	-118.343444	3/23/2007
96	SUSMP	Source control	Bioclean Hydrocarbon Filter	1114 Centinela Ave	33.9765	-118.358247	5/2/2007
97	SUSMP	Detention	Detention System w/ Sump Pump	303 W Manchester Blvd	33.961875	-118.359922	7/19/2007
98	SUSMP	Source Control	Trash Enclosure	303 W Manchester Blvd	33.961875	-118.359922	7/19/2007
99	SUSMP	Source control	Secondary Containment w/ Overhead Cover	1050 S Prairie Ave	33.949939	-118.340517	7/26/2007
100	SUSMP	Unknown		11222 S Crenshaw Blvd	33.932717	-118.326283	
101	SUSMP	Source control	Trash Enclosure	2717 W Manchester Blvd	33.960214	-118.323703	9/13/2007
102	SUSMP	Green Infrastructure	Retention System	3150-3188 W Imperial Hwy	33.93035	-118.327397	9/25/2007
103	SUSMP	Source Control	Inlet Filters	3150-3188 W Imperial Hwy	33.93035	-118.327397	9/25/2007
104	SUSMP	Source Control	Trash Enclosure	3150-3188 W Imperial Hwy	33.93035	-118.327397	9/25/2007
105	SUSMP	Infiltration	Infiltration System	109 E Arbor Vitae St	33.953036	-118.354383	12/12/2007
106	SUSMP	Source Control	Inlet Filters	109 E Arbor Vitae St	33.953036	-118.354383	12/12/2007
107	SUSMP	Source Control	Trash Enclosure	109 E Arbor Vitae St	33.953036	-118.354383	12/12/2007
108	SUSMP	Detention	Detention System	830 N Acacia St	33.973761	-118.363428	12/7/2007
109	SUSMP	Source Control	Inlet Filter	830 N Acacia St	33.973761	-118.363428	12/7/2007
110	SUSMP	Source control	Grease Interceptor	212 E Regent St	33.964392	-118.352539	1/2/2008
111	SUSMP	Source Control	Trash Enclosure	212 E Regent St	33.964392	-118.352539	1/2/2008
112	SUSMP	Detention	Detention System	606 Centinela Ave	33.973886	-118.350267	12/21/2007

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
113	SUSMP	Source Control	Trench Drain with Filter	606 Centinela Ave	33.973886	-118.350267	12/21/2007
Lomita							
1	SUSMP	Source Control	Catch basin and trench drain filter	24925 Walnut St	33.798697	-118.312091	1/3/2011
2	SUSMP	Source Control	Ultra-Draingard	1886 Lomita Blvd	33.798769	-118.311756	1/14/2008
3	SUSMP	Source Control	Catch basin and trench drain filter	25829 Narbonne Ave	33.789051	-118.320053	1/18/2006
4	SUSMP	Source Control	Kristar Swalegard	26607 S. Western Ave	33.779493	-118.309638	3/1/2010
5	SUSMP	Source Control	4 catch basin filters	2477 Lomita Blvd	33.805675	-118.327301	4/19/2011
6	SUSMP	Source Control	3 trench drain filters	25808 Narbonne Ave	33.789362	-118.319920	8/31/2009
Los Angeles (City)							
1	LID	Rain Barrel	4 Rain Barrels	5125 N North Maywood Ave	34.139953	-118.211814	9/30/2013
2	LID	Green Infrastructure	2 Planter Boxes	478 & 480 W 2nd St	33.742389	-118.287281	9/30/2013
3	LID	Permeable Pavement	Permeable Pavers	478 & 480 W 2nd St	33.742389	-118.287281	10/1/2013
4	LID	Rain Barrel	8 Rain Barrels	555 San Juan Ave	33.992931	-118.467567	9/26/2013
5	LID	Permeable Pavement	Permeable Pavers	555 San Juan Ave	33.992931	-118.467567	9/27/2013
6	LID	Green Infrastructure	3 Planter Boxes	1552 W 220th St	33.828131	-118.299531	9/25/2013
7	LID	Permeable Pavement	Permeable Pavers	1552 W 220th St	33.828131	-118.299531	9/25/2013
8	LID	Rain Barrel	8 Rain Barrels	870 E. Rose Ave	34.002417	-118.465192	9/23/2013
9	LID	Rain Barrel	6 Rain Barrels	733 1/2 E 48th St	33.999808	-118.262219	9/18/2013
10	LID	Permeable Pavement	Permeable Pavers	733 1/2 E 48th St	33.999808	-118.262219	9/18/2013
11	LID	Green Infrastructure	Dry Well	845 E Warren Ave	34.002639	-118.467353	9/17/2013
12	LID	Source Control	2 Pretreatment Settling Catch Basins	845 E Warren Ave	34.002639	-118.467353	9/17/2013
13	LID	Permeable Pavement	4 Permeable Pavers	845 E Warren Ave	34.002639	-118.467353	9/17/2013
14	LID	Green Infrastructure	3 Planter Boxes	1813 E Imperial Hwy	33.929669	-118.240378	9/17/2013
15	LID	Permeable Pavement	Permeable Paver	1813 E Imperial Hwy	33.929669	-118.240378	9/17/2013
16	LID	Rain Barrel	2 Rain Garden	1233 E Vienna Wy	34.000553	-118.454094	9/12/2013
17	LID	Permeable Pavement	2 Permeable Pavers	1233 E Vienna Wy	34.000553	-118.454094	9/12/2013
18	LID	Rain Barrel	8 Rain Barrels	881 E Warren Ave	34.003169	-118.466347	9/11/2013
19	LID	Green Infrastructure	Green Roof	881 E Warren Ave	34.003169	-118.466347	9/11/2013
20	LID	Unknown	Unknown	221 E 58th St	33.989756	-118.271028	9/10/2013
21	LID	Green Infrastructure	Planter Box	1630 N Amalfi Dr	34.060861	-118.501833	9/9/2013
22	LID	Rain Barrel	Rain Garden	1147 N Hartzell St	34.050681	-118.520947	9/4/2013
23	LID	Permeable Pavement	Permeable Paver	1147 N Hartzell St	34.050681	-118.520947	9/4/2013
24	LID	Rain Barrel	4 Rain Barrels	1041 E Nowita Pl	33.997947	-118.457425	8/29/2013
25	LID	Rain Barrel	4 Rain Barrels	3602 S Meyler St	33.714078	-118.299769	8/29/2013
26	LID	Rain Barrel	4 Rain Barrels	1242 W Maurentania St	33.789383	-118.279278	8/29/2013
27	LID	Green Infrastructure	5 Planter Boxes	1601 N San Onofre Dr	34.061919	-118.504622	8/29/2013
28	LID	Permeable Pavement	Permeable Pavers	3026 Kelton Ave	34.029114	-118.422081	8/28/2013
29	LID	Green Infrastructure	2 Planter Boxes	3026 Kelton Ave	34.029114	-118.422081	8/28/2013
30	LID	Permeable Pavement	Permeable Pavers	208 S Ruth Ave	34.000839	-118.472492	8/23/2013
31	LID	Infiltration	Infiltration Trenches	1490 W 7th St	34.053083	-118.269369	8/22/2013
32	LID	Source Control	Drain Filter	1490 W 7th St	34.053083	-118.269369	8/22/2013
33	LID	Source Control	3 Fossil Filter CB Insert	1490 W 7th St	34.053083	-118.269369	8/22/2013
34	LID	Rain Barrel	4 Rain Barrels	620 55th St	33.992439	-118.264400	8/20/2013
35	LID	Green Infrastructure	2 Dry Wells	739 E California Ave	33.994139	-118.463864	8/13/2013
36	LID	Permeable Pavement	Permeable Pavers	15460 W Albright St	34.050436	-118.527389	8/8/2013
37	LID	Green Infrastructure	Planter Box	15460 W Albright St	34.050436	-118.527389	8/8/2013
38	LID	Rain Barrel	14 Rain Barrel	211 S Pacific Ave	33.996114	-118.479061	8/5/2013
39	LID	Permeable Pavement	2 Permeable Pavers	211 S Pacific Ave	33.996114	-118.479061	8/5/2013
40	LID	Permeable Pavement	2 Permeable Pavers	1626 W 259th St	33.788161	-118.305200	8/5/2013
41	LID	Rain Barrel	2 Rain Barrels	1626 W 259th St	33.788161	-118.305200	8/5/2013
42	LID	Infiltration	Infiltration Trench	10615 Anzac Ave	33.939278	-118.237994	8/1/2013

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
43	LID	Green Infrastructure	Capture and Use	901 E E St	33.776261	-118.251764	7/30/2013
44	LID	Green Infrastructure	5 Planter Boxes	624 E Millwood Ave	33.991336	-118.463933	7/25/2013
45	LID	Permeable Pavement	Permeable Paver	624 E Millwood Ave	33.991336	-118.463933	7/25/2013
46	LID	Green Infrastructure	Vegetated Swale/Strip	19600 Magellan Dr	33.852853	-118.292347	7/24/2013
47	LID	Infiltration	Infiltration Trench	19600 Magellan Dr	33.852853	-118.292347	7/24/2013
48	LID	Green Infrastructure	3 Planter Boxes	666 Flower Ct	33.998725	-118.469344	7/11/2013
49	LID	Permeable Pavement	Permeable Paver	635 W 18th St	33.727469	-118.291000	7/11/2013
50	LID	Infiltration	Infiltration Trench	1 World Wy	33.944511	-118.398367	7/10/2013
51	LID	Rain Barrel	8 Rain Barrels	326 Brooks Ave	33.993239	-118.472331	7/10/2013
52	LID	Green Infrastructure	2 Planter Boxes	1026 W M St	33.788625	-118.275950	7/5/2013
53	LID	Rain Barrel	2 Rain Barrel	1026 W M St	33.788625	-118.275950	7/5/2013
54	LID	Green Infrastructure	Planter Box	3012 Yale Ave	33.988544	-118.448839	7/3/2013
55	LID	Green Infrastructure	8 Planter Boxes	1202 N Island Ave	33.786925	-118.266547	6/21/2013
56	LID	Permeable Pavement	2 Permeable Pavers	1202 N Island Ave	33.786925	-118.266547	6/21/2013
57	LID	Rain Barrel	Rain Garden	1334 W 221st St	33.826778	-118.300736	6/21/2013
58	LID	Unknown	Unknown	7609 S Main	33.970481	-118.274000	6/21/2013
59	LID	Green Infrastructure	2 Planter Boxes	3113 S Yale Ave	33.987653	-118.448553	6/20/2013
60	LID	Permeable Pavement	Permeable Paver	327 E 107th St	33.939433	-118.268533	6/19/2013
61	LID	Green Infrastructure	Planter Box	327 E 107th St	33.939433	-118.268533	6/19/2013
62	LID	Permeable Pavement	Permeable Paver	1664 W 223rd St	33.824411	-118.308139	6/18/2013
63	LID	Permeable Pavement	Permeable Paver	22340 S Western Ave	33.823950	-118.308800	6/18/2013
64	LID	Permeable Pavement	Porous Pavement	22340 S Western Ave	33.823950	-118.308800	6/18/2013
65	LID	Infiltration	2 Underground Detention/ Infiltration Chamber System	1501 W L ST	33.785942	-118.280578	6/17/2013
66	LID	Infiltration	Infiltration Trench	4143 Glencoe Ave	33.988636	-118.441986	6/6/2013
67	LID	Source Control	CB Trash Screens	4143 Glencoe Ave	33.988636	-118.441986	6/6/2013
68	LID	Green Infrastructure	4 Planter Boxes	1518 S Dodson Ave	33.729825	-118.311542	6/6/2013
69	LID	Infiltration	Infiltration Trench	2309 E 108th St	33.937128	-118.230761	6/6/2013
70	LID	Infiltration	Infiltration Trench	2311 E 108th St	33.937114	-118.230711	6/6/2013
71	LID	Green Infrastructure	2 Planter Boxes	1000 W. Paseo Del Mar	33.711542	-118.301500	6/5/2013
72	LID	Green Infrastructure	2 Planter Boxes	1479 Via Cresta	34.056797	-118.536878	5/29/2013
73	LID	Green Infrastructure	2 Planter Boxes	14747 W Oracle Pl	34.055664	-118.520278	5/28/2013
74	LID	Permeable Pavement	Permeable Paver	14747 W Oracle Pl	34.055664	-118.520278	5/28/2013
75	LID	Infiltration	Infiltration Trench	3306 W 71st St	33.975292	-118.329731	5/23/2013
76	LID	Green Infrastructure	Planter Box	7912 83rd St	33.960628	-118.435028	5/22/2013
77	LID	Green Infrastructure	3 Planter Boxes	615 N Bienveneda	34.047278	-118.540289	5/22/2013
78	SUSMP	Source Control	Slope Vegetation	14705 W Oracle Pl	34.055800	-118.518592	5/16/2013
79	LID	Unknown	Unknown	438 E Altair Pl	33.989686	-118.467431	5/15/2013
80	LID	Green Infrastructure	Dry Well	748 N Amalfi Dr	34.042450	-118.511114	5/13/2013
81	LID	Rain Barrel	4 Rain Barrels	1207 Averill Ave	33.733169	-118.307886	5/13/2013
82	LID	Rain Barrel	4 Rain Barrels	702 W 140th St	33.904294	-118.287372	5/7/2013
83	LID	Permeable Pavement	2 Permeable Pavers	630 W Woodlawn Ave	33.989125	-118.456850	5/6/2013
84	LID	Unknown	Unknown	560 N Western Ave	33.746753	-118.309503	5/2/2013
85	LID	Green Infrastructure	6 Planter Boxes	2337 Clement Ave	33.986389	-118.461367	5/2/2013
86	LID	Green Infrastructure	3 Planter Boxes	546 Vernon	33.996192	-118.470611	5/1/2013
87	LID	Green Infrastructure	Planter Box	10350 S Croesus Ave	33.941647	-118.233550	4/30/2013
88	LID	Rain Barrel	4 Rain Barrels	2000 N Kenilworth Ave	34.096394	-118.268417	4/30/2013
89	LID	Green Infrastructure	4 Planter Boxes	1054 Fiske St	34.048789	-118.522339	4/29/2013
90	LID	Unknown	Unknown	1242 W Maurentania St	33.789108	-118.279297	4/29/2013
91	LID	Unknown	Unknown	557 N Lucero Ave	34.046250	-118.554664	4/24/2013

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
92	LID	Unknown	Unknown	777 W 190th St	33.860208	-118.287164	4/24/2013
93	LID	Green Infrastructure	2 Planter Boxes	1680 E 108th St	33.936986	-118.230183	4/23/2013
94	LID	Permeable Pavement	Permeable Pavers	1680 E 108th St	33.936986	-118.230183	4/23/2013
95	LID	Infiltration	2 Infiltration Trenches	16300 Ainsworth St	33.883158	-118.289922	4/17/2013
96	LID	Source Control	4 Fossil Filter CB Inserts	16300 Ainsworth St	33.883158	-118.289922	4/17/2013
97	LID	Permeable Pavement	4 Planter Boxes	760 N Hartzell St	34.042917	-118.518875	4/15/2013
98	LID	Permeable Pavement	Permeable Pavers	1627 S Crescent Pl	33.990769	-118.462133	4/12/2013
99	LID	Rain Barrel	4 Rain Barrels	1627 S Crescent Pl	33.990769	-118.462133	4/12/2013
100	LID	Rain Barrel	4 Rain Barrels	550 W 40th St	33.708050	-118.289169	4/9/2013
101	LID	Green Infrastructure	2 Planter Boxes	1518 S Oakwood Ave	33.994000	-118.461308	4/9/2013
102	LID	Rain Barrel	6 Rain Barrels	1518 S Oakwood Ave	33.994000	-118.461308	4/9/2013
103	LID	Permeable Pavement	3 Permeable Pavers	1518 S Oakwood Ave	33.994000	-118.461308	4/9/2013
104	LID	Permeable Pavement	Permeable Paver	1434 W 215 St	33.833200	-118.302853	4/9/2013
105	LID	Green Infrastructure	6 Planter Boxes	249 N Bellino Dr	34.042103	-118.560300	4/3/2013
106	LID	Green Infrastructure	2 Planter Boxes	1660 W Anaheim St	33.777958	-118.288886	4/2/2013
107	LID	Rain Barrel	4 Rain Barrels	705 W Boccaccio Ave	33.990358	-118.457119	3/28/2013
108	SUSMP	Infiltration	7 Infiltration Trenches	1302 W 177th St	33.870408	-118.296017	3/27/2013
109	SUSMP	Green Infrastructure	Planter Box	1302 W 177th St	33.870408	-118.296017	3/27/2013
110	SUSMP	Source Control	7 Fossil Filter CB Inserts	1302 W 177th St	33.870408	-118.296017	3/27/2013
111	LID	Green Infrastructure	2 Planter Boxes	11241 W Lucerene	33.999533	-118.403528	3/19/2013
112	LID	Green Infrastructure	2 Planter Boxes	3300 S Kerckoff Ave	33.714017	-118.289533	3/11/2013
113	LID	Permeable Pavement	Permeable Paver	3300 S Kerckoff Ave	33.714017	-118.289533	3/11/2013
114	LID	Unknown	Unknown	445 S Ferr St	33.746042	-118.261556	3/11/2013
115	LID	Permeable Pavement	Permeable Paver	1011 W Francisco St	33.850111	-118.294558	3/4/2013
116	LID	Rain Barrel	Rain Garden	846 E 87th St	33.958950	-118.259139	2/27/2013
117	LID	Permeable Pavement	2 Permeable Pavers	211 W 109th Pl	33.936636	-118.276636	2/27/2013
118	LID	Green Infrastructure	Planter Box	211 W 109th Pl	33.936636	-118.276636	2/27/2013
119	LID	Permeable Pavement	2 Permeable Pavers	635 E Milwood Ave	33.991722	-118.464064	2/26/2013
120	LID	Green Infrastructure	2 Planter Boxes	635 E Milwood Ave	33.991722	-118.464064	2/26/2013
121	LID	Green Infrastructure	2 Planter Boxes	9410 S Compton Ave	33.951208	-118.246044	2/15/2013
122	LID	Infiltration	Infiltration Trench	16957 W Sunset Blvd	34.042244	-118.548072	2/14/2013
123	LID	Source Control	2 Pretreatment Settling Catch Basin	16957 W Sunset Blvd	34.042244	-118.548072	2/14/2013
124	LID	Green Infrastructure	2 Planter Boxes	3670 N Holboro Dr	34.117911	-118.275497	2/7/2013
125	LID	Permeable Pavement	Permeable Paver	3670 N Holboro Dr	34.117911	-118.275497	2/7/2013
126	LID	Rain Barrel	14 Rain Barrel	1628 W 255th St	33.792350	-118.305469	2/6/2013
127	LID	Permeable Pavement	Permeable Paver	1628 W 255th St	33.792350	-118.305469	2/6/2013
128	LID	Rain Barrel	8 Rain Barrel	1157 Rosalind Ave	34.025789	-118.212833	2/6/2013
129	LID	Green Infrastructure	3 Planter Boxes	3130 N Verdugo Rd	34.107411	-118.237681	2/6/2013
130	LID	Green Infrastructure	3 Planter Boxes	532 W Imperial Hwy	33.930542	-118.283956	2/5/2013
131	LID	Rain Barrel	4 Rain Barrels	476 W Santa Cruz St	33.744231	-118.287300	2/4/2013
132	LID	Rain Barrel	2 Rain Garden	5744 N Allott Ave	34.175117	-118.427653	2/1/2013
133	LID	Permeable Pavement	Permeable Paver	5937 S Madden Ave	33.986036	-118.325583	1/31/2013
134	LID	Rain Barrel	8 Rain Barrel	5937 S Madden Ave	33.986036	-118.325583	1/31/2013
135	LID	Permeable Pavement	Permeable Paver	314 E 76th St	33.971017	-118.268933	1/24/2013
136	LID	Green Infrastructure	Planter Box	314 E 76th St	33.971017	-118.268933	1/24/2013
137	LID	Unknown	Unknown	452 W Carroll Cl	33.986092	-118.464597	1/23/2013
138	LID	Green Infrastructure	2 Planter Boxes	935 W 60th St	33.985603	-118.290500	1/9/2013
139	LID	Unknown	Unknown	25706 S Belle Porte Ave	33.790772	-118.300847	1/9/2013
140	LID	Rain Barrel	4 Rain Barrels	14707 W Sunset Blvd	34.041472	-118.518275	1/2/2013
141	LID	Rain Barrel	4 Rain Barrels	861 W 124th St	33.920253	-118.291664	12/27/2012
142	LID	Rain Barrel	Rain Garden	861 W 124th St	33.920253	-118.291664	12/27/2012

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
143	LID	Green Infrastructure	3 Planter Boxes	1178 W 20th St	33.725972	-118.303039	12/26/2012
144	LID	Green Infrastructure	2 Planter Boxes	1127 W 15th St	33.730319	-118.301825	12/14/2012
145	LID	Green Infrastructure	Planter Box	398 Alma Real Dr	34.035514	-118.522500	12/13/2012
146	LID	Green Infrastructure	Cistern	520 N Swarthmore Ave	34.038764	-118.528050	12/7/2012
147	SUSMP	Source Control	4 Katchall Kleerstream Vaults	960 W Harry Bridges Blvd	33.770489	-118.272983	11/28/2012
148	SUSMP	Source Control	11 Sand Filter	960 W Harry Bridges Blvd	33.770489	-118.272983	11/28/2012
149	SUSMP	Unknown	Unknown	637 N Sanford Ave	33.777589	-118.250525	11/1/2012
150	LID	Infiltration	Underground Detention/ Infiltration Chamber System	625 E Anaheim St	33.781175	-118.255381	10/23/2012
151	LID	Infiltration	Underground Detention/ Infiltration Chamber System	1305 W Sepulveda Blvd	33.813303	-118.298450	10/9/2012
152	LID	Source Control	CDS	1305 W Sepulveda Blvd	33.813303	-118.298450	10/9/2012
153	LID	Infiltration	Infiltration Trench	710 N Front St	33.751097	-118.282389	10/9/2012
154	SUSMP	Source Control	10 Abtech Ultra Urban CB Inserts	710 N Front St	33.751097	-118.282389	10/9/2012
155	LID	Unknown	Unknown	1327 W Silvius Ave	33.715419	-118.307136	10/3/2012
156	LID	Unknown	Unknown	909 E Colon St	33.792458	-118.252150	9/5/2012
157	LID	Permeable Pavement	3 Permeable Pavers	10314 S Lou-Dillon Ave	33.942553	-118.234558	8/31/2012
158	SUSMP	Source Control	5 Hydrodynamic Separators	600 S Sampson Wy	33.738708	-118.279025	8/31/2012
159	SUSMP	Source Control	2 CB Inserts	600 S Sampson Wy	33.738708	-118.279025	8/31/2012
160	SUSMP	Infiltration	2 Infiltration Trenches	600 S Sampson Wy	33.738708	-118.279025	8/31/2012
161	LID	Green Infrastructure	Planter Box	8741 Dalton Ave	33.957644	-118.303850	8/24/2012
162	LID	Rain Barrel	Rain Garden	1515 219th St	33.828997	-118.304489	8/13/2012
163	LID	Permeable Pavement	Permeable Paver	1515 219th St	33.828997	-118.304489	8/13/2012
164	LID	Green Infrastructure	2 Planter Boxes	1942 W 1st St	33.742994	-118.318428	8/9/2012
165	SUSMP	Green Infrastructure	Planter Box	630 W Harry Bridges Blvd	33.770700	-118.268633	7/12/2012
166	SUSMP	Source Control	Bioretention Facility	630 W Harry Bridges Blvd	33.770700	-118.268633	7/12/2012
167	SUSMP	Source Control	Abtech Ultra Urban CB Inserts	630 W Harry Bridges Blvd	33.770700	-118.268633	7/12/2012
168	SUSMP	Source Control	Slope Vegetation	3127 S Alma St	33.717275	-118.299717	5/31/2012
169	Site Specific	Unknown	Unknown	470 E Swinford St	33.749642	-118.278483	5/21/2012
170	SUSMP	Green Infrastructure	6 Planter Boxes	19310 S Pacific Gateway Dr	33.855575	-118.293978	5/10/2012
171	SUSMP	Permeable Pavement	2 Porous Pavements	19310 S Pacific Gateway Dr	33.855575	-118.293978	5/10/2012
172	SUSMP	Source Control	5 Fossil Filter CB Inserts	19310 S Pacific Gateway Dr	33.855575	-118.293978	5/10/2012
173	SUSMP	Infiltration	Infiltration Trench	1351 W Sepulveda Blvd	33.815675	-118.301436	3/28/2012
174	SUSMP	Source Control	Fossil Filter CB Insert	1351 W Sepulveda Blvd	33.815675	-118.301436	3/28/2012
175	SUSMP	Unknown	Unknown	7916 W 83rd St	33.960358	-118.435194	2/28/2012
176	SUSMP	Unknown	Unknown	1600 W Palos Verdes Dr	33.777931	-118.304961	2/23/2012
177	SUSMP	Unknown	Unknown	1112 N Via La Paz	33.755661	-118.299256	2/15/2012
178	Site Specific	Unknown	Unknown	120 W C St	33.772594	-118.262592	1/23/2012
179	SUSMP	Green Infrastructure	2 Planter Boxes	124 N Udine Wy	34.078103	-118.443711	1/12/2012
180	Site Specific	Unknown	Unknown	1451 W Knox St	33.854139	-118.301111	1/9/2012
181	SUSMP	Green Infrastructure	Green Roof	1406 Kenter Ave	34.080819	-118.492356	12/15/2011
182	SUSMP	Green Infrastructure	2 Planter Boxes	1406 Kenter Ave	34.080819	-118.492356	12/15/2011
183	SUSMP	Source Control	Vortechnics	710 N Front St	33.751069	-118.282369	11/30/2011
184	SUSMP	Source Control	2 Katchall Kleerstream Trench Filter	710 N Front St	33.751069	-118.282369	11/30/2011
185	SUSMP	Unknown	Unknown	401 E M St	33.789039	-118.258631	11/17/2011
186	SUSMP	Infiltration	Infiltration Basin	1305 N Gaffey St	33.755733	-118.292314	11/8/2011
187	SUSMP	Unknown	Unknown	1211 N Avalon Bl	33.786997	-118.262992	10/26/2011
188	SUSMP	Unknown	Unknown	1811 N Micheltorena	34.093317	-118.272269	9/8/2011
189	SUSMP	Unknown	Unknown	14931 Bestor Blvd	34.051692	-118.522956	9/7/2011
190	SUSMP	Source Control	3 Katchall Kleerstream Vaults	705 N. Henry Ford Ave	33.778567	-118.243422	9/1/2011
191	SUSMP	Green Infrastructure	3 Planter Boxes	300 E Water St	33.766542	-118.259847	9/1/2011
192	SUSMP	Source Control	2 CDS	530 W Harry Bridges Blvd	33.770797	-118.267389	8/19/2011
193	SUSMP	Source Control	32 Fossil Filter CB Inserts	530 W Harry Bridges Blvd	33.770797	-118.267389	8/19/2011
194	SUSMP	Unknown	Unknown	100 S Barrington Pl	34.065697	-118.468961	8/18/2011

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
195	SUSMP	Green Infrastructure	Planter Box	200 W. Manchester Ave	33.959553	-118.276258	8/4/2011
196	SUSMP	Source Control	Fossil Filter CB Insert	200 W. Manchester Ave	33.959553	-118.276258	8/4/2011
197	SUSMP	Green Infrastructure	3 Vegetated Swale/Strips	20000 S. Western Ave	33.851003	-118.308806	8/4/2011
198	SUSMP	Source Control	Sand Filter	20000 S. Western Ave	33.851003	-118.308806	8/4/2011
199	SUSMP	Green Infrastructure	Bioretention Facility	1603 W 25th St	33.723003	-118.313536	7/25/2011
200	SUSMP	Unknown	Unknown	2100 E Pacific Cost Hwy	33.789075	-118.235250	7/21/2011
201	SUSMP	Unknown	Unknown	100 N Avalon	33.769781	-118.261306	7/5/2011
202	SUSMP	Green Infrastructure	2 Vegetated Swale/Strips	705 N Henry Ford Ave	33.778550	-118.243342	6/16/2011
203	SUSMP	Unknown	Unknown	3100 N Gaffey St	33.776328	-118.296131	5/24/2011
204	SUSMP	Unknown	Unknown	3000 N Gaffey St	33.775378	-118.296042	5/24/2011
205	SUSMP	Unknown	Unknown	1601 N Wilmington Blvd	33.795136	-118.275442	5/9/2011
206	SUSMP	Green Infrastructure	2 Planter Boxes	1651 N Belair Rd	34.100703	-118.446883	4/25/2011
207	SUSMP	Green Infrastructure	Vegetated Swale/Strip	1651 N Belair Rd	34.100703	-118.446883	4/25/2011
208	SUSMP	Unknown	Unknown	1120 N. Wilmington Blvd	33.784908	-118.274475	4/19/2011
209	Site Specific	Unknown	Unknown	621 W 152nd St	33.894664	-118.286994	4/14/2011
210	SUSMP	Unknown	Unknown	6000 W Santa Monica	34.088089	-118.316706	4/7/2011
211	SUSMP	Green Infrastructure	2 Vegetated Swale/Strips	840 W 149th St	33.896292	-118.289917	3/22/2011
212	SUSMP	Infiltration	Infiltration Trench	840 W 149th St	33.896292	-118.289917	3/22/2011
213	SUSMP	Permeable Pavement	Porous Pavement	840 W 149th St	33.896292	-118.289917	3/22/2011
214	SUSMP	Green Infrastructure	Planter Box	964 Hilgard Ave	34.061947	-118.441242	2/16/2011
215	SUSMP	Unknown	Unknown	1602 W 25th St	33.723406	-118.312531	2/3/2011
216	SUSMP	Unknown	Unknown	6517 S Vista Del Mar	33.961533	-118.449919	1/4/2011
217	SUSMP	Source Control	Slope Vegetation	8451 W Hillside Ave	34.100519	-118.372603	12/30/2010
218	SUSMP	Unknown	Unknown	557 N Lucero Ave	34.046172	-118.554708	12/28/2010
219	SUSMP	Unknown	Unknown	701 N San Lorenzo St	34.037833	-118.509992	12/20/2010
220	SUSMP	Infiltration	3 Underground Detention/ Infiltration Chamber System	1521 W Francisco St	33.849281	-118.305842	12/10/2010
221	SUSMP	Source Control	13 Fossil Filter CB Insert	1521 W Francisco St	33.849281	-118.305842	12/10/2010
222	SUSMP	Green Infrastructure	3 Vegetated Swale/Strips	18320 S Western Ave	33.863614	-118.308608	11/12/2010
223	SUSMP	Green Infrastructure	29 Planter Box	25825 S Vermont Ave	33.788417	-118.295683	11/4/2010
224	SUSMP	Source Control	7 Fossil Filter CB Insert	25825 S Vermont Ave	33.788417	-118.295683	11/4/2010
225	SUSMP	Unknown	Unknown	556 W 9th St	33.736161	-118.288914	11/2/2010
226	SUSMP	Unknown	Unknown	2500 S Signal St	33.721503	-118.272839	9/13/2010
227	SUSMP	Unknown	Unknown	631 N Haverford Ave	34.041733	-118.529772	8/20/2010
228	SUSMP	Green Infrastructure	4 Planter Boxes	15323 Whitfield Ave	34.051967	-118.526425	8/20/2010
229	SUSMP	Source Control	2 Fossil Filter CB Insert	15323 Whitfield Ave	34.051967	-118.526425	8/20/2010
230	SUSMP	Green Infrastructure	Planter Box	25621 Normandie Ave	33.784439	-118.298042	8/5/2010
231	SUSMP	Unknown	Unknown	2209 E I St	33.783036	-118.234250	7/28/2010
232	SUSMP	Unknown	Unknown	2100 E Pacific Coast Hwy	33.791514	-118.232881	5/17/2010
233	SUSMP	Infiltration	Underground Detention/ Infiltration Chamber System	201 N Palos Verdes St	33.741903	-118.281531	5/7/2010
234	SUSMP	Green Infrastructure	Dry Well	201 N Palos Verdes St	33.741903	-118.281531	5/7/2010
235	SUSMP	Green Infrastructure	2 Planter Boxes	10704 Wilmington	33.938642	-118.239014	4/28/2010
236	SUSMP/OWTS	Unknown	Unknown	1500 W Francisco St	33.848450	-118.304022	4/22/2010
237	SUSMP	Unknown	Unknown	545 S Fries Ave	33.765022	-118.264103	4/1/2010
238	SUSMP	Green Infrastructure	Planter Box	1600 Palos Verdes Dr	33.777872	-118.304936	3/23/2010
239	SUSMP	Source Control	6 Fossil Filter CB Insert	1327 W 228th St	33.819139	-118.300458	3/18/2010
240	Site Specific	Unknown	Unknown	1660 W. Anaheim St	33.777889	-118.288883	1/14/2010
241	SUSMP	Unknown	Unknown	6209 Ocean Front Walk	33.961839	-118.453528	1/12/2010
242	SUSMP	Infiltration	Underground Detention/ Infiltration Chamber System	410 N Hawaiian	33.773700	-118.275661	12/18/2009
243	SUSMP	Source Control	2 Contech CB Inserts	410 N Hawaiian	33.773700	-118.275661	12/18/2009
244	SUSMP	Source Control	Fossil Filter CB Insert	1425 West Carson St	33.830950	-118.356942	11/20/2009
245	SUSMP	Source Control	3 Fossil Filter CB Insert	14221 S Figueroa St	33.902075	-118.283208	11/19/2009
246	SUSMP	Green Infrastructure	Bioretention Facility	14221 S Figueroa St	33.902075	-118.283208	11/19/2009
247	SUSMP	Source Control	Fossil Filter CB Insert	428 E G St	33.778642	-118.257533	11/12/2009
248	SUSMP	Green Infrastructure	21 Bioretention Facilities	25821 S Vermont Ave	33.789178	-118.293914	11/3/2009

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
249	SUSMP	Green Infrastructure	6 Planter Boxes	25821 S Vermont Ave	33.789178	-118.293914	11/3/2009
250	Site Specific	Unknown	Unknown	799 S Seaside Ave	33.728772	-118.268719	11/3/2009
251	SUSMP	Unknown	Unknown	3525 S Kerckoff Ave	33.711967	-118.289842	10/20/2009
252	SUSMP	Unknown	Unknown	1138 N Las Pulgas	34.053475	-118.539883	9/22/2009
253	SUSMP	Source Control	Slope Vegetation	1426 W 37th St	33.715589	-118.309219	7/7/2009
254	SUSMP	Infiltration	2 Infiltration Trenches	710 N Front St	33.749144	-118.280722	5/28/2009
255	SUSMP	Source Control	Vortechnics	710 N Front St	33.749144	-118.280722	5/28/2009
256	SUSMP	Source Control	6 Abtech Ultra Urban CB Inserts	710 N Front St	33.749144	-118.280722	5/28/2009
257	SUSMP	Unknown	Unknown	3411 S Carolina St	33.713014	-118.290728	5/28/2009
258	SUSMP	Source Control	Sedimentation Basin	401 N Henry Ford Ave	33.773403	-118.241156	5/15/2009
259	SUSMP	Source Control	Vortechnics	920 W Harry Bridges Blvd	33.769942	-118.278692	5/7/2009
260	SUSMP	Source Control	10 Abtech Ultra Urban CB Inserts	920 W Harry Bridges Blvd	33.769942	-118.278692	5/7/2009
261	SUSMP	Infiltration	Infiltration Trench	920 W Harry Bridges Blvd	33.769942	-118.278692	5/7/2009
262	Site Specific	Unknown	Unknown	1660 W Anaheim St	33.776636	-118.288764	4/24/2009
263	SUSMP	Green Infrastructure	2 Bioretention Facilities	1000 W Pacific Coast Hwy	33.790256	-118.275197	2/25/2009
264	SUSMP	Green Infrastructure	2 Vegetated Swale/Strips	1000 W Pacific Coast Hwy	33.790256	-118.275197	2/25/2009
265	SUSMP	Permeable Pavement	Porous Pavement	1000 W Pacific Coast Hwy	33.790256	-118.275197	2/25/2009
266	SUSMP	Infiltration	15 Infiltration Trenches	2235 Miner St	33.725356	-118.278206	2/25/2009
267	SUSMP	Source Control	3 CDS	2235 Miner St	33.725356	-118.278206	2/25/2009
268	SUSMP	Source Control	4 Stormfilter	2235 Miner St	33.725356	-118.278206	2/25/2009
269	SUSMP	Unknown	Unknown	1019 W M St	33.788606	-118.275756	2/17/2009
270	SUSMP	Unknown	Unknown	1412 N Wilmington Blvd	33.791031	-118.274744	2/13/2009
271	SUSMP	Green Infrastructure	17 StormTech Chamber Systems	25020 Doble Ave	33.796975	-118.291511	2/13/2009
272	SUSMP	Unknown	Unknown	3525 Muldae Ave	33.720811	-118.321417	2/6/2009
273	SUSMP	Green Infrastructure	Planter Box	5610 York Blvd	34.119306	-118.196408	2/3/2009
274	SUSMP	Green Infrastructure	6 Vegetated Swale/Strips	5610 York Blvd	34.119306	-118.196408	2/3/2009
275	SUSMP	Unknown	Unknown	1215 W Grant St	33.783175	-118.278606	2/2/2009
276	SUSMP	Green Infrastructure	13 StormTech Chamber Systems	1608 W Pacific Coast Hwy	33.789342	-118.304608	1/30/2009
277	SUSMP	Source Control	Drain Pac CB Insert	1608 W Pacific Coast Hwy	33.789342	-118.304608	1/30/2009
278	SUSMP	Source Control	Fossil Filter CB Insert	1608 W Pacific Coast Hwy	33.789342	-118.304608	1/30/2009
279	SUSMP	Unknown	Unknown	500 S Pacific Ave	33.739361	-118.287794	1/13/2009
280	SUSMP	Source Control	Fossil Filter CB Insert	1420 N Coil Ave	33.793053	-118.242803	1/13/2009
281	SUSMP	Infiltration	Infiltration Trench	1420 N Coil Ave	33.793053	-118.242803	1/13/2009
282	SUSMP	Green Infrastructure	StormTech Chamber System	13414 S Figueroa St	33.909933	-118.282633	1/7/2009
283	SUSMP	Source Control	Fossil Filter CB Insert	13414 S Figueroa St	33.909933	-118.282633	1/7/2009
284	SUSMP	Green Infrastructure	Planter Box	1663 E Anaheim St	33.781094	-118.241219	12/2/2008
285	SUSMP	Green Infrastructure	Planter Box	403 E Harry Bridges Blvd	33.771394	-118.257922	11/18/2008
286	SUSMP	Unknown	Unknown	751 Eldridge St	33.747031	-118.261061	11/3/2008
287	SUSMP	Green Infrastructure	2 Planter Boxes	730 N Watson Ave	33.780006	-118.246650	10/30/2008
288	SUSMP	Green Infrastructure	Vegetated Swale/Strip	323 Lecouvreur Ave	33.773375	-118.255536	10/14/2008
289	SUSMP	Green Infrastructure	2 Planter Boxes	1625 S Granville Ave	34.040750	-118.456692	10/6/2008
290	SUSMP	Source Control	Fossil Filter CB Insert	1625 S Granville Ave	34.040750	-118.456692	10/6/2008
291	SUSMP	Unknown	Unknown	18054 W Sandy Cape Dr	34.047611	-118.569014	9/25/2008
292	SUSMP	Unknown	Unknown	1140 N Monument St	34.049847	-118.524606	9/15/2008
293	SUSMP	Green Infrastructure	Vegetated Swale/Strip	421 N Henry Ford Ave	33.773861	-118.241200	8/29/2008
294	SUSMP	Permeable Pavement	Porous Pavement	421 N Henry Ford Ave	33.773861	-118.241200	8/29/2008
295	SUSMP	Green Infrastructure	2 Planter Boxes	12015 S Figueroa St	33.922947	-118.282881	8/28/2008
296	SUSMP	Source Control	3 Fossil Filter CB Inserts	12015 S Figueroa St	33.922947	-118.282881	8/28/2008
297	SUSMP	Source Control	Drain Pac CB Inserts	12015 S Figueroa St	33.922947	-118.282881	8/28/2008
298	SUSMP	Unknown	Unknown	601 N Henry Ford Ave	33.768433	-118.240439	8/27/2008
299	SUSMP	Green Infrastructure	Slope Vegetation	601 N Henry Ford Ave	33.768433	-118.240439	8/19/2008
300	SUSMP	Unknown	Unknown	6834 W Quinton Ln	34.248094	-118.280686	8/18/2008
251	SUSMP	Unknown	Unknown	3525 S Kerckoff Ave	33.711967	-118.289842	10/20/2009
252	SUSMP	Unknown	Unknown	1138 N Las Pulgas	34.053475	-118.539883	9/22/2009
253	SUSMP	Source Control	Slope Vegetation	1426 W 37th St	33.715589	-118.309219	7/7/2009
254	SUSMP	Infiltration	2 Infiltration Trenches	710 N Front St	33.749144	-118.280722	5/28/2009
255	SUSMP	Source Control	Vortechnics	710 N Front St	33.749144	-118.280722	5/28/2009

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
256	SUSMP	Source Control	6 Abtech Ultra Urban CB Inserts	710 N Front St	33.749144	-118.280722	5/28/2009
257	SUSMP	Unknown	Unknown	3411 S Carolina St	33.713014	-118.290728	5/28/2009
258	SUSMP	Source Control	Sedimentation Basin	401 N Henry Ford Ave	33.773403	-118.241156	5/15/2009
259	SUSMP	Source Control	Vortechincs	920 W Harry Bridges Blvd	33.769942	-118.278692	5/7/2009
300	SUSMP	Unknown	Unknown	6834 W Quinton Lane	34.248094	-118.280686	8/18/2008
301	SUSMP	Green Infrastructure	3 Vegetated Swale/Strip	522 N Flint Ave	33.777003	-118.249086	8/8/2008
302	SUSMP	Green Infrastructure	3 Vegetated Swale/Strip	18320 S Western Ave	33.863817	-118.308556	7/25/2008
303	SUSMP	Unknown	Unknown	602 N Flint Ave	33.777589	-118.249164	6/17/2008
304	SUSMP	Source Control	2 Fossil Filter CB Insert	618 N Pioneer Ave	33.779106	-118.248003	6/17/2008
305	SUSMP	Green Infrastructure	2 Vegetated Swale/Strip	618 N Pioneer Ave	33.779106	-118.248003	6/17/2008
306	SUSMP	Unknown	Unknown	1553 W 205th St	33.844850	-118.306011	6/12/2008
307	SUSMP	Green Infrastructure	Vegetated Swale/Strip	1355 N Broad Ave	33.779906	-118.261075	6/3/2008
308	SUSMP	Permeable Pavement	Porous Pavement	1355 N Broad Ave	33.779906	-118.261075	6/3/2008
309	SUSMP	Unknown	Unknown	1662 W Pacific Coast Hwy	33.790842	-118.286894	5/27/2008
310	SUSMP	Green Infrastructure	Vegetated Swale/Strip	238 N Trotwood Ave	33.745294	-118.317017	4/24/2008
311	SUSMP	Unknown	Unknown	3427 S Mentone Ave	34.026344	-118.410364	4/18/2008
312	SUSMP	Green Infrastructure	Planter Box	15007 W Bestor Blvd	34.051578	-118.523483	4/7/2008
313	SUSMP	Source Control	CDS	240 W Venice Blvd	34.034961	-118.266081	4/7/2008
314	SUSMP	Unknown	Unknown	210 E 22nd St	33.725678	-118.279961	3/17/2008
315	SUSMP	Unknown	Unknown	550 S Sampson Way	33.740350	-118.278919	3/17/2008
316	SUSMP	Unknown	Unknown	1320 W Mauretania St	33.790131	-118.280425	2/5/2008
317	SUSMP	Unknown	Unknown	255 W 8th St	33.736822	-118.282614	2/1/2008
318	SUSMP	Source Control	2 Fossil Filter CB Insert	536 N Banning Blvd	33.776794	-118.256636	1/30/2008
319	SUSMP	Infiltration	4 Infiltration Trenches	536 N Banning Blvd	33.776794	-118.256636	1/30/2008
320	Site Specific	Unknown	Unknown	1660 W Anaheim St	33.776689	-118.288717	1/9/2008
321	SUSMP	Unknown	Unknown	1031 W Papeete St	33.787017	-118.276022	12/20/2007
322	SUSMP	Source Control	8 Fossil Filter CB Insert	2401 E Sepulveda Blvd	33.805192	-118.223025	12/20/2007
323	SUSMP	Infiltration	Infiltration Trench	2401 E Sepulveda Blvd	33.805192	-118.223025	12/20/2007
324	SUSMP	Source Control	7 Fossil Filter CB Insert	1715 E Denni St	33.785856	-118.240750	12/5/2007
325	SUSMP	Green Infrastructure	Vegetated Swale/Strip	1715 E Denni St	33.785856	-118.240750	12/5/2007
326	SUSMP	Green Infrastructure	Off-line Storage	1715 E Denni St	33.785856	-118.240750	12/5/2007
327	SUSMP	Green Infrastructure	2 Planter Boxes	624 N Neptune Ave	33.777492	-118.268747	11/21/2007
328	SUSMP	Permeable Pavement	Porous Pavement	624 N Neptune Ave	33.777492	-118.268747	11/21/2007
329	SUSMP	Unknown	Unknown	401 W Anaheim St	33.779894	-118.267011	11/6/2007
330	SUSMP	Source Control	3 Stormfilters	25965 S Normandie Ave	33.787581	-118.297542	11/1/2007
331	SUSMP	Source Control	2 Drain Pac CB Inserts	25965 S Normandie Ave	33.787581	-118.297542	11/1/2007
332	Site Specific	Source Control	2 Fossil Filter CB Insert	545 S Fries Ave	33.765000	-118.264136	10/29/2007
333	SUSMP	Unknown	Unknown	1824 W 1st St	33.742983	-118.316150	10/26/2007
334	SUSMP	Green Infrastructure	Filtrerra Filter	120 W C St	33.772522	-118.262614	9/6/2007
335	SUSMP	Green Infrastructure	2 Planter Boxes	12016 S Figueroa St	33.923019	-118.282494	8/24/2007
336	SUSMP	Source Control	Fossil Filter CB Insert	12016 S Figueroa St	33.923019	-118.282494	8/24/2007
337	SUSMP	Green Infrastructure	19 Filterra Filters	1605 N Gaffey St	33.752058	-118.292308	8/23/2007
338	SUSMP	Green Infrastructure	Downspout Filter	25825 S Vermont Ave	33.788375	-118.295594	8/23/2007
339	SUSMP	Unknown	Unknown	445 S Ferry St	33.746100	-118.261519	8/22/2007
340	SUSMP	Source Control	Slope Vegetation	1093 W 27th St	33.719622	-118.301089	8/14/2007
341	SUSMP	Source Control	Slope Vegetation	1085 W 27th St	33.719556	-118.300967	8/14/2007
342	SUSMP	Source Control	Slope Vegetation	1079 W 27th St	33.719514	-118.300825	8/14/2007
343	SUSMP	Source Control	Slope Vegetation	1073 W 27th St	33.719514	-118.300697	8/14/2007
344	SUSMP	Source Control	6 Fossil Filter CB Insert	310 Centre St	33.745150	-118.283283	8/13/2007
345	SUSMP	Permeable Pavement	6 Porous Pavement	310 Centre St	33.745150	-118.283283	8/13/2007
346	SUSMP	Green Infrastructure	10 Planter Boxes	310 Centre St	33.745150	-118.283283	8/13/2007
347	SUSMP	Source Control	7 Downspout Filters	310 Centre St	33.745150	-118.283283	8/13/2007
348	SUSMP	Green Infrastructure	3 Filterra Filters	18455 S Figueroa St	33.863333	-118.282903	8/9/2007
349	SUSMP	Source Control	Fossil Filter CB Insert	18455 S Figueroa St	33.863333	-118.282903	8/9/2007
350	SUSMP	Source Control	4 Fossil Filter CB Insert	1400 W 228th St	34.029425	-118.291481	7/30/2007
351	SUSMP	Infiltration	4 Infiltration Trenches	1400 W 228th St	34.029425	-118.291481	7/30/2007
352	SUSMP	Source Control	5 Downspout Filter	1444 W Q St	33.793844	-118.281356	7/26/2007

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
353	SUSMP	Source Control	Fossil Filter CB Insert	1444 W Q St	33.793844	-118.281356	7/26/2007
354	SUSMP	Infiltration	Infiltration Trench	1444 W Q St	33.793844	-118.281356	7/26/2007
355	SUSMP	Unknown	Unknown	1026 W Pacific Coast Hwy	33.790114	-118.275939	7/24/2007
356	SUSMP	Unknown	Unknown	125 N Ave 60	34.111908	-118.189794	7/6/2007
357	SUSMP	Unknown	Unknown	2815 S Vermont Ave	34.028861	-118.291881	6/14/2007
358	SUSMP	Permeable Pavement	Porous Pavement	1640 W Paseo Del Mar	33.716031	-118.316594	6/4/2007
359	SUSMP	Source Control	4 Fossil Filter CB Inserts	1005 N Gaffey St	33.752111	-118.292278	5/18/2007
360	SUSMP	Unknown	Unknown	1026 N Cristobal Ave	33.784308	-118.242806	5/17/2007
361	SUSMP	Unknown	Unknown	417 N Meyler St	33.746486	-118.296783	5/9/2007
362	SUSMP	Green Infrastructure	2 Planter Boxes	815 S Grand Ave	33.736447	-118.290419	4/11/2007
363	SUSMP	Source Control	2 Fossil Filter CB Inserts	815 S Grand Ave	33.736447	-118.290419	4/11/2007
364	SUSMP	Source Control	2 Downspout Filters	420 9th St	34.044003	-118.258883	4/11/2007
365	SUSMP	Green Infrastructure	Planter Box	420 9th St	34.044003	-118.258883	4/11/2007
366	SUSMP	Source Control	2 Fossil Filter CB Inserts	1331 Torrance Blvd	33.842936	-118.300508	3/30/2007
367	SUSMP	Infiltration	Infiltration Trench	1331 Torrance Blvd	33.842936	-118.300508	3/30/2007
368	SUSMP	Green Infrastructure	2 Planter Boxes	366 W 8th St	33.736728	-118.284964	3/28/2007
369	SUSMP	Source Control	2 Fossil Filter CB Inserts	1417 Anaheim St	33.784261	-118.301928	3/17/2007
370	SUSMP	Green Infrastructure	Planter Box	1417 Anaheim St	33.784261	-118.301928	3/17/2007
371	SUSMP	Green Infrastructure	4 Downspout Filters	422 S Gaffy St	33.739911	-118.292147	2/21/2007
372	SUSMP	Source Control	Fossil Filter CB Insert	422 S Gaffy St	33.739911	-118.292147	2/21/2007
373	SUSMP	Infiltration	Infiltration Trench	422 S Gaffy St	33.739911	-118.292147	2/21/2007
374	SUSMP	Source Control	2 CDS	111 Pier S Ave	33.758961	-118.241681	12/20/2006
375	SUSMP	Source Control	254 Drain Pac CB Inserts	20843 S Normandie Ave	33.840478	-118.299633	11/27/2006
376	SUSMP	Infiltration	Infiltration Trench	601 N Avalon Blvd	33.777164	-118.262625	11/22/2006
377	SUSMP	Source Control	Drain Pac CB Insert	601 N Avalon Blvd	33.777164	-118.262625	11/22/2006
378	SUSMP	Source Control	Fossil Filter CB Insert	1338 W 228th St	33.818714	-118.300764	11/15/2006
379	SUSMP	Infiltration	Infiltration Trench	1338 W 228th St	33.818714	-118.300764	11/15/2006
380	SUSMP	Source Control	2 Fossil Filter CB Inserts	10400 S Grandee Ave	33.941381	-118.243633	10/25/2006
381	SUSMP	Green Infrastructure	2 Vegetated Swale/Strips	10400 S Grandee Ave	33.941381	-118.243633	10/25/2006
382	SUSMP	Green Infrastructure	2 Dry Wells	10400 S Grandee Ave	33.941381	-118.243633	10/25/2006
383	SUSMP	Green Infrastructure	Extended/Dry Retention Basin	525 E Anaheim St	33.780169	-118.257092	9/19/2006
384	SUSMP	Source Control	Fossil Filter CB Insert	245 7th St	34.042614	-118.249658	9/13/2006
385	SUSMP	Infiltration	Infiltration Trench	245 7th St	34.042614	-118.249658	9/13/2006
386	Site Specific	Unknown	Unknown	621 W 152nd St Bldg B	33.894842	-118.288269	10/27/2008
387	SUSMP	Infiltration	Infiltration Trench	340 S Mesa St	33.740542	-118.285206	9/3/2008
388	SUSMP	Source Control	3 Fossil Filter CB Inserts	340 S Mesa St	33.740542	-118.285206	9/3/2008
389	SUSMP	Unknown	Unknown	1001 N King Ave	33.782319	-118.276086	8/11/2008
Los Angeles County							
1	SUSMP	Source Control	2 Kristar Curb Mount FGP-36CI Filters with 1.50 CFS/Each Filtered Capacity	301 S Bandini St	33.741508	-118.298994	3/8/2010
2	SUSMP	Source Control	4 CB Fossil Filters	920 W Sepulveda Blvd	33.810291	-118.290874	3/8/2011
3	SUSMP	Source Control	1 Contech 8'X16' Stormfilter with 1.14 CFS Treatment Flow	902 W Sepulveda Blvd	33.810135	-118.290474	3/18/2010
4	SUSMP	Source Control	2 Jensen 24" Drop Inlets Model: DI242436 with Hydro-Cartridge Filters	810 W Sepulveda Blvd	33.809300	-118.288371	3/20/2012
5	SUSMP	Source Control	3 CB Filter Inserts	20425 S Hamilton Ave	33.845917	-118.286100	4/22/2013
6	SUSMP	Source Control	FGP-18F Kristar Flo-Gard Filter Inserts Model: FGP-18F	2626 E Vista Industrial	33.849846	-118.217048	5/11/2011
7	SUSMP	Source Control	CDS 2020-5	1303 W Sepulveda Blvd	33.813561	-118.299312	5/14/2013
8	SUSMP	Source Control	Maxwell IV Drainage System	1303 W Sepulveda Blvd	33.813561	-118.299312	5/14/2013
9	SUSMP	Source Control	Contech CMP Retention System	1303 W Sepulveda Blvd	33.813561	-118.299312	5/14/2013
10	SUSMP	Source Control	2 Kristar Swalegard Parkway Drain Filters Model: CDG-1A	2001 E Cashdan St	33.856083	-118.231217	6/7/2007
11	SUSMP	Source Control	2 SB-24 Fossil Filters	898 W Sepulveda Blvd	33.810075	-118.290319	6/7/2011
12	SUSMP	Source Control	Contech CDS Unit Model:CDS2015	19300 S Vermont Ave	33.856103	-118.290453	8/12/2009
13	SUSMP	Source Control	FGP-12F Filter	1259 W Carson St	33.831635	-118.298274	8/23/2010
14	SUSMP	Source Control	7 - Contech Stormwater Cartridge CB	833 W Torrance Blvd	33.842110	-118.288765	9/9/2008

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
15	SUSMP	Source Control	BIOCLEAN FLUME FILTER	19914 S Via Baron	33.850439	-118.229073	10/11/2006
16	SUSMP	Source Control	2 FGP-36F Filters	19914 S Via Baron	33.850439	-118.229073	10/11/2006
17	SUSMP	Source Control	Fossil Filter FB-24	1360 W 6th St	33.738882	-118.307015	10/21/2008
18	SUSMP	Source Control	Up Flo Filters	2310 E Gladwick St	33.852978	-118.223806	12/23/2010
19	SUSMP	Source Control	CB Insert FGP-2448F	1145 W Carson St	33.831633	-118.295990	12/28/2006
20	SUSMP	Source Control	1 Fossil Filter Flo-Gard Trench Drain Filter, THREE FLOGARD TRASH & DEBR	12714 S La Cienega Blvd	33.917194	-118.371340	2/8/2012
21	SUSMP	Source Control	3 Flo-Gard Trash and Debris Filters	12714 S La Cienega Blvd	33.917194	-118.371340	2/8/2012
22	SUSMP	Source Control	4 Rubberizer C.B. Filters	219 E Alondra St	33.885796	-118.273315	2/25/2013
23	SUSMP	Source Control	Ultra Urban Filter DI Series	357 W Compton Blvd	33.894859	-118.279833	3/7/2006
24	SUSMP	Source Control	CDS Model PMSU30-20 or Equal	1330 W Imperial Hwy	33.930921	-118.299100	3/15/2007
25	SUSMP	Source Control	2 Downspout Kristar Flo-gard Filters, Model: FG-DS4	10828 S Condon Ave	33.937761	-118.359059	3/19/2008
26	SUSMP	Source Control	3 CB Fossil Filters Models: FGP-18F & FF-12D	10714 S Western Ave	33.938971	-118.308959	5/1/2007
27	SUSMP	Source Control	4 Downspout Filters	10714 S Western Ave	33.938971	-118.308959	5/1/2007
28	SUSMP	Source Control	Flo-Gard FG-TDG24	1138 E Rosecrans Ave	33.902689	-118.254998	5/2/2013
29	SUSMP	Source Control	1 FG-TD08 Filter (1)FG-TD08 F	14200 Avalon Blvd	33.903035	-118.265201	5/6/2008
30	SUSMP	Source Control	2 CDS Units	1600 W Imperial Hwy	33.930922	-118.304771	5/10/2012
31	SUSMP	Source Control	CDS Unit, CB Filter Inserts, Low Flow Dry Wells	1600 W Imperial Hwy	33.930922	-118.304771	5/18/2011
32	SUSMP	Source Control	7 CDS Units	1600 W Imperial Hwy	33.930922	-118.304771	6/17/2011
33	SUSMP	Source Control	2 CDS Units	1600 W Imperial Hwy	33.930922	-118.304771	6/17/2011
34	SUSMP	Source Control	5 CDS Units	1600 W Imperial Hwy	33.930922	-118.304771	6/17/2011
35	SUSMP	Source Control	3 CDS Units	1600 W Imperial Hwy	33.930922	-118.304771	6/17/2011
36	SUSMP	Source Control	3 FGP-2436F Filters	14702 S Maple Ave	33.898146	-118.272549	7/16/2007
37	SUSMP	Source Control	1 Flo-Gard Fossil Filter Model: FGP-24F	13414 S Figueroa St	33.910092	-118.282661	8/20/2008
38	SUSMP	Source Control	Flo-Gard Trench Drain Filters and Fossil Filter FB-24	12735 S Main St	33.917227	-118.273986	8/28/2007
39	SUSMP	Source Control	Flo-Gard CB Filter Insert	1360 W Imperial Hwy	33.930920	-118.299564	9/10/2008
40	SUSMP	Green Infrastructure	Underground Poly Storage Tanks	11044 S Freeman Ave	33.935313	-118.348188	11/3/2010
41	SUSMP	Source Control	4 Flo-Gard FG-TDG48 Filters	14439 S Avalon Blvd	33.900818	-118.265333	12/14/2006
42	SUSMP	Source Control	CB Filters	17680 S Figueroa St	33.870573	-118.281563	4/2/2008
43	SUSMP	Source Control	Trench Drain Filter	17006 S Figueroa St	33.876875	-118.282310	6/23/2008
44	LID	Green Infrastructure	Disconnect Impervious Surfaces		33.928826	-118.375382	8/19/2010
45	LID	Green Infrastructure	Disconnect Impervious Surfaces	3137 135th St	33.909448	-118.327842	NULL
46	LID	Green Infrastructure	Disconnect Impervious Surfaces	4818 138th St	33.905772	-118.362063	10/31/2011
47	LID	Rain Barrel	Rain Barrel	10700 Firmona Ave	33.939279	-118.356672	12/15/2009
48	LID	Green Infrastructure	Disconnect Impervious Surfaces	14106 Shoup Ave	33.903442	-118.363908	NULL
49	LID	Unknown	Other		33.930653	-118.305454	NULL
50	LID	Green Infrastructure	Disconnect Impervious Surfaces	3343 132nd St	33.912609	-118.332324	8/1/2012
51	LID	Green Infrastructure	Disconnect Impervious Surfaces	4825 134th Pl	33.910594	-118.362194	6/3/2010
52	LID	Green Infrastructure	Disconnect Impervious Surfaces		33.912749	-118.331088	NULL
53	LID	Rain Barrel	Rain Barrel		33.919496	-118.281407	1/24/2012
54	LID	Unknown	Other	4331 Lennox Blvd	33.938677	-118.351849	NULL
55	LID	Green Infrastructure	Disconnect Impervious Surfaces	5138 135th St	33.909221	-118.368393	2/9/2011
56	LID	Green Infrastructure	Disconnect Impervious Surfaces	20625 Catalina St	33.842936	-118.294192	NULL
57	LID	Green Infrastructure	Dry Well	1000 Carson St	33.829799	-118.294727	7/19/2010
58	LID	Unknown	Other	11507 Western Ave	33.929445	-118.310221	NULL
59	LID	Source Control	Landscaping and Irrigation	125 El Segundo Blvd	33.916800	-118.272983	NULL
60	LID	Green Infrastructure	Disconnect Impervious Surfaces	5232 119th St	33.925198	-118.371268	NULL
61	LID	Rain Barrel	Rain Barrel	10935 Osage Ave	33.936168	-118.346417	NULL
62	LID	Rain Barrel	Rain Barrel	5349 119th Pl	33.924824	-118.373838	NULL

Table G.6: Detailed List of Existing Distributed BMPs in DC WMG							
ID	Data Source	BMP Category	Project Description	Address	Latitude	Longitude	Date Active
63	LID	Unknown	Other	22433 Vermont Ave	33.822400	-118.290777	NULL
64	LID	Green Infrastructure	Disconnect Impervious Surfaces	3356 152nd St	33.893586	-118.332670	NULL
65	LID	Source Control	Landscaping and Irrigation	3546 132nd st	33.912082	-118.334631	NULL
66	LID	Green Infrastructure	Disconnect Impervious Surfaces	5024 112th St	33.932534	-118.366212	6/21/2011
67	LID	Green Infrastructure	Disconnect Impervious Surfaces	3535 Redondo Beach Blvd	33.882953	-118.339007	1/31/2011
68	LID	Green Infrastructure	Disconnect Impervious Surfaces	14425 Loness Ave	33.900795	-118.254748	NULL
69	LID	Rain Barrel	Rain Garden	1525 El Segundo Blvd	33.916751	-118.303177	NULL
70	LID	Green Infrastructure	Disconnect Impervious Surfaces	14615 Chadron Ave	33.898822	-118.328934	NULL
71	LID	Unknown	Other	15730 Figueroa St	33.887734	-118.281572	NULL
72	LID	Rain Barrel	Rain Barrel	15303 Ermanita Ave	33.892549	-118.332770	4/20/2010
73	LID	Source Control	Landscaping and Irrigation	5500 119th Pl	33.924285	-118.376798	NULL
74	LID	Rain Barrel	Rain Barrel	5238 119th St	33.925198	-118.371439	11/15/2011
75	LID	Source Control	Landscaping and Irrigation	5413 118th St	33.927549	-118.374916	NULL
76	LID	Rain Barrel	Rain Barrel	10820 Osage Ave	33.937516	-118.345797	11/30/2010
77	LID	Unknown	Other	11633 Western Ave	33.927562	-118.310227	NULL

Attachment H
Comparison between 2001 and 2012 MCM
Requirements

PAGE INTENTIONALLY LEFT BLANK

The table presented in this attachment compares the Minimum Control Measure (MCM) requirements per the 2001 MS4 Permit (Order No. 01-182) and the current 2012 MS4 Permit (Order No. R4-2012-0175), and corresponds with Section 3.2 of the Dominguez Channel Watershed Management Group (DC WMG) Enhanced Watershed Management Program (EWMP).

Table H.1: Comparison of 2001 MS4 Permit MCMs to 2012 MS4 Permit MCMs			
Program	Activity	2012 MS4 Permit Part	2001 MS4 Permit Part
Public Information and Participation Program	Public Education Program - advisory committee meeting (once per year)		4.B
	"No Dumping" message on storm drain inlets (by 2/2/2004)		4.B.1.a
	Reporting hotline for the public (e.g., 888-CLEAN-LA)	VI.D.5.c.i.(1)	4.B.1.b
	Outreach and Education	VI.D.5.d.i.(2)	4.B.1.c
	Make reporting info available to public	VI.D.5.d.i.(4)	4.B.1.b
	Public service announcements, advertising, and media relations	VI.D.5.d.i.(1)	4.B.1.c.(1).(iii)
	Public education materials - proper handling	VI.D.5.d.i.(2)	
	Public education materials - activity specific	VI.D.5.d.i.(3)	
	Educational activities and countywide events	VI.D.5.c.ii	4.B.1.c.(4)
	Quarterly public outreach strategy meetings (by 5/1/2002)		4.B.1.c.(1).(iii)
	Ensure 35 million impressions per year are made on the general public via print, local TV, radio, or other appropriate media		4.B.1.d.(6)
	Constituent-specific outreach information made available to public		4.B.1.d
	Business Assistance Program		4.B.2
	Educate and inform corporate managers about stormwater regulations		4.B.2.a
	Maintain storm water websites	VI.D.5.d.i.(4)	
	Provide education materials to schools (50 percent of all K-12 children every two years)		4.B.1.d.(7)
	Provide independent, parochial, and public schools within jurisdiction with K-12 educational materials	VI.D.5.d.i.(5)	
	LACFCD shall develop a strategy to measure the effectiveness of in-school education programs		4.B.1.d.(9)
	LACFCD shall develop a behavioral change assessment strategy (by 5/1/2002)		4.B.1.d.(10)
	Educate and involve ethnic communities and businesses	VI.D.5.a.i.(3)	4.B.1.d.(2)
Industrial/Commercial Facilities Program	Track critical sources – restaurants	VI.D.6.b.i.(1)	4.C.1.a.(1)
	Track critical sources - automotive service facilities	VI.D.6.b.i.(1)	4.C.1.a.(1)
	Track critical sources – RGOs	VI.D.6.b.i.(1)	4.C.1.a.(1)
	Track critical sources - nurseries and nursery centers	VI.D.6.b.i.(1)	
	Track critical sources – USEPA Phase I facilities	VI.D.6.b.i.(2)	4.C.1.a.(2)
	Track critical sources - other federally-mandated facilities [40 Code of Federal Regulations (CFR) 122.26(d)(2)(iv)(C)]	VI.D.6.b.i.(3)	4.C.1.a.(2)
	Track critical sources - other commercial/industrial facilities that Permittee determines may contribute substantial constituent load to MS4	VI.D.6.b.i.(4)	
	Facility information - name of facility	VI.D.6.b.ii.(1)	4.C.1.b
	Facility information - name of owner/operator	VI.D.6.b.ii.(2)	4.C.1.b
	Facility information - contact information of owner/operator	VI.D.6.b.ii.(2)	
	Facility information - address	VI.D.6.b.ii.(3)	4.C.1.b
	Facility information – North American Industry Classification System (NAICS) code	VI.D.6.b.ii.(4)	
	Facility information – Standard Industrial Classification (SIC) code	VI.D.6.b.ii.(5)	4.C.1.b
	Facility information - narrative description of the activities performed and/or principal products produced	VI.D.6.b.ii.(6)	4.C.1.b
	Facility information - status of exposure of materials to storm water	VI.D.6.b.ii.(7)	
	Facility information - name of receiving water	VI.D.6.b.ii.(8)	
	Facility information - ID whether tributary to 303(d) listed water and generates constituents for which water is impaired	VI.D.6.b.ii.(9)	
	Facility information - NPDES/general industrial permit status	VI.D.6.b.ii.(10)	4.C.1.b
	Facility information - No Exposure Certification status	VI.D.6.b.ii.(11)	
	Update inventory of critical sources annually	VI.D.6.b.iii	4.C.1.c
	Notify inventoried industrial/commercial sites on BMP requirement	VI.D.6.c.i	
	Business Assistance Program	VI.D.6.c.ii	
	Inspect critical commercial sources (restaurants, automotive service facilities, retail gasoline outlets and automotive dealerships)	VI.D.6.d.i	4.C.2.a
	Inspect critical industrial sources (phase 1 facilities and federally-mandated facilities)	VI.D.6.e	4.C.2.b
	Verify No Exposure Certifications of applicable facilities	VI.D.6.e.i.(3)	
	Verify Waste Discharge Identification (WDID) Number of applicable facilities	VI.D.6.e.ii.(1)	4.C.2.b
	Source control BMPs	VI.D.6.f	4.C.3
	Provisions for Significant Ecological Areas (SEAs) (Environmentally Sensitive Areas (ESAs))	VI.D.6.g	4.C.3.b
	Progressive enforcement of compliance with stormwater requirements	VI.D.6.h	4.C.3.c
	Interagency coordination		4.C.3.d

Table H.1: Comparison of 2001 MS4 Permit MCMs to 2012 MS4 Permit MCMs			
Program	Activity	2012 MS4 Permit Part	2001 MS4 Permit Part
Planning and Land Development Program	Peak flow control (post-development stormwater runoff rates, velocities, and duration)	VI.D.7.c.i	4.D.1
	Hydromodification Control Plan	VI.D.7.c.iv	4.D.1
	SUSMP Ordinance		4.D.2
	LID Ordinance	VI.D.7.d.i	
	Volumetric treatment control (SWQDv) BMPs	VI.D.7.c.i	4.D.3.a
	Flow-based treatment control BMPs	VI.D.7.c.i.(3)	4.D.3.b
	Prioritize BMP selection based on retention/detention versus treatment	VI.D.7.a.i.(7)	
	Alternative compliance measures through groundwater replenishment	VI.D.7.c.ii	
	Alternative compliance measures through biofiltration on- or off-site	VI.D.7.c.iii	
	Require implementation of post-construction Planning Priority Projects as treatment controls to mitigate storm water pollution	VI.D.7.b.ii	4.D.4
	Require verification of maintenance provisions for BMPs	VI.D.7.d.i	4.D.8
	California Environmental Quality Act process update to include consideration of potential stormwater quality impacts	VI.D.7.d.i	4.D.11
	General Plan Update to include stormwater quality and quantity management considerations and policies		4.D.12
	Targeted employee training of development planning employees		4.D.13
	Bioretention and biofiltration systems	VI.D.7.c.iii.(1)	
	SUSMP guidance document		4.D.14
	Annual reporting of mitigation project descriptions	VI.D.7.c.vi	
	Implement post construction BMP maintenance inspections	VI.D.7.d.iv.(c)	
Development and Construction Program	Erosion control BMPs	VI.D.8.d	4.E.1.d
	Sediment control BMPs	VI.D.8.d	4.E.1.a
	For sites less than 1 acre, implement erosion and sediment control BMPs through the use of a erosion and sediment control ordinance	VI.D.8.d	
	Non-storm water containment on project site	VI.D.8.d	4.E.1.c
	Waste containment on project site	VI.D.8.d	4.E.1.c
	Require preparation of a Local SWPPP or Erosion and Sediment Control Plan/SWPPP for approval of permitted sites	VI.D.8.d	4.E.2
	Inspect construction sites equal to or greater than one acre		4.E.2.b
	Electronic tracking system (database and/or Geographic Information System)	VI.D.8.g	
	Required documents prior to issuance of building/grading permit	VI.D.8.h.ii.(1)	4.E.3.a
	Implement technical BMP standards	VI.D.8.i.i	
	Progressive enforcement	VI.D.8.k	4.E.4
	Permittee staff training	VI.D.8.l	4.E.5
Public Agency Activities Program	Sewage system, maintenance, overflow, and spill prevention plans		4.F.1
	Public construction activities management	VI.D.9.b	4.F.2
	Public facility inventory	VI.D.9.c	
	Inventory of existing development for retrofitting opportunities	VI.D.9.d	
	Public facility and activity management	VI.D.9.e	
	Vehicle maintenance, material storage facilities, corporation yard management	VI.D.9.f	4.F.3
	Landscape, park, and recreational facilities management	VI.D.9.g	4.F.4
	Storm drain operation and maintenance	VI.D.9.h	4.F.5
	Streets, roads, and parking facilities maintenance	VI.D.9.i	4.F.6
	Parking facilities management	VI.D.9.i	4.F.7
	Emergency procedures	VI.D.9.j	4.F.8
	Alternative treatment control BMPs feasibility study		4.F.10
	Municipal employee and contractor training	VI.D.9.k	
IC/ID Program	Implementation program	VI.D.10.a.i	4.G.1.a
	MS4 Tracking (mapping) of permitted connections and illicit connections and discharges		4.G.1.b
	Procedures for conducting source investigations for IC/IDs	VI.D.10.b	4.G.2.a
	Procedures for eliminating IC/IDs	VI.D.10.c	4.G.2.b
	Procedures for public reporting of ID	VI.D.10.d	
	IC/ID response plan	VI.D.10.e	4.G.1.a
	IC/IDs education and training for staff	VI.D.10.f	4.G.1.c

Attachment I
Summary of Existing MCMs Implemented

PAGE INTENTIONALLY LEFT BLANK

This attachment includes tables summarizing the existing Minimum Control Measures (MCMs) implemented by the Dominguez Channel Watershed Management Group (DC WMG), corresponding with Section 3.2 of the DC WMG Enhanced Watershed Management Program (EWMP).

Attachment I List of Tables

Table I.1: DC WMG Existing Minimum Control Measures Reported during Permit Year 2010-2011I-3

Table I.2: DC WMG Existing Minimum Control Measures Reported during Permit Year 2011-2012I-8

DRAFT

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table I.1: DC WMG Existing Minimum Control Measures Reported during Permit Year 2010-2011

Program Tasks and Milestones	2001 MS4 Permit Part	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County¹
General Permit Requirements								
Prohibit non-stormwater discharges into the MS4 and watercourses	1	Feb-02	I	I	I	I	I	I
Comply with Receiving Water Limitations (RWL) requirements	2	Feb-02	I	I	I	I	I	I
Implement the Stormwater Quality Management Plan (SQMP)	3.A.1	Feb-02	I	I	I	I	I	I
Revise the SQMP	3.A.4	Aug-02	NA	I	NA	I	NA	I
Implement the most effective combination of BMPs for storm water/ urban runoff pollution	3.B	Feb-02	I	I	I	D	I	I
Prepare and submit Annual Budget Summary as part of the annual report to the RWQCB	3.E.5	Oct-02	I	I	I	I	I	I
Conduct quarterly watershed management committee meetings	3.F.3.g	Mar-02	NA	NA	NA	NA	I	I
Amend and adopt county ordinance to enforce all requirements of the permit, if needed	3.G.3	Nov-02	I	I	I	NA	I	I
Submit to RWQCB a legal statement demonstrating the necessary legal authority	3.G.4	Dec-02	I	I	I	I	I	I
Prepare and submit to the RWQCB individual annual reports	1.B	Aug-02	I	I	I	I	I	I
Special Provisions								
Public Information and Participation - Permit Requirements								
Implement public information and participation program	4.B	Feb-02	I	I	I	I	I	I
Convene an Advisory Committee	4.B	ASAP	NA	NA	NA	I	NA	I
Mark all storm drain inlets with a "no dumping" message	4.B.1.a	Feb-04	I	I	I	I	I	I
Maintain the (888) CLEAN-LA hotline	4.B.1.b	Feb-02	NA	NA	NA	I	NA	I
Provide a list of reporting contacts to public through www.888CleanLA.com	4.B.1.b	Mar-02	I	NA	NA	NA	I	I
Media campaign for Storm Water Pollution Prevention (SPP)	4.B.1.c.1	Feb-02	NAv	NA	NA	NA	NA	I
Strategy to educate ethnic communities about SPP	4.B.1.c.2	Feb-03	NA	NA	NA	NA	NA	I
Enhance outreach for proper disposal of cigarette butts	4.B.1.c.3	Feb-02	NA	NA	NA	I	NA	I

Table I.1: DC WMG Existing Minimum Control Measures Reported during Permit Year 2010-2011

Program Tasks and Milestones	2001 MS4 Permit Part	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County¹
Conduct educational activities within jurisdiction and participate in county-wide events	4.B.1.c.4	Feb-02	I	I	I	I	I	I
Organize Public Outreach Strategy meetings quarterly	4.B.1.c.5	May-02	NA	NA	NA	NA	NA	I
Conduct Media Outreach to 35 million impressions per year	4.B.1.c.6	Annually	NA	NA	NA	NA	NA	I
Distribute SPP information to K-12 schools	4.B.1.c.7	-	I	NC	NA	I	I	I
Coordinate and provide contact information for public education activities	4.B.1.c.8	Apr-02	I	I	I	I	I	I
Strategy to measure effectiveness of in-school programs	4.B.c.9	May-02	NA	NA	NA	NA	NA	I
Behavioral change assessment strategy towards SPP	4.B.c.10	May-02	NA	NA	NA	NA	NA	I
Coordinate watershed-specific pollution prevention outreach programs	4.B.1.d	Feb-03	I	NA	I	NA	I	I
Corporate Outreach Program to target retail gas outlets and restaurant chains	4.B.2.a	Feb-03	I	NA	NA	NA	NA	I
Coordinate an SPP program for a Business Assistance Program	4.B.2.b	Optional	NA	I	NA	NA	I	I
Industrial/Commercial Facilities Control - Permit Requirements								
Maintain a list of industrial/commercial facilities to be inspected	4.C.1	Aug-02	I	I	I	I	I	I
Inspect/visit industrial/commercial facilities appropriately	4.C.2	Aug-04	I	I	I	I	I	I
Initiate progressive enforcement for facilities failing to implement BMP's	4.C.3	-	I	I	I	I	I	I
Inspect restaurants twice during Permit cycle	4.C.2	Aug-04	I	I	I	I	I	I
Development Planning - Permit Requirements								
Implement development planning program that requires SUSMP	4.D	Feb-02	I	I	I	I	I	I
Develop peak flow control criteria	4.D.1	Feb-05	NA	NA	NA	NA	I	I
Amend codes and ordinances to give legal effect to SUSMP changes in permit	4.D.2.a	Aug-02	I	I	I	I	I	I
Implement revised SUSMP	4.D.2.b	Sep-02	I	I	I	I	I	I
Submit an Environmentally Sensitive Areas (ESAs) Delineation map to RWQCB	4.D.2.d	Jun-02	I	I	I	I	I	I

Table I.1: DC WMG Existing Minimum Control Measures Reported during Permit Year 2010-2011

Program Tasks and Milestones	2001 MS4 Permit Part	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County¹
Implement SUSMP requirements for industrial/commercial projects >1 acre	4.D.5	Mar-03	I	I	I	I	I	I
Update CEQA guidelines to include specific storm water related issues	4.D.11	Feb-02	I	I	I	I	I	I
Update General Plan to include specific storm water related issues	4.D.12	-	I	NA	NA	I	I	I
Train targeted employees in permit requirements for Development Planning	4.D.13	Varies	I	I	I	I	I	I
Develop and make SUSMP guidelines available to the developer	4.D.14.a	Feb-02	I	I	I	I	I	I
Develop a technical manual for the siting and design of BMPs	4.D.14.b	Feb-04	I	NA	NA	NA	I	I
Development Construction - Permit Requirements								
Implement a development construction program	4.E.1 &2	Feb-02	I	I	I	I	I	I
Require proof of a Waste Discharger ID (WDID) number prior to filing Notice of Intent (NOI)	4.E.2.c	Mar-03	I	I	I	I	I	I
Require proof of an NOI and a copy of SWPPP for a transfer of ownership	4.E.3	Feb-02	I	I	I	I	I	I
Track the number of issued building and grading permits	4.E.3.c	Feb-02	I	I	I	I	I	I
Refer General Construction Activities Stormwater Permit (GCASP) violations to RWQCB	4.E.4	Feb-02	I	I	I	I	I	I
Train targeted employees in permit requirements for Development Construction	4.E.5	Varies	I	I	I	I	I	I
Public Agency Activities - Permit Requirements								
Implement a sewer overflow prevention and response program	4.F.1	Aug-02	I	I	I	I	I	I
Implement Development Planning Program at Permittee-owned construction projects	4.F.2.a	Aug-02	I	I	I	I	I	I
Implement Development Construction Program at Permittee-owned construction projects	4.F.2.b	Feb-02	I	I	I	I	I	I
Develop, if needed, and implement SWPPPs for field facilities	4.F.3	Feb-02	I	I	I	I	I	I
Equip wash areas with a clarifier, pre-treatment device, or be connected to sewer	4.F.3.c	Feb-02	I	I	I	I	I	I
Store pesticides/herbicides/fertilizers indoors and apply only in accordance	4.F.4.c&g	Feb-02	I	I	I	I	I	I
Designate Catch Basins as priority A, B, or C	4.F.5.a	Feb-02	I	I	I	I	I	I

Table I.1: DC WMG Existing Minimum Control Measures Reported during Permit Year 2010-2011

Program Tasks and Milestones	2001 MS4 Permit Part	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County¹
Ensure that Catch Basins (CBs) are cleaned appropriately	4.F.5.c.1	Feb-02	I	I	I	I	I	I
Place temporary screens on CBs prior to special events or cleanout immediately afterwards	4.F.5.c.2	Feb-02	I	I	I	I	I	I
Place and maintain trash receptacles at all transit stops with shelters	4.F.5.c.3	Feb-02	I	I	I	I	I	I
Inspect the legibility of CB stencils and re-label within 180 days if necessary	4.F.5.d	-	I	I	I	I	I	I
Visually monitor and clean all open channels annually for debris	4.F.5.e.1	Feb-02	NA	I	I	I	I	I
Designate curbed streets as priority A, B, or C based on litter accumulation	4.F.6.a.b	Feb-02	I	I	I	I	I	I
Recover saw cutting waste and dispose it offsite	4.F.6.c	Feb-02	I	I	I	I	I	I
Train targeted employees in permit requirements for Public Agency Activities	4.F.6.d	Varies	I	I	I	I	I	I
Inspect and, if needed, clean Permittee owned parking lots twice per month, but at least once	4.F.7	Feb-02	I	I	I	I	I	I
Conduct a dry weather diversion study and create a priority list of drains for diversion	4.F.10	Jul-03	I	NA	NA	NA	I	I
Illicit Connections / Illicit Discharges - Permit Requirements								
Develop an Implementation Program which specifies how revisions of the IC/ID SQMP are implemented	4.G.1.a	-	I	I	I	I	D	I
Create a database for permitted storm drain connections and map IC/ID	4.G.1.b	Feb-03	NA	I	I	I	I	I
Perform IC/ID Trend Analysis	4.G.1.b	Feb-03	NA	NA	NA	NA	NA	I
Train targeted employees in the permit requirements for IC/ID	4.G.1.c	Varies	I	I	I	I	I	I
Field screen the storm drain system for illicit connections in open channels	4.G.2.a	Feb-03	NA	I	I	I	I	I
Field screen the storm drain system for illicit connections in underground storm drains in priority areas	4.G.2.a	Feb-05	I	I	I	I	I	I
Field screen the storm drain system for illicit connections in underground s/d larger than 36 inch diameter	4.G.2.a	Dec-06	I	I	I	I	I	I
Review all permitted connections to the storm drain system for compliance	4.G.2.a	Dec-06	NA	NA	NA	I	I	I
Investigate illicit connections 21 days after discovery	4.G.2.b	-	I	I	I	I	I	I
Terminate illicit connections 180 days after confirmation	4.G.2.b	-	I	I	I	I	I	I

Table I.1: DC WMG Existing Minimum Control Measures Reported during Permit Year 2010-2011

Program Tasks and Milestones	2001 MS4 Permit Part	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County¹
Respond to illicit discharges within one business day of discovery	4.G.3.a	-	I	I	I	I	I	I
Investigate illicit discharges as soon as practicable	4.G.3.a	-	I	I	I	I	I	I

¹ Data is a combination of Los Angeles County and Los Angeles County Flood Control District

NA - Not Applicable or Completed

D - Developed

I - Program Implemented/Completed

Table I.2: DC WMG Existing Minimum Control Measures Reported during Permit Year 2011-2012

Program Tasks and Milestones	2001 MS4 Permit Section	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County	LACFCD
General Permit Requirements									
Prohibit non-stormwater discharges into the MS4 and watercourses	1	Feb-02	I	I	I	I	I	I	I
Comply with Receiving Water Limitations (RWL) requirements	2	Feb-02	I	I	I	I	I	I	I
Implement the Stormwater Quality Management Plan (SQMP)	3.A.1	Feb-02	I	I	I	I	I	I	I
Revise the SQMP	3.A.4	Aug-02	NA	I	NA	I	NA	I	I
Implement the most effective combination of BMPs for storm water/ urban runoff pollution	3.B	Feb-02	I	I	I	I	I	I	I
Prepare and submit Annual Budget Summary as part of the annual report to the RWQCB	3.E.5	Oct-02	I	I	I	I	I	I	I
Conduct quarterly watershed management committee meetings	3.F.3.g	Mar-02	NA	NA	I	I	I	I	I
Amend and adopt county ordinance to enforce all requirements of the permit, if needed	3.G.3	Nov-02	I	I	I	I	I	I	I
Submit to RWQCB a legal statement demonstrating the necessary legal authority	3.G.4	Dec-02	I	I	I	I	I	I	I
Prepare and submit to the RWQCB individual annual reports	1.B	Aug-02	I	I	I	I	I	I	I
Special Provisions									
Public Information and Participation - Permit Requirements									
Implement public information and participation program	4.B	Feb-02	I	I	I	I	I	I	I
Convene an Advisory Committee	4.B	ASAP	NA	NA	I	I	NA	I	I
Mark all storm drain inlets with a "no dumping" message	4.B.1.a	Feb-04	I	I	I	I	I	I	I
Maintain the (888) CLEAN-LA hotline	4.B.1.b	Feb-02	NA	NA	I	I	NA	I	I
Provide a list of reporting contacts to public through www.888CleanLA.com	4.B.1.b	Mar-02	I	NA	I	I	I	I	I
Media campaign for Storm Water Pollution Prevention (SPP)	4.B.1.c.1	Feb-02	NA	NA	I	I	NA	NA	I
Strategy to educate ethnic communities about SPP	4.B.1.c.2	Feb-03	NA	NA	I	NA	NA	NA	I
Enhance outreach for proper disposal of cigarette butts	4.B.1.c.3	Feb-02	NA	NA	I	I	NA	I	I

Table I.2: DC WMG Existing Minimum Control Measures Reported during Permit Year 2011-2012

Program Tasks and Milestones	2001 MS4 Permit Section	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County	LACFCD
Conduct educational activities within jurisdiction and participate in county-wide events	4.B.1.c.4	Feb-02	I	I	I	I	I	I	I
Organize Public Outreach Strategy meetings quarterly	4.B.1.c.5	May-02	NA	NA	NA	I	NA	NA	I
Conduct Media Outreach to 35 million impressions per year	4.B.1.c.6	Annually	NA	NA	NA	NA	NA	NA	I
Distribute SPP information to K-12 schools	4.B.1.c.7	-	I	NA	NA	I	I	NA	I
Coordinate and provide contact information for public education activities	4.B.1.c.8	Apr-02	I	I	I	I	I	I	I
Strategy to measure effectiveness of in-school programs	4.B.c.9	May-02	NA	NA	NA	I	NA	NA	I
Behavioral change assessment strategy towards SPP	4.B.c.10	May-02	NA	NA	NA	NA	NA	NA	I
Coordinate watershed-specific pollution prevention outreach programs	4.B.1.d	Feb-03	I	NA	NA	I	I	I	I
Corporate Outreach Program to target retail gas outlets and restaurant chains	4.B.2.a	Feb-03	I	NA	NA	NA	NA	NA	I
Coordinate an SPP program for a Business Assistance Program	4.B.2.b	Optional	NA	I	NA	NA	I	NA	NA
Industrial/Commercial Facilities Control - Permit Requirements									
Maintain a list of industrial/commercial facilities to be inspected	4.C.1	Aug-02	I	I	I	I	I	I	NA
Inspect/visit industrial/commercial facilities appropriately	4.C.2	Aug-04	I	I	I	I	I	I	NA
Initiate progressive enforcement for facilities failing to implement BMP's	4.C.3	-	I	I	I	I	I	I	NA
Inspect restaurants twice during Permit cycle	4.C.2	Aug-04	I	I	I	I	I	I	NA
Development Planning - Permit Requirements									
Implement development planning program that requires SUSMP	4.D	Feb-02	I	I	I	I	I	I	NA
Develop peak flow control criteria	4.D.1	Feb-05	NA	NA	I	I	I	I	NA
Amend codes and ordinances to give legal effect to SUSMP changes in permit	4.D.2.a	Aug-02	I	I	I	I	I	I	NA
Implement revised SUSMP	4.D.2.b	Sep-02	I	I	I	I	I	I	NA
Submit an Environmentally Sensitive Areas (ESAs) Delineation map to RWQCB	4.D.2.d	Jun-02	I	I	I	I	I	I	NA

Table I.2: DC WMG Existing Minimum Control Measures Reported during Permit Year 2011-2012

Program Tasks and Milestones	2001 MS4 Permit Section	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County	LACFCD
Implement SUSMP requirements for industrial/commercial projects >1 acre	4.D.5	Mar-03	I	I	I	I	I	I	NA
Update CEQA guidelines to include specific storm water related issues	4.D.11	Feb-02	I	I	I	I	I	I	NA
Update General Plan to include specific storm water related issues	4.D.12	-	I	NA	I	I	I	I	NA
Train targeted employees in permit requirements for Development Planning	4.D.13	Varies	I	I	I	I	I	I	NA
Develop and make SUSMP guidelines available to the developer	4.D.14.a	Feb-02	I	I	I	I	I	I	NA
Develop a technical manual for the siting and design of BMPs	4.D.14.b	Feb-04	I	NA	NA	I	I	I	NA
Development Construction - Permit Requirements									
Implement a development construction program	4.E.1 & 2	Feb-02	I	I	I	I	I	I	NA
Require proof of a Waste Discharger ID (WDID) number prior to filing Notice of Intent (NOI)	4.E.2.c	Mar-03	I	I	I	I	I	I	NA
Require proof of an NOI and a copy of SWPPP for a transfer of ownership	4.E.3	Feb-02	I	I	I	I	I	I	NA
Track the number of issued building and grading permits	4.E.3.c	Feb-02	I	I	I	I	I	I	NA
Refer General Construction Activities Stormwater Permit (GCASP) violations to RWQCB	4.E.4	Feb-02	I	I	I	I	I	I	NA
Train targeted employees in permit requirements for Development Construction	4.E.5	Varies	I	I	I	I	I	I	NA
Public Agency Activities - Permit Requirements									
Implement a sewer overflow prevention and response program	4.F.1	Aug-02	I	I	I	I	I	I	NA
Implement Development Planning Program at Permittee-owned construction projects	4.F.2.a	Aug-02	I	I	I	I	I	I	NA
Implement Development Construction Program at Permittee-owned construction projects	4.F.2.b	Feb-02	I	I	I	I	I	I	I
Develop, if needed, and implement SWPPPs for field facilities	4.F.3	Feb-02	I	I	I	I	I	I	I
Equip wash areas with a clarifier, pre-treatment device, or be connected to sewer	4.F.3.c	Feb-02	I	I	I	I	I	I	I
Store pesticides/herbicides/fertilizers indoors and apply only in accordance	4.F.4.c&g	Feb-02	I	I	I	I	I	I	I
Designate Catch Basins as priority A, B, or C	4.F.5.a	Feb-02	I	I	I	I	I	I	I

Table I.2: DC WMG Existing Minimum Control Measures Reported during Permit Year 2011-2012

Program Tasks and Milestones	2001 MS4 Permit Section	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County	LACFCD
Ensure that Catch Basins (CBs) are cleaned appropriately	4.F.5.c.1	Feb-02	I	I	I	I	I	I	I
Place temporary screens on CBs prior to special events or cleanout immediately afterwards	4.F.5.c.2	Feb-02	I	I	I	I	I	I	I
Place and maintain trash receptacles at all transit stops with shelters	4.F.5.c.3	Feb-02	I	I	I	I	I	I	NA
Inspect the legibility of CB stencils and re-label within 180 days if necessary	4.F.5.d	-	I	I	I	I	I	I	I
Visually monitor and clean all open channels annually for debris	4.F.5.e.1	Feb-02	NA	I	I	I	I	I	I
Designate curbed streets as priority A, B, or C based on litter accumulation	4.F.6.a.b	Feb-02	I	I	I	I	I	I	NA
Recover saw cutting waste and dispose it offsite	4.F.6.c	Feb-02	I	I	I	I	I	I	I
Train targeted employees in permit requirements for Public Agency Activities	4.F.6.d	Varies	I	I	I	I	I	I	I
Inspect and, if needed, clean Permittee owned parking lots twice per month, but at least once	4.F.7	Feb-02	I	I	I	I	I	I	I
Conduct a dry weather diversion study and create a priority list of drains for diversion	4.F.10	Jul-03	I	NA	I	NA	I	NA	I
Illicit Connections/ Illicit Discharges - Permit Requirements									
Develop an Implementation Program which specifies how revisions of the IC/ID SQMP are implemented	4.G.1.a	-	I	I	I	I	D	I	I
Create a database for permitted storm drain connections and map IC/ID	4.G.1.b	Feb-03	NA	I	I	I	I	I	I
Perform IC/ID Trend Analysis	4.G.1.b	Feb-03	NA	NA	I	NA	NA	I	I
Train targeted employees in the permit requirements for IC/ID	4.G.1.c	Varies	I	I	I	I	I	I	I
Field screen the storm drain system for illicit connections in open channels	4.G.2.a	Feb-03	NA	I	I	I	I	I	I
Field screen the storm drain system for illicit connections in underground storm drains in priority areas	4.G.2.a	Feb-05	I	I	I	I	I	I	I
Field screen the storm drain system for illicit connections in underground s/d larger than 36 inch diameter	4.G.2.a	Dec-06	I	I	I	I	I	I	I
Review all permitted connections to the storm drain system for compliance	4.G.2.a	Dec-06	NA	NA	I	I	I	I	I
Investigate illicit connections 21 days after discovery	4.G.2.b	-	I	I	I	I	I	I	I
Terminate illicit connections 180 days after confirmation	4.G.2.b	-	I	I	I	I	I	I	I

Table I.2: DC WMG Existing Minimum Control Measures Reported during Permit Year 2011-2012

Program Tasks and Milestones	2001 MS4 Permit Section	Due Date	El Segundo	Hawthorne	Inglewood	Lomita	Los Angeles	Los Angeles County	LACFCD
Respond to illicit discharges within one business day of discovery	4.G.3.a	-	I	I	I	I	I	I	I
Investigate illicit discharges as soon as practicable	4.G.3.a	-	I	I	I	I	I	I	I

NA - Not Applicable or Completed

D - Developed

I - Program Implemented/Completed

Attachment J
Preliminary List of Regional Projects



TECHNICAL MEMORANDUM

To: Dominguez Channel Watershed Management Group

From: Team Dominguez

Date: 3/9/2015

Subject: **Task F.4.2.2 – Preliminary List of Regional Projects - Revised**

1 Introduction

This technical memorandum presents a list of parcels that have the potential for becoming multi-benefit regional projects as part of the Dominguez Channel Enhanced Watershed Management Plan (EWMP). The sites were selected according to general approach presented in Section 3.1.4 of *the Enhanced Watershed Management Program Work Plan for the Dominguez Channel Watershed Management Area Group* June 2014 report (Work Plan) and subsequent August 15, 2014 *Task 4.2.1 – Regional Project Proposed Initial Ranking Criteria (Draft)* memorandum (Ranking Memorandum: attached to this memo).

To summarize the ranking criteria, Table 1 lists the criteria and how the parcels were scored based on those criteria. The right most column of Table 1 lists if Geographical Information System (GIS) coverage was useable for autonomous scoring of the parcels. Following the autonomous scoring of the parcels, parcels were visually evaluated to assess if they could conceivably provide sufficient space for a regional project that retains the 85th percentile storm from a catchment area outside the parcel itself.

For visual evaluation, the following screening criteria were adhered to:

1. Score using the GIS approach.
2. Identify Assessors Identification Numbers (AIN) ending in 900s. These represented tax exempt parcels, which, if tax-exempt, were assumed therefore to be government owned.
3. Specify which Tier a parcel should be categorized in based on its land use.
Tier 1: 900 coded open space, parks, golf courses, vacant
Tier 2: 900 coded everything else, with the exception of education
Tier 3: non-900 coded (privately owned) open space, parks, golf courses, vacant
Tier 4: education – both 900 and non-900 coded
Tier 5: everything else – non-900, non-education, non-park/open space/golf course/vacant.
4. Exclude Tier 5; if a Watershed Management Group (WMG) member or stakeholder brings a Tier 5 parcel forward, it can be evaluated further for feasibility.
5. Exclude parcels < 0.25 acres. These would have insufficient space for regional retention.
6. Exclude parcels that are part of natural water body.
7. Exclude parcels at edge of the Dominguez Channel (DC) Watershed Management Group Area (WMGA). These would not collect significant water from the DC WMGA jurisdictions.

Technical Memorandum

Task F.4.2.2 – Preliminary List of Regional Projects

Page 2

8. Exclude parcels with more than 60 to 70% buildings based on visual inspection of Google Earth and Google Maps views available on or after December 2014
9. Exclude open space parcels that have been developed based on visual inspection. It is important to note that a number of parcels labeled as “open space” were developed and their land use designation not changed in the parcel data available.
10. Exclude parcels that have less than approximately 10 acres tributary to them. This was not strictly adhered to, but in general, parcels that could collect water from 10 acres upstream of them were preferred.
11. Of the 900 series that survive this screening, review the ownership. If available data indicates the property is owned by WMG agencies, select as potential regional projects.
12. Review the unselected 900 series and the non-900 series that survive this screening and list the top 100 to 200 scores from those.
13. Visually inspect the top 100 to 200 and identify those that may have better potential to explore further based on potential catchment area, potential space on site and size of site, and potential ownership

It is important to note the following:

- GIS data contained no information regarding how much of the parcel was covered with structures and how much was potentially open in the form of a parking lot or landscaped area.
- Storm drains identified in the database are Los Angeles County storm drains. As such, there may be a closer storm drain to the selected parcel than indicated in the database.
- Streets rights of way were not included in this screening analysis for consideration as regional projects. They will be included in subsequent analyses of distributed regional or distributed projects needed to achieve planning objectives.
- The only data on the presence or absence of contamination was the listing of superfund sites. Other contamination information was not readily available. This would need to be evaluated on a parcel by parcel basis during project development.
- Depth to groundwater was not available. This would need to be evaluated on a parcel by parcel basis during project development.
- In general, public parcels listed as parks, vacant, or open space were evaluated as having the potential to accommodate regional projects. Schools, public buildings, and private parcels were listed, but those investigated were not promising due to small available unbuilt footprint on the parcel, small WMG drainages leading to the parcel, or ownership challenges with accessing the parcel. Parcels with more than one land use were biased to the more desirable use to make sure the parcel received a manual screening.
- Initial scoring suggested that land use and proximity to an outfall were not weighted heavily enough for the better parcels to emerge with higher scores. Scorings for those categories were doubled to provide heavier weighting for those criteria.

Technical Memorandum

Task F.4.2.2 – Preliminary List of Regional Projects

Page 3

- Some sites contain multiple parcels. If a parcel at a project site is comparatively smaller than the other parcel(s) and if the project will not be sited on that parcel it is not listed and its score is not considered in the average score.

Attachment 1 contains summary tables showing Tiers 1 through 4 within each WMG jurisdiction. Following the tables are figures showing locations of and potential footprints for the nine recommended projects and the locations of the parcels fitting into tiers 1 through 4. The potential project footprints are based on stormwater storage areas of sufficient size to infiltrate in 72 hours or to store the 85th percentile storm in 10 feet in depth unless otherwise noted. In most cases, areas needed to infiltrate in 72 hours were larger than the area needed to store the storm volume in 10 feet of depth.

Table 1. Ranking Criteria								
Criteria		Points						GIS Coverage
		0	1	2	3	4	5	
General Criteria	Proximity to an Outfall (mile) (x2)	3.0 ≤ X	2.5 ≤ X < 3.0	2.0 ≤ X < 2.5	1.5 ≤ X < 2.0	1.0 ≤ X < 1.5	0 ≤ X < 1.0	X
	Proximity to 36" Storm Drain (feet) ¹	1,000 ≤ X	800 ≤ X < 1000	600 ≤ X < 800	400 ≤ X < 600	200 ≤ X < 400	0 ≤ X < 200	X
	Land Use (x2)	Restricted Area (DOD)	Private requiring demolition of structures	Private with large parking lots requiring no changes to land use	Schools and Golf Courses	Public Buildings	Public Open Space	X
	Parcel Size (acre)	X < 0.25	0.25 ≤ X < 1.0	1.0 ≤ X < 2.0	2.0 ≤ X < 3.0	3.0 ≤ X < 4.0	4.0 ≤ X	X
	Catchment Area ²	X<1	1 ≤ X < 25	25 ≤ X < 50	50 ≤ X < 75	75 ≤ X < 100	100 ≤ X	
Underlying Soil Conditions	Contamination ²	Superfund	Possible Contamination				Certain no contamination	
	CPI		1	2	3	4	5	X
	Soil Infiltration Rate (inches/hour)	X < 0.3	0.3 ≤ X < 0.5	0.5 ≤ X < 0.7	0.7 ≤ X < 0.9	0.9 ≤ X < 1.1	1.1 ≤ X	X
	Slope (%)	10 < X	5 < X ≤ 10	3 < X ≤ 5	2 < X ≤ 3	1 < X ≤ 2	0 < X ≤ 1	
	Liquefaction Areas	Possible Liquefaction					No Liquefaction	X
	Landslide Areas	Possible Landslide					No Landslide	X
	Depth to Groundwater (feet) ^{2,3}		X ≤ 10				10 < X	
	Depth to Storm Drain Infrastructure (feet) ²	15 ≤ X	10 ≤ X < 15	5 ≤ X < 10	3 ≤ X < 5	0 < X < 3	X=0 (open channel/ gutter)	

Notes:

¹ Based on distance to midpoint of GIS pipeline segment to centroid of parcel.

² GIS data coverage not currently available.

³ Site specific conditions may allow variances.

2 Screening

Tables 2 through 9 summarize the results of the site ranking analyses for each of the criteria with GIS coverage and Table 10 summarizes the results for all criteria. Land use was weighted by two times because it is the most important screening criteria. Distance to outfall was also weighted by two times due to parcels ranking high that were at the very edge of the watershed boundary with little or no contributing drainage area. Criteria without GIS coverage were not considered in the total score and would need to be evaluated on a parcel by parcel basis during project development.

Table 2. Proximity to an Outfall (mile)			
Criteria	Score	No. of Parcels	% of Total
$3.0 \leq X$	0	0	0%
$2.5 \leq X < 3.0$	2	3,310	3%
$2.0 \leq X < 2.5$	4	9,862	10%
$1.5 \leq X < 2.0$	6	10,904	11%
$1.0 \leq X < 1.5$	8	20,702	21%
$X < 1.0$	10	52,948	54%
	Grand Total	97,726	100 %

Table 3. Proximity to Storm Drains ≥ 36 in (Feet)			
Criteria	Score	No. of Parcels	% of Total
$1000 \leq X$	0	38,247	39%
$800 \leq X < 1000$	1	10,740	11%
$600 \leq X < 800$	2	11,292	12%
$400 \leq X < 600$	3	12,168	12%
$200 \leq X < 400$	4	10,906	11%
$X < 200$	5	14,373	15%
	Grand Total	97,726	100 %

Table 4. Land Use			
Criteria	Score	No. of Parcels	% of Total
Restricted Area (DOD)	0	32	0%
Private Requiring Demolition of Structures	2	86,465	88%
Private with large parking lots requiring no changes to land use	4	7,899	8%
Schools and Golf Courses	6	676	1%
Public Buildings	8	652	1%
Public Open Space	10	2,002	2%
	Grand Total	97,726	100 %

Table 5. Parcel Size (Acres)			
Criteria	Score	No. of Parcels	% of Total
$X < 0.25$	0	76,403	78%
$0.25 \leq X < 1.0$	1	9,729	10%

Table 5. Parcel Size (Acres)			
Criteria	Score	No. of Parcels	% of Total
$1.0 \leq X < 2.0$	2	3,562	4%
$2.0 \leq X < 3.0$	3	2,420	2%
$3.0 \leq X < 4.0$	4	1,111	1%
$4.0 \leq X$	5	4,501	5%
	Grand Total	97,726	100 %

Table 6. CPI Score			
Criteria	Score	No. of Parcels	% of Total
1	1	22,646	23%
2	2	0	0%
3	3	2,004	2%
4	4	19,243	20%
5	5	53,833	55%
	Grand Total	97,726	100 %

Table 7. Soil Infiltration Rate (in/hr)			
Criteria	Score	No. of Parcels	% of Total
$X < 0.3$	0	17,301	18%
$0.3 \leq X < 0.5$	1	68,544	70%
$0.5 \leq X < 0.7$	2	0	0%
$0.7 \leq X < 0.9$	3	11,881	12%
$0.9 \leq X < 1.1$	4	0	0%
$1.1 \leq X$	5	0	0%
	Grand Total	97,726	100 %

Table 8. Liquefaction Areas			
Criteria	Score	No. of Parcels	% of Total
Possible Liquefaction	0	5,480	6%
No Liquefaction	5	92,246	94%
	Grand Total	97,726	100 %

Table 9. Landslide Areas			
Criteria	Score	No. of Parcels	% of Total
Possible Landslide	0	919	1%
No Landslide	5	96,807	99%
	Grand Total	97,726	100 %

Table 10. Total Score		
Score	No. of Parcels	% of Total

Table 10. Total Score		
Score	No. of Parcels	% of Total
25 and below	28,625	29.3%
26 - 30	47,497	48.6%
31 - 35	19,082	19.6%
36 – 39	2,391	2.45%
40	79	0.081%
41	21	0.021%
42	20	0.020%
43	7	0.007%
44	3	0.003%
46	1	0.001%
Grand Total	97,726	100%

Table 11 shows the tiers, the land uses in those tiers, and whether the tiers are exclusively 900 codes, non-900 codes, or both.

From the tier 1 list, after the additional manual screening, a total of nine parcels were identified that show promise for placement of regional projects that capture some catchment area and may be controlled by Watershed Management Group (WMG) members for: (listed in order from the northern part of the watershed to the southern part)

1. Darby Park
2. El Segundo
3. Ramona Park
4. Jim Thorpe Park
5. Chester Washington Golf Course
6. Hawthorne Memorial Park
7. Harbor City Park
8. Wilmington Recreation Center
9. Averill Park

Task F.4.2.2 – Preliminary List of Regional Projects

Page 8

Table 11: Tiered Sorting of Parcels Key

Tier		LU-ALF	900 (Non-Taxed)
1	Public Open Space	Developed Local Parks and Recreation	Yes
		Developed Regional Parks and Recreation	
		Golf Courses	
		Other Open Space and Recreation	
		Vacant Area	
		Vacant Undifferentiated	
2	Government Land Uses Possibly Compatible	Attended Pay Public Parking Facilities	Yes
		Base (Built-up Area)	
		Bus Terminals and Yards	
		Chemical Processing	
		Commercial Recreation	
		Commercial Storage	
		Communication Facilities	
		Duplexes, Triplexes and 2-or 3-Unit Condominium ¹	
		Fire Stations	
		Government Offices	
		Harbor Facilities	
		High-Density Single Family Residential	
		Horse Ranches	
		Hotels and Motels	
		Improved Flood Waterways and Structures	
		Irrigated Cropland and Improved Pasture Land	
		Low- and Medium-Rise Major Office Use	
		Low-Density Single Family Residential	
		Low-Rise Apartments, Condominiums, and Townhouses ¹	
		Maintenance Yards	
		Major Medical Health Care Facilities	
		Mineral Extraction - Other Than Oil and Gas	
		Mixed Commercial and Industrial	
		Mixed Multi-Family Residential	
		Mixed Residential	
		Mixed Transportation	
		Mixed Urban	
		Modern Strip Development	
		Non-Attended Public Parking Facilities	
		Nurseries	
		Older Strip Development	
		Open Storage	
		Other Public Facilities	
		Other Special Use Facilities	
Park-and-Ride Lots			
Railroads			
Railroads-Open Storage			
Railroads-Truck Terminals			
Religious Facilities			
Wholesaling and Warehousing			
3	Golf Courses and Private	Developed Local Parks and Recreation	No
		Developed Regional Parks and Recreation	

Table 11: Tiered Sorting of Parcels Key		
Tier	LU-ALF	900 (Non-Taxed)
Open Space	Golf Courses	
	Other Open Space and Recreation	
	Vacant Area	
	Vacant Undifferentiated	
4 Schools	Colleges and Universities	No and Yes
	Elementary Schools	
	Senior High Schools	
	Trade Schools and Professional Training Facilities ¹	
	Junior or Intermediate High Schools	
5 Government Land Uses Not Likely Compatible	Airports	Yes
	Base Government Offices	
	Base High-Density Single Family Residential	
	Cemeteries	
	Electrical Power Facilities	
	Electrical Power Facilities-Powerlines (Urban	
	Freeways and Major Roads	
	Harbor Water Facilities	
	High-Rise Major Office Use	
	Manufacturing, Assembly, and Industrial Services ¹	
	Marina Water Facilities	
	Medium-Rise Apartments and Condominiums	
	Mineral Extraction - Oil and Gas	
	Natural Gas and Petroleum Facilities	
	Petroleum Refining and Processing	
	Police and Sheriff Stations	
	Railroads-Manufacturing, Assembly, and Industrial Services ¹	
	Regional Shopping Center	
	Research and Development	
	Retail Centers (Non-Strip) ¹	
	Special Care Facilities	
	Trailer Parks and Mobile Home Courts ¹	
	Truck Terminals	
	Water Storage Facilities	
	Water Transfer Facilities	
	Water, Undifferentiated	
All other non-government land uses		No
1 Database field truncates at 45 characters. Exact land use title assumed.		

3 Determination of the 85th Percentile, 24 Hour Storm

After the parcels with the highest probability of becoming regional multi-benefit project locations were identified, the approximate drainage areas tributary to each parcel selected were delineated using the available 10-foot contour coverage, subwatershed boundaries, and storm drain GIS data supplied by the WMG. The 85th percentile, 24-hour storm water quality volume was calculated based on the tributary drainage area and the provided design runoff inches calculated as part of the subwatershed data set. Attachment 1 shows the parcels and

catchment delineations for each of the 9 potential projects in order from the northern part of the watershed to the southern part.

4 Project Descriptions

The attached summary table provides information for each potential project site. This section presents supporting details and facility opportunities and constraints. Facilities were sized in two ways, 1) for a 10 foot depth and 2) for the depth resulting from the area required to infiltrate the water quality volume in 72-hours given provided estimates of local infiltration rates. Refer to the attached table for calculation details that include:

Design Volume (ac-ft) = Drainage Area (acres)*Design Runoff (in/acre)*(1ft/12in)

Footprint (acre) $\text{Design Depth 10 ft} = \text{Design Volume (ac-ft)}/10 \text{ ft}$

Length and Width (ft) = Square Root (Footprint (acre) $\text{Design Depth 10 ft} * 43,560$)
this represents the length and width of a square

Time to Drawdown (hr) $10 \text{ feet depth} = 10 \text{ ft}/[\text{Infiltration Rate (in/hr)}*(\text{ft}/12 \text{ in})]$

72-hour Drawdown Design Depth (ft) = $72 \text{ hr} * [\text{Infiltration Rate (in/hr)}*(\text{ft}/12 \text{ in})]$

72-hour Infiltration Depth Design Footprint (acre) = $\text{Design Volume (ac-ft)}/72\text{-hour Drawdown Design Depth (ft)}$

Where,

ac-ft = acre-feet

in = inches

ft = feet

hr = hour

4.1 Potential Project #1: Darby Park Project Site

The Darby Park parcel is owned by the City of Inglewood. The parcel totals 19.3 acres with about half open space park. There are several land uses tributary to the site as shown in the attached Darby Project Site figure. Dependent on the site specific soils, it is anticipated that the site will be able to capture the entire 85th percentile event water quality volume. Details of the site are presented in Table 12 and a conceptual footprint drawing is included in the attachments (Darby Park Project Site Concept Footprint).

Item	Detail
Ownership	City of Inglewood
AIN	4025-011-900
Address	3400 W Arbor Vitae St, Inglewood, CA 90305
Infiltration Rate (in/hr)	0.45
Groundwater Basin	Central
Site Area (acre)	19.3
Ranking Score	41 (out of 50)
Drainage Area (acre)	106

Table 12. Darby Park Project Site

Item	Detail
Design Volume (ac-ft)	5.2
10 Foot Depth Design Footprint (acre)	0.5
72-hour Infiltration Depth Design Footprint (acre)	1.9

4.2 Potential Project #2: El Segundo Project Site

The El Segundo project site parcels are owned by the City of El Segundo and together are approximately 7.4 acres of primarily open space. There are several land uses tributary to the site as shown in the attached El Segundo Project Site figure. Dependent on the site specific soils, it is anticipated that to capture the entire 85th percentile event water quality volume most if not all of the site will be required. Details of the site are presented in Table 13 and a conceptual footprint drawing is included in the attachments (El Segundo Project Site Concept Footprint).

Table 13. El Segundo Project Site

Item	Detail
Ownership	City of El Segundo
AIN	4138-014-914; 4138-014-914
Address	South Hughes Way and Allied Way, El Segundo, CA
Infiltration Rate (in/hr)	0.81
Groundwater Basin	West Coast
Site Area (acre)	7.39 (6.2 + 1.19)
Ranking Score	35 average (out of 50) (Average of 34 and 36)
Drainage Area (acre)	574
Design Volume (ac-ft)	27
10 Foot Depth Design Footprint (acre)	2.7
72-hour Infiltration Depth Design Footprint (acre)	5.6

4.3 Potential Project #3: Ramona Park Project Site

The Ramona Park parcel is owned by the City of Hawthorne and is an approximately 1.7 acres primarily open space site. There are several land uses tributary to the site as shown in the attached Ramona Project Site figure. Dependent on the site specific soils, it is anticipated that to capture the entire 85th percentile event water quality volume most, if not, all of the site will be required and may not be able to capture the entire design event. The design of the facility will require an approximately 900 foot diversion at Inglewood Boulevard running along West 137th Street. Details of the site are presented in Table 14 and a conceptual footprint drawing is included in the attachments (Ramona Park Project Site Concept Footprint).

Table 14. Ramona Park Project Site

Item	Detail
Ownership	City of Hawthorne
AIN	4043-002-904
Address	4662 W 136 th St, Hawthorn CA 90250

Table 14. Ramona Park Project Site	
Item	Detail
Infiltration Rate (in/hr)	0.45
Groundwater Basin	West Coast
Site Area (acre)	1.7
Ranking Score	35 (out of 50)
Drainage Area (acre)	273
Design Volume (ac-ft)	12.9
10 Foot Depth Design Footprint (acre)	1.3
72-hour Infiltration Depth Design Footprint (acre)	4.8

4.4 Potential Project #4: Jim Thorpe Park Project Site

The Jim Thorpe Park parcels are owned by the City of Hawthorne and together are an approximately 8.65 acres primarily open space site. There are several land uses tributary to the site as shown in the attached Jim Thorpe Park Project Site figure. Dependent on the site specific soils, it is anticipated that the site will be able to capture the entire 85th percentile event water quality volume depending on the local soil infiltration rate. Note that surface soils have been designated with a very low infiltration rate; however, infiltration capacity may increase or decrease with depth. Details of the site are presented in Table 15 and a conceptual footprint drawing is included in the attachments (Jim Thorpe Park Project Site Concept Footprint).

Table 15. Jim Thorpe Project Site	
Item	Detail
Ownership	City of Hawthorne
AIN	4051-032-903; 4051-029-901; 4051-030-901
Address	14100 Prairie Ave, Hawthorne, CA 90250
Infiltration Rate (in/hr)	0.27
Groundwater Basin	West Coast
Site Area (acre)	8.65 (4.1+3.53+1.02)
Ranking Score	40 (average) (out of 50) (Average of 42, 40, and 37)
Drainage Area (acre)	378
Design Volume (ac-ft)	16
10 Foot Depth Design Footprint (acre)	1.6
72-hour Infiltration Depth Design Footprint (acre)	9.7

4.5 Potential Project #5: Chester Washington Golf Course Project Site

The Chester Washington Golf Course parcel for the project is owned by Los Angeles County and operated under lease by American Golf and is an approximately 116 acre primarily open space site. There is an attached parcel for the Golf Course that is not needed for project siting and not

Technical Memorandum**Task F.4.2.2 – Preliminary List of Regional Projects****Page 13**

shown here. There are several land uses tributary to the site as shown in the attached Chester Washington Golf Course Project Site figure. Based on the information provided by the WMG, the site appears to be able to accept stormwater flows from the north and the southeast.

Dependent on the site specific soils, it is anticipated that the site will be able to capture the entire 85th percentile event water quality volume for both the north and the southeast tributary areas. Details of the site are presented in Table 16 and a conceptual footprint drawing is included in the attachments (Chester Washington Golf Course Project Site Concept Footprint).

Table 16. Chester Washington Golf Course Project Site		
Item	Detail	
Ownership	Los Angeles County (Operated under lease by American Golf)	
AIN	4057-032-900	
Address	1930 W 120 th St, Los Angeles, CA 90047	
Infiltration Rate (in/hr)	0.45	
Groundwater Basin	West Coast and Central	
Site Area (acre)	116	
Ranking Score	46 (out of 50)	
Tributary Area	North	Southeast
Drainage Area (acre)	636	542
Design Volume (ac-ft)	25.8	22
10 Foot Depth Design Footprint (acre)	2.6	2.2
72-hour Infiltration Depth Design Footprint (acre)	9.5	8.1

4.6 Potential Project #6: Hawthorne Memorial Park Project Site

The Hawthorne Memorial Park parcel is owned by City of Hawthorne and is approximately 6.59 acres of primarily open space site. There are several land uses tributary to the site as shown in the attached Hawthorne Memorial Park Project Site figure. Dependent on the site specific soils, it is anticipated that the site will be able to capture the entire 85th percentile event water quality volume. Details of the site are presented in Table 17 and a conceptual footprint drawing is included in the attachments Hawthorne Memorial Park Project Site Concept Footprint).

Table 17. Hawthorne Memorial Park Project Site		
Item	Detail	
Ownership	City of Hawthorne	
AIN	4049-009-904	
Address	3901 W. El Segundo Blvd. Hawthorne, CA 90250	
Infiltration Rate (in/hr)	0.45	
Groundwater Basin	West Coast Basin	
Site Area (acre)	6.59	
Ranking Score	41 (Out of 50)	
Drainage Area (acre)	202	
Design Volume (ac-ft)	11.3	

Table 17. Hawthorne Memorial Park Project Site	
Item	Detail
10 Foot Depth Design Footprint (acre)	1.1
72-hour Infiltration Depth Design Footprint (acre)	4.2

4.7 Potential Project #7: Harbor City Park

The Harbor City Park parcels are owned by the City of Los Angeles and have the combined area of approximately 7.6 acres comprised of primarily open space. There are several land uses tributary to the site as shown in the attached Harbor City Park Project Site figure. Dependent on the site specific soils, it is anticipated that to capture the entire 85th percentile event water quality of the large tributary catchment area. The catchment area also includes tributary areas outside the Watershed Management Area (WMA) that would need to be investigated in more detail to understand if it would be feasible to reroute stormwater flows or only divert at strategic locations. For planning purposes, it has been assumed that only half of the total catchment area is diverted to the parcel and the remainder is diverted to a northern drainage at a major stormwater interchange just west of the parcels. Details of the site are presented in Table 18 and a conceptual footprint drawing is included in the attachments (Harbor City Park Project Site Concept Footprint).

Table 18. 7. Harbor City Park Project Site	
Item	Detail
Ownership	City of Los Angeles
AIN	7439-027-900, 7439-027-902, 7439-027-903; 7439-027-904, 7439-027-905; 7439-027-906 (Harbor City Park)
Address	24901 Frampton Ave, Los Angeles, CA 90710;
Infiltration Rate (in/hr)	0.45
Groundwater Basin	West Coast
Site Area (acre)	7.62 (2.97+1.1+2.8+0.75)
Ranking Score	37 (average) (out of 50) (Average of 38, 37, 38, and 36)
Drainage Area (acre)	4,460 (total catchment, 2,230 diverted)
Design Volume (ac-ft)	77
10 Foot Depth Design Footprint (acre)	7.7
72-hour Infiltration Depth Design Footprint (acre)	28.6*

*Note: The 72-hour Infiltration Depth Design Footprint cannot be used at this location. Only the 10 foot depth design footprint can fit at this location.

4.8 Potential Project #8: Wilmington Recreation Center Project Site

The Wilmington Recreation Center parcels are owned by the City of Los Angeles and together are an approximately 7.3 acres primarily open space site. There are several land uses tributary to the site as shown in the attached Wilmington Recreation Center Project Site figure.

Dependent on the site specific soils, it is anticipated that the site will be able to capture the entire 85th percentile event water quality volume. The design of the facility will require an

approximately 800 foot diversion at McDonald Avenue running along West C Street. Details of the site are presented in Table 19 and a conceptual footprint drawing is included in the attachments (Wilmington Recreation Center Project Site Concept Footprint).

Table 19. Wilmington Recreation Center Project Site	
Item	Detail
Ownership	City of Los Angeles
AIN	7417-020-900; 7417-021-900
Address	325 N Neptune Ave, Wilmington, CA 90744
Infiltration Rate (in/hr)	0.45
Groundwater Basin	West Coast
Site Area (acre)	3 (3.76+3.55)
Ranking Score	38 out of 50 (Average of 38 and 38)
Drainage Area (acre)	273
Design Volume (ac-ft)	12.9
10 Foot Depth Design Footprint (acre)	1.3
72-hour Infiltration Depth Design Footprint (acre)	4.8

4.9 Potential Project #9: Averill Park Project Site

The Averill Park parcel is owned by the City of Los Angeles and is an approximately 10.7 acres primarily open space site. There are several land uses tributary to the site as shown in the attached Averill Park Project Site figure. Dependent on the site specific soils, it is anticipated that most, if not all, of the site will be required to capture the entire 85th percentile event water quality volume. The catchment area also includes tributary areas outside the WMA that would need to be investigated in more detail to understand if it would be feasible to reroute stormwater flows or only divert at strategic locations. Details of the site are presented in Table 20 and a conceptual footprint drawing is included in the attachments (Averill Park Project Site Concept Footprint).

Table 20. Averill Park Project Sites	
Item	Detail
Ownership	City of Los Angeles
AIN	7560-023-900
Address	1300 S Dodson Ave, San Pedro, CA 90732
Infiltration Rate (in/hr)	0.40
Groundwater Basin	West Coast
Site Area (acre)	10.7
Ranking Score	42 out of 50
Drainage Area (acre)	1,376
Design Volume (ac-ft)	21.4
10 Foot Depth Design Footprint (acre)	2.1
72-hour Infiltration Depth Design Footprint (acre)	8.9



5 Additional Parcels Evaluated

The tables in Attachment 2 show parcels for each agency in the WMG that had relatively high scores, had potentially useable features, and were evaluated for the potential to accommodate a regional project. The recommended parcels are shown in these tables. Parcels that may have some additional potential are shown as well. Each WMG agency can review these tables to identify if they would propose additional projects for inclusion in the EWMP at their discretion.


Please note that not including a potential project in the EWMP does not preclude any agency from developing it as a project to achieve water quality or other benefits during implementation of the EWMP. The EWMP will have a number of distributed projects for which precise locations are not specifically assigned, but the quantity of which will be identified to achieve the water quality goals of the EWMP. Additional regional projects can also be developed as the EWMPs are implemented at the discretion of a WMG agency.

Attachment 1: Project Site Concepts

DRAFT



Regional Projects




0 250 500 1,000 Feet

Darby Park Project Site



0 250 500 1,000 Feet

**Darby Park Project Site
Concept Footprint**





0 500 1,000 2,000
Feet

El Segundo Project Site




0 100 200 400 Feet

**El Segundo Project Site
Concept Footprint**




Ramona Park Project Site




0 150 300 600 Feet


**Ramona Park Project Site
Concept Footprint**



Jim Thorpe Park Project Site



**Jim Thorpe Park Project Site
Concept Footprint**




0 500 1,000 2,000
Feet

Chester Washington Golf Course Project Site




0 500 1,000 2,000 Feet

Chester Washington Golf Course Project Site Concept Footprint




0 1,050 2,100 4,200 Feet

Harbor City Park Project Site




Harbor City Park Project Site Concept Footprint





0 125 250 500 Feet

Wilmington Recreation Center Project Site Concept Footprint




0 500 1,000 2,000
Feet

Averill Park Project Site




0 125 250 500 Feet

**Averill Park Project Site
Concept Footprint**



Tier 1 Parcels
Public Owned Open Space and Recreation




Legend

- Major Freeway
- Receiving Water
- Receiving Water Body
- DC WMG
- Tier 2



**Tier 2 Parcels
Govenment Institution**




Legend


- Major Freeway
- Receiving Water
- Receiving Water Body
- DC WMG
- Tier 3



Tier 3 Parcels
Private Open Space and Golf Courses



**Tier 4 Parcels
Educational Use**



Tier 1 through 4

Attachment 2: Summary Tables For Each WMG Jurisdiction

DRAFT

Los Angeles County

AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4057032900	115.98	Vacant Undifferentiated	46	900s	1	Recommended--Chester Washington Golf Course	90.96	1930	120TH ST	County of Los Angeles	90047
4057032910	0.34	Golf Courses	40	900s	1	Part of Chester Washington Golf Course - Recommended	575.04			County of Los Angeles	
4057032901	9.60	Golf Courses	38	900s	1	Part of Chester Washington Golf Course - Recommended	65.71			County of Los Angeles	
4071006900	20.16	Developed Local Parks and Recreation	45	900s	1	Bodgar Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself, but may be as large as 40 acres.	21.79			County of Los Angeles	
4057032909	6.73	Developed Local Parks and Recreation	45	900s	1	Holly Park. Area is too small to catch a sizable amount of runoff based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	343.74			County of Los Angeles	
4057032908	3.86	Developed Local Parks and Recreation	45	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	20.24			County of Los Angeles	
6079003906	4.80	Vacant Undifferentiated	44	900s	1	Vacant. Los Angeles Southwest College - privately owned	89.56			County of Los Angeles	
7409022900	3.49	Vacant Undifferentiated	44	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	8.22			County of Los Angeles	
7409009900	1.82	Vacant Undifferentiated	42	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
4037007902	1.84	Developed Local Parks and Recreation	41	900s	1	Lenox Park. Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the 1,200 acrea tributary area.	166.04			County of Los Angeles	
6079003907	1.27	Vacant Undifferentiated	41	900s	1	Los Angeles Southwest College - privately owned	0.75			County of Los Angeles	
4071007903	0.75	Developed Local Parks and Recreation	41	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
4071007904	0.68	Developed Local Parks and Recreation	41	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
4071007902	0.35	Developed Local Parks and Recreation	41	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
4071007901	0.35	Developed Local Parks and Recreation	41	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
7409020900	7.14	Vacant Undifferentiated	40	900s	1	Not Recommended - LACFCD Parcel. Part of a natural water body.	0.00			County of Los Angeles	
4074027908	202.89	Developed Local Parks and Recreation	39	900s	1	Drainage area not within WMG boundary	0.00			County of Los Angeles	
6089028908	2.15	Developed Local Parks and Recreation	39	900s	1	Not recommended--Helen Keller Park. Geotechnical investigations show that on-site storage is not feasible at this site.	318.45			County of Los Angeles	

Los Angeles County											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
6089028905	1.37	Developed Local Parks and Recreation	38	900s	1	Not recommended--Helen Keller Park. Geotechnical investigations show that on-site storage is not feasible at this site.	344.08			County of Los Angeles	
6079002913	1.28	Vacant Undifferentiated	38	900s	1	Los Angeles Southwest College - privately owned	1,742.40			County of Los Angeles	
6089029901	1.17	Developed Local Parks and Recreation	38	900s	1	Not recommended--Helen Keller Park. Geotechnical investigations show that on-site storage is not feasible at this site.	225.03	1045	126TH ST	County of Los Angeles	90044
7318011907	17.69	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
7318011908	13.57	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	3.15			County of Los Angeles	
7318011909	7.81	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	3.85			County of Los Angeles	
4057031906	0.35	Vacant Undifferentiated	37	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,587.90			County of Los Angeles	
4057031907	0.34	Vacant Undifferentiated	37	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,567.02			County of Los Angeles	
4140016948	4.14	Other Open Space and Recreation	36	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	1,647.98			County of Los Angeles	
6089021901	1.76	Developed Local Parks and Recreation	36	900s	1	Not recommended--Helen Keller Park. Geotechnical investigations show that on-site storage is not feasible at this site.	640.49	1045	126TH ST	County of Los Angeles	90044
7318011910	6.33	Vacant Undifferentiated	35	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
6137005903	0.97	Vacant Undifferentiated	34	900s	1	Roy Campanella Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	58.51			County of Los Angeles	
4034032903	2.47	Police and Sheriff Stations	35	900s	2	Potential	1,374.54			County of Los Angeles	
7409022037	1.23	Vacant Undifferentiated	38		3	Potential	191.77			County of Los Angeles	
6079002805	2.01	Vacant Undifferentiated	37		3	Potential	389.06			County of Los Angeles	
7452030021	3.76	Vacant Undifferentiated	36		3	Potential	343.28			County of Los Angeles	
7318009034	4.78	Vacant Undifferentiated	35		3	Potential	335.72			County of Los Angeles	
4057031800	2.68	Vacant Undifferentiated	35		3	Potential	1,479.87			County of Los Angeles	
6079005026	1.30	Vacant Undifferentiated	35		3	Potential	52.26			County of Los Angeles	
4071018027	0.93	Vacant Undifferentiated	35		3	Potential	686.02			County of Los Angeles	
6079002804	0.38	Vacant Undifferentiated	35		3	Potential	351.56			County of Los Angeles	

Los Angeles County											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7348008044	3.45	Vacant Undifferentiated	34		3	Potential	327.70			County of Los Angeles	
4039017092	2.35	Vacant Undifferentiated	34		3	Potential	935.04			County of Los Angeles	
4057031037	1.25	Vacant Undifferentiated	34		3	Potential	1,371.84			County of Los Angeles	
6079005022	0.94	Vacant Undifferentiated	34		3	Potential	144.22			County of Los Angeles	
6079002081	0.53	Vacant Undifferentiated	34		3	Potential	453.25			County of Los Angeles	
6079005027	0.35	Vacant Undifferentiated	34		3	Potential	1.24			County of Los Angeles	
6079002026	0.28	Vacant Undifferentiated	34		3	Potential	596.50			County of Los Angeles	
6089029031	0.25	Developed Local Parks and Recreation	34		3	Potential	131.55			County of Los Angeles	
7452033031	1.50	Vacant Undifferentiated	33		3	Potential	434.90			County of Los Angeles	
7452033029	1.64	Vacant Undifferentiated	32		3	Potential	764.07			County of Los Angeles	
7409020010	0.83	Vacant Undifferentiated	32		3	Potential	160.47			County of Los Angeles	
7452023001	0.61	Vacant Undifferentiated	32		3	Potential	29.16			County of Los Angeles	
7452024029	0.39	Vacant Undifferentiated	32		3	Potential	0.00			County of Los Angeles	
7452025039	0.33	Vacant Undifferentiated	32		3	Potential	0.00			County of Los Angeles	
6137005036	1.49	Vacant Undifferentiated	31		3	Potential	0.00			County of Los Angeles	
6137035271	1.19	Developed Local Parks and Recreation	31	270-99	3	Potential	33.61			County of Los Angeles	
7452030015	0.88	Vacant Undifferentiated	31		3	Potential	694.97			County of Los Angeles	
6079002029	0.30	Vacant Undifferentiated	31		3	Potential	1,294.31			County of Los Angeles	
7348017001	2.62	Vacant Undifferentiated	30		3	Potential	876.46			County of Los Angeles	
7348017002	0.90	Vacant Undifferentiated	27		3	Potential	1,066.17			County of Los Angeles	
6079002270	3.86	Vacant Undifferentiated	37	270-99	3	Parcel has too high of a percentage of building cover based on visual inspection.	512.04			County of Los Angeles	
4071007053	0.79	Developed Local Parks and Recreation	37		3	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
4071007030	0.35	Developed Local Parks and Recreation	37		3	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
4071007019	0.31	Developed Local Parks and Recreation	37		3	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			County of Los Angeles	
7409020009	10.30	Vacant Undifferentiated	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	123.50			County of Los Angeles	
6079002064	4.75	Vacant Undifferentiated	33		3	Parcel has too high of a percentage of building cover based on visual inspection.	614.84			County of Los Angeles	
7318023075	3.10	Vacant Undifferentiated	33		3	Parcel has too high of a percentage of building cover based on visual inspection.	482.25			County of Los Angeles	
4057031034	0.28	Vacant Undifferentiated	33		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,509.09			County of Los Angeles	
7318009124	6.28	Vacant Undifferentiated	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	475.90			County of Los Angeles	

Los Angeles County											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7318023033	2.54	Vacant Undifferentiated	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	465.34			County of Los Angeles	
6139010013	0.93	Vacant Undifferentiated	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	65.47			County of Los Angeles	
7318010042	8.71	Developed Local Parks and Recreation	31		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,117.24			County of Los Angeles	
6139010012	0.93	Vacant Undifferentiated	31		3	Parcel has too high of a percentage of building cover based on visual inspection.	210.63			County of Los Angeles	
7318010026	2.30	Vacant Undifferentiated	29		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,009.29			County of Los Angeles	
4140016165	1.74	Other Open Space and Recreation	29		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,577.71			County of Los Angeles	
7452032001	0.70	Vacant Undifferentiated	29		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,068.57			County of Los Angeles	
6132007003	0.47	Vacant Undifferentiated	29		3	Parcel has too high of a percentage of building cover based on visual inspection.	229.45			County of Los Angeles	
7318023044	0.47	Vacant Undifferentiated	29		3	Parcel has too high of a percentage of building cover based on visual inspection.	694.01			County of Los Angeles	
7318010040	0.49	Vacant Undifferentiated	28		3	Parcel has too high of a percentage of building cover based on visual inspection.	477.00			County of Los Angeles	
7318011809	3.33	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	160.40			County of Los Angeles	
6129001052	0.87	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,025.23			County of Los Angeles	
6129001035	0.51	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,072.91			County of Los Angeles	
7318009126	0.50	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,414.30			County of Los Angeles	
6129001051	0.36	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,030.21			County of Los Angeles	
6132017803	1.13	Developed Local Parks and Recreation	26		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,489.72			County of Los Angeles	
6132017805	1.02	Developed Local Parks and Recreation	26		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,450.31			County of Los Angeles	
6132017804	0.46	Developed Local Parks and Recreation	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,595.36			County of Los Angeles	
7318019046	0.35	Vacant Undifferentiated	22		3	Parcel has too high of a percentage of building cover based on visual inspection.	2.82			County of Los Angeles	
6079001904	45.47	College/Universities (Vacant Undifferentiated)	42	900s	4	Los Angeles Southwest College - privately owned	542.98			County of Los Angeles	

Los Angeles County											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
6079002918	9.83	College/Universities (Vacant Undifferentiated)	42	900s	4	Los Angeles Southwest College - privately owned	545.82			County of Los Angeles	
4074027907	17.32	Developed Regional Parks and Recreation	40	900s	4	El Camino College - privately owned and open space.	0.00			County of Los Angeles	
6079002917	4.57	Colleges and Universities	36	900s	4	Parcel is part of a school	548.49			County of Los Angeles	
4074027906	80.94	Colleges and Universities	35	900s	4	Parcel has too high of a percentage of building cover based on visual inspection.	49.24			County of Los Angeles	
4039026900	7.42	Junior or Intermediate High Schools	33	900s	4	Parcel has too high of a percentage of building cover based on visual inspection.	664.90			County of Los Angeles	
4039021900	5.87	Junior or Intermediate High Schools	33	900s	4	Parcel is part of a school	757.62			County of Los Angeles	
6079001905	3.21	Colleges and Universities	32	900s	4	Parcel has too high of a percentage of building cover based on visual inspection.	2,284.07			County of Los Angeles	
4039009902	6.07	Junior or Intermediate High Schools	31	900s	4	Parcel is part of a school	1,633.15			County of Los Angeles	
4039022901	4.38	Junior or Intermediate High Schools	31	900s	4	Parcel is part of a school	1,329.52			County of Los Angeles	
4039020900	0.62	Junior or Intermediate High Schools	31	900s	4	Parcel has too high of a percentage of building cover based on visual inspection.	664.92			County of Los Angeles	
6079002272	0.57	Colleges and Universities	31	270-99	4	Parcel is part of a school	1,892.27			County of Los Angeles	
6079002916	0.27	Colleges and Universities	31	900s	4	Parcel is part of a school	2,186.33			County of Los Angeles	
6079002271	1.71	Colleges and Universities	30	270-99	4	Parcel is part of a school	1,875.73			County of Los Angeles	
6130015902	9.77	Junior or Intermediate High Schools	29	900s	4	Parcel is part of a school	313.82			County of Los Angeles	
4039023900	1.35	Junior or Intermediate High Schools	28	900s	4	Parcel is part of a school	1,486.91			County of Los Angeles	
6130015900	1.78	Junior or Intermediate High Schools	26	900s	4	Parcel is part of a school	338.52			County of Los Angeles	
6130015901	1.57	Junior or Intermediate High Schools	23	900s	4	Parcel is part of a school	896.51			County of Los Angeles	

City of Los Angeles

AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7560023900	10.75	Developed Local Parks and Recreation	42	900s	1	Recommended - Averill Park	0.00			Los Angeles CA	
7439027902	2.97	Developed Local Parks and Recreation	38	900s	1	Recommended - Harbor City Park	1,988.97			Los Angeles CA	
7439027904	2.80	Developed Local Parks and Recreation	38	900s	1	Recommended - Harbor City Park	1,901.09			Los Angeles CA	
7439027900	1.75	Developed Local Parks and Recreation	37	900s	1	Recommended - Harbor City Park	1,865.24			Los Angeles CA	
7439027906	0.75	Developed Local Parks and Recreation	36	900s	1	Recommended - Harbor City Park	2,403.39			Los Angeles CA	
7439027903	1.10	Developed Local Parks and Recreation	37	900s	1	Recommended - Harbor City Park. Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	2,432.18	1309	LOMITA BLVD	Los Angeles CA	90717
7417020900	3.76	Developed Local Parks and Recreation	38	900s	1	Recommended- Part of Wilmington Recreation Center. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	0.00			Los Angeles CA	
7417021900	3.55	Developed Local Parks and Recreation	38	900s	1	Recommended- Part of Wilmington Recreation Center. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2.98			Los Angeles CA	
7417001903	0.27	Vacant Undifferentiated	43	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	380.63			Los Angeles CA	
7417001910	0.28	Vacant Undifferentiated	42	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	433.30	251	MAR VISTA AVE	Los Angeles CA	90744
7417001915	0.42	Vacant Undifferentiated	39	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	185.61	221	MAR VISTA AVE	Los Angeles CA	90744
7417001904	0.30	Vacant Undifferentiated	38	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	264.08			Los Angeles CA	
7418036900	0.43	Vacant Undifferentiated	35	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	825.51	501	B ST	Los Angeles CA	95648
7417018919	0.43	Vacant Undifferentiated	35	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	34.84			Los Angeles CA	
7417018917	0.43	Vacant Undifferentiated	35	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	34.84			Los Angeles CA	
7417008902	0.29	Vacant Undifferentiated	35	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	960.59	1109	HARRY BRIDGES BLVD	Los Angeles CA	90744
7417019925	1.69	Vacant Undifferentiated	34	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	427.53	628	C ST	Los Angeles CA	90744
7418036901	1.27	Vacant Undifferentiated	34	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	561.50			Los Angeles CA	
7417019924	1.17	Vacant Undifferentiated	34	900s	1	Part of Wilmington Recreation Center/Park--can be used	597.54	601	B ST	Los Angeles CA	95648

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
						as a substitute					
7417018918	0.42	Vacant Undifferentiated	34	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	205.22			Los Angeles CA	
7417018916	0.42	Vacant Undifferentiated	34	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	205.21			Los Angeles CA	
7417019916	0.29	Vacant Undifferentiated	34	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	201.29	221	BAY VIEW AVE	Los Angeles CA	90744
7417018900	0.89	Vacant Undifferentiated	33	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	591.53			Los Angeles CA	
7417018901	0.86	Vacant Undifferentiated	33	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	431.19			Los Angeles CA	
7417018907	0.37	Vacant Undifferentiated	33	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	597.23			Los Angeles CA	
7417018908	0.36	Vacant Undifferentiated	33	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	431.23	221	GULF AVE	Los Angeles CA	90744
7418035908	0.28	Vacant Undifferentiated	32	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	603.35	216	LAGOON AVE	Los Angeles CA	90744
7418036902	0.35	Vacant Undifferentiated	31	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	829.35	217	LAGOON AVE	Los Angeles CA	90744
7417009905	0.33	Vacant Undifferentiated	30	900s	1	Part of Wilmington Recreation Center/Park--can be used as a substitute	1,002.76	1032	C ST	Los Angeles CA	90744
6121019904	9.23	Bus Terminals and Yards	39	900s	2	Potential	110.70	731	182ND ST	Los Angeles CA	90248
6121020906	4.78	Bus Terminals and Yards	39	900s	2	Potential	125.59			Los Angeles CA	
7351019904	2.89	Electrical Power Facilities	38	900s	2	Potential	655.43			Los Angeles CA	
7414022902	1.75	Other Special Use Facilities	38	900s	2	Potential	416.55			Los Angeles CA	
6121018906	2.65	Bus Terminals and Yards	37	900s	2	Potential	105.02			Los Angeles CA	
6121020905	2.00	Bus Terminals and Yards	37	900s	2	Potential	130.09			Los Angeles CA	
7455027932	1.46	Other Special Use Facilities	37	900s	2	Potential	40.53			Los Angeles CA	
7424024901	0.33	Open Storage	37	900s	2	Potential	206.04			Los Angeles CA	
6121020908	1.59	Bus Terminals and Yards	36	900s	2	Potential	125.87			Los Angeles CA	
7440006937	1.54	Open Storage	36	900s	2	Potential	424.85			Los Angeles CA	
7440006927	1.54	Open Storage	36	900s	2	Potential	424.85			Los Angeles CA	
6121018905	1.20	Bus Terminals and Yards	36	900s	2	Potential	144.61			Los Angeles CA	
7428026939	0.89	Open Storage	35	900s	2	Potential	99.14			Los Angeles CA	
7428026938	0.89	Open Storage	35	900s	2	Potential	99.14			Los Angeles CA	
6121019905	0.59	Bus Terminals and Yards	35	900s	2	Potential	133.10			Los Angeles CA	
7428025905	0.44	Open Storage	34	900s	2	Potential	279.18			Los Angeles CA	
7428025918	0.33	Open Storage	34	900s	2	Potential	312.61			Los Angeles CA	
7428021917	0.33	Open Storage	34	900s	2	Potential	309.91			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7428021921	0.33	Open Storage	34	900s	2	Potential	309.91			Los Angeles CA	
4124002916	1.05	Other Public Facilities	31	900s	2	Potential	455.20			Los Angeles CA	
7414023902	0.63	Park-and-Ride Lots	30	900s	2	Potential	614.60	1345	PACIFIC COAST HWY	Los Angeles CA	90744
7448025900	0.90	Non-Attended Public Parking Facilities	21	900s	2	Potential	1,434.21			Los Angeles CA	
7454022900	3.59	Developed Local Parks and Recreation	36	900s	1	Viable Alternative - Daniels Field Sports Center. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,145.02			Los Angeles CA	
7462026900	1.32	Developed Local Parks and Recreation	34	900s	1	Viable Alternative - Alma Park. Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	1,428.06			Los Angeles CA	
7446019901	1.14	Developed Local Parks and Recreation	34	900s	1	Viable alternative - Rena Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,185.75			Los Angeles CA	
7438017904	9.50	Vacant Undifferentiated	46	900s	1	Entirely paved based on visual inspection.	370.04			Los Angeles CA	
7351034901	5.93	Vacant Undifferentiated	46	900s	1	Area too small to use based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	44.38			Los Angeles CA	
7440016907	16.13	Vacant Undifferentiated	43	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	0.00			Los Angeles CA	
7445018900	6.99	Vacant Undifferentiated	42	900s	1	Near watershed jurisdiction boundary and would most likely receive runoff from outside of jurisdiction. Also, site has steep terrain and is mostly paved based on visual inspections. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	87.09	1214	PARK WESTERN PL	Los Angeles CA	90732
4037005900	3.59	Developed Local Parks and Recreation	42	900s	1	Lenox Park. Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the 1,200 acrea tributary area.	334.01	10828	CONDON AVE	LENNOX CA	90304
7440020910	4.97	Vacant Undifferentiated	41	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	40.48			Los Angeles CA	
7428027900	4.87	Vacant Undifferentiated	41	900s	1	Entirely paved based on visual inspection.	0.00			Los Angeles CA	
7438017903	0.93	Vacant Undifferentiated	41	900s	1	Entirely paved based on visual inspection.	174.94			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7412015900	76.21	Developed Regional Parks and Recreation	40	900s	1	Part of Harbor Lake	0.00			Los Angeles CA	
7440005921	47.79	Vacant Undifferentiated	40	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	0.00	195	MC FARLAND AVE	Los Angeles CA	90733
7440036907	36.97	Developed Local Parks and Recreation	40	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	177.34			Los Angeles CA	
7440035904	23.54	Other Open Space and Recreation	40	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	120.97			Los Angeles CA	
7422017900	21.09	Developed Local Parks and Recreation	40	900s	1	Banning Park. Only on-site runoff can be treated, which will be occurring anyway.	1,575.91	415	M ST	WILMINGTON CA	90744
7414002903	18.75	Developed Local Parks and Recreation	40	900s	1	Only on-site runoff can be treated, which will be occurring anyway.	0.00	1700	FIGUEROA ST	Los Angeles CA	90015
7440030906	11.71	Developed Local Parks and Recreation	40	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	152.83			Los Angeles CA	
7440036906	11.63	Developed Local Parks and Recreation	40	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	198.54			Los Angeles CA	
7440036904	8.53	Other Open Space and Recreation	40	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	0.00			Los Angeles CA	
7347004901	7.98	Developed Local Parks and Recreation	40	900s	1	Normandal Recreation Center. Would receive mostly runoff from outside watershed jurisdiction boundary based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,465.39			Los Angeles CA	
7440021910	4.18	Vacant Undifferentiated	40	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	373.61			Los Angeles CA	
7425023910	0.56	Developed Local Parks and Recreation	40	900s	1	Entirely paved based on visual inspection.	30.08			Los Angeles CA	
7412010903	160.41	Developed Regional Parks and Recreation	39	900s	1	Part of Harbor Lake	0.00	25860	VERMONT AVE	Los Angeles CA	90710

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7412012902	64.88	Vacant Undifferentiated	39	900s	1	Part of Harbor Lake	213.28	1111	FIGUEROA TER	Los Angeles CA	90012
7412011900	45.19	Developed Regional Parks and Recreation	39	900s	1	Part of Harbor Lake	0.00	26300	VERMONT AVE	HARBOR CITY CA	90710
7442001915	41.52	Base Developed Local Parks and Recreation	39	900s	1	Being Developed	85.34			Los Angeles CA	
7412026916	10.51	Developed Local Parks and Recreation	39	900s	1	Only on-site runoff can be treated, which will be occurring anyway.	0.00			Los Angeles CA	
7412014900	9.90	Developed Regional Parks and Recreation	39	900s	1	Part of Harbor Lake	159.60			Los Angeles CA	
7440031910	7.22	Developed Local Parks and Recreation	39	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	531.63			Los Angeles CA	
7440031911	7.22	Developed Local Parks and Recreation	39	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	531.63			Los Angeles CA	
7412012900	5.38	Vacant Undifferentiated	39	900s	1	Part of Harbor Lake	152.71			Los Angeles CA	
4129037909	4.05	Vacant Undifferentiated	39	900s	1	Being developed.	160.65	5761	IMPERIAL HWY	Los Angeles CA	90045
6079006904	2.63	Vacant Undifferentiated	39	900s	1	Los Angeles Southwest College - privately owned	329.75	1302	IMPERIAL HWY	Los Angeles CA	90044
7452030901	2.46	Vacant Undifferentiated	39	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	311.29			Los Angeles CA	
7440020906	2.30	Vacant Undifferentiated	39	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	80.79			Los Angeles CA	
7440030918	2.14	Developed Local Parks and Recreation	39	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	61.01			Los Angeles CA	
7440030921	2.14	Developed Local Parks and Recreation	39	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	61.01			Los Angeles CA	
7455025900	1.71	Developed Local Parks and Recreation	39	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	24.86			Los Angeles CA	
7440005938	1.18	Vacant Undifferentiated	39	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	361.62			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7440005920	0.90	Vacant Undifferentiated	39	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	135.85			Los Angeles CA	
7440034901	71.24	Developed Local Parks and Recreation	38	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	492.31			Los Angeles CA	
7440011908	54.57	Other Open Space and Recreation	38	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	529.37			Los Angeles CA	
7440037903	39.63	Other Open Space and Recreation	38	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	460.32			Los Angeles CA	
4129037906	3.61	Vacant Undifferentiated	38	900s	1	Being developed.	39.70			Los Angeles CA	
7413023900	3.25	Vacant Undifferentiated	38	900s	1	Part of Harbor Lake	0.00			Los Angeles CA	
7428026912	1.62	Vacant Undifferentiated	38	900s	1	Entirely paved based on visual inspection.	0.00			Los Angeles CA	
6121017900	1.35	Vacant Undifferentiated	38	900s	1	Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	0.00			Los Angeles CA	
6121018902	1.34	Vacant Undifferentiated	38	900s	1	Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	0.00			Los Angeles CA	
6121018900	1.22	Vacant Undifferentiated	38	900s	1	Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	0.00			Los Angeles CA	
7429013923	1.14	Vacant Undifferentiated	38	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	46.34			Los Angeles CA	
7429013922	1.14	Vacant Undifferentiated	38	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	46.34			Los Angeles CA	
7429013916	1.11	Vacant Undifferentiated	38	900s	1	Entirely paved based on visual inspection.	0.00			Los Angeles CA	
7429013917	1.11	Vacant Undifferentiated	38	900s	1	Entirely paved based on visual inspection.	0.00			Los Angeles CA	
7440030910	1.08	Developed Local Parks and Recreation	38	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	26.44			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7440031905	1.03	Developed Local Parks and Recreation	38	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,240.61			Los Angeles CA	
7446001900	0.80	Developed Local Parks and Recreation	38	900s	1	Built-out in parts the other parcels are part of a natural drainage that appears to be very steep.	63.64			Los Angeles CA	
7440005932	0.71	Vacant Undifferentiated	38	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	361.62			Los Angeles CA	
7446001901	63.79	Developed Local Parks and Recreation	37	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself. Parcel has a probability of landslides occurrence.	0.00			Los Angeles CA	
7469018904	36.49	Developed Local Parks and Recreation	37	900s	1	Drains to ocean.	1,352.03			Los Angeles CA	
7412012903	20.46	Vacant Undifferentiated	37	900s	1	Part of Harbor Lake	418.81	1700	L ST	Los Angeles CA	90744
6057010901	13.73	Developed Regional Parks and Recreation	37	900s	1	Maggie Hathaway Gold Coarse and Jesse Ownes Coubnty Park - only on-site runoff can be treated, which will be occuring anyway.	2,008.94	9637	WESTERN AVE	Los Angeles CA	90047
6119025900	10.55	Developed Local Parks and Recreation	37	900s	1	Only on-site runoff can be treated, which will be occuring anyway.	2,073.24			Los Angeles CA	
7447024900	9.05	Developed Local Parks and Recreation	37	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	116.78			Los Angeles CA	
7561025902	7.96	Developed Regional Parks and Recreation	37	900s	1	Excluded because located on watershed jurisdiction boundary. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,068.04			Los Angeles CA	
6057010902	7.54	Developed Regional Parks and Recreation	37	900s	1	Maggie Hathaway Gold Coarse and Jesse Ownes Coubnty Park - only on-site runoff can be treated, which will be occuring anyway.	1,437.98			Los Angeles CA	
6057010903	7.19	Developed Regional Parks and Recreation	37	900s	1	Maggie Hathaway Gold Coarse and Jesse Ownes County Park - only on-site runoff can be treated, which will be occuring anyway.	1,543.68	9651	WESTERN AVE	Los Angeles CA	90047
7447003900	6.79	Vacant Undifferentiated	37	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	158.15			Los Angeles CA	
4129037910	2.78	Vacant Undifferentiated	37	900s	1	Being developed.	58.57			Los Angeles CA	
4129037912	2.69	Vacant Undifferentiated	37	900s	1	Being developed.	41.68			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4129037908	2.52	Vacant Undifferentiated	37	900s	1	Being developed.	159.21			Los Angeles CA	
4129037915	2.26	Vacant Undifferentiated	37	900s	1	Being developed.	25.79			Los Angeles CA	
7429013920	1.38	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	250.55			Los Angeles CA	
7429013921	1.38	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	250.55			Los Angeles CA	
7440030908	0.96	Developed Local Parks and Recreation	37	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	116.12			Los Angeles CA	
7440002906	0.65	Vacant Undifferentiated	37	900s	1	Entirely paved based on visual inspection.	139.99			Los Angeles CA	
7440030911	0.65	Developed Local Parks and Recreation	37	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	71.63			Los Angeles CA	
7440030919	0.65	Developed Local Parks and Recreation	37	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	71.63			Los Angeles CA	
7428028966	0.62	Vacant Undifferentiated	37	900s	1	Entirely paved based on visual inspection.	115.14			Los Angeles CA	
7440030920	0.62	Developed Local Parks and Recreation	37	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	56.68			Los Angeles CA	
7428028944	0.54	Vacant Undifferentiated	37	900s	1	Entirely paved based on visual inspection.	0.00			Los Angeles CA	
6079005901	0.48	Vacant Undifferentiated	37	900s	1	Los Angeles Southwest Colledge - privately owned	297.81	1302	IMPERIAL HWY	Los Angeles CA	90044
7440030917	0.48	Developed Local Parks and Recreation	37	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	115.84			Los Angeles CA	
7440002915	0.42	Vacant Undifferentiated	37	900s	1	Entirely paved based on visual inspection.	139.99			Los Angeles CA	
7428026910	0.36	Vacant Undifferentiated	37	900s	1	Entirely paved based on visual inspection.	0.00			Los Angeles CA	
7440005912	0.29	Vacant Undifferentiated	37	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	543.82			Los Angeles CA	
7428028922	0.26	Vacant Undifferentiated	37	900s	1	Entirely paved based on visual inspection.	101.17			Los Angeles CA	
7440040906	40.59	Developed Local Parks and Recreation	36	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	52.69			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7560028900	28.67	Developed Regional Parks and Recreation	36	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	283.79	1805	9TH ST	Los Angeles CA	90006
4123018928	24.62	Developed Local Parks and Recreation	36	900s	1	Entirely paved based on visual inspection.	0.00	9029	AIRPORT BLVD	Los Angeles CA	90009
4123018927	18.13	Developed Local Parks and Recreation	36	900s	1	Entirely paved based on visual inspection.	0.00			Los Angeles CA	
6057010900	3.54	Developed Regional Parks and Recreation	36	900s	1	Maggie Hathaway Gold Coarse and Jesse Ownes Coubnty Park - only on-site runoff can be treated, which will be occuring anyway.	2,433.68	1850	96TH ST	Los Angeles CA	90047
7445001900	3.17	Developed Local Parks and Recreation	36	900s	1	Only on-site runoff can be treated, which will be occuring anyway.	23.15			Los Angeles CA	
4129037913	1.86	Vacant Undifferentiated	36	900s	1	Being developed.	57.61			Los Angeles CA	
4129037907	1.67	Vacant Undifferentiated	36	900s	1	Being developed.	53.28			Los Angeles CA	
7446022900	1.65	Vacant Undifferentiated	36	900s	1	Area sizing does not appear usable based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	761.11			Los Angeles CA	
4129037911	1.45	Vacant Undifferentiated	36	900s	1	Being developed.	45.29			Los Angeles CA	
7428030900	0.69	Vacant Undifferentiated	36	900s	1	Entirely paved based on visual inspection.	674.66			Los Angeles CA	
9999999905	0.67	Vacant Undifferentiated	36	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	327.81			Los Angeles CA	
7439027901	0.58	Developed Local Parks and Recreation	36	900s	1	Harbor City Park. Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	2,249.09			Los Angeles CA	
7428029901	0.44	Vacant Undifferentiated	36	900s	1	Entirely paved based on visual inspection.	281.62			Los Angeles CA	
7428030901	0.28	Vacant Undifferentiated	36	900s	1	Entirely paved based on visual inspection.	745.84			Los Angeles CA	
7440012902	77.29	Vacant Undifferentiated	35	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	1,633.17			Los Angeles CA	
7440039910	37.24	Other Open Space and Recreation	35	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,615.43			Los Angeles CA	
6132018900	18.70	Developed Local Parks and Recreation	35	900s	1	Only on-site runoff can be treated, which will be occuring anyway.	741.81	12603	BROADWAY	Los Angeles CA	90061
7442001914	5.49	Vacant Area	35	900s	1	Being Developed	833.53			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7448006900	5.14	Other Open Space and Recreation	35	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	552.22			Los Angeles CA	
7469030900	4.04	Developed Local Parks and Recreation	35	900s	1	Drains to ocean	1,839.88			Los Angeles CA	
7446018900	1.48	Vacant Undifferentiated	35	900s	1	Near Rena Park. Near watershed boundary and will receive runoff from outside of jurisdiction. Terrain is too steep and is mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	906.20			Los Angeles CA	
7456011900	1.41	Developed Local Parks and Recreation	35	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	979.83			Los Angeles CA	
7455010902	0.97	Developed Local Parks and Recreation	35	900s	1	Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	766.08			Los Angeles CA	
4129037914	0.93	Vacant Undifferentiated	35	900s	1	Being developed.	25.06			Los Angeles CA	
7412026912	0.79	Developed Local Parks and Recreation	35	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	26.87			Los Angeles CA	
4129037916	0.62	Vacant Undifferentiated	35	900s	1	Being developed.	37.18			Los Angeles CA	
7412026917	34.38	Developed Local Parks and Recreation	34	900s	1	Only on-site runoff can be treated, which will be occurring anyway.	0.00			Los Angeles CA	
7440040907	31.33	Developed Local Parks and Recreation	34	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	358.33			Los Angeles CA	
4123018926	8.17	Developed Local Parks and Recreation	34	900s	1	Carl E Nielsen Youth Park. Located on watershed jurisdiction boundary. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself, but may be as large as 40 acres.	454.85			Los Angeles CA	
7447013900	1.15	Developed Local Parks and Recreation	34	900s	1	Area sizing does not appear usable based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,356.53			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7440011907	1.02	Other Open Space and Recreation	34	900s	1	Mostly paved. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	676.02			Los Angeles CA	
7440021917	0.88	Vacant Undifferentiated	34	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	621.26			Los Angeles CA	
7455010903	0.65	Developed Local Parks and Recreation	34	900s	1	Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	936.62			Los Angeles CA	
7448034905	0.43	Vacant Undifferentiated	34	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,390.92			Los Angeles CA	
7440029917	118.79	Vacant Undifferentiated	33	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,756.95	760	EARLE ST	Los Angeles CA	90731
7469018903	2.13	Developed Local Parks and Recreation	33	900s	1	Drains to ocean	1,765.86			Los Angeles CA	
7448007900	0.97	Other Open Space and Recreation	33	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,075.82			Los Angeles CA	
7462023900	0.94	Developed Local Parks and Recreation	33	900s	1	Sub-basin, drainage infrastructure and topography suggest that the parcel is too small to capture the 85 th percentile design storm for the tributary area.	1,392.16			Los Angeles CA	
7447008901	0.87	Developed Local Parks and Recreation	33	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,366.00	420	OFARRELL ST	Los Angeles CA	90731
7467010900	0.72	Developed Local Parks and Recreation	33	900s	1	Angeles Gate Park. Drains to ocean	1,208.59			Los Angeles CA	
7560026904	0.42	Vacant Undifferentiated	33	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	27.26			Los Angeles CA	
4129037902	0.38	Vacant Undifferentiated	33	900s	1	Being developed.	430.99			Los Angeles CA	
7440039911	1.18	Other Open Space and Recreation	32	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,244.91			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7447029900	0.96	Developed Local Parks and Recreation	32	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,522.72			Los Angeles CA	
7447030900	0.75	Developed Local Parks and Recreation	32	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,403.62			Los Angeles CA	
7440034906	0.56	Developed Local Parks and Recreation	32	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,206.50			Los Angeles CA	
7440034907	0.56	Developed Local Parks and Recreation	32	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,206.50			Los Angeles CA	
7442001910	201.60	Developed Local Parks and Recreation	31	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	621.70			Los Angeles CA	
7467031900	2.82	Vacant Undifferentiated	31	900s	1	Drains to ocean	2,565.00			Los Angeles CA	
7440003912	0.78	Other Open Space and Recreation	31	900s	1	Mostly paved based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	3,218.43			Los Angeles CA	
7467011900	0.67	Developed Local Parks and Recreation	31	900s	1	Drains to ocean.	1,259.59			Los Angeles CA	
7448004900	0.48	Other Open Space and Recreation	31	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	405.87			Los Angeles CA	
7442001913	0.91	Vacant Area	30	900s	1	Being Developed	1,244.52			Los Angeles CA	
7448034906	0.32	Vacant Undifferentiated	30	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,359.91			Los Angeles CA	
7467032900	3.55	Developed Local Parks and Recreation	29	900s	1	Drains to ocean	2,564.87			Los Angeles CA	
7448033906	0.40	Vacant Undifferentiated	29	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,283.11			Los Angeles CA	
7448033901	0.40	Vacant Undifferentiated	29	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site	1,230.39			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
						itself.					
7442001919	47.68	Vacant Area	28	900s	1	Being Developed	1,081.68			Los Angeles CA	
7469030901	1.77	Developed Local Parks and Recreation	27	900s	1	Drains to ocean	2,366.25			Los Angeles CA	
7448035906	2.32	Vacant Undifferentiated	26	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	893.56			Los Angeles CA	
7467030901	0.85	Vacant Undifferentiated	26	900s	1	Drains to ocean	2,603.13			Los Angeles CA	
7467030900	0.71	Vacant Undifferentiated	26	900s	1	Port Fermin Park. Drains to ocean.	2,462.80			Los Angeles CA	
7448035927	1.04	Vacant Undifferentiated	25	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	808.63			Los Angeles CA	
7448035932	1.04	Vacant Undifferentiated	25	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	808.63			Los Angeles CA	
7448036919	1.00	Vacant Undifferentiated	23	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,203.81			Los Angeles CA	
7448036926	1.00	Vacant Undifferentiated	23	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,203.81			Los Angeles CA	
7448035908	0.39	Vacant Undifferentiated	23	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,171.89			Los Angeles CA	
7448035930	0.28	Vacant Undifferentiated	23	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,222.28	255	VIEWLAND PL	Los Angeles CA	90731
6121019900	6.74	Manufacturing, Assembly, and Industrial Servi	39	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			Los Angeles CA	
7428008908	3.13	Manufacturing, Assembly, and Industrial Servi	38	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	191.47			Los Angeles CA	
7428008906	3.13	Manufacturing, Assembly, and Industrial Servi	38	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	191.47			Los Angeles CA	

City of Los Angeles											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7452018903	2.87	Other Special Use Facilities	38	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	96.07	308	WEYMOUTH AVE	Los Angeles CA	90732
7315016900	0.44	Open Storage	35	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			Los Angeles CA	
7428008909	0.57	Open Storage	34	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	280.07			Los Angeles CA	
7428008907	0.57	Open Storage	34	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	280.07			Los Angeles CA	
7469017900	0.76	Other Public Facilities	33	900s	2	Drains to ocean	718.43			Los Angeles CA	
6130003900	2.11	Other Public Facilities	32	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	25.03	150	EL SEGUNDO BLVD	Los Angeles CA	90061
7428016911	0.79	Open Storage	32	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	670.23			Los Angeles CA	
7428016909	0.79	Open Storage	32	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	670.23			Los Angeles CA	
7428017939	0.28	Open Storage	31	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	903.18			Los Angeles CA	
7455027933	1.26	Other Special Use Facilities	30	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	43.45			Los Angeles CA	
7428016910	0.70	Open Storage	30	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,058.36			Los Angeles CA	
7428016908	0.70	Open Storage	30	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,058.36			Los Angeles CA	
7428010901	0.57	Manufacturing, Assembly, and Industrial Servi	30	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,101.00			Los Angeles CA	
7428010900	0.57	Manufacturing, Assembly, and Industrial Servi	30	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,101.00			Los Angeles CA	
7428010903	0.44	Open Storage	30	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,253.98			Los Angeles CA	

City of El Segundo

AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4138014901	1.19	Vacant Undifferentiated	34	900s	1	Recommended - Part of El Segundo Project	324.14			El Segundo CA	
4138014914	6.23	Nurseries	36	900s	2	Recommended - El Segundo Project	0.00			El Segundo CA	
4138002901	47.28	Base Government Offices	37	900s	2	Potential	31.64			El Segundo CA	
4138002904	0.96	Base Government Offices	34	900s	2	Potential	1.37			El Segundo CA	
4138003903	3.68	Low- and Medium-Rise Major Office Use	33	900s	2	Potential	380.38			El Segundo CA	
4138012004	6.41	Vacant Undifferentiated	33		3	Potential	309.53	655	DOUGLAS ST	El Segundo CA	90245
4138015007	7.64	Vacant Undifferentiated	32		3	Potential	509.35			El Segundo CA	
4138030014	2.04	Vacant Undifferentiated	31		3	Potential	199.64			El Segundo CA	
4138015005	3.10	Vacant Undifferentiated	29		3	Potential	849.37			El Segundo CA	
4138030012	1.15	Vacant Undifferentiated	29		3	Potential	378.83			El Segundo CA	
4138030013	0.91	Vacant Undifferentiated	29		3	Potential	118.67			El Segundo CA	
4138030015	1.54	Vacant Undifferentiated	28		3	Potential	514.04			El Segundo CA	
4138030094	2.60	Vacant Undifferentiated	27		3	Potential	942.24			El Segundo CA	
4138030025	1.87	Vacant Undifferentiated	27		3	Potential	672.32			El Segundo CA	
4138030011	1.64	Vacant Undifferentiated	27		3	Potential	614.21			El Segundo CA	
4138030026	1.44	Vacant Undifferentiated	26		3	Potential	809.61			El Segundo CA	
4138030903	5.42	Vacant Undifferentiated	34	900s	1	Catchment area less than 10 acres	612.41			El Segundo CA	
4138014913	25.69	Golf Courses	33	900s	1	The Lakes at El Segundo Golf Coarse - only on-site runoff can be treated, which will be occurring anyway.	1,347.71	400	SEPULVEDA BLVD	El Segundo CA	90245
4138012901	0.52	Vacant Undifferentiated	33	900s	1	Entirely paved based on visual inspection.	318.47			El Segundo CA	
4138030904	1.00	Vacant Undifferentiated	31	900s	1	Catchment area less than 10 acres	413.63			El Segundo CA	
4138014910	0.75	Golf Courses	29	900s	1	The Lakes at El Segundo Golf Coarse - only on-site runoff can be treated, which will be occurring anyway.	1,888.75			El Segundo CA	
4138002903	3.39	Base Government Offices	36	900s	2	Site too small for drainage based on visual inspection.	1.97			El Segundo CA	
4138001900	1.09	Manufacturing, Assembly, and Industrial Servi	33	900s	2	Site too small for drainage based on visual inspection.	273.80			El Segundo CA	
4138001906	0.81	Research and Development	33	900s	2	Site too small for drainage based on visual inspection.	0.00			El Segundo CA	
4138001905	0.27	Research and Development	33	900s	2	Site too small for drainage based on visual inspection.	10.95			El Segundo CA	
4138014915	1.55	Park-and-Ride Lots	32	900s	2	Site too small for drainage based on visual inspection.	0.00			El Segundo CA	
4138002902	1.85	Research and Development	31	900s	2	Site too small for drainage based on visual inspection.	658.93			El Segundo CA	
4138012904	1.53	Low- and Medium-Rise Major Office Use	30	900s	2	Site too small for drainage based on visual inspection.	445.97			El Segundo CA	
4138002905	0.74	Base Government Offices	28	900s	2	Site too small for drainage based on visual inspection.	1,252.34			El Segundo CA	
4138004910	0.39	Research and Development	26	900s	2	Site too small for drainage based on visual inspection.	1,269.67			El Segundo CA	
4138015012	7.00	Vacant Undifferentiated	33		3	Catchment area less than 10 acres	337.94	2021	ROSECRANS AVE	El Segundo CA	90245
4138015006	9.85	Vacant Undifferentiated	32		3	Catchment area less than 10 acres	498.21			El Segundo CA	
4138015033	4.09	Vacant Undifferentiated	32		3	Catchment area less than 10 acres	568.04			El Segundo CA	

City of El Segundo											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4138015043	3.28	Vacant Undifferentiated	29		3	Parcel has too high of a percentage of building cover based on visual inspection.	916.53			El Segundo CA	
4138015044	1.88	Vacant Undifferentiated	28		3	Parcel has too high of a percentage of building cover based on visual inspection.	618.61			El Segundo CA	
4138015014	1.83	Vacant Undifferentiated	28		3	Catchment area less than 10 acres	697.10	324	SEPULVEDA BLVD	El Segundo CA	90245
4138015008	1.11	Vacant Undifferentiated	28		3	Catchment area less than 10 acres	615.98			El Segundo CA	
4138012810	0.67	Vacant Undifferentiated	28		3	Catchment area less than 10 acres	591.08			El Segundo CA	
4138012809	0.47	Vacant Undifferentiated	28		3	Catchment area less than 10 acres	580.12			El Segundo CA	
4138015803	0.32	Vacant Undifferentiated	28		3	Catchment area less than 10 acres	497.40			El Segundo CA	
4138015052	2.42	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,294.38			El Segundo CA	
4138030023	2.42	Vacant Undifferentiated	27		3	Catchment area less than 10 acres	899.88			El Segundo CA	
4138015042	2.39	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,128.54			El Segundo CA	
4138030093	2.15	Vacant Undifferentiated	27		3	Catchment area less than 10 acres	1,284.48			El Segundo CA	
4138015800	2.10	Vacant Undifferentiated	27		3	Catchment area less than 10 acres	1,142.83			El Segundo CA	
4138015050	2.09	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,575.85			El Segundo CA	
4138015058	2.06	Vacant Undifferentiated	27		3	Catchment area less than 10 acres	1,294.85			El Segundo CA	
4138030092	2.59	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,112.22			El Segundo CA	
4138030047	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030044	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030057	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030043	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030045	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030054	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030056	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030046	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030042	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030055	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030049	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030051	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030040	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030050	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030052	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030041	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030048	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	

City of El Segundo											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4138030053	2.51	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,456.45			El Segundo CA	
4138030028	2.33	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,606.60			El Segundo CA	
4138030085	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030073	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030076	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030072	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030074	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030075	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030081	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030082	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030077	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030079	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030080	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030087	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030078	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030083	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030086	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030084	2.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,264.67			El Segundo CA	
4138030034	2.16	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,311.34			El Segundo CA	
4138030022	2.01	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,088.14			El Segundo CA	
4138015040	1.36	Vacant Undifferentiated	26		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,499.18			El Segundo CA	
4138015059	1.25	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,240.60			El Segundo CA	
4138030010	1.18	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	892.27			El Segundo CA	
4138015060	1.15	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,242.50			El Segundo CA	
4138015037	1.07	Vacant Undifferentiated	26		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,943.73			El Segundo CA	
4138015049	1.06	Vacant Undifferentiated	26		3	Catchment area less than 10 acres	1,712.32			El Segundo CA	
4138015051	1.05	Vacant Undifferentiated	26		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,471.29			El Segundo CA	
4138030035	1.81	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,323.87			El Segundo CA	
4138030009	1.37	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,092.24			El Segundo CA	
4138030064	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	
4138030066	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	
4138030068	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	
4138030070	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	
4138030071	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	

City of El Segundo											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4138030069	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	
4138030065	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	
4138030067	1.16	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,401.46			El Segundo CA	
4138030058	1.12	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,525.90			El Segundo CA	
4138030059	1.12	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,525.90			El Segundo CA	
4138030062	1.12	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,525.90			El Segundo CA	
4138030060	1.12	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,525.90			El Segundo CA	
4138030061	1.12	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,525.90			El Segundo CA	
4138030063	1.12	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,525.90			El Segundo CA	
4138030024	1.11	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,062.28			El Segundo CA	
4138015048	1.00	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,729.07			El Segundo CA	
4138015047	0.98	Vacant Undifferentiated	25		3	Catchment area less than 10 acres	1,741.94			El Segundo CA	
4138015041	0.94	Vacant Undifferentiated	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,354.92			El Segundo CA	
4138015053	0.86	Vacant Undifferentiated	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,308.61			El Segundo CA	
4138015055	0.80	Vacant Undifferentiated	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,597.68			El Segundo CA	
4138015039	0.73	Vacant Undifferentiated	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,717.70			El Segundo CA	
4138015038	0.66	Vacant Undifferentiated	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,836.12			El Segundo CA	
4138015054	0.42	Vacant Undifferentiated	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,479.50			El Segundo CA	
4138030039	0.74	Vacant Undifferentiated	24		3	Catchment area less than 10 acres	1,739.91			El Segundo CA	
4138030037	0.74	Vacant Undifferentiated	24		3	Catchment area less than 10 acres	1,739.91			El Segundo CA	
4138030038	0.74	Vacant Undifferentiated	24		3	Catchment area less than 10 acres	1,739.91			El Segundo CA	
4138030036	0.74	Vacant Undifferentiated	24		3	Catchment area less than 10 acres	1,739.91			El Segundo CA	

City of Hawthorne

AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4051032903	4.10	Developed Local Parks and Recreation	42	900s	1	Recommended--Jim Thorpe Park	704.72			Hawthorne CA	
4051029901	3.53	Developed Local Parks and Recreation	40	900s	1	Recommended--Jim Thorpe Park	896.76	13913	CORDARY AVE	Hawthorne CA	90250
4043002904	1.69	Developed Local Parks and Recreation	35	900s	1	Recommended--Ramona Park	627.02			Hawthorne CA	
4049009904	6.59	Developed Local Parks and Recreation	41	900s	1	Viable alternative - Hawthorne Memorial Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,429.65			Hawthorne CA	
4041014910	1.02	Developed Local Parks and Recreation	37	900s	1	Not Recommended--Jim Thorpe Park. Parcel has too high of a percentage of building cover based on visual inspection.	1,369.13	14027	CORDARY AVE	Hawthorne CA	90250
4041014907	1.45	Vacant Undifferentiated	43	900s	1	Park w/in Channel	0.00			Hawthorne CA	
4041019900	1.41	Vacant Undifferentiated	43	900s	1	Park w/in Channel	0.00			Hawthorne CA	
4041018900	1.26	Vacant Undifferentiated	43	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			Hawthorne CA	
4041014909	4.01	Developed Local Parks and Recreation	41	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	484.05			Hawthorne CA	
4149012905	0.86	Vacant Undifferentiated	38	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	677.49	13929	YUKON AVE	Hawthorne CA	90250
4145032900	0.86	Vacant Undifferentiated	38	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	677.50	14001	YUKON AVE	Hawthorne CA	90250
4149011804	6.62	Developed Local Parks and Recreation	37	900s	1	Located in steep area. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	692.19	12601	ISIS AVE	Hawthorne CA	90250
4149011805	0.70	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	959.52	13928	KORNBLUM AVE	Hawthorne CA	90250
4048004058	0.55	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	970.80	14001	YUKON AVE	Hawthorne CA	90250
4149016061	0.26	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	971.15	13934	KORNBLUM AVE	Hawthorne CA	90250
4051029003	2.54	Developed Local Parks and Recreation	36	900s	1	Too developed based on visual inspection. Next to Ramona Park. Sub-basin, drainage infrastructure and	867.02			Hawthorne CA	

City of Hawthorne											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
						topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.					
4149018042	0.47	Vacant Undifferentiated	36	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,087.53	3658	139TH ST	Hawthorne CA	90250
4149018035	0.40	Vacant Undifferentiated	36	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	1,116.16	13918	KORNBLUM AVE	Hawthorne CA	90250
4149018046	1.55	Developed Local Parks and Recreation	35	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	542.05			Hawthorne CA	
4149018043	1.00	Vacant Undifferentiated	34	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	1,485.70			Hawthorne CA	
4149018044	0.47	Developed Local Parks and Recreation	34	900s	1	Entirely paved based on visual inspection.	446.92			Hawthorne CA	
4149018034	1.19	Vacant Undifferentiated	33	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	951.90			Hawthorne CA	
4149018033	1.87	Police and Sheriff Stations	36	900s	2	Potential	697.58			Hawthorne CA	
4149018045	1.17	Police and Sheriff Stations	36	900s	2	Potential	697.41			Hawthorne CA	
4149018041	1.76	Government Offices	34	900s	2	Potential	918.78	12643	EUCALYPTUS AVE	Hawthorne CA	90250
4149018036	1.36	Government Offices	34	900s	2	Potential	839.22	12700	INGLEWOOD AVE	Hawthorne CA	90250
4149018038	0.41	Fire Stations	33	900s	2	Potential	1,086.70	4447	EL SEGUNDO BLVD	Hawthorne CA	90250
4149018040	0.40	Electrical Power Facilities	32	900s	2	Potential	894.89			Hawthorne CA	
4149018037	0.29	Fire Stations	31	900s	2	Potential	1,224.56	5323	ROSECRANS AVE	Hawthorne CA	90250
4149018049	6.91	Other Public Facilities	39	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,917.55			Hawthorne CA	
4149018039	9.32	Mixed Transportation (Developed Local Parks and Recreation)	38	900s	2	Entirely paved based on visual inspection.	917.15			Hawthorne CA	
4149018047	2.99	Government Offices	37	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,103.58			Hawthorne CA	
4149018048	0.50	Police and Sheriff Stations	34	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	978.28	12700	GREVILLEA AVE	Hawthorne CA	90250
4149018050	0.49	Fire Stations	33	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,166.75	4463	EL SEGUNDO BLVD	Hawthorne CA	90250
4051029013	0.33	Police and Sheriff Stations	33	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	1,086.76	12726	GREVILLEA AVE	Hawthorne CA	90250
4149013076	18.76	Other Open Space and Recreation	38		3	Potential	41.13			Hawthorne CA	
4149013069	4.39	Other Open Space and Recreation	38		3	Potential	41.17			Hawthorne CA	
4051030901	0.59	Vacant Undifferentiated	38		3	Potential	42.58			Hawthorne CA	
4055008900	3.89	Vacant Undifferentiated	34		3	Potential	117.06	14610	HINDRY AVE	Hawthorne CA	90250

City of Hawthorne											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4055021900	0.29	Developed Local Parks and Recreation	34		3	Potential	779.75	3926	139TH ST	Hawthorne CA	90250
4055022900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4041016903	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4149011910	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4051017900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4051017901	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4143015900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4051020902	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4051020900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4051020901	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4043002905	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4051020905	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4051020903	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4145020904	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4145030900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4145021900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4145025900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4049010900	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4050013901	2.82	Developed Local Parks and Recreation	33		3	Potential	697.64			Hawthorne CA	
4041014911	0.60	Developed Local Parks and Recreation	33		3	Potential	830.67	3906	139TH ST	Hawthorne CA	90250
4041014908	2.49	Vacant Undifferentiated	32		3	Potential	859.13	14400	HINDRY AVE	Hawthorne CA	90250
4041014913	0.47	Vacant Undifferentiated	29		3	Potential	1,230.22	5230	ROSECRANS AVE	Hawthorne CA	90250
4056031017	9.41	Vacant Undifferentiated	42		3	Parcel has too high of a percentage of building cover based on visual inspection.	13.62	12250	CRENSHAW BLVD	Hawthorne CA	90250
4056031015	8.38	Vacant Undifferentiated	42		3	Parcel has too high of a percentage of building cover based on visual inspection.	0.00	12200	WILKIE AVE	Hawthorne CA	90250
4056031018	5.66	Vacant Undifferentiated	42		3	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			Hawthorne CA	
4056031803	4.66	Vacant Undifferentiated	42		3	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			Hawthorne CA	
4056031014	4.65	Vacant Undifferentiated	40		3	Parcel has too high of a percentage of building cover based on visual inspection.	526.84	2750	120TH ST	Hawthorne CA	90250
4049011017	5.41	Developed Local Parks and Recreation	37		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,421.80	12600	PRAIRIE AVE	Hawthorne CA	90250
4071008034	0.99	Developed Local Parks and Recreation	37		3	Parcel has too high of a percentage of building cover based on visual inspection.	6.11	3330	147TH ST	Hawthorne CA	90250
4149011025	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5419	MARINE AVE	Hawthorne CA	90260

City of Hawthorne											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4149011044	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5467	MARINE AVE	Hawthorne CA	90250
4149011009	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5451	MARINE AVE	Hawthorne CA	90260
4149011010	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5449	MARINE AVE	Hawthorne CA	90260
4149011042	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5471	MARINE AVE	Hawthorne CA	90250
4149011015	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5439	MARINE AVE	Hawthorne CA	90260
4149011032	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5405	MARINE AVE	Hawthorne CA	90260
4149011034	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5401	MARINE AVE	Hawthorne CA	90250
4149011021	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5427	MARINE AVE	Hawthorne CA	90260
4149011028	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5413	MARINE AVE	Hawthorne CA	90250
4149011007	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5455	MARINE AVE	Hawthorne CA	90260
4149011026	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5417	MARINE AVE	Hawthorne CA	90260
4149011040	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5475	MARINE AVE	Hawthorne CA	90250
4149011016	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5437	MARINE AVE	Hawthorne CA	90260
4149011018	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5433	MARINE AVE	Hawthorne CA	90250
4149011033	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5403	MARINE AVE	Hawthorne CA	90260
4149011014	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5441	MARINE AVE	Hawthorne CA	90260
4149011006	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5457	MARINE AVE	Hawthorne CA	90260
4149011020	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5429	MARINE AVE	Hawthorne CA	90250
4149011031	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5407	MARINE AVE	Hawthorne CA	90260
4149011045	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5465	MARINE AVE	Hawthorne CA	90260
4149011017	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building	41.31	5435	MARINE AVE	Hawthorne CA	90260

City of Hawthorne											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
						cover based on visual inspection.					
4149011005	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5459	MARINE AVE	Hawthorne CA	90260
4149011012	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5445	MARINE AVE	Hawthorne CA	90260
4149011037	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5481	MARINE AVE	Hawthorne CA	90260
4149011046	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5463	MARINE AVE	Hawthorne CA	90250
4149011029	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5411	MARINE AVE	Hawthorne CA	90250
4149011030	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5409	MARINE AVE	Hawthorne CA	90260
4149011013	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5443	MARINE AVE	Hawthorne CA	90260
4149011022	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5425	MARINE AVE	Hawthorne CA	90260
4149011036	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5483	MARINE AVE	Hawthorne CA	90250
4149011008	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5453	MARINE AVE	Hawthorne CA	90260
4149011043	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5469	MARINE AVE	Hawthorne CA	90260
4149011024	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5421	MARINE AVE	Hawthorne CA	90260
4149011027	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5415	MARINE AVE	Hawthorne CA	90260
4149011041	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5473	MARINE AVE	Hawthorne CA	90260
4149011035	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5485	MARINE AVE	Hawthorne CA	90250
4149011019	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5431	MARINE AVE	Hawthorne CA	90260
4149011023	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5423	MARINE AVE	Hawthorne CA	90260
4149011039	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5477	MARINE AVE	Hawthorne CA	90250
4149011038	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5479	MARINE AVE	Hawthorne CA	90260
4149011011	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5447	MARINE AVE	Hawthorne CA	90260

City of Hawthorne											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4149011047	2.17	Other Open Space and Recreation	36		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.31	5461	MARINE AVE	Hawthorne CA	90250
4048004043	1.37	Vacant Undifferentiated	35		3	Parcel has too high of a percentage of building cover based on visual inspection.	41.06	3653	120TH ST	Hawthorne CA	90303
4051017011	0.85	Vacant Undifferentiated	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	663.25	13921	YUKON AVE	Hawthorne CA	90250
4051017007	0.43	Vacant Undifferentiated	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	677.50	14013	YUKON AVE	Hawthorne CA	90250
4051020032	0.55	Vacant Undifferentiated	33		3	Parcel has too high of a percentage of building cover based on visual inspection.	970.52	14024	KORNBLUM AVE	Hawthorne CA	90250
4149018060	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018078	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018066	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018080	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018083	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018064	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018081	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018057	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018072	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018084	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018073	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018056	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018058	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018075	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018055	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018059	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building	691.81			Hawthorne CA	

City of Hawthorne											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
						cover based on visual inspection.					
4149018052	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018054	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018077	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018079	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018061	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018063	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018065	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018051	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018062	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018069	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018076	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018068	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018070	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018074	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018082	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018067	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018071	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018085	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018086	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	
4149018053	1.44	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	691.81			Hawthorne CA	

City of Hawthorne											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4149018099	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018088	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018090	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018089	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018091	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018104	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018101	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018093	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018095	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018102	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018100	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018096	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018098	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018094	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018097	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018103	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018087	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	
4149018092	0.70	Developed Local Parks and Recreation	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	531.04			Hawthorne CA	

City of Inglewood											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4025011900	19.30	Developed Local Parks and Recreation	41	900s	1	Recommended - Darby Park	267.97	3400	ARBOR VITAE ST	Inglewood CA	90305
4048004900	1.90	Vacant Undifferentiated	43	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	0.00			Inglewood CA	
4034005900	1.12	Vacant Undifferentiated	41	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	69.29	10117	PRAIRIE AVE	Inglewood CA	90303
4018021902	9.92	Developed Local Parks and Recreation	40	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	31.83			Inglewood CA	
4032003914	3.45	Vacant Undifferentiated	40	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	737.86	3700	CENTURY BLVD	Inglewood CA	90303
4032001903	0.99	Vacant Undifferentiated	40	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	114.86	3939	102ND ST	Inglewood CA	90303
4032001902	0.34	Vacant Undifferentiated	38	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	514.85	3901	102ND ST	Inglewood CA	90303
4032002913	0.33	Vacant Undifferentiated	38	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	517.86	3822	CENTURY BLVD	Inglewood CA	90303
4032002914	0.87	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	787.95	3831	102ND ST	Inglewood CA	90303
4032002916	0.68	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	614.86	3851	102ND ST	Inglewood CA	90303
4032002915	0.51	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	714.96	3843	102ND ST	Inglewood CA	90303
4032004913	0.47	Vacant Undifferentiated	37	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	779.19			Inglewood CA	
4032002917	0.68	Vacant Undifferentiated	36	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	801.14	3821	102ND ST	Inglewood CA	90303
4032003915	0.57	Vacant Undifferentiated	35	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	1,064.01	3703	102ND ST	Inglewood CA	90303
4032003912	0.57	Vacant Undifferentiated	35	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	1,065.47			Inglewood CA	
4021015901	0.37	Developed Local Parks and Recreation	33	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	758.43			Inglewood CA	
4021015909	0.27	Developed Local Parks and Recreation	32	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	812.75			Inglewood CA	
4018024905	0.84	Developed Local Parks and Recreation	31	900s	1	Ashwood Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	683.24	700	KELSO ST	Inglewood CA	90301

City of Inglewood											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4018017900	0.84	Developed Local Parks and Recreation	31	900s	1	Ashwood Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	683.96			Inglewood CA	
4021014905	0.44	Developed Local Parks and Recreation	31	900s	1	Parcel has too high of a percentage of building cover based on visual inspection.	1,150.42	106	MANCHESTER BLVD	Inglewood CA	90301
4010023900	0.35	Developed Local Parks and Recreation	28	900s	1	Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	3,499.75			Inglewood CA	
4025011037	222.36	Developed Local Parks and Recreation	40		3	Potential	0.00			Inglewood CA	
4030002044	9.59	Vacant Undifferentiated	40		3	Potential	0.00	3380	CENTURY BLVD	Inglewood CA	90303
4025011027	25.55	Vacant Undifferentiated	35		3	Potential	597.84			Inglewood CA	
4030001013	3.21	Vacant Undifferentiated	35		3	Potential	828.70	3504	CENTURY BLVD	Inglewood CA	90303
4030001011	15.73	Vacant Undifferentiated	34		3	Potential	842.33	3560	CENTURY BLVD	Inglewood CA	90303
4030001012	1.37	Vacant Undifferentiated	34		3	Potential	784.67	3540	CENTURY BLVD	Inglewood CA	90303
4024009004	0.47	Vacant Undifferentiated	33		3	Potential	359.70	937	PRAIRIE AVE	Inglewood CA	90301
4032004045	7.11	Vacant Undifferentiated	37		3	Parcel has too high of a percentage of building cover based on visual inspection.	779.63	3624	CENTURY BLVD	Inglewood CA	90303
4025011012	19.17	Developed Local Parks and Recreation	35		3	Parcel has too high of a percentage of building cover based on visual inspection.	725.37	3107	ARBOR VITAE ST	Inglewood CA	90305
4032002039	1.65	Vacant Undifferentiated	35		3	Parcel has too high of a percentage of building cover based on visual inspection.	530.07	3846	CENTURY BLVD	Inglewood CA	90303
4032001048	1.03	Vacant Undifferentiated	35		3	Parcel has too high of a percentage of building cover based on visual inspection.	414.95	3915	102ND ST	Inglewood CA	90303
4024008029	2.47	Vacant Undifferentiated	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	455.49	924	OSAGE AVE	Inglewood CA	90301
4032003062	1.87	Vacant Undifferentiated	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	674.48	3730	CENTURY BLVD	Inglewood CA	90303
4025023069	1.43	Vacant Undifferentiated	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	230.06			Inglewood CA	
4025022041	1.09	Developed Local Parks and Recreation	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	298.97			Inglewood CA	
4030002056	0.41	Vacant Undifferentiated	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	500.74	3400	CENTURY BLVD	Inglewood CA	90303
4025023072	0.26	Vacant Undifferentiated	34		3	Parcel has too high of a percentage of building cover based on visual inspection.	123.34			Inglewood CA	
4025023077	0.26	Vacant Undifferentiated	33		3	Parcel has too high of a percentage of building cover based on visual inspection.	225.22			Inglewood CA	
4030002057	0.46	Vacant Undifferentiated	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	871.01	3490	CENTURY BLVD	Inglewood CA	90303
4023012900	1.34	High-Density Single Family Residential	35	900s	2	Potential	392.05			Inglewood CA	

City of Inglewood											
AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
4025025063	0.29	Vacant Undifferentiated	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	489.31			Inglewood CA	
4024009030	0.26	Vacant Undifferentiated	32		3	Parcel has too high of a percentage of building cover based on visual inspection.	436.91	1000	OSAGE AVE	Inglewood CA	90301
4024008020	0.71	Vacant Undifferentiated	31		3	Parcel has too high of a percentage of building cover based on visual inspection.	606.57	919	PRAIRIE AVE	Inglewood CA	90301
4025023071	0.29	Vacant Undifferentiated	31		3	Parcel has too high of a percentage of building cover based on visual inspection.	616.14			Inglewood CA	
4025025067	0.25	Vacant Undifferentiated	30		3	Parcel has too high of a percentage of building cover based on visual inspection.	811.06			Inglewood CA	
4025024099	0.25	Vacant Undifferentiated	29		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,045.32			Inglewood CA	
4015024020	10.16	Developed Local Parks and Recreation	28		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,406.99	333	PRAIRIE AVE	Inglewood CA	90301
4021014047	0.74	Developed Local Parks and Recreation	28		3	Too small drainage area based on visual inspection.	978.95	230	GREVILLEA AVE	Inglewood CA	90301
4126007066	2.33	Vacant Undifferentiated	27		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,785.63	355	GLASGOW AVE	Inglewood CA	90301
4126008015	0.89	Vacant Undifferentiated	25		3	Parcel has too high of a percentage of building cover based on visual inspection.	2,015.44	400	HINDRY AVE	Inglewood CA	90301

City of Lomita

AIN	Acres	Land Use	TOTAL SCORE	Gov_Type	Tier	OMIT Parcel	Revised Waterway Distance	Street Number	Street Name	City and State	Zip Code
7372021902	5.78	Developed Local Parks and Recreation	40	900s	1	Viable alternative - Lomita Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,529.10			Lomita CA	
7372008901	0.96	Developed Local Parks and Recreation	36	900s	1	Viable alternative - Lomita Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	2,070.43			Lomita CA	
7372008902	0.93	Developed Local Parks and Recreation	36	900s	1	Viable alternative - Lomita Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,973.46	24316	ESHELMAN AVE	Lomita CA	90717
7552001903	12.47	Vacant Undifferentiated	39	900s	1	Being Developed	1,162.80			Lomita CA	
7372008903	1.26	Developed Local Parks and Recreation	37	900s	1	Part of Lomita Park. Too developed based on visual inspection. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,718.48	24309	WALNUT ST	Lomita CA	90717
7372008904	0.46	Developed Local Parks and Recreation	36	900s	1	Lomita Park. Sub-basin, drainage infrastructure and topography suggest that little flow could be diverted to site—likely less than 10 acres contributing area including the site itself.	1,737.71			Lomita CA	
7442001911	31.59	Vacant Area	34	900s	1	Being Developed	1,229.93			Lomita CA	
7553003902	2.02	Police and Sheriff Stations	40	900s	2	Potential	321.32	26123	NARBONNE AVE	Lomita CA	90717
7374001907	2.01	Government Offices	34	900s	2	Potential	1,210.42	24320	NARBONNE AVE	Lomita CA	90717
7553003903	0.53	Police and Sheriff Stations	36	900s	2	Parcel has too high of a percentage of building cover based on visual inspection.	618.67	26125	NARBONNE AVE	Lomita CA	90717
7374001048	1.34	Vacant Undifferentiated	31		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,656.74	2101	245TH ST	Lomita CA	90717
7374014050	0.62	Vacant Undifferentiated	30		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,995.58			Lomita CA	
7374019026	0.46	Vacant Undifferentiated	30		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,951.66	2072	242ND ST	Lomita CA	90717
7374019025	0.28	Vacant Undifferentiated	30		3	Parcel has too high of a percentage of building cover based on visual inspection.	1,908.04			Lomita CA	
7372008051	0.27	Developed Local Parks and Recreation	30		3	Parcel has too high of a percentage of building cover based on visual inspection.	2,260.60	24218	ESHELMAN AVE	Lomita CA	90717

Attachment K
Summary of BMP Performance Data

This attachment includes tables summarizing the existing Best Management Practice (BMP) performance data obtained from the sources listed below, corresponding with Section 3.3 of the Dominguez Channel Watershed Management Group (DC WMG) Enhanced Watershed Management Program (EWMP):

- CASQA Development and Municipal BMP Handbooks
- California Department of Transportation (Caltrans) BMP Retrofit Pilot Program Report
- Center for Watershed Protection's National Pollutant Removal Performance Database Version 3
- Priority A and B Catch Basin Cleanout Data

Attachment K List of Tables

Table K.1: Treatment Control BMP Removal Efficiency Per CASQA and BMP Handbooks	K-2
Table K.2: Treatment Control BMP Pollutant Removal Efficiency	K-4
Table K.3: Treatment Control BMP Removal Efficiency Per Center for Watershed Protection	K-6
Table K.4: Catch Basin Trash Removal Totals	K-8

Table K.1: Treatment Control BMP Removal Efficiency Per CASQA and BMP Handbooks						
Pollutant of Concern	Treatment Control BMPs					
	Vegetated Swale/Strip	Catch Basin Screen / Insert	Hydrodynamic Separator	Infiltration Basin/Trench	Bioswale	Grease Trap
Sediment/ Turbidity/ Suspended Solids/ PH	High/Medium	High/Medium	High/Medium Low for Turbidity	High/Medium	High/Medium	Low
Nutrients	Low	Low	Low	High/Medium	Low	Low
Organic Compounds	Medium/Low	Low	Low	High/Medium	Medium	Low
Trash & Debris	Low	High/Medium	High/Medium	High/Medium	Low	Medium
Oxygen Demanding Substances	Low	Low	Low	High/Medium	Low	Low
Pathogens (Bacteria/ Viruses)	Low	Low	Low	High/Medium	low	Low
Oil & Grease	High/Medium	Medium	Medium/Low	High/Medium	High/Medium	Medium
Pesticides/PCBs	Medium	Low	Low	High/Medium	Medium	Low
Metals	High/Medium	Medium	Low	High	High/Medium	Low

PAGE INTENTIONALLY LEFT BLANK

Table K.2: Treatment Control BMP Pollutant Removal Efficiency														
Pollutant of Concern	Caltrans BMP Retrofit Pilot Program Concentration Percent Reduction (%)													
	Austin Sand Filter	Delaware Sand Filter	Extended Detention Basin (Unlined)	Extended Detention Basin (Lined)	Wet Basin Storm (Wet Weather)	Wet Basin Base flow (Wet Weather)	Bioswale	Biofiltration Strip	Storm-Filter™	Multi-Chambered Treatment Train	Continuous Deflective Separators (CDS®)	StreamGuard™ Inlet Insert	FossilFilter™ Inlet Insert	Oil Water Separator
Total Suspended Solids	90	81	72	40	94	21	49	69	40	75	0	3	14	49
NO ₃ -N	-67	-142	8	8	77	49	27	-30	-7	-68	15	----	----	----
TKN	53	36	17	16	27	-11	31	-5	19	17	0	----	----	----
Total N ^A	32	9	14	14	51	43	30	-10	13	0	5	----	----	----
Ortho-phosphate	24	11	-22	10	-266	-24	-218	-216	9	-3	0	----	----	----
Particulate P	----	----	39	16	----	----	----	----	----	----	----	----	----	----
Phosphorus	39	44	39	15	5	49	-106	-46	17	18	15	----	----	----
Total Cu	50	66	58	27	89	54	63	85	53	35	8	0	2	2
Total PB	87	85	72	30	98	62	68	88	52	74	11	1	7	7
Total Zn	80	92	73	54	91	62	77	72	51	75	17	1	2	2
Particulate Cu	----	----	76	50	----	----	----	----	----	----	----	----	----	----
Particulate Pb	----	----	74	55	----	----	----	----	----	----	----	----	----	----
Particulate Zn	----	----	84	65	----	----	----	----	----	----	----	----	----	----
Dissolved Cu	7	40	0	8	57	90	49	65	18	22	16	----	----	----
Dissolved Pb	40	31	29	42	76	22	57	65	15	32	6	----	----	----
Dissolved Zn	61	94	16	39	41	45	74	53	18	71	14	----	----	----
TPH-Oil ^B	31	55	18	11	38	33	51	59	52	70	34	----	----	14
TPH-Gasoline ^B	----	----	----	----	----	----	----	----	----	----	0	----	----	----
TPH-Diesel ^B	22	47	32	0	91	75	69	66	67	80	0	----	----	52
Fecal Coliform ^B	72	79	-122	-12	99	99	-30	92	47	14	-121	----	----	----
Hydrocarbons	----	----	----	----	----	----	----	----	----	----	----	2	0	----
Oil & Grease	----	----	----	----	----	----	----	----	----	----	----	----	----	89

(-) data above indicates an increase in pollutant of concern upon treatment.

^A Sum of NO₃-N and TKN

^B TPH and Coliform are collected by grab method and may not accurately reflect removal.

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table K.3: Treatment Control BMP Removal Efficiency Per Center for Watershed Protection							
Pollutant of Concern	Treatment Control BMPs Average Percentage Removed (%)						
	Dry Pond	Wet Pond	Wetlands	Filters	Bioretention	Infiltration	Open Channels
Total Suspended Solids (TSS)	49	80	72	86	59	89	81
Total Phosphorus (TP)	20	52	48	59	5	65	24
Soluble Phosphorus (Sol P)	-3	64	25	3	-9	85	-38
Total Nitrogen (TN)	24	31	24	32	46	42	56
Nitrogen as Nitrate (NOx)	9	45	67	-14	43	0	39
Copper (Cu)	29	57	47	37	81	86	65
Zinc (Zn)	29	64	42	87	79	66	71
Bacteria	88	70	78	37	N/A	N/A	-25

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table K.4: Catch Basin Trash Removal Totals				
Jurisdiction	Dominguez Channel Watershed			
	Number of City Catch Basins	Number of County Catch Basins	Total City Trash Removed	Total County Trash Removed
			Tons	Tons
2010-2011 ¹				
El Segundo	0	159	0.00	1.78
Hawthorne	118	823	1.32	9.23
Inglewood	0	549	0.00	6.16
Lomita	41	215	0.46	2.41
Los Angeles	0	1,221	0.00	13.69
Los Angeles County	0	1,347	0.00	15.11
Total / Average:	159	4,314	1.78	48.38
2011-2012 ¹				
El Segundo	0	159	0.00	1.39
Hawthorne	118	824	1.03	7.19
Inglewood	0	549	0.00	4.79
Lomita	41	215	0.36	1.88
Los Angeles	0	1,221	0.00	10.65
Los Angeles County	0	1,342	0.00	11.71
Total / Average:	159	4,310	1.39	37.61

¹ An average of 22.43 lbs of trash per catch basin was removed.² An average of 17.45 lbs of trash per catch basin was removed.

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Attachment L

RAA Figures

PAGE INTENTIONALLY LEFT BLANK





Figure L.1
Watersheds, Subwatersheds, and Water Bodies

PAGE INTENTIONALLY LEFT BLANK



Copyright:© 2013 Esri



Figure L.2
Industrial Facilities under IGP in DC WMG

PAGE INTENTIONALLY LEFT BLANK





Figure L.3
Nodal CPI Map for Catchment Prioritization

PAGE INTENTIONALLY LEFT BLANK




Figure L.4
CPI Map for Catchment Prioritization

PAGE INTENTIONALLY LEFT BLANK

Attachment M

Industrial Facilities Covered Under the IGP

This attachment includes a table summarizing the industrial facilities covered under the Industrial General Permit (IGP) within the Dominguez Channel Watershed Management Group (DC WMG), corresponding with Section 4.3 of the DC WMG Enhanced Watershed Management Program (EWMP). The table corresponds with Figure L.2 in Attachment L.

DRAFT

Table M.1: Summary of Industrial Facilities Covered Under the IGP in DC WMG								
Application ID	WDID	Status Date	Owner/Operator Name	Site/Facility Name	Address	City	Zip Code	APN
439562	4 19I024358	7/11/2013	Carlisle Interconnect Tech Inc	Tri Star Electronics Intl Inc	2201 Rosecrans Ave	El Segundo	90245	4138011011
189616	4 19I006362	4/24/1992	Northrop Grumman Corp	Northrop Grumman Mil Air Sys	1 Hornet	El Segundo	90245	4138002901
339622	4 19I021413	1/16/2008	Raytheon Co	Raytheon Co	2000 E El Segundo Blvd	El Segundo	90245	4138014047
189128	4 19I003356	4/3/1992	Air Product & Chemicals	Air Prod & Chemicals	2021 Rosecrans Ave	El Segundo	90245	4138015012
339623	4 19I021414	1/16/2008	Raytheon Co	Raytheon Co	2030 E Maple Ave	El Segundo	90245	4138019001
188987	4 19I002527	4/1/1992	Mattel Toys	Mattel Toys Design Ctr	2031 E Mariposa Ave	El Segundo	90245	4138019002
189564	4 19I006091	4/21/1992	The Boeing Company	The Boeing Company	2060 E Imperial Hwy	El Segundo	90245	4138005067
190263	4 19I012074	1/3/1996	West Basin MWD	West Basin Mun Water Dist Recl	1935 Hughes	El Segundo	90245	4138014906
190113	4 19I011326	12/29/1994	CalPortland Co	Catalina Pacific Concrete Co	339 S Aviation Blvd	El Segundo	90245	4138008002
191274	4 19I016870	10/17/2001	CoorsTek	Coors Tek	2051 E Maple Ave	El Segundo	90245	4138005016
190121	4 19I011377	1/26/1995	First Student Inc co Strata Env	First Student Inc 12477	14800 S Avalon Blvd	Gardena	90248	6137005029
293047	4 19I019382	3/23/2005	FedEx Freight	Fedex Freight Gardena	15200 S Main St	Gardena	90248	6129018054
190096	4 19I011249	11/1/1994	Los Angeles Unified School District	LA Unified Sch Dist Gardena Ga	18421 S Hoover St	Gardena	90248	6121020904
189640	4 19I006665	7/9/1993	Mills Iron Works	Mills Iron Works	14834 S Maple Ave	Gardena	90248	6129011027
191530	4 19I018105	4/28/2003	California Waste Services LLC	California Waste Services LLC	621 152nd	Gardena	90247	6120001017
189680	4 19I007120	6/2/1992	A & A Ready Mixed Concrete	A&A Ready Mixed Concrete	100 Redondo Beach	Gardena	90248	6129007017
190664	4 19I014209	11/29/2012	Hubbard Casting Co Inc	Hubbard Casting Co Inc	127 E 157th St	Gardena	90248	6129020035
189335	4 19I004271	4/6/1992	Coast Plating	Coast Plating Co	128 W 154th St # 150	Gardena	90248	6129007035
293279	4 19I019852	10/21/2005	Nasco Aircraft Brake Inc	Nasco Aircraft Brake Inc	13300 Estrella Ave	Gardena	90248	6132004029
189682	4 19I007122	6/2/1992	A & A Ready Mixed Concrete	A&A Ready Mixed Concrete	134 Redondo Beach	Gardena	90248	6129007017
190311	4 19I012361	6/4/1996	Spectrum Laboratory Product Inc	Spectrum Laboratory Prod Inc	14422 S San Pedro St	Gardena	90248	6137001004
401870	4 19I022501	1/27/2010	Proplas Technologies	Proplas Technologies	14600 S Main St	Gardena	90248	6129010040
423791	4 19I023491	1/30/2012	Umair Syed	Fastener Innovation Tech	14601 S Broadway	Gardena	90248	6129001047
190823	4 19I014999	3/12/1999	Chemtrans	Chemtrans	14700 S Avalon Blvd	Gardena	90248	6137005005
189698	4 19I007219	6/18/1992	International Die Casting	International Die Casting	14733 Avalon	Gardena	90248	6137002019
293088	4 19I019473	5/5/2005	Designed Metal Connections	Designed Metal Connections	14800 S Figueroa St	Gardena	90248	6129001046
430619	4 19I023799	8/29/2012	First Transit Inc	First Transit Inc 55580	2727 E Del Amo Blvd	Compton	90221	7306018042
408447	4 19I022875	10/14/2010	Praxair Surface Technologies	Praxair Surface Technologies	18502 Laurel Park Rd	Compton	90220	7318019033
191053	4 19I015979	7/31/2000	Plaskolite West Inc	Plaskolite West Inc	2225 Del Amo	Compton	90220	7318007034
190590	4 19I013713	1/23/1998	TA Davies Co	Ta Davies Co	19500 S Alameda St	Compton	90221	7306017013
191717	4 19I018765	4/30/2004	JB Chemical Co Inc	J B Chemical Co Inc	14803 S Spring St	Gardena	90248	6129009072
191688	4 19I018650	2/25/2004	Carson Trailer	Carson Trailer inc	14831 S Maple Ave	Gardena	90248	6129011021
189502	4 19I005353	4/10/1992	Allied Waste Services of North America LLC	Gardena Hauling	14905 S San Pedro Street	Gardena	90248	6129011040
189782	4 19I009247	11/11/1992	Binder Metal Product Inc	Binder Metal Prod Inc	14909 S Broadway St	Gardena	90248	6129002018
191835	4 19I019135	12/1/2004	Moonlight Molds Inc	Moonlight Molds Inc	14920 S San Pedro St	Gardena	90248	6137003015
189441	4 19I004906	4/7/1992	Any Kar Auto Dismantling	Any Kar Auto Dismantling	150 W Lennon St	Gardena	90248	6129009075
322389	4 19I020739	3/23/2007	Lite Extrusions Mfg	Lite Extrusions Mfg	15025 S Main St	Gardena	90248	6129008038
323958	4 19I020839	4/25/2007	Amfoam Inc	American Foam & Packaging	15110 S Broadway	Gardena	90248	6129008044
188533	4 19I000043	2/10/1992	Mechanical Metal Finishing	Mechanical Metal Finishing	15220 S Broadway St	Gardena	90248	6129008050
189310	4 19I004162	4/6/1992	Huniu Norman	Capital Auto Wrecking	15326 S Figueroa St	Gardena	90248	6129004033
189130	4 19I003359	4/3/1992	Westway Auto Dismantlers	Westway Auto Dismantlers	15414 S Figueroa St	Gardena	90248	6129004014

Table M.1: Summary of Industrial Facilities Covered Under the IGP in DC WMG								
Application ID	WDID	Status Date	Owner/Operator Name	Site/Facility Name	Address	City	Zip Code	APN
307772	4 19I020413	8/16/2006	Sanchez Auto Wrecking	Sanchez Auto Wrecking	15503 1/2 Main	Gardena	90248	6129006033
400870	4 19I022416	11/23/2009	MDH Auto Wrecking	MDH Auto Wrecking	15503 3/4 S Main St	Gardena	90248	6129006033
402718	4 19I022570	3/24/2010	Main St Auto Dismantlers Inc	Main St Auto Dismantlers Inc	15503 S Main St	Gardena	90248	6129006033
191446	4 19I017633	11/18/2002	Grow More Inc	Grow More Inc	15600 New Century Dr	Gardena	90248	6129005045
346405	4 19I021608	6/10/2008	Environmental Recovery Services Inc	Environmental Recovery Services Inc	15902 S Main St	Gardena	90248	6125003003
188928	4 19I002282	3/31/1992	TCI Precision Metals	TCI Precision Metals	240 E Rosecrans Ave	Gardena	90248	6129010036
190973	4 19I015609	2/1/2000	Bay Cities Metal Production	Bay Cities Metal Production	301 E Alondra Blvd	Gardena	90248	6125004006
403279	4 19I022633	5/13/2010	Maya Steel Fabrications Inc	Maya Steel Fabrications Inc	301 E Compton Blvd	Gardena	90248	6129011030
189746	4 19I009076	11/7/1992	Blue Daisy Cement Product	Blue Daisy Cement Prod	314 E Compton Blvd	Gardena	90248	6129015049
432128	4 19I023869	10/19/2012	Impresa Aerospace LLC	Impresa Aerospace LLC	344 W 157th Street	Gardena	90248	6125001002
433466	4 19I023969	1/22/2014	Metric Precision	Metric Precision	350 W Compton Blvd	Gardena	90248	6129003010
410489	4 19I022954	12/22/2010	RJs Demolition & Disposal	RJs Chipping & Grinding	355 W Alondra Blvd	Gardena	90248	6125001012
434520	4 19I024036	1/30/2013	Samuel Cohen	Vege Misting Alco Designs	407 E Redondo Beach Blvd	Gardena	90248	6129014037
189944	4 19I010285	7/8/1993	Thomas Auto Salvage	Thomas Auto Salvage	440 E Redondo Beach Blvd	Gardena	90248	6129021031
189659	4 19I006973	5/15/1992	Cast Rite Corp	Cast Rite Corp	515 E Airline Way	Gardena	90248	6125011028
190120	4 19I011370	1/25/1995	Scotch Paint	Scotch Paint	555 W 189th St	Gardena	90248	7339008030
190142	4 19I011444	2/27/1995	Hi Craft Metal Product	Hi Craft Metal Prod	606 W 184th St	Gardena	90248	7339008029
190255	4 19I012046	12/18/1995	Power Magnetics	Power Magnetics	711 W Knox St	Gardena	90248	7351032034
190810	4 19I014946	2/11/1999	California Metals Recycling	CA Metals Recycling	833 W 182nd St	Gardena	90248	6121019009
370140	4 19I022330	9/17/2009	Ecology Auto Parts Inc	Ecology Auto Parts Inc	14701 S Maple	Gardena	90248	6129010041
351216	4 19I021762	8/25/2008	Richard Hough	Cosway Company	14805 S Maple	Gardena	90247	6129011020
189395	4 19I004554	4/8/1992	Angelus Block Co Inc	Angelus Block Co Inc	252 E Redondo Beach Blvd	Gardena	90248	6129019053
410815	4 19I022992	1/27/2011	Gamma 2	Gamma 2	14505 S Main St	Gardena	90248	6129009048
188864	4 19I001829	3/30/1992	Superior Gear Facility	Superior Gear Facility	14814 Broadway	Gardena	90248	6129009065
188950	4 19I002372	3/31/1992	Harbor Auto Liquidators	U Pick U Save	17800 S Vermont Ave	Gardena	90248	6121019005
189092	4 19I003126	4/2/1992	YRC Freight	YRC Inc	15400 S Main St	Gardena	90248	6129019057
191454	4 19I017672	12/9/2002	Robertsons Ready Mix	Robertsons Ready Mix Gardena	301 Rosecrans	Gardena	90248	6132044033
304186	4 19I020268	6/5/2006	Gerald Tupper	American Aircraft Products	15411 S Broadway Ave	Gardena	90248	6129004029
298183	4 19I020140	3/10/2006	Waste Resources Recovery Inc	Waste Resources Recovery	357 Compton	Gardena	90248	6129002029
432837	4 19I023928	11/16/2012	Rex Foreign Used Auto Parts	Rex Foreign Used Auto Parts	15601 S Main St	Gardena	90248	6129006023
190809	4 19I014945	2/11/1999	California Metals Recycling	CA Metals Recycling	1022 Lomita Blvd	Harbor City	90710	7413017019
189722	4 19I007371	7/6/1993	Bryant Rubber Corp	Bryant Rubber Corp Steve Bryan	1112 Lomita Blvd	Harbor City	90710	7413008018
188744	4 19I001069	3/25/1992	C Brite Metal Finishing Inc Joh	C Brite Co	1213 253rd St	Harbor City	90710	7413006010
188939	4 19I002342	3/31/1992	Brea Canon Oil Co	Brea Canon Oil Co Joughin Facility	23903 Normandie	Harbor City	90710	7438017013
293153	4 19I019621	6/30/2005	Maxima Ent Inc	Maxima Ent Inc	23920 Vermont Ave	Harbor City	90710	7409019015
323973	4 19I020849	4/27/2007	Plasticorp	Plasticorp	24105 24049 Frampton Ave	Harbor City	90710	7439011037
190226	4 19I011879	9/21/1995	Zachers Automotive Recycler	Zachers Automotive Recycler	25224 Vermont	Harbor City	90710	7413020022
188701	4 19I000862	3/23/1992	Interplastic Corp	Interplastic Corp	12335 S Van Ness Ave	Hawthorne	90250	4056032051
424943	4 19I023543	3/6/2012	Space Exploration Technologies	Space Exploration Technologies	1 Rocket Rd	Hawthorne	90250	4049019013
188930	4 19I002294	3/31/1992	Hawthorne City	Hawthorne City Airport	12101 Crenshaw Blvd	Hawthorne	90250	4049017905
443973	4 19I024648	1/23/2014	Arrow Recycling Solutions Inc	Arrow Recycling Solutions Inc	12410 Wilkie Ave	Hawthorne	90250	4056032045

Table M.1: Summary of Industrial Facilities Covered Under the IGP in DC WMG								
Application ID	WDID	Status Date	Owner/Operator Name	Site/Facility Name	Address	City	Zip Code	APN
191221	4 19I016662	7/25/2001	OSI Optoelectronics Inc	Udt Sensors Inc	12525 Chadron Ave	Hawthorne	90250	4049007042
190566	4 19I013631	12/30/1997	Fed Ex	Fed Ex	12600 Prairie Ave	Hawthorne	90250	4049011017
405512	4 19I022728	7/19/2010	Triumph Aerostructures LLC	Triumph Aerostructures Hawthorne	3901 Jack Northrop Ave	Hawthorne	90250	4049013004
293147	4 19I019606	6/28/2005	UPS Cartage Services Inc	UPS Cartage Services Inc CAIWD	3600 W Century Blvd	Inglewood	90303	4032004045
188945	4 19I002358	3/31/1992	Microplate Inc	Microplate Inc	1013 W Hillcrest Blvd	Inglewood	90301	4126006011
189311	4 19I004165	4/6/1992	Chromplate Co Inc	Chromplate Co Inc	1127 W Hillcrest Blvd	Inglewood	90301	4126003013
189658	4 19I006958	5/14/1992	Standun Inc	Zephyr Manufacturing	201 Hindry Ave	Inglewood	90301	4127029001
188819	4 19I001526	3/27/1992	Rho Chem LLC	Rho Chem LLC	425 Isis Ave	Inglewood	90301	4126003020
293257	4 19I019821	10/12/2005	Hollywood Park Land Co LLC	Hollywood Park Racetrack	1050 S Prairie Ave	Inglewood	90301	4025011037
190221	4 19I011858	9/6/1995	LACMTA	Metro Division 22 Green Line	14724 Aviation Blvd	Lawndale	90260	4149011910
338208	4 19I021353	12/20/2007	Mortimer & Wallace Inc	Mortimer & Wallace Inc	2422 E Sepulveda Blvd	Long Beach	90810	7315015905
190630	4 19I013944	4/30/1998	Union Pacific Railroad	ICTF	2401 E Sepulveda Blvd	Long Beach	90810	7315011804
292954	4 19I019183	12/7/2004	National Technical Systems Inc	National Technical Systems Inc	5320 W 104th St	Los Angeles	90045	4129035022
189959	4 19I010364	7/22/1993	Neutrogena	Neutrogena	5755 W 96th St	Los Angeles	90045	4125021030
189775	4 19I009217	11/10/1992	Merle Norman	Norman Merle	9130 Bellanca Ave	Los Angeles	90045	4125010015
191316	4 19I017076	2/6/2002	Stepstone Inc	Stepstone Inc Plant No 3	13238 S Figueroa St	Los Angeles	90061	6132008038
190485	4 19I013149	6/25/1997	Phillips 66 Company	Phillips 66 Company LA Terminal	13500 S Broadway	Los Angeles	90061	6132042022
336892	4 19I021302	11/28/2007	D&D Palstics Inc	D&D Palstics Inc	13920 S Figueroa	Los Angeles	90061	6132044007
190091	4 19I011230	10/20/1994	Pacific Sintered Metals	Pac Sintered Metals	14000 Avalon Blvd	Los Angeles	90061	6134018064
188732	4 19I001009	3/23/1992	V & M Plating Co	V & M Plating Co	14024 Avalon Blvd	Los Angeles	90061	6134018056
190177	4 19I011620	5/30/1995	Parkers Towing & Salvage Inc	Parker S Towing & Salvage Inc	14116 Avalon Blvd	Los Angeles	90061	6134018039
188651	4 19I000584	3/16/1992	Als Plating Co Inc	Al S Plating Co Inc	318 W 131st St	Los Angeles	90061	6132011016
403688	4 19I022657	6/1/2010	River Star Inc	River Star Inc	378 W 133rd St	Los Angeles	90061	6132009001
402389	4 19I022550	3/4/2010	Golden Gate Steel Inc	Golden Gate Steel Inc	19826 S Alameda St	Los Angeles	90221	7306006034
189729	4 19I008028	9/26/1992	Letvin Ronald A	S Letvin & Son	13210 S Figueroa Steet	Los Angeles	90248	6132008020
321914	4 19I020720	3/9/2007	CalPortland Co	Catalina Pacific Concrete Co	5299 W 111th St	Los Angeles	90045	4129036908
332951	4 19I021196	2/18/2014	Gus Billings	Cabilt Inc	14032 S Avalon Blvd	Los Angeles	90061	6134018058
363241	4 19I022095	4/1/2009	Connector Plating Corp	Connector Plating Corp	327 W 132nd St	Los Angeles	90061	6132011022
439786	4 19I024407	8/9/2013	Pellico Investments LLC	Laclede Inc	2103 East University Drive	Rancho Del Campo	90220	7318009028
439465	4 19I024349	7/9/2013	Puratos Corporation	Puratos Corporation	18831 Laurel Park Road	Rancho Dominguez	90220	7318019044
190488	4 19I013173	6/26/1997	Aerol Co	Aerol Co	19560 S Rancho Way	Rancho Dominguez	90220	7318023014
351475	4 19I021776	10/15/2013	Sea Recovery Corp	Sea Recovery Corp	19610 S Rancho Way	Rancho Dominguez	90220	7318023019
340590	4 19I021438	2/11/2008	Sims Recycling Solutions	Sims Recycling Solutions	20212 S Rancho Way	Rancho Dominguez	90220	7318007043
191325	4 19I017122	3/11/2002	General Petroleum Corporation	General Petroleum Rancho Dominguez	19501 S Santa Fe Ave	Rancho Dominguez	90221	7306017012
431624	4 19I023845	10/1/2012	Fargo Trucking Co Inc	Fargo Trucking Co Inc	2727 E Del Amo Blvd	Rancho Dominguez	90221	7306018042
418710	4 19I023288	8/10/2011	CRM CO LLC H Barry Takallou	CRM CO LLC	15800 Avalon Blvd	Rancho Dominguez	90220	6139013006
189785	4 19I009280	11/13/1992	Nabors Completion & Production	Nabors Completion & Production	19431 S Santa Fe Ave	Rancho Dominguez	90221	7306017007
189522	4 19I005602	12/20/2011	Defense Logistics Agency	US Defense Fuel Support Point	3171 N Gaffey St	San Pedro	90731	7442001915
189709	4 19I007310	2/3/1993	US Coast Guard CO	US Coast Guard Support Ctr San Pedro	1001 S Seaside Ave	San Pedro	90731	7440033903
189308	4 19I004159	4/6/1992	Ciro Coppa	Coppa Woodworking	1231 Paraiso St	San Pedro	90731	7445012047
190642	4 19I014039	6/1/1998	Seaside Transportation Service	Marine Terminals Corp Yang Min	2050 John S Gibson Blvd # Bert	San Pedro	90731	7440016911

Table M.1: Summary of Industrial Facilities Covered Under the IGP in DC WMG								
Application ID	WDID	Status Date	Owner/Operator Name	Site/Facility Name	Address	City	Zip Code	APN
191518	4 19I018069	4/8/2003	APM Terminals	APM Terminals	2500 Navy Way	San Pedro	90731	7440042904
188568	4 19I000231	3/2/1992	Yusen Terminal Inc	Yusen Terminal Inc	701 New Dock St	San Pedro	90731	7440022911
191471	4 19I017765	1/21/2003	Southern California Ship Services	So Cal Ship Services	971 S Seaside Ave	San Pedro	90731	7440033903
431612	4 19I023843	10/1/2012	SSA Marine	Outer Harbor Berths 54 and 55	Outer Harbor Berths 54 and 55	San Pedro	90731	7440039910
433704	4 19I023989	12/27/2012	Catalina Express	Catalina Express	Berth 95	San Pedro	90731	7440024911
189488	4 19I005178	4/8/1992	City of Los Angeles	Terminal Island WWTP	445 Ferry St	San Pedro	90731	7440027914
189857	4 19I009687	1/8/1993	Jankovich Co	Jankovich Co San Pedro Marine	Berth 74	San Pedro	90731	7440034902
292961	4 19I019214	12/16/2004	BNSF Railway Company	Terminal Island	100 Navy Way	San Pedro	90731	7440042904
370246	4 19I022300	8/31/2009	Plains Midstream Canada	Rancho LPG Holdings LLC	2110 N Gaffey St	San Pedro	90731	7412026006
190481	4 19I013131	6/25/1997	Eagle Marine Services Ltd	Eagle Marine Services Ltd	614 Terminal Way	San Pedro	90731	7440028905
422641	4 19I023444	12/15/2011	Progress Rail Services	United Industries Corp	710 Earle St	Terminal Island	90731	7440029917
337275	4 19I021320	12/4/2007	General Petroleum Corporation	General Petroleum Corporation Terminal Island	1028 S Seaside Ave	Terminal Island	90731	7440031906
340586	4 19I021437	2/6/2008	American Marine Corp	American Marine Corp	1500 S Barracuda St	Terminal Island	90731	7440032905
410531	4 19I022958	12/27/2010	CA United Terminals	CA United Terminals	2525 Navy Wy	Terminal Island	90731	7440042904
190173	4 19I011597	5/9/1995	Seaside Transportation Service	Evergreen Terminal	389 Terminal Wy	Terminal Island	90731	7440029917
298504	4 19I020148	3/16/2006	Ardagh Metal Packaging USA Inc	Ardagh Metal Packaging USA Inc	936 Barracuda St	Terminal Island	90731	7440029917
331011	4 19I021125	9/5/2007	SA Recycling LLC	SA Recycling LLC dba SA Recycling of Los Angeles	901 New Dock St	Terminal Island	90731	7440013907
296617	4 19I020093	2/23/2006	Crossfields Products	Crossfield Products Torrance Plant	19514 Normandie Avenue	Torrance	90502	7351035020
191845	4 19I019159	12/2/2004	MK Diamond Product	MK Diamond Prod	1315 Storm Pkwy	Torrance	90501	7347018034
425138	4 19I023557	3/13/2012	Quality Forming LLC	Quality Forming LLC	22906 Frampton Ave	Torrance	90501	7347018009
190158	4 19I011513	4/4/1995	Industrial Parts Depot	Industrial Parts Depot	23231 Normandie Ave	Torrance	90501	7347018024
190238	4 19I011957	11/2/1995	Stewart Filmscreen Corp	Stewart Filmscreen Corp	1161 Sepulveda Blvd	Torrance	90502	7407016045
190344	4 19I012498	8/15/1996	Metro Truck Body Inc	Metro Truck Body Inc	1201 Jon St	Torrance	90502	7351036011
443596	4 19I024619	1/3/2014	AGC Automotive California Inc	AGC Automotive California Inc	19301 Pacific Gateway Drive	Torrance	90502	7351031007
189132	4 19I003373	4/3/1992	RR Donnelley	RR Donnelley LA Div	19681 Pacific Gateway Dr	Torrance	90502	7351034015
419881	4 19I023318	9/7/2011	Redman Equipment & Manufacturing Co	Redman Equipment & Manufacturing Co	19800 Normandie Ave	Torrance	90502	7351035018
191503	4 19I017993	3/18/2003	Ace Clearwater Ent	Ace Clearwater Ent	19815 Magellan Dr	Torrance	90502	7351034043
189628	4 19I006466	4/24/1992	BCI CocaCola Bottling Company of LA	BCI Coca Cola Co of Los Angeles - Torrance Facility	19875 Pacific Gateway	Torrance	90502	7351034057
191241	4 19I016724	8/21/2001	Sonic Industries	Sonic Industries	20030 Normandie Ave	Torrance	90502	7351036020
189361	4 19I004385	4/6/1992	Farmer Bros Co	Farmer Bros Co	20333 Normandie Ave	Torrance	90502	7351020021
190380	4 19I012624	10/30/1996	Ecology Control Industries	Ecology Control Industries	20846 Normandie	Torrance	90502	7351027001
189322	4 19I004213	4/6/1992	Schimmicks Dismantling	Schimmick S Dismantling	22704 Normandie Ave	Torrance	90502	7344018023
191802	4 19I019016	9/7/2004	Rolling Frito Lay Sales	LA Mega	1500 Francisco St	Torrance	90501	7351021039
321913	4 19I020719	3/9/2007	CalPortland Co	Catalina Pacific Concrete Co	19030 S Normandie Ave	Torrance	90502	7351030003
188733	4 19I001017	3/23/1992	Praxair Inc	Praxair Inc	2300 E Pacific Coast Hwy	Wilmington	90744	7428008905
190640	4 19I014013	5/21/1998	Penzoil Quaker State Co SOPUS Products	Sopus Prod LA Lubes Plant	1926 E Pacific Coast Hwy	Wilmington	90744	7428007010
191350	4 19I017191	4/4/2002	Ultramar Inc Hanford	Ultramar Inc Wilmington Refine	2402 E Anaheim St	Wilmington	90744	7440002032
189495	4 19I005229	4/9/1992	Savage Industries Inc	Savage Industries Inc	1635 E Denni St	Wilmington	90744	7428005028
190102	4 19I011272	11/22/1994	Apple Auto Dismantling Inc	Apple Auto Dismantling	2701 Anaheim	Wilmington	90744	7428014029

Table M.1: Summary of Industrial Facilities Covered Under the IGP in DC WMG								
Application ID	WDID	Status Date	Owner/Operator Name	Site/Facility Name	Address	City	Zip Code	APN
189491	4 19I005196	4/9/1992	Los Angeles Department of Water and Power Power	Harbor Generating Station	161 Island	Wilmington	90744	7440006911
189114	4 19I003269	4/3/1992	Norwalk Industries Co	Ecology Auto Wrecking	1000 Lomita	Wilmington	90744	7426001014
188959	4 19I002397	3/31/1992	Brea Canon Oil Co	Brea Canon Oil Co South Torrance	630 Lomita	Wilmington	90744	7414001902
189576	4 19I006177	4/22/1992	Catalina Freight Line	Catalina Freight Line	100 W Water St	Wilmington	90744	7440009911
188667	4 19I000668	1/12/1993	HJ Baker & Bro Inc	H J Baker & Bro Inc	1001 Schley Ave	Wilmington	90744	7428022903
358274	4 19I021964	12/19/2008	Astro Auto Wrecking	Astro Auto Wrecking	1002 Schley Ave	Wilmington	90744	7428019066
429198	4 19I023724	7/17/2012	G M B Auto Sales & Dismantling	G M B Auto Sales & Dismantling	1008 Vreeland Ave	Wilmington	90744	7428030005
366197	4 19I022175	6/3/2009	Howdy Auto Dismantler Inc	Howdy Auto Dismantler	1018 Alameda St	Wilmington	90744	7425042021
189087	4 19I003067	4/2/1992	Jacks Foreign Auto Wrecking	Jacks Foreign Auto Wrecking	1019 E Anaheim St	Wilmington	90744	7425037015
425346	4 19I023570	3/20/2012	Shokri Sayegh	Nu Way Auto Dismantling Inc	1022 E Anaheim St	Wilmington	90744	7424021006
440599	4 19I024417	8/19/2013	Davilas Enterprise LLC	4 Wheel Dismantling	1034 Cristobal Ave	Wilmington	90744	7425042009
191263	4 19I016818	9/25/2001	Moine Charles A	Wilmington Recyclers	1120 Henry Ford	Wilmington	90744	7428005025
189244	4 19I003826	4/3/1992	Alco Truck & Auto Inc	Alco Truck & Van Parts	1230 Alameda St	Wilmington	90744	7428003003
428728	4 19I023699	7/2/2012	Wilmington Recycling Group LLC	Wilmington Recycling Group LLC	1248 Alameda St	Wilmington	90744	7428003048
190970	4 19I015579	1/12/2000	Lincoln Iron & Metals	Lincoln Iron & Metals	1262 Alameda St	Wilmington	90744	7428002037
189167	4 19I003490	4/3/1992	Ace High Truck	Ace High Truck	1305 Sandison	Wilmington	90744	7426008034
189430	4 19I004876	4/7/1992	AMC Auto Salvage	AMC Auto Salvage	1310 E Lomita Blvd	Wilmington	90744	7426006016
315179	4 19I020571	11/27/2006	Martin Container Inc	Martin Container Inc	1402 E Lomita Blvd	Wilmington	90744	7426006001
189766	4 19I009176	11/9/1992	GS Roofing dba CertainTeed RPG	GS Roofing dba CertainTeed RPG	1431 E	Wilmington	90744	7412025009
410443	4 19I022956	12/23/2010	Ruben Chavez	West Coast Dismantlers	1523 E Sandison St	Wilmington	90744	7426024038
435549	4 19I024124	3/5/2013	Commercial Truck Used Parts	Commercial Truck Used Parts	1523 East I Street	Wilmington	90744	7425043057
293027	4 19I019352	3/16/2005	Juniors Auto Parts	Juniors Auto Parts	1535 E Sandison St	Wilmington	90744	7426024054
189443	4 19I004915	4/7/1992	International Cargo Equipment	International Cargo Equipment	1540 Eubank Ave	Wilmington	90744	7426001013
190157	4 19I011502	3/14/1995	Liberty Auto Sales & Dismantling	Liberty Auto Sales & Dismantling	1542 E Opp St	Wilmington	90744	7425043024
442369	4 19I024542	10/28/2013	Maria Leticia Urias Alfonso Urias Alfonso Hijinio Urias Junior	Tex Auto Wrecking	1549 East Sandison Street	Wilmington	90744	7426024043
189238	4 19I003787	4/3/1992	Action Sales & Metal Co	Action Sales & Metal Co	1625 E Pacific Coast Hwy	Wilmington	90744	7426033030
191190	4 19I016559	6/5/2001	Valero Refining Co California	Valero Refining Co CA	1651 Alameda St	Wilmington	90744	7426028005
426005	4 19I023594	4/10/2012	Elvira Mercedes Lezama Ruiz	CL Auto Parts & Dismantling	1714 E Mauretania St	Wilmington	90744	7428002031
303010	4 19I020236	5/30/2006	Clean Harbors Wilmington LLC	Clean Harbors Wilmington LLC	1737 E Denni St	Wilmington	90744	7428006006
432146	4 19I023876	10/19/2012	Titos Auto Dismantling and Used	Titos Auto Dismantling and Used	1801 East I Street	Wilmington	90744	7428034036
345563	4 19I021575	5/27/2008	New Bone Inc DBA Boneyard Auto Parts	New Bone Inc DBA Boneyard Auto Parts	1807 E M St	Wilmington	90744	7428002009
191613	4 19I018414	10/16/2003	Martinez Engine Cores	Martinez Engine Cores	1814 E Mauretania St	Wilmington	90744	7428002027
191050	4 19I015957	7/19/2000	Wilmington Auto Wrecking	Wilmington Auto Wrecking	1817 M	Wilmington	90744	7428002012
191744	4 19I018854	6/23/2004	I De L Auto Dismantling	I De L Auto Dismantling	1907 E I St	Wilmington	90744	7428035020
441218	4 19I024461	9/13/2013	William Miranda	Idel Auto Dismantling and Body Work	1907 East I Street	Wilmington	90744	7428035021
190464	4 19I013005	3/19/1997	Salvador Danny	Danny Auto Dismantling	1919 I	Wilmington	90744	7428035025
332751	4 19I021192	10/4/2007	Tesoro Refining & Marketing Co	Tesoro Refining & Marketing Co	1930 Pacific Coast Hwy	Wilmington	90744	7315017005
191604	4 19I018386	9/30/2003	Cerritos Yacht Anchorage	Cerritos Yacht Anchorage	205 Berth Ste C	Wilmington	90744	7440014904
326777	4 19I020937	6/20/2007	Tesoro Refining and Marketing Company LLC	Tesoro Los Angeles Refinery	2101 E Pacific Coast Highway	Wilmington	90744	7428007009

Table M.1: Summary of Industrial Facilities Covered Under the IGP in DC WMG								
Application ID	WDID	Status Date	Owner/Operator Name	Site/Facility Name	Address	City	Zip Code	APN
409668	4 19I022930	12/3/2010	Rafael Ruiz Sanchez	Sanchez Auto Service Dismantling	2113 E I St	Wilmington	90744	7428024001
189047	4 19I002849	4/2/1992	VOPAK Terminal Los Angeles Inc	Vopak Terminal Los Angeles Inld	2200 Pacific Coast	Wilmington	90744	7428007009
191040	4 19I015917	7/6/2000	Barillas Nicolas	Nicks Auto Wrecking	2211 E Anaheim St	Wilmington	90744	7428021049
439672	4 19I024363	7/16/2013	Anoosh Dayani	Harbor Auto LLC	2223 E Anaheim Street	Wilmington	90744	7428021050
191519	4 19I018076	4/10/2003	Milans Honda	Milans Honda	225 E Harry Bridges Blvd	Wilmington	90744	7418030015
189105	4 19I003212	4/3/1992	California Cartage Co	CA Cartage Co	2401 E Pacific Coast Hwy	Wilmington	90744	7315015905
191194	4 19I016573	6/11/2001	Pacific Auto Dismantler LLC LRP	Pacific Auto Dismantler	2423 E Anaheim St	Wilmington	90744	7428020023
368978	4 19I022242	7/28/2009	Associated Pacific Contructors Inc.	APC Berth 193	325 Yacht St	Wilmington	90744	7440013909
189048	4 19I002850	4/2/1992	VOPAK Terminal Los Angeles Inc	Vopak Terminal Los Angeles	401 Canal	Wilmington	90744	7440010910
190789	4 19I014881	12/31/1998	Car Aroma Supplies	Car Aroma Supplies	412 W Anaheim St	Wilmington	90744	7416028004
189939	4 19I010244	6/28/1993	Auto Recycling Wilmington I	Auto Recycling Wilmington I	418 E Anaheim St	Wilmington	90744	7423015013
292925	4 19I018664	3/2/2004	Smart Recycling Inc	Smart Recycling Inc	424 426 N Fries Ave	Wilmington	90744	7418015011
190153	4 19I011485	3/9/1995	Garcia Mario	C & G Auto Wrecking	516 Quay Ave	Wilmington	90744	7418009023
191420	4 19I017505	9/25/2002	Garcias Auto Sales & Dismantling Inc	Garcias Auto Dismantling	640 Flint Ave	Wilmington	90744	7424024038
190768	4 19I014799	12/5/1998	Honda and Toyota Auto Parts	Honda Toyota Auto Parts Dis	707 E Anaheim St	Wilmington	90744	7416021035
191313	4 19I017067	2/6/2002	Gil Perez	M G Auto Dismantlers	711 Watson Ave	Wilmington	90744	7424023014
190912	4 19I015333	8/12/1999	Quintanilla Maria	Mid Auto Dismantler & Sales	725 Watson Ave	Wilmington	90744	7424023012
293435	4 19I019979	12/19/2005	Royal Adhesives & Sealants LLC	Royal Adhesives & Sealants LLC	800 E Anaheim St	Wilmington	90744	7424011056
189064	4 19I002928	4/2/1992	Pasha Stevedoring & Terminal	Pasha Stevedoring & Terminal	802 S Fries Ave	Wilmington	90744	7440014904
190354	4 19I012541	9/6/1996	M & R Auto Sales	M & R Auto Sales	820 Macdonough Ave	Wilmington	90744	7428020029
191002	4 19I015698	3/23/2000	Olmedos Auto Sales Dismantler	Olmedos Auto Sales Dismantler	828 Macdonough Ave	Wilmington	90744	7428020029
324960	4 19I020888	5/16/2007	Shore Terminals LLC	Shore Terminals LLC	841 La Paloma Ave	Wilmington	90744	7440014904
191614	4 19I018415	10/16/2003	B & R Auto Dismantling	B & R Auto Dismantling	902 Foote Ave	Wilmington	90744	7428017940
191317	4 19I017082	2/6/2002	Rugerio Moises	Chicos Auto Wrecking	905 Farragut Ave	Wilmington	90744	7428015030
191716	4 19I018761	4/29/2004	Aguar Auto Dismantling	Aguar Auto Dismantling	908 Vreeland Ave	Wilmington	90744	7428035018
411829	4 19I023015	2/9/2011	Shoreline Auto Wrecking	Shoreline Auto Wrecking	911 S Vreeland Ave	Wilmington	90744	7428034031
327168	4 19I020955	6/29/2007	Robertos Auto Dismantler	Robertos Auto Dismantler	912 Vreeland Ave	Wilmington	90744	7428035046
190453	4 19I012926	2/20/1997	Guadalupe Rivas	Lupes Auto Sales & Dismantling	918 Schley	Wilmington	90744	7428019092
190299	4 19I012295	5/9/1996	Mikes Foreign Auto Parts	Mikes Foreign Auto Parts	921 E Anaheim St	Wilmington	90744	7425011018
191013	4 19I015737	4/12/2000	Juan Cerna	4 Stars Auto Dismantler Sales	921 N Henry Ford Ave	Wilmington	90744	7425043055
190840	4 19I015054	4/8/1999	Blanco Engine Core	Blanco Engine Core	925 Henry Ford	Wilmington	90744	7425043050
190162	4 19I011535	4/6/1995	Medrano George	George S Body Shop Auto Sales	927 Vreeland Ave	Wilmington	90744	7428034906
191154	4 19I016406	3/16/2001	AJC Sandblasting Inc	AJC Sandblasting Inc	932 Schley	Wilmington	90744	7428019064
190269	4 19I012137	2/7/1996	Japanese Truck Dismantling	Japanese Truck Dismantling	940 Alameda St	Wilmington	90744	7425043045
188808	4 19I001436	3/27/1992	Colonial Yacht Anchorage	Colonial Yacht Anchorage	Berth 204 Anchorage Rd	Wilmington	90744	7440011908
347060	4 19I021624	6/18/2008	West Coast Aerospace Inc	West Coast Aerospace	220 W E St	Wilmington	90744	7418005015
347059	4 19I021625	6/18/2008	West Coast Aerospace Inc	West Coast Aerospace Inc	516 Marine St	Wilmington	90744	7418015008
190946	4 19I015482	11/9/1999	Paramount Forge Inc	Paramount Forge Inc	1721 E Colon St	Wilmington	90744	7426031023
188641	4 19I000538	3/16/1992	Wilmington Woodworks Inc	Wilmington Woodworks Inc	318 C St	Wilmington	90744	7418034900
188702	4 19I000868	3/23/1992	Trans Pacific Container	Trans Pac Container	920 W Harry Bridges Blvd	Wilmington	90744	7440008901
306858	4 19I020378	7/27/2006	Warren E & P Inc	Warren E & P Inc	2209 E I St	Wilmington	90744	7428023050

Table M.1: Summary of Industrial Facilities Covered Under the IGP in DC WMG								
Application ID	WDID	Status Date	Owner/Operator Name	Site/Facility Name	Address	City	Zip Code	APN
189346	4 19I004312	4/6/1992	Tidelands Oil Production Co	Tidelands Oil Production Co	420 Henry Ford	Wilmington	90744	7440004271
307626	4 19I020405	1/6/2014	Warren E and P Inc	Warren E and P Inc WTU	625 E Anaheim St	Wilmington	90744	7423024032
443539	4 19I024612	12/31/2013	Manson Construction Co	Manson Construction Co	Berth 200 611 Henry Ford	Wilmington	90744	7440001912
190462	4 19I012997	3/19/1997	BNSF Railway Co	BNSF Railway Watson	1302 Lomita	Wilmington	90744	7426001808
293255	4 19I019816	10/11/2005	Tension Member Technology	Coordinated Equipment Co	1707 E Anaheim St	Wilmington	90744	7428036045
189484	4 19I005133	4/7/1992	Pick Your Partners Auto Wrecking	Pick Your Part	1903 Blinn Ave	Wilmington	90744	7426007001
189482	4 19I005131	4/7/1992	Pick Your Partners Auto Wrecking	Pick Your Part Help Yourself	1232 Blinn Ave	Wilmington	90744	7425026002
324019	4 19I020852	4/27/2007	Estes Express West	GI Trucking Co dba Estes West	1531 Blinn Ave	Wilmington	90744	7426007002
189009	4 19I002660	4/1/1992	US Borax Inc	U S Borax	300 Falcon	Wilmington	90744	7440019001
293285	4 19I019868	10/31/2005	Air Product & Chemicals	Air Products & Chemicals Inc	700 N Henry Ford Ave	Wilmington	90744	7440002034
189424	4 19I004763	4/7/1992	Vanderwerff Chip	Alle Auto Wrecking	1710 E Opp St	Wilmington	90744	7428033042
412771	4 19I023050	3/7/2011	Luis Castro and Pablo Rene Cruz	Element Auto Dismantling	1800 E Opp St	Wilmington	90744	7428034020
426874	4 19I023621	5/7/2012	Recycling Unlimited Metal Co	Recycling Unlimited Metal Co	1813 E Robidoux St	Wilmington	90744	7428003015
365982	4 19I022166	5/29/2009	Tonys Vette Inc	Tonys Vette Inc	1818 E Mauretania St	Wilmington	90744	7428002026
337578	4 19I021327	12/5/2007	Marine Technical Services	Marine Technical Services	211 N Marine Ave	Wilmington	90744	7418033907
370632	4 19I022314	9/9/2009	Ford Only Inc	Ford Only Inc	728 N Sanford Ave	Wilmington	90744	7424021012
307192	4 19I020391	8/3/2006	Adrian Orozco	Motor Sport Auto Body	734 N Flint Ave	Wilmington	90744	7424022008
431152	4 19I023817	9/14/2012	Potential Industries	Potential Industries	922 East E St	Wilmington	90744	7424017043
442792	4 19I024557	11/14/2013	Roland A Molina	Blanco Auto Wrecking and Repair	925 N Henry Ford Ave	Wilmington	90744	7425043050
402387	4 19I022548	3/3/2010	Walid Jahchan	WJ Auto Wrecking Inc Wally Auto Dismantling	942 N Vreeland Ave	Wilmington	90744	7428035039

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Attachment N
Figures from Part I of Watershed Model
Configuration and Calibration Manual

This attachment includes figures from Part I (Hydrology) of the Los Angeles County Watershed Model Configuration and Calibration (2010a) summarizing the spatial domain data associated with the Watershed Management Modeling System (WMMS) and the Loading Simulation Program in C++ (LSPC) calibration. The data illustrated in this attachment helps define the Reasonable Assurance Analysis (RAA) approach, corresponding with Section 4.3 of the Dominguez Channel Watershed Management Group (DC WMG) Enhanced Watershed Management Program (EWMP).

Attachment N List of Tables

Figure N.1: WMMS/LSPC Rain Gage Data Sets for Los Angeles Region (LACDPW, 2010a)	N-2
Figure N.2: WMMS/LSPC Model Evapotranspiration Zones (LACDPW, 2010a).....	N-4
Figure N.3: WMMS/LSPC Runoff Stations used for Calibration (LACDPW, 2010a)	N-6




Figure N.1: WMMS/LSPC Rain Gage Data Sets for Los Angeles Region (LACDPW, 2010a)

PAGE INTENTIONALLY LEFT BLANK

DRAFT




Figure N.2: WMMS/LSPC Model Evapotranspiration Zones (LACDPW, 2010a)

PAGE INTENTIONALLY LEFT BLANK

DRAFT



Figure N.3: WMMS/LSPC Runoff Stations used for Calibration (LACDPW, 2010a)

PAGE INTENTIONALLY LEFT BLANK

DRAFT

Attachment O

Stakeholder Process

On April 10, 2014, a stakeholder workshop was held at the Los Angeles Zoo from 10:00 a.m. through approximately 2:00 p.m. The Dominguez Channel Watershed Management Group participated in the workshop and had a table set up with information on the watershed. Attached is a list of the persons and their organizations that attended the event, a card the Dominguez Channel Watershed Management Group handed out inviting persons to join a webinar, and a handout provided by the RWQCB describing the watershed.

The webinar provided guidance on how to use the Dominguez Channel Watershed Management Group's OPTI system to input project ideas. The OPTI system that has been set up can be found at: <http://opti.rmwater.com/ewmp/>.

DRAFT

EWMP Workshop - April 10, 2014

Name	E-Mail Address	Watershed(s)						Initials
		BC	DC	MDR	SMB	ULAR	ALL	
Adel Hagekhalil	adel.hagekhalil@lacity.org							
Adrian F. Vazquez	adrian.vasquez@sen.ca.gov							
Aidan Mousavi	amousavi@infeng.org					X		
Albert Mendoza	amendoza@cityofinglewood.org	X	X					
Alfredo Magallanes	alfredo.magallanes@lacity.org					X		
Ali linder	alisonlinder@yahoo.com					X		
Alvin Cruz	Acruz@burbankca.gov					X		
Amy Ho	amho@montereypark.ca.gov					X		
Andrew J. Coyne	acoyne@templecity.us							
Andy Niknafs	andy.niknafs@water.ladwp.com					X		
Art Castro	art.castro@ladwp.com							
Azya Jackson	azya.jackson@lacity.org						X	
Barbara Romero	barbara.romero@lacity.org						X	
Barmeshwa Rai	brai@cityofinglewood.org	X	X					
Bobbi Gold	bobbigold@ucla.edu	X						
Bruce Hamamoto	bhamamo@dpw.lacounty.gov	X		X	X			
Bryan Truong	bryan.truong@lacity.org							
Cathy Beauregard	cathy.beauregard@gmail.com							
Charles D. Herbertson	charles.herbertson@culvercity.org	X		X				
Charlie Yu	charlie.yu@lacity.org					X		
Chris Demonbrun	chris.demonbrun@lacity.org						X	
Chris Lapaz	clapaz@infeng.co					X		
Chris Minton	ChrisM@lwa.com							
Christine Frey	christine.frey@lacity.org							
Cindy Rivers	crivers@cwecorp.com				X			
Cody Ender	codyender@gmail.com	X						
Craig Cadwallader	chair@surfrider-southbay.org							
Damian Skinner	damian.skinner@culvercity.org							
Daniel Rynn	Drynn@burbankca.gov					X		
David Cheung	David.Cheung@lacity.org							
David R. Dolphin	ddolphin@cityofalhambra.org					X		
Dawn Petschauer	dawn.petschauer@lacity.org							
Deborah Bloome	dbloome@treepeople.org						X	
Domingo Orosco	domingo.orosco@lacity.org							
Donna Chen	donna.chen@lacity.org						X	
Douglas Fay	douglasfay@aol.com				X			
Douglas Krauss	DKrauss@cityofhawthorne.org		X					
Dustin Bambic	Dustin.Bambic@tetrattech.com					X		
Elaine Jeng	elaine.jeng@redondo.org		X		X			
Eliza Jane Whitman	ejwconsulting@gmail.com							
Eric Vuong	eric.vuong@lacity.org						X	
Farhana Mohamed	farhana.mohamed@lacity.org							
Gary Hildebrand	ghildeb@dpw.lacounty.gov						X	
Gary D. Roepke	garyr@cannoncorp.us	X						
George Raphael	graphael@lawa.org		X					
George Wolfberg	g.wolfberg@verizon.net				X			
Gerald Greene	ggreene@cwecorp.com							
Ginny Brideau	gbrideau@therobertgroup.com		X					
Greg Good	Greg.Good@lacity.org						X	
Hamid Tadayon	hamid.tadayon@lacity.org				X			
Henry Yuan	henry.yuan@lacity.org						X	
Huub Cox	hubertus.cox@lacity.org						X	
Ioannice Lee	ioannice.lee@lacity.org				X			
Ivan Medel	imedel@santamonicabay.org							
James Tomlin	james.tomlin@lacity.org							
Jason Pereira	jpereira@cwecorp.com				X			
Javier Solis	javier.solis@lacity.org						X	
Jeff Catalano	jeff.r.catalano@lacity.org							
Jeremy Thomas	jeremy.thomas@lacity.org					X		

EWMP Workshop - April 10, 2014

Name	E-Mail Address	Watershed(s)						Initials
		BC	DC	MDR	SMB	ULAR	ALL	
Jim Rasmus	rasmusjb@bv.com							
Jinderpal Bhandal	jinderpal.bhandal@lacity.org						X	
Jolene Guerrero	jguerrer@dpw.lacounty.gov		X			X		
Joe Bellomo	jbellomo@willdan.com				X			
Jon Ball	jon.ball@lacity.org						X	
Johnathan Perisho	john@theriverproject.org					X		
Jonathan Weiss	jon@expogreenway.org	X						
Joshua Carvalho	Joshua.Carvalho@smgov.net	X			X			
Joyce Dillard	dillardjoyce@yahoo.com					X		
Juan Benitez	juan.benitez@lacity.org							
Judith Davies	judithdavies66@gmail.com							
Kaden Young	kaden.young@culvercity.org	X		X				
Karina Johnston	kjohnston@santamonica.org							
Kathryn Curtis	kcurtis@portla.org		X					
Kathy Kunysz	kkunysz@mwdh2o.com						X	
Katie Harrel	kharrel@cwecorp.com							
Ken Susilo	ksusilo@geosyntec.com						X	
Kevin Sales	kjserv@aol.com					X		
Kirsten James	kjames@healthebay.org						X	
Lara Meeker	lara@lawaterkeeper.org						X	
Larry Watts	twatts@seyfarth.com							
Laura Ballock	Laura.Ballock@tpl.org						X	
Lenise Marrero	lenise.marrero@lacity.org							
Leslie Purcell	lesliepurcell@gmail.com	X						
Liang Bing	liangbing1001@hotmail.com							
Lifan Xu	lxu@elsegundo.org		X		X			
Lynn Grijalva, PE	lgrijalva@hazenandsawyer.com						X	
Mark Osokow	hopebird@lafn.org							
(Marsa) Man Shan Chan	marsa.chan@lacity.org		X					
Martin Lam	Martin.Lam@ladwp.com							
Maurice Oillataguerre	moillataguerre@ci.glendale.ca.us					X		
Megan Otto	motto@geosyntec.com						X	
Meredith McCarthy	mmccarthy@healthebay.org						X	
Michael Affeldt	michael.affeldt@lacity.org					X		
Michael Drennan	DrennanMD@bv.com						X	
Michael Scaduto	michael.scaduto@lacity.org						X	
Michelle Galvez	mgalvez@jlha.net		X					
Michelle Reed	mreed@dpw.lacounty.gov	X		X	X			
Mike D'Annuncci	mdannucci@hazenandsawyer.com						X	
Miki Klee	mklee@jlha.net					X		
Nebu John	njohn@lawa.org	X	X	X	X			
Ninh Hong	ninh.hong@lacity.org				X	X		
Noah Garrison	ngarrison@nrdc.org						X	
Patrick Atwater	patrickatwater@gmail.com					X		
Paul J. Davis	paul.j.davis@lacity.org							
Peter Shellenbarger	pshellenbarger@healthebay.org							
Peter Tonthat	Peter.Tonthat@ladwp.com						X	
Rachel McPherson	RMcPherson@portla.org		X					
Rafael Villegas	Rafael.Villegas@ladwp.com					X		
Ramon Barajas	ramon.barajas@lacity.org							
Raul Leon	raul.leon@lacity.org					X		
Rebecca Christmann	rebecca.christmann@waterboards.ca.gov	X	X	X	X		X	
Renee Purdy	rpurdy@waterboards.ca.gov						X	
Richard Haimann	richard.haimann@hdrinc.com		X					
Rick Valte	rick.valte@smgov.net	X			X			
Robert Vega	robert.vega@lacity.org						X	
Ron Serven	RServen@sanmarinoca.gov					X		
Roulene Diego	roulene.diego@lacity.org					X		
Roxana Marashi	roxana.marashi@lacity.org					X		

EWMP Workshop - April 10, 2014

Name	E-Mail Address	Watershed(s)						Initials
		BC	DC	MDR	SMB	ULAR	ALL	
Ryan Thiha	ryan.thiha@lacity.org						X	
Sabrina Rivera	sabrina.rivera@aecom.com		X		X			
Sam Kouri	SKouri@cityofmontebello.com							
Sarah Munger	Sarah.J.Munger@mwhglobal.com				X			
Sergio Infanzon	sergio.infanzon@lacity.org					X		
Sergio Perez	sergio.u.perez@lacity.org						X	
Shahram Kharagani	shahram.kharagani@lacity.org						X	
Shahriar Eftekhazadeh	Shahriar.Eftekhazadeh@aecom.com				X			
Sharon Perlstein	SPerlstein@weho.org							
Sheila Brice	sheila.brice@lacity.org							
Sheila Kennedy	SKennedy@enfact.net						X	
Shokoufe Marashi	shokoufe.marashi@lacity.org						X	
Stefanie Smith	stefanie.smith@lacity.org							
Stephen Groner	sgroner@sga-inc.net	X						
Steve Carter	Steve.carter@tetrattech.com							
Steven M. Williams	stevenmwilliams99@gmail.com	X				X		
Susan Shu	susan.shu@lacity.org						X	
Susie Santilena	susie.santilena@lacity.org						X	
Taraneh Nik-Khah	taraneh.nik-khah@lacity.org							
Thomas Lee	tlee@cityofinglewood.org	X	X					
Tim Brick	tim@arroyoseco.org					X		
Tom Gibson	Tom.Gibson@lacity.org						X	
Tom Watson	Tom.Watson@smgov.net	X			X			
Dr Tom Williams	ctwilliams2012@yahoo.com	X						
Tona Avalos	tavalos@dpw.lacounty.gov					X		
Tony Li	tony.li@lacity.org						X	
Tony Wilkinson	lawilkinson@acm.org							
Traci Minamide	traci.minamide@lacity.org						X	
Tracy Gant	tracy.gant@lacity.org							
Trish Rhay	trhay@beverlyhills.org							
Troy Ezech	troy.ezech@lacity.org						X	
Vaikko Allen	vallen@conteches.com						X	
Victor Ruiz	victor.ruiz@lacity.org	X						
Vijay Desai	vijay.desai@lacity.org					X		
Virginia Wei	virginia.wei@ladwp.com					X		
Vivian Marquez	vivian.marquez@lacity.org						X	
Wendy Dinh	wendy.dinh@lacity.org			X				
William Johnson	wjohnson@dpw.lacounty.gov		X					
Wing Tam, P.E.	wing.tam@lacity.org						X	
Yi Lee	yi.lee@lacity.org							
Yujia Shu	nicolshu718@gmail.com							
Zora Baharians	zora.baharians@lacity.org							
Attended, Not On RSVP List								
Emerverto Cheng	Emerverto.Cheng@lacity.org					X		
David Jones	Dave.Jones@ch2mhill.com					X		
Victor Harris	Victor.Harris@mwhglobal.com				X			
Karen Miller	Karen.miller@m2resource.com				X			
Kendrick Okuda	Kendrick.Okuda@lacity.org						X	
Beau Thompson	bthompson@willdan.com				X			
Megan Whalen	megan.whelen@lacity.org					X		
Matthew Magener	mmagener@weho.org	X						
Susan Robinson	srobinson@jlha.net						X	
Jack Topel	jtopel@waterboards.ca.gov						X	
Bronwyn Kelly	bronwyn.kelly@mwhglobal.com						X	
Judi Miller	judi.miller@ch2m.com					X		
Guang-yu Wang	gwang@waterboards.ca.gov						X	
Robin Nezhad	rnezhad@erwncaid.com		X					
Melanie Winter	winter@theriverproject.org					X		

EWMP Workshop - April 10, 2014

Name	E-Mail Address	Watershed(s)						Initials
		BC	DC	MDR	SMB	ULAR	ALL	
Enrique Zaldivar	enrique.zaldivar@lacity.org						X	
Ali Poosti	ali.poosti@lacity.org						X	
Kristy Morris	kristy@watershedhealth.org					X		
Joe Leclair	leclairjp@cdmsmith.com	X						
Bing Neris	bineris@hotmail.com					X		
TJ Moon	Tmoon@dpw.lacounty.gov			X				
Hampik Dekermenjian	DekermenjianH@cdmsmith.com						X	
Oliver Galang	ogalang@brwnald.com		X					
Alexander Vasquez	alexander.vasquez@lacity.org						X	
Julie Sauter	Julie.sauter@lacity.org						X	
Clayton Yoshida	clayton.yoshida@lacity.org						X	
Miguel Luna	miguel@dakeluna.com					X		
Anthony Hicke	hcike@ularawatermaster.com					X		
Mary Chavez	mchavez@cityofalhambra.org					X		
Jennifer Samson	jsamson@larivercorp.com					X		
Deborah Deets	Deborah.Deets@lacity.org						X	
Pamela Hirneisen	pamela.hirneisen@lacity.org						X	

The Dominguez Channel Watershed Management Group wants your input on the
ENHANCED WATERSHED MANAGEMENT PLAN.

*Come join us for a webinar to see how you can get your projects considered for the plan.
Follow the link below to sign up. Two webinars are scheduled:*

- ♦ Wednesday 4/16/2014, 10:00am – 11:00am
- ♦ Tuesday 4/22/2014, 1:00pm – 2:00pm

<http://bit.ly/dc-ewmp-opti>

If you need assistance, please call (323)669-7655
and someone will get back to you.



Scan to link to
webinar registration.



Los Angeles Regional Water Quality Control Board

Planning Workshop for Enhanced Watershed Management Programs being developed pursuant to the Los Angeles County MS4 Permit

April 10, 2014

Witherbee Auditorium, LA Zoo

The following provides an overview of the principles and requirements of an Enhanced Watershed Management Program (EWMP) to help guide discussions and the identification of possible projects to implement through the EWMP. Additionally, in many cases work has already been underway to identify potential opportunities to implement water quality improvement projects in these watersheds; Board staff has identified some of these existing watershed management / restoration plans, below. Additionally, excerpts from some of these plans will be made available at the watershed specific breakout groups to help generate discussion.

Dominguez Watershed

The Los Angeles County MS4 Permit states, in part:

“An Enhanced Watershed Management Program (EWMP) is one that comprehensively evaluates opportunities, within the participating Permittees’ collective jurisdictional area in a Watershed Management Area, for collaboration among Permittees and other partners on multi-benefit regional projects ...”

And, “An EWMP shall [among other things]:

- Include multi-benefit regional projects to ensure that MS4 discharges achieve compliance with all final Water Quality-Based Effluent Limitations ... and do not cause or contribute to exceedances of receiving water limitations ... by retaining through infiltration or capture and reuse the storm water volume from the 85th percentile, 24-hour storm for the drainage areas tributary to the multi-benefit regional project;
- Maximize the effectiveness of funds through analysis of alternatives and the selection and sequencing of actions needed to address human health and water quality related challenges and non-compliance;
- Incorporate effective innovative technologies, approaches and practices, including green infrastructure, and
- In drainage areas within the EWMP area where retention of the 85th percentile, 24-hour storm event is not feasible, the EWMP shall include a Reasonable Assurance Analysis to demonstrate that applicable water quality based effluent limitations and receiving water limitations shall be achieved through implementation of other watershed control measures.”

Keys words and phrases are *watershed, collaboration, green infrastructure, multi-benefit regional projects, maximize effectiveness of funds.*

The Regional Water Board encourages EWMP Partners to utilize and build on previous work where possible, such as the watershed management plans funded through Proposition 13 and Cal-Fed and other plans which identified potential sites for multi-benefit regional projects. These plans were developed with considerable stakeholder input. Additionally, various types of dispersed “green” projects such as green alleys/streets or permeable pavement in large parking lots can help with the drainage areas tributary to the multi-benefit regional projects and are identified in the watershed plans. Green projects have been implemented at many locations at this point, so EWMP partners can benefit from the experience and lessons learned from these projects. Collaboration with Integrated Regional Water Management (IRWM) groups is also important, as these groups are implementing projects to improve the water supply, water quality, and open space/habitat.

Selection of Resources for Planning in the Dominguez Watershed:

Los Angeles County Department of Public Works, 2004. *Dominguez Watershed Management Master Plan*. <http://ladpw.org/wmd/watershed/dc/DCMP/docs/Section%204%20Action%20Plan.pdf>

Integrated Regional Water Management Plan

- Greater Los Angeles County Leadership Committee, 2014 (draft). *The Greater Los Angeles County Integrated Regional Water Management Plan, 2013 Update*. <http://www.ladpw.org/wmd/irwmp/index.cfm?fuseaction=update2013>

Attachment P

LACFCD Background

This attachment provides background information pertaining to the Los Angeles County Flood Control District (LACFCD), and their involvement in the Dominguez Channel Watershed Management Group (DC WMG) Enhanced Watershed Management Program (EWMP), supplemental to the EWMP Work Plan.

In 1915, the Los Angeles County Flood Control Act established the LACFCD and empowered it to manage flood risk and conserve stormwater for groundwater recharge. In coordination with the United States Army Corps of Engineers the LACFCD developed and constructed a comprehensive system that provides for the regulation and control of flood waters through the use of reservoirs and flood channels. The system also controls debris, collects surface storm water from streets, and replenishes groundwater with stormwater and imported and recycled waters. The LACFCD covers the 2,753 square-mile portion of Los Angeles County south of the east-west projection of Avenue S, excluding Catalina Island. It is a special district governed by the County of Los Angeles Board of Supervisors, and its functions are carried out by the Los Angeles County Department of Public Works. The LACFCD service area is shown in Figure P.1.

Unlike cities and counties, the LACFCD does not own or operate any municipal sanitary sewer systems, public streets, roads, or highways. The LACFCD operates and maintains storm drains and other appurtenant drainage infrastructure within its service area. The LACFCD has no planning, zoning, development permitting, or other land use authority within its service area. The Permittees that have such land use authority are responsible under the MS4 Permit for inspecting and controlling pollutants from industrial and commercial facilities, development projects, and development construction sites. (MS4 Permit, Part II.E, page 17.)

The MS4 Permit language clarifies the unique role of the LACFCD in storm water management programs: “[g]iven the LACFCD’s limited land use authority, it is appropriate for the LACFCD to have a separate and uniquely-tailored storm water management program. Accordingly, the storm water management program minimum control measures imposed on the LACFCD in Part VI.D of this Order differ in some ways from the minimum control measures imposed on other Permittees. Namely, aside from its own properties and facilities, the LACFCD is not subject to the Industrial/Commercial Facilities Program, the Planning and Land Development Program, and the Development Construction Program. However, as a discharger of storm and non-storm water, the LACFCD remains subject to the Public Information and Participation Program and the Illicit Connections and Illicit Discharges Elimination Program. Further, as the owner and operator of certain properties, facilities and infrastructure, the LACFCD remains subject to requirements of a Public Agency Activities Program.” (MS4 Permit, Part II.F, page 18).

Consistent with the role and responsibilities of the LACFCD under the MS4 Permit, the EWMPs and Coordinated Integrated Monitoring Programs (CIMPs) reflect the opportunities that are available for the LACFCD to collaborate with Permittees having land use authority over the subject watershed area. In some instances, the opportunities are minimal, however the LACFCD remains responsible for compliance with certain aspects of the MS4 Permit as discussed above.

In some instances, in recognition of the increased efficiency of implementing certain programs regionally, the LACFCD has committed to responsibilities above and beyond its obligations under the 2012 MS4 Permit. For example, although under the 2012 MS4 Permit the Public Information and Participation Program (PIPP) is a responsibility of each Permittee, the LACFCD is committed to implementing certain regional elements of the PIPP on behalf of all Permittees at no cost to the Permittees. These regional elements include:

- Maintaining a countywide hotline (888-CLEAN-LA) and website (www.888cleanla.com) for public reporting and general stormwater management information at an estimated annual cost of \$250,000. Each Permittee can utilize this hotline and website for public reporting within its jurisdiction.
- Broadcasting public service announcements and conducting regional advertising campaigns at an estimated annual cost of \$750,000.

- Facilitating the dissemination of public education and activity specific stormwater pollution prevention materials at an estimated annual cost of \$100,000.
- Maintaining a stormwater website at an estimated annual cost of \$10,000.

The LACFCD will implement these elements on behalf of all Permittees starting July 2015 and through the MS4 Permit term. With the LACFCD handling these elements regionally, Permittees can better focus on implementing local or watershed-specific programs, including student education and community events, to fully satisfy the PIPP requirements of the 2012 MS4 Permit.

Similarly, although water quality monitoring is a responsibility of each Permittee under the 2012 MS4 Permit, the LACFCD is committed to implement certain regional elements of the monitoring program. Specifically, the LACFCD will continue to conduct monitoring at the seven existing mass emissions stations required under the previous Permit. The LACFCD will also participate in the Southern California Stormwater Monitoring Coalition's Regional Bioassessment Program on behalf of all Permittees. By taking on these additional responsibilities, the LACFCD wishes to increase the efficiency and effectiveness of these programs.




Figure P.1: LACFCD Service Area

PAGE INTENTIONALLY LEFT BLANK


DRAFT

Attachment Q
Regional Projects Concept Drawings


PAGE INTENTIONALLY LEFT BLANK



INFILTRATION TYPICAL SECTION
SCALE: 1"=10'




SCALE: 1" = 100'





PROJECT NO. 13062	PROJECT TITLE DOMINGUEZ CHANNEL WATERSHED EWMP	
SHEET 1	PRELIMINARY DESIGN CONCEPTS	
OF 9	SHEET TITLE DARBY PARK	

NOTES:

1. RE-GRADE FOR BETTER INFILTRATION



PROJECT TITLE	
DOMINGUEZ CHANNEL WATERSHED EWMP	
PRELIMINARY DESIGN CONCEPTS	
EL SEGUNDO PROJECT	
PROJECT NO.	13062
SHEET	2
OF	9



PROJECT TITLE

DOMINGUEZ CHANNEL WATERSHED EWMP

PRELIMINARY DESIGN CONCEPTS

SHEET TITLE

RAMONA PARK

PROJECT NO.






13062

SHEET


3

OF




9






PROJECT NO. 13062		PROJECT TITLE DOMINGUEZ CHANNEL WATERSHED EWMP	
SHEET 4		PRELIMINARY DESIGN CONCEPTS	
OF 9		SHEET TITLE JIM THORPE PARK	






PROJECT NO. 13062	PROJECT TITLE DOMINGUEZ CHANNEL WATERSHED EWMP	
SHEET 5	PRELIMINARY DESIGN CONCEPTS	
OF 9	SHEET TITLE CHESTER L. WASHINGTON GOLF COURSE	





PROJECT NO. 13062		PROJECT TITLE DOMINGUEZ CHANNEL WATERSHED EWMP	
SHEET 6		PRELIMINARY DESIGN CONCEPTS	
OF 10		SHEET TITLE HELEN KELLER PARK	



PROJECT TITLE		PROJECT NO.	
DOMINGUEZ CHANNEL WATERSHED EWMP		13062	
PRELIMINARY DESIGN CONCEPTS		SHEET	7
HARBOR CITY PARK		OF	9



PROJECT NO. 13062	PROJECT TITLE DOMINGUEZ CHANNEL WATERSHED EWMP	
SHEET 8	PRELIMINARY DESIGN CONCEPTS	
OF 9	SHEET TITLE WILMINGTON RECREATION CENTER	



PROJECT TITLE DOMINGUEZ CHANNEL WATERSHED EWMP		
PRELIMINARY DESIGN CONCEPTS		
SHEET TITLE AVERILL PARK		
PROJECT NO. 13062	SHEET 9	OF 9

Attachment R
Distributed Projects (Green Streets) TM

MEMORANDUM

To: Dominguez Channel Watershed Management Group (Alfredo Magallanes/City of Los Angeles; Bill Johnson/Los Angeles County; Doug Krauss/City of Hawthorne; Loren Amimoto/City of Inglewood; Lifan Xu/City of El Segundo; Andrew Jirik/Port of Los Angeles)

From: Team Dominguez (Ben Willardson, Vik Bapna, Tsou Jaw, Ali Zahraei, Katie Harrel/CWE, Richard Haimann/HDR)

Date: March 13, 2015

Subject: **Distributed Projects (Green Streets) Technical Memorandum**

Contents

1	Distributed Project (Green Streets).....	3
1.1	Green Street Ranking.....	7
1.2	Green Street Subarea Analysis.....	9
1.3	Green Street Implementation Summary.....	11
2	References.....	12

1 Distributed Project (Green Streets)

Once hydrologic and loading scenarios are simulated with the regional BMP implementation, the volume associated with capturing the remainder of the 90th percentile load for the limiting pollutant was determined. Then, the lane miles of green streets to achieve this storage volume was determined. The stormwater volume used is associated with lead for most of DC WMG except for the areas tributary to Machado Lake in which case the volume associated with total nitrogen was used. The green streets represent distributed BMPs and are modeled to the extent that the required volume reduction is satisfied. Green streets were used as distributed BMPs as they are located in the public right-of-way, are distributed throughout the DC WMG area, and could be easily implemented as streets are rehabilitated. The volume reduction provided by a green street can be replaced with alternative distributed BMPs as desired. The Port of Los Angeles will not implement green streets due to jurisdictional preferences. The mitigation volume required for loads related to the Port will be mitigated by implementing additional green streets throughout the City of Los Angeles and through the Port's new and re-development program.

A green streets analysis was performed for the entire DC WMG area to determine which streets are most suitable for green street implementation. The following criteria were examined and ranked to establish a green street implementation hierarchy:

1. Slope
2. Soil infiltration capacity
3. Street type

Each criterion was analyzed based on the methodology described below. A ranking system was developed, which was used to classify streets in terms of their potential as green streets (high, medium, or low). The analysis was performed using ArcGIS and Microsoft Excel. Once the streets were ranked for their feasibility as green streets, a subarea analysis was conducted to determine which streets within each subarea would need to be implemented as a green street to satisfy the 85th percentile storm event volume criteria and the 90th percentile load criteria.

Slope

Streets with milder slopes are more appropriate for green streets as they are able to provide a greater capacity than streets with a steeper slope. The slope of each street within the DC WMG was determined by first creating a raster defining the slopes throughout the area using a contour shapefile. The raster was then converted into a shapefile so that a slope could be assigned to each street. The streets were then ranked based on the slope values as described in **Table 1-1**. **Figure 1-1** illustrates the slopes found within the DC WMG.

Table 1-1 Slope Ranking Summary	
Slope (%)	Ranking Value
0	10
1	8
2	6
3	4
4	2

*Note: Streets with slopes above 4% were excluded from the analysis.

Soil (Infiltration Capacity)

The soil type along each street was determined and the associated infiltration capacity (Ksat) was used to rank the streets. The streets with underlying soils with a higher infiltration capacity were assigned a higher score as these streets would offer more of a benefit as green streets than streets whose underlying soils are not conducive to infiltration. The soil types were determined based on the Los Angeles County Hydrology Manual (2006) soil types and the associated infiltration capacities are based on the Structural BMP Prioritization and Analysis Tool (SBPAT). Each street was clipped using the soil shapefile, so that street segments did not cross multiple soil types, and were assigned a ranking value based on **Table 1-2**. **Figure 1-2** illustrates the soil types found within the DC WMG.

Table 1-2 Soil Ranking Summary		
Soil Type	Infiltration Capacity (Ksat)	Ranking Value
14	0.81	10
3	0.77	9
10	0.74	8
15	0.72	7
13	0.45	6
4	0.40	5
16	0.36	4
6	0.33	3
9	0.27	2

*Note: Soil types with an infiltration capacity lower than 0.36 were excluded from the analysis.




Figure 1-1 Slope for Green Street Analysis




Figure 1-2 Soil for Green Street Analysis

Street Type

The street type was used to rank green street opportunities, as different types of streets offer different opportunities. Wider streets, such as major streets, provide a larger area which can be used to treat stormwater. Private streets and major freeways are some examples of streets that do not provide feasible opportunities. The Countywide Address Management System (CAMS) created a shapefile for street centerlines in Los Angeles County based on the 2010 TIGER roads file developed by the Census Bureau. The CAMS shapefile includes attributes, such as street type, which were are not included in the TIGER roads. The attribute in the CAMS shapefile was used to define the street type for the streets within DC WMG. Each street within the DC WMG was classified based on standard street types and were ranked as described in **Table 3**.

Table 3 Street Type Ranking Summary	
Street Type	Ranking Value
Highway and/or Primary-Arterial	10
Secondary-Collector	8
Minor-Local	6
Alley	4

*Note: Street types not included in the list above were excluded from the analysis.

1.1 Green Street Ranking

During the green street analysis, streets were clipped at the jurisdictional boundaries and tagged with the jurisdiction within which it exists. This was not used to rank the streets, but simply to determine what jurisdiction the street was in so that in the future it will be easy to identify the green street needs within each jurisdiction.

After each street was clipped, tagged, and given a ranking value based on the slope, soil, and street type, the score was determined for each street by adding up the value for each of the criteria. The scores ranged from 4 to 30 and were further classified as described in **Table 4**. **Figure 3** illustrates the green street rankings within the DC WMG.

Table 4 Green Street Ranking Summary	
Score Range	Green Street Ranking
20-30	High
15-19	Medium
4-14	Low




Figure 3 Green Street Ranking

1.2 Green Street Subarea Analysis

Using the street rankings identified through the green street analysis described above, each subarea within the DC WMG was analyzed to determine a combination of streets that would satisfy the 85th percentile, 24-hour storm volume criteria and the 90th percentile load criteria as determined by the LSPC. Subarea characteristics influenced which criteria controls implementation efforts. Green street implementation was determined based on the criteria that had the greater volume capture or load reduction requirement.

To perform this analysis, the green street rankings were clipped at the subarea level. The streets within the subarea were analyzed to determine the number of lanes, which was then associated with the lane miles provided by each street segment. Streets were then manually selected throughout the subarea until the number of lane miles selected for green streets satisfied the volume and load criterion. The lane mile needs were determined assuming a lane is ten feet wide and three feet of storage with thirty-three percent void space would be provided beneath the street. Using these assumptions, ten cubic feet of storage would be provided per foot of street length within each lane.

Streets were strategically selected throughout the subareas. Capital improvement plans identifying the streets planned for rehabilitation were reviewed and those planned for 2017 or later were selected first along with high ranking streets. These streets are always the best alternative and then streets were compared with the existing topography, storm drain, and catch basin alignments. Streets that were ranked low were never selected as they represent the least feasible options. Streets that run parallel to contours were selected over those that were perpendicular to contours. In some instances, the topography was not used as the determining factor. Streets that contained storm drains and catch basins were given preference since the drains show that they receive flow from the surrounding areas and would be beneficial as green streets. Also, major streets were preferred over residential streets, as they provide a greater number of lane miles, therefore less streets would be disturbed throughout the implementation process. Using ArcGIS and Microsoft Excel, streets were chosen to be implemented as green streets until the 85th percentile volume and 90th percentile load criteria were satisfied.

Figure 4 illustrates one example of an individual subarea analysis. **Attachment A** contains a table listing all of the streets analyzed and selected by subarea and jurisdiction within the DC WMG. The streets that are to be implemented as green streets are shown in the figure as bold green lines and are marked "G" in the "Selected?" column in the table. For areas within the Port of Los Angeles jurisdiction, green streets were not recommended due to jurisdictional implementation preferences. Additional green streets will be implemented throughout the City of Los Angeles to cover the implementation requirements in the Port. The Port will also implement their new and re-development program which will introduce distributed BMPs over time as areas are developed.




Figure 4 Green Street Analysis for Subarea BI12-1

1.3 Green Street Implementation Summary

The implementation needs based on the subarea analysis were merged together once completed to determine the quantity of green streets required by jurisdiction and subarea. **Table 5** identifies the lane mile needs for each jurisdiction within the DC WMG.

Table 5 Green Street Implementation Summary by Jurisdiction		
Subarea	Green Street Lane Miles	Percent by Agency
El Segundo	10	1%
Hawthorne	83	11%
Inglewood	80	11%
Lomita	1	0%
Los Angeles	359	49%
County Unincorporated	203	28%
Total:	736	100%

Figure 5 illustrates the lane miles required throughout the DC WMG, compiling the information from the subarea analysis. Similar to the subarea maps, the green street recommendations are shown as bold green lines. The figure also shows the subareas that are completely within a regional project tributary area, as green streets are not required in these subareas as they are mitigated by the regional project. Additionally, the port jurisdiction is shown so that it is clear where green streets will not be implemented due to jurisdictional preferences.

Attachment B contains a subarea summary table listing the subarea requirements along with the lane miles provided. A figure is also included so that subareas names can be associated spatially. Where it is impractical to implement enough BMPs within a specific subarea, other BMPs are implemented throughout the watershed to provide the required volume and load reductions.




Figure 5 Green Street Implementation Summary

Attachment A
Green Street Subarea Analysis Tables

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1	BI10-1	1	E El Segundo Blvd	511	CO	6	0.58	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3	BI10-1	3	W El Segundo Blvd	122	CO	6	0.14	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
9	BI10-1	9	E El Segundo Blvd	557	CO	6	0.63	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
10	BI10-1	10	S Broadway	1736	CO	6	1.97	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
31	BI10-1	31	S Figueroa St	711	Los Angeles	6	0.81	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
33	BI10-1	33	W El Segundo Blvd	624	CO	6	0.71	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			G
48	BI10-1	48	S Broadway	3892	CO	6	4.42	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
49	BI10-1	49	S Broadway St	3613	CO	6	4.11	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
50	BI10-1	50	W El Segundo Blvd	1771	CO	6	2.01	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
74	BI10-1	74	S Figueroa St	5817	Los Angeles	6	6.61	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
75	BI10-1	75	W El Segundo Blvd	2688	Los Angeles	6	3.05	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
76	BI10-1	76	W Rosecrans Ave	1172	Los Angeles	6	1.33	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
110	BI10-1	110	S Figueroa St	349	Los Angeles	6	0.40	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
379	BI1103	1	Pacific Coast Hwy	2513	Los Angeles	6	2.86	Highway	100	10	0	10	13	0.45	6	26	HIGH			G
380	BI1103	2	W Pacific Coast Hwy	1245	Los Angeles	6	1.42	Highway	100	10	0	10	13	0.45	6	26	HIGH			G
381	BI1103	3	Figueroa St	1877	Los Angeles	6	2.13	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
387	BI1103	9	Figueroa Pl	1729	Los Angeles	4	1.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
388	BI1103	10	Frigate Ave	972	Los Angeles	4	0.74	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
408	BI1103	30	W Pacific Coast Hwy	858	Los Angeles	6	0.98	Highway	100	10	0	10	14	0.81	10	30	HIGH			G
409	BI1103	31	W Anaheim St	1093	Los Angeles	6	1.24	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
411	BI1103	33	Figueroa Pl	291	Los Angeles	4	0.22	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
412	BI1103	34	Frigate Ave	1354	Los Angeles	4	1.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
424	BI1103	46	Pacific Coast Hwy	2405	Los Angeles	6	2.73	Highway	100	10	1	8	13	0.45	6	24	HIGH			G
425	BI1103	47	Normandie Ave	1851	Los Angeles	6	2.10	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
426	BI1103	48	S Vermont Ave	5398	Los Angeles	6	6.13	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
427	BI1103	49	W Anaheim St	891	Los Angeles	6	1.01	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
453	BI1103	75	W 257th St	984	Los Angeles	4	0.75	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			G
454	BI1103	76	W 259th St	524	Los Angeles	4	0.40	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			G
456	BI1103	78	N Gaffey St	2056	Los Angeles	6	2.34	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			G
457	BI1103	79	W Anaheim St	1271	Los Angeles	6	1.44	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			G
461	BI1103	83	N Gaffey St	377	Los Angeles	6	0.43	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
463	BI1103	85	N Gaffey St	329	Los Angeles	6	0.37	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
464	BI1103	86	S Vermont Ave	882	Los Angeles	6	1.00	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
465	BI1103	87	W Anaheim St	210	Los Angeles	6	0.24	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
467	BI1103	89	N Gaffey St	502	Los Angeles	6	0.57	Primary-Arterial	100	10	2	6	14	0.81	10	26	HIGH			G
468	BI1103	90	W Anaheim St	587	Los Angeles	6	0.67	Primary-Arterial	100	10	2	6	14	0.81	10	26	HIGH			G
472	BI1103	94	N Gaffey St	541	Los Angeles	6	0.61	Primary-Arterial	100	10	2	6	16	0.36	4	20	HIGH			G
473	BI1103	95	W Anaheim St	755	Los Angeles	6	0.86	Primary-Arterial	100	10	2	6	16	0.36	4	20	HIGH			G
479	BI1103	101	N Gaffey St	1646	Los Angeles	6	1.87	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
481	BI1103	103	S Vermont Ave	242	Los Angeles	6	0.27	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
482	BI1103	104	W Anaheim St	1317	Los Angeles	6	1.50	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
495	BI1103	117	W Anaheim St	442	Los Angeles	6	0.50	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			G
516	BI1103	138	N Gaffey St	414	Los Angeles	6	0.47	Primary-Arterial	100	10	4	2	16	0.36	4	16	MED			G
519	BI1103C	1	Figueroa St	2670	Los Angeles	6	3.03	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
525	BI1103C	7	Frigate Ave	2126	Los Angeles	4	1.61	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
588	BI1104-2	4	W Sepulveda Blvd	3454	CO	6	3.93	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
651	BI1104-2	67	Stonebryn Dr	2451	CO	4	1.86	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
861	BI1201	4	Normandie Ave	2743	CO	6	3.12	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
862	BI1201	5	S Vermont Ave	4284	CO	6	4.87	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
865	BI1201	8	W 228th St	3629	CO	4	2.75	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
917	BI1201	60	Normandie Ave	1058	Los Angeles	6	1.20	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
920	BI1201	63	W 228th St	1250	Los Angeles	4	0.95	Secondary-Collector	64	8	0	10	10	0.74	8	26	HIGH			G
927	BI1201	70	W 228th St	1506	Los Angeles	4	1.14	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
140	BI12-1	2	N Aviation Blvd	122	CO	6	0.14	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
144	BI12-1	6	E El Segundo Blvd	307	El Segundo	6	0.35	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
145	BI12-1	7	S Aviation Blvd	1048	El Segundo	6	1.19	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
176	BI12-1	38	E El Segundo Blvd	2257	El Segundo	6	2.56	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
177	BI12-1	39	N Aviation Blvd	1322	El Segundo	6	1.50	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
178	BI12-1	40	S Aviation Blvd	1499	El Segundo	6	1.70	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
208	BI12-1	70	S Aviation Blvd	280	Hawthorne	6	0.32	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
209	BI12-1	71	W Rosecrans Ave	446	Hawthorne	6	0.51	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
221	BI12-1	83	E El Segundo Blvd	1206	Hawthorne	6	1.37	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
223	BI12-1	85	S Aviation Blvd	2451	Hawthorne	6	2.79	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
261	BI12-1	123	W Rosecrans Ave	1298	Hawthorne	6	1.47	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
285	BI12-2	8	141st St	151	CO	4	0.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
298	BI12-2	21	W 137th Pl	1837	CO	4	1.39	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
299	BI12-2	22	W 137th St	1895	CO	4	1.44	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
300	BI12-2	23	W 139th St	691	CO	4	0.52	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
301	BI12-2	24	W 140th St	1135	CO	4	0.86	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
302	BI12-2	25	W 141st St	837	CO	4	0.63	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
303	BI12-2	26	W 142nd St	740	CO	4	0.56	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
305	BI12-2	28	138th St	1640	CO	4	1.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
306	BI12-2	29	Ocean Gate Ave	1441	CO	4	1.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
310	BI12-2	33	W 133rd St	377	CO	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
312	BI12-2	35	W 134th St	737	CO	4	0.56	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
314	BI12-2	37	W 136th St	726	CO	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
315	BI12-2	38	W 137th Pl	785	CO	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
316	BI12-2	39	W 137th St	726	CO	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
317	BI12-2	40	W 139th St	1932	CO	4	1.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
318	BI12-2	41	W 140th St	1349	CO	4	1.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
319	BI12-2	42	W 141st St	1146	CO	4	0.87	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
320	BI12-2	43	W 142nd St	1156	CO	4	0.88	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
321	BI12-2	44	S La Cienega Blvd	106	CO	4	0.08	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH		X	G
322	BI12-2	45	W 142nd St	182	CO	4	0.14	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH		X	G
331	BI12-2	54	W Rosecrans Ave	737	Hawthorne	6	0.84	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
354	BI12-2	77	W Rosecrans Ave	1860	Hawthorne	6	2.11	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
369	BI12-2	92	W 141st St	345	Hawthorne	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
373	BI12-2	96	W Rosecrans Ave	1639	Hawthorne	6	1.86	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
955	BI1232-1	2	S Vermont Ave	3256	CO	6	3.70	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
956	BI1232-1	3	W Torrance Blvd	4021	CO	4	3.05	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
958	BI1232-1	5	Berendo Ave	1644	CO	4	1.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
959	BI1232-1	6	Brody Ave	159	CO	4	0.12	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
960	BI1232-1	7	Catalina Ave	1459	CO	4	1.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
961	BI1232-1	8	Conradi Ave	914	CO	4	0.69	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
962	BI1232-1	9	Doble Ave	1688	CO	4	1.28	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
963	BI1232-1	10	Francisco St	456	CO	4	0.35	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
964	BI1232-1	11	Greenhedge St	559	CO	4	0.42	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
965	BI1232-1	12	Hamilton Ave	457	CO	4	0.35	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
966	BI1232-1	13	Javelin St	1327	CO	4	1.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
969	BI1232-1	16	Orchard Ave	163	CO	4	0.12	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
970	BI1232-1	17	S Broadwell Ave	430	CO	4	0.33	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
971	BI1232-1	18	S Budlong Ave	1595	CO	4	1.21	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
972	BI1232-1	19	S Kenwood Ave	1408	CO	4	1.07	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
973	BI1232-1	20	S Mariposa Ave	331	CO	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
974	BI1232-1	21	S Menlo Ave	1637	CO	4	1.24	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
975	BI1232-1	22	S New Hampshire Ave	3254	CO	4	2.47	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
976	BI1232-1	23	S Raymond Ave	1587	CO	4	1.20	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
977	BI1232-1	24	S Royal Blvd	1140	CO	4	0.86	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
978	BI1232-1	25	S Van Deene Ave	1510	CO	4	1.14	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
979	BI1232-1	26	W 204th St	1219	CO	4	0.92	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
980	BI1232-1	27	W 209th St	2046	CO	4	1.55	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
981	BI1232-1	28	W 210th St	1292	CO	4	0.98	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
982	BI1232-1	29	W 211th St	313	CO	4	0.24	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
983	BI1232-1	30	W 212th St	767	CO	4	0.58	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
986	BI1232-1	33	W Greenhedge St	1011	CO	4	0.77	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
987	BI1232-1	34	W Jon St	474	CO	4	0.36	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
988	BI1232-1	35	W Milton St	2261	CO	4	1.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
990	BI1232-1	37	S Vermont Ave	1005	CO	6	1.14	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			G
992	BI1232-1	39	W Carson St	1101	CO	6	1.25	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			G
997	BI1232-1	44	Normandie Ave	1222	CO	6	1.39	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH		X	G
998	BI1232-1	45	S Vermont Ave	3758	CO	6	4.27	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1000	BI1232-1	47	W Carson St	2531	CO	6	2.88	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1003	BI1232-1	50	213th St	506	CO	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1005	BI1232-1	52	Berendo Ave	1530	CO	4	1.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1006	BI1232-1	53	Broadwell Ave	896	CO	4	0.68	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1007	BI1232-1	54	Clarion Dr	660	CO	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1008	BI1232-1	55	Conradi Ave	452	CO	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1009	BI1232-1	56	Doble Ave	679	CO	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1011	BI1232-1	58	Hamilton Ave	2305	CO	4	1.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1012	BI1232-1	59	Jaffrey Ave	322	CO	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1015	BI1232-1	62	Levinson St	1111	CO	4	0.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1016	BI1232-1	63	Marigold Ave	319	CO	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1018	BI1232-1	65	Meyler Ave	267	CO	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1019	BI1232-1	66	Meyler St	1227	CO	4	0.93	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1020	BI1232-1	67	Payne Ave	386	CO	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1021	BI1232-1	68	S Broadwell Ave	197	CO	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1022	BI1232-1	69	S Budlong Ave	1533	CO	4	1.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1023	BI1232-1	70	S Kenwood Ave	226	CO	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1024	BI1232-1	71	S Marigold Ave	239	CO	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1025	BI1232-1	72	S Mariposa Ave	225	CO	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1027	BI1232-1	74	S New Hampshire Ave	385	CO	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1028	BI1232-1	75	S Royal Blvd	479	CO	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1030	BI1232-1	77	W 212th St	1568	CO	4	1.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1031	BI1232-1	78	W 213th St	2127	CO	4	1.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1032	BI1232-1	79	W 214th St	1281	CO	4	0.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1033	BI1232-1	80	W 216th St	256	CO	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1037	BI1232-1	84	W Clarion Dr	2226	CO	4	1.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1039	BI1232-1	86	W Desford St	958	CO	4	0.73	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1042	BI1232-1	89	W Ritner St	873	CO	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1044	BI1232-1	91	Normandie Ave	4847	Los Angeles	6	5.51	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1045	BI1232-1	92	S Vermont Ave	2145	Los Angeles	6	2.44	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1047	BI1232-1	94	Normandie Ave	4701	Los Angeles	6	5.34	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
1048	BI1232-1	95	W Torrance Blvd	1774	Los Angeles	6	2.02	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1070	BI1232-1	117	W Carson St	787	Los Angeles	6	0.89	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1088	BI1232-2	1	Hamilton Ave	973	CO	4	0.74	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
805	BI12-4	1	Manhattan Beach Blvd	2320	CO	6	2.64	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
806	BI12-4	2	Prairie Ave	2197	CO	6	2.50	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
832	BI12-4	28	Prairie Ave	435	Hawthorne	6	0.49	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
1091	BI1275	2	Avalon Blvd	3213	CO	6	3.65	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1093	BI1275	4	E Rosecrans Ave	2945	CO	6	3.35	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1097	BI1275	8	W Rosecrans Ave	729	CO	6	0.83	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1139	BI1275	50	Avalon Blvd	6522	CO	6	7.41	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1162	BI13B	4	W Arbor Vitae St	558	Inglewood	4	0.42	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
1173	BI13B	15	W Century Blvd	243	Los Angeles	6	0.28	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1174	BI13B	16	Arbor Vitae St	1622	Los Angeles	4	1.23	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
1175	BI13B	17	W Arbor Vitae St	495	Los Angeles	4	0.37	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
1176	BI13B	18	Westchester Pkwy	2010	Los Angeles	4	1.52	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
1202	BI13B	44	Westchester Pkwy	834	Los Angeles	4	0.63	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			G
1310	BI242	1	Normandie Ave	995	Los Angeles	6	1.13	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1332	BI3894	1	Knox St	603	CO	4	0.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
1334	BI3894	3	190th St	1329	Los Angeles	6	1.51	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1335	BI3894	4	Normandie Ave	3051	Los Angeles	6	3.47	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH		X	G
1336	BI3894	5	S Vermont Ave	436	Los Angeles	6	0.50	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1337	BI3894	6	W 190th St	3991	Los Angeles	6	4.54	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1338	BI3894	7	190th St	420	Los Angeles	6	0.48	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
1339	BI3894	8	Normandie Ave	83	Los Angeles	6	0.09	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH		X	G
1353	BI3894	22	S Vermont Ave	522	Los Angeles	6	0.59	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1355	BI4-1	2	S Van Ness Ave	808	CO	4	0.61	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
1369	BI4-1	16	W Century Blvd	341	Inglewood	6	0.39	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1382	BI4-1	29	W Century Blvd	1949	Los Angeles	6	2.21	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1383	BI4-1	30	S Van Ness Ave	2086	Los Angeles	4	1.58	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
1398	BI4-1	45	W Century Blvd	182	CO	6	0.21	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1401	BI4-1	48	S Wilton Pl	16	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			G
1402	BI4-1	49	Crenshaw Blvd	921	Inglewood	6	1.05	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1403	BI4-1	50	W Century Blvd	1044	Inglewood	6	1.19	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1419	BI4-1	66	W Century Blvd	159	Los Angeles	6	0.18	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1421	BI4-1	68	S Wilton Pl	0	Los Angeles	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			G
1426	BI4-1	73	Crenshaw Blvd	3872	Inglewood	6	4.40	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1427	BI4-1	74	W Century Blvd	735	Inglewood	6	0.84	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1457	BI4-1	104	Crenshaw Blvd	1465	Inglewood	6	1.66	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
1458	BI4-1	105	W Century Blvd	541	Inglewood	6	0.62	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
1521	BI4-2	42	S Van Ness Ave	200	CO	4	0.15	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			G
1541	BI4-2	62	Crenshaw Blvd	490	Hawthorne	6	0.56	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1559	BI4-2	80	Crenshaw Blvd	1561	Inglewood	6	1.77	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1560	BI4-2	81	W Imperial Hwy	2060	Inglewood	6	2.34	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1587	BI4-2	108	S Van Ness Ave	1610	CO	4	1.22	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			G
1610	BI4-2	131	S Van Ness Ave	757	Hawthorne	4	0.57	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			G
1618	BI4-2	139	W Imperial Hwy	589	Inglewood	6	0.67	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1619	BI4-2	140	S Van Ness Ave	644	Inglewood	4	0.49	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			G
1632	BI4-2	153	S Van Ness Ave	2019	CO	4	1.53	Secondary-Collector	64	8	3	4	13	0.45	6	18	MED			G
1670	BI439E	2	S Van Ness Ave	1415	Hawthorne	4	1.07	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			G
1674	BI439E	6	Imperial Hwy	1000	CO	6	1.14	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1675	BI439E	7	W Imperial Hwy	1610	CO	6	1.83	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1684	BI439E	16	S Van Ness Ave	1099	Hawthorne	4	0.83	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1696	BI439E	28	S Van Ness Ave	86	Inglewood	4	0.07	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			G
1705	BI4401-1	8	N Prairie Ave	1803	Inglewood	6	2.05	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1706	BI4401-1	9	W Manchester Blvd	2157	Inglewood	6	2.45	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1736	BI4401-1	39	N Prairie Ave	194	Inglewood	6	0.22	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1737	BI4401-1	40	S Prairie Ave	1879	Inglewood	6	2.14	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1738	BI4401-1	41	W Manchester Blvd	2804	Inglewood	6	3.19	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1754	BI4401-1	57	S Prairie Ave	334	Inglewood	6	0.38	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1755	BI4401-1	58	W Manchester Blvd	85	Inglewood	6	0.10	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1765	BI4401-1	68	W Manchester Blvd	1470	Inglewood	6	1.67	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
1792	BI4401-2	19	W Century Blvd	2312	Inglewood	6	2.63	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1804	BI4401-2	31	W Century Blvd	1797	Inglewood	6	2.04	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1829	BI4401-2	56	W Century Blvd	87	Inglewood	6	0.10	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
1845	BI4402A	9	W Imperial Hwy	1412	Inglewood	6	1.60	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1860	BI4402A	24	Crenshaw Blvd	1871	Inglewood	6	2.13	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1861	BI4402A	25	W Imperial Hwy	558	Inglewood	6	0.63	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
1865	BI4402A	29	Crenshaw Blvd	582	Inglewood	6	0.66	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1871	BI510A	1	Figueroa St	2222	Los Angeles	6	2.52	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
1873	BI510A	3	Frigate Ave	205	Los Angeles	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
1881	BI510A	11	Avalon Blvd	1160	Los Angeles	6	1.32	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
1893	BI510A	23	Frigate Ave	1474	Los Angeles	4	1.12	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
1951	BI511D	15	N Pacific Ave	260	Los Angeles	6	0.30	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
1978	BI511D	42	N Pacific Ave	882	Los Angeles	6	1.00	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
2022	BI512A	8	S Pacific Ave	2536	Los Angeles	6	2.88	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			G
2154	BI534-1	1	Hawthorne Blvd	673	CO	6	0.76	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2155	BI534-1	2	S Hawthorne Blvd	100	CO	6	0.11	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2166	BI534-1	13	S La Brea Ave	290	Inglewood	6	0.33	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
2168	BI534-1	15	E Arbor Vitae St	1302	Inglewood	4	0.99	Secondary-Collector	64	8	1	8	16	0.36	4	20	HIGH			G
2171	BI534-1	18	S La Brea Ave	1173	Inglewood	6	1.33	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2173	BI534-1	20	E Arbor Vitae St	760	Inglewood	4	0.58	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
2177	BI534-1	24	W Arbor Vitae St	620	Inglewood	4	0.47	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
2197	BI534-1	44	S Hawthorne Blvd	1293	Inglewood	6	1.47	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2198	BI534-1	45	S La Brea Ave	1557	Inglewood	6	1.77	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2199	BI534-1	46	S Prairie Ave	13	Inglewood	6	0.01	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2200	BI534-1	47	W Century Blvd	4341	Inglewood	6	4.93	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2203	BI534-1	50	S Inglewood Ave	3297	Inglewood	4	2.50	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			G
2204	BI534-1	51	W Arbor Vitae St	2738	Inglewood	4	2.07	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			G
2253	BI534-1	100	S La Brea Ave	3157	Inglewood	6	3.59	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2254	BI534-1	101	S Market St	1864	Inglewood	6	2.12	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2255	BI534-1	102	E Arbor Vitae St	868	Inglewood	4	0.66	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			G
2285	BI534-2	5	S Prairie Ave	3729	Inglewood	6	4.24	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
2286	BI534-2	6	W Century Blvd	768	Inglewood	6	0.87	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
2287	BI534-2	7	E Arbor Vitae St	392	Inglewood	4	0.30	Secondary-Collector	64	8	1	8	16	0.36	4	20	HIGH			G
2290	BI534-2	10	Prairie Ave	15	Inglewood	6	0.02	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2291	BI534-2	11	S Prairie Ave	1495	Inglewood	6	1.70	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2292	BI534-2	12	W Imperial Hwy	1925	Inglewood	6	2.19	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2308	BI534-2	28	S Prairie Ave	2938	Inglewood	6	3.34	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2309	BI534-2	29	W Century Blvd	120	Inglewood	6	0.14	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2320	BI534-2	40	S Prairie Ave	218	Inglewood	6	0.25	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2321	BI534-2	41	W Century Blvd	233	Inglewood	6	0.26	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2340	BI536A	10	Rosecrans Ave	3929	Hawthorne	6	4.46	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
2424	BI661	1	Normandie Ave	2547	CO	6	2.89	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2444	BI661	21	W Sepulveda Blvd	1331	Los Angeles	6	1.51	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			G
2450	BI661	27	W Sepulveda Blvd	2010	Los Angeles	6	2.28	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2472	BI74	3	S Broadway	2401	CO	6	2.73	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2477	BI74	8	W Rosecrans Ave	1650	CO	6	1.88	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2488	BI74	19	S Broadway St	1224	CO	4	0.93	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
2495	BI74	26	S Broadway	62	CO	6	0.07	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2501	BI74	32	S Broadway St	92	CO	4	0.07	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			G
2520	BI74	51	S Figueroa St	3079	Los Angeles	6	3.50	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2522	BI74	53	W Redondo Beach Blvd	2152	Los Angeles	6	2.45	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
2549	BI74	80	S Broadway	1573	CO	6	1.79	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2553	BI74	84	W Redondo Beach Blvd	374	CO	6	0.43	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2554	BI74	85	W Rosecrans Ave	135	CO	6	0.15	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2582	BI74	113	S Broadway	312	CO	6	0.35	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
2584	BI74	115	W Redondo Beach Blvd	915	CO	6	1.04	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
2587	BI74	118	S Figueroa St	1990	Los Angeles	6	2.26	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2588	BI74	119	W Rosecrans Ave	2637	Los Angeles	6	3.00	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
2607	BI74	138	S Figueroa St	740	Los Angeles	6	0.84	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
2608	BI74	139	W Redondo Beach Blvd	183	Los Angeles	6	0.21	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			G
2610	BI74	141		636	CO	6	0.72	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
2611	BI74	142	E Redondo Beach Blvd	186	CO	6	0.21	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
2612	BI74	143	S Broadway	1732	CO	6	1.97	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
2615	BI74	146	W Redondo Beach Blvd	748	CO	6	0.85	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
2623	BI74	154	S Figueroa St	1624	Los Angeles	6	1.85	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
2631	BI76	3	Torrance Blvd	983	Los Angeles	6	1.12	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2633	BI76	5	Torrance Blvd	1015	Los Angeles	6	1.15	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
2647	BI76	19	W Carson St	2233	Los Angeles	6	2.54	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2671	BI77A	1	Pacific Coast Hwy	765	Los Angeles	6	0.87	Highway	100	10	0	10	13	0.45	6	26	HIGH			G
2673	BI77A	3	Normandie Ave	1943	Los Angeles	6	2.21	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
2675	BI77A	5	Pacific Coast Hwy	829	Lomita	6	0.94	Highway	100	10	2	6	13	0.45	6	22	HIGH			G
2682	BI77A	12	Pacific Coast Hwy	181	Lomita	6	0.21	Highway	100	10	2	6	16	0.36	4	20	HIGH			G
2693	BI77A	23	Frampton Ave	2506	Los Angeles	4	1.90	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
2699	BI77A	29	W 254th St	2802	Los Angeles	4	2.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
2700	BI77A	30	W 255th St	2971	Los Angeles	4	2.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
2703	BI77A	33	W 259th St	253	Los Angeles	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
2705	BI77A	35	Pacific Coast Hwy	1490	Los Angeles	6	1.69	Highway	100	10	1	8	13	0.45	6	24	HIGH			G
2706	BI77A	36	Western Ave	882	Los Angeles	6	1.00	Highway	100	10	1	8	13	0.45	6	24	HIGH			G
2712	BI77A	42	Frampton Ave	1032	Los Angeles	4	0.78	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			G
2728	BI77A	58	W 259th St	1600	Los Angeles	4	1.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			G
2731	BI77A	61	Pacific Coast Hwy	979	Los Angeles	6	1.11	Highway	100	10	2	6	13	0.45	6	22	HIGH			G
2732	BI77A	62	Western Ave	201	Los Angeles	6	0.23	Highway	100	10	2	6	13	0.45	6	22	HIGH			G
2733	BI77A	63	Western Ave	681	Los Angeles	6	0.77	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
2755	BI77A	85	W Anaheim St	1621	Los Angeles	6	1.84	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			G
2814	BI77A	144	W Anaheim St	607	Los Angeles	6	0.69	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			G
2826	BI79	4	N Gaffey St	151	Los Angeles	6	0.17	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
2839	BI79	17	N Gaffey St	2048	Los Angeles	6	2.33	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			G
2879	BI79	57	N Gaffey St	2119	Los Angeles	6	2.41	Primary-Arterial	100	10	2	6	14	0.81	10	26	HIGH			G
2885	BI79	63	N Gaffey St	401	Los Angeles	6	0.46	Primary-Arterial	100	10	2	6	16	0.36	4	20	HIGH			G
3071	BI9813	2	Figueroa St	2419	Los Angeles	6	2.75	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3072	BI9813	3	N Avalon Blvd	1163	Los Angeles	6	1.32	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			G
3076	BI9813	7	E R St	1371	Los Angeles	4	1.04	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			G
3079	BI9813	10	N Fries Ave	101	Los Angeles	4	0.08	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3080	BI9813	11	N Marine Ave	953	Los Angeles	4	0.72	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			G
3081	BI9813	12	W R St	660	Los Angeles	4	0.50	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			G
3083	BI9813	14	Figueroa Pl	2178	Los Angeles	4	1.65	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
3084	BI9813	15	Frigate Ave	1956	Los Angeles	4	1.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
3088	BI9813	19	W Denni St	1397	Los Angeles	4	1.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			G
3097	BI9813	28	Pacific Coast Hwy	2196	Los Angeles	6	2.50	Highway	100	10	0	10	14	0.81	10	30	HIGH			G
3098	BI9813	29	W Pacific Coast Hwy	3614	Los Angeles	6	4.11	Highway	100	10	0	10	14	0.81	10	30	HIGH			G
3100	BI9813	31	E Lomita Blvd	1375	Los Angeles	6	1.56	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3101	BI9813	32	Figueroa St	484	Los Angeles	6	0.55	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3103	BI9813	34	N Avalon Blvd	2710	Los Angeles	6	3.08	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3104	BI9813	35	N Wilmington Blvd	7013	Los Angeles	6	7.97	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3108	BI9813	39	Bayview Ave	5182	Los Angeles	4	3.93	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3109	BI9813	40	Broad Ave	2292	Los Angeles	4	1.74	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3115	BI9813	46	E Q St	1363	Los Angeles	4	1.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3118	BI9813	49	Figueroa Pl	405	Los Angeles	4	0.31	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3119	BI9813	50	Frigate Ave	1073	Los Angeles	4	0.81	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3124	BI9813	55	N Fries Ave	4295	Los Angeles	4	3.25	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3125	BI9813	56	N Gulf Ave	6549	Los Angeles	4	4.96	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3126	BI9813	57	N Island Ave	4394	Los Angeles	4	3.33	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3128	BI9813	59	N Marine Ave	2917	Los Angeles	4	2.21	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3131	BI9813	62	N Ravenna Ave	3705	Los Angeles	4	2.81	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3138	BI9813	69	W Denni St	2007	Los Angeles	4	1.52	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3143	BI9813	74	W L St	1671	Los Angeles	4	1.27	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3145	BI9813	76	W M St	3546	Los Angeles	4	2.69	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3147	BI9813	78	W Opp St	2319	Los Angeles	4	1.76	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3149	BI9813	80	W Q St	3580	Los Angeles	4	2.71	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3150	BI9813	81	W R St	2889	Los Angeles	4	2.19	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3152	BI9813	83	W Sandison St	3588	Los Angeles	4	2.72	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3185	BI9830	3	E E St	916	Los Angeles	4	0.69	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			G
3187	BI9830	5	Lecouvreur Ave	457	Los Angeles	4	0.35	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			G
3188	BI9830	6	N Banning Blvd	1435	Los Angeles	4	1.09	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			G
3191	BI9830	9	Pacific Coast Hwy	4695	Los Angeles	6	5.33	Highway	100	10	0	10	14	0.81	10	30	HIGH			G
3194	BI9830	12	Alameda St	4388	Los Angeles	6	4.99	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3195	BI9830	13	E Anaheim St	4843	Los Angeles	6	5.50	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3196	BI9830	14	N Avalon Blvd	326	Los Angeles	6	0.37	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3200	BI9830	18	Blinn Ave	4180	Los Angeles	4	3.17	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3201	BI9830	19	Broad Ave	3169	Los Angeles	4	2.40	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3203	BI9830	21	Coil Ave	2852	Los Angeles	4	2.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3205	BI9830	23	Drumm Ave	3451	Los Angeles	4	2.61	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3209	BI9830	27	E Denni St	5414	Los Angeles	4	4.10	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3210	BI9830	28	E E St	1776	Los Angeles	4	1.35	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3212	BI9830	30	E G St	4007	Los Angeles	4	3.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3215	BI9830	33	E L St	6125	Los Angeles	4	4.64	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3220	BI9830	38	E Opp St	5328	Los Angeles	4	4.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3230	BI9830	48	Lakme Ave	3957	Los Angeles	4	3.00	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3231	BI9830	49	Lecouvreur Ave	4643	Los Angeles	4	3.52	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3234	BI9830	52	N Banning Blvd	4429	Los Angeles	4	3.36	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3238	BI9830	56	Sanford Ave	4890	Los Angeles	4	3.70	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3240	BI9830	58	Watson Ave	5425	Los Angeles	4	4.11	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
3251	BODGR	10	Prairie Ave	2862	Hawthorne	6	3.25	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3287	DDI8NE	13	W Imperial Hwy	1383	Inglewood	6	1.57	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3319	DDI8NW-1	7	W Arbor Vitae St	133	Inglewood	4	0.10	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3327	DDI8NW-1	15	W Arbor Vitae St	1866	Inglewood	4	1.41	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			G
3349	DDI8NW-2	2		35	CO	6	0.04	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3350	DDI8NW-2	3	S La Cienega Blvd	592	CO	6	0.67	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3351	DDI8NW-2	4	W Imperial Hwy	495	CO	6	0.56	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH		X	G
3352	DDI8NW-2	5	S Inglewood Ave	327	CO	4	0.25	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH		X	G
3358	DDI8NW-2	11		1064	CO	6	1.21	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH		X	G
3359	DDI8NW-2	12	W Imperial Hwy	898	CO	6	1.02	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3360	DDI8NW-2	13	S Inglewood Ave	106	CO	4	0.08	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH		X	G
3364	DDI8NW-2	17	Hawthorne Blvd	2667	CO	6	3.03	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3365	DDI8NW-2	18	S La Cienega Blvd	3502	CO	6	3.98	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3367	DDI8NW-2	20	S Inglewood Ave	4233	CO	4	3.21	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH		X	G
3398	DDI8NW-2	51	W Imperial Hwy	788	Hawthorne	6	0.90	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3399	DDI8NW-2	52	S Inglewood Ave	447	Hawthorne	4	0.34	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3404	DDI8NW-2	57	Hawthorne Blvd	1700	Hawthorne	6	1.93	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3405	DDI8NW-2	58	W Imperial Hwy	2021	Hawthorne	6	2.30	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3420	DDI8NW-2	73	W Century Blvd	364	Inglewood	6	0.41	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3422	DDI8NW-2	75	S Inglewood Ave	990	Inglewood	4	0.75	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			G
3423	DDI8NW-2	76	W Arbor Vitae St	828	Inglewood	4	0.63	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			G
3458	DDI8NW-2	111	S La Cienega Blvd	653	Los Angeles	6	0.74	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3463	DDI8S	2	Aviation Blvd	1177	CO	6	1.34	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3464	DDI8S	3	W El Segundo Blvd	3325	CO	6	3.78	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3466	DDI8S	5	S Inglewood Ave	58	CO	4	0.04	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3468	DDI8S	7	W 120th St	453	CO	4	0.34	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3492	DDI8S	31	Aviation Blvd	556	CO	6	0.63	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3493	DDI8S	32	Crenshaw Blvd	27	CO	6	0.03	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3495	DDI8S	34	W El Segundo Blvd	294	CO	6	0.33	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3507	DDI8S	46	Aviation Blvd	192	El Segundo	6	0.22	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3526	DDI8S	65	Crenshaw Blvd	759	Hawthorne	6	0.86	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3527	DDI8S	66	Hawthorne Blvd	702	Hawthorne	6	0.80	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3528	DDI8S	67	W El Segundo Blvd	2322	Hawthorne	6	2.64	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3529	DDI8S	68	S Inglewood Ave	2422	Hawthorne	4	1.84	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3530	DDI8S	69	W 120th St	795	Hawthorne	4	0.60	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3556	DDI8S	95	Crenshaw Blvd	1865	Hawthorne	6	2.12	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3558	DDI8S	97	Hawthorne Blvd	1303	Hawthorne	6	1.48	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3559	DDI8S	98	Prairie Ave	2638	Hawthorne	6	3.00	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3560	DDI8S	99	S Prairie Ave	3075	Hawthorne	6	3.49	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3561	DDI8S	100	W El Segundo Blvd	7751	Hawthorne	6	8.81	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3562	DDI8S	101	S Inglewood Ave	849	Hawthorne	4	0.64	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3563	DDI8S	102	W 120th St	3846	Hawthorne	4	2.91	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3593	DDI8S	132	Hawthorne Blvd	2299	Hawthorne	6	2.61	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3594	DDI8S	133	W El Segundo Blvd	996	Hawthorne	6	1.13	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3595	DDI8S	134	W 120th St	1959	Hawthorne	4	1.48	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			G
3847	LA24857	1	S Vermont Ave	1501	CO	6	1.71	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH		X	G
3848	LA24857	2	Knox St	1309	CO	4	0.99	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
3850	LA24857	4	S Vermont Ave	685	Los Angeles	6	0.78	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4299	LGADM_7	1	Prairie Ave	2792	CO	6	3.17	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
4309	LGADM_7	11	Prairie Ave	636	CO	6	0.72	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			G
3855	LGADM-1	1	Aviation Blvd	1421	CO	6	1.61	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3858	LGADM-1	4	W 120th St	2917	CO	4	2.21	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3862	LGADM-1	8	Isis Ave	1993	CO	4	1.51	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3863	LGADM-1	9	Judah Ave	1954	CO	4	1.48	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
3866	LGADM-1	12	W 117th St	1226	CO	4	0.93	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
3867	LGADM-1	13	W 118th Pl	1750	CO	4	1.33	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
3868	LGADM-1	14	W 118th St	1434	CO	4	1.09	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
3870	LGADM-1	16	W 119th St	2219	CO	4	1.68	Minor-Local	60	6	0	10	9	0.27	2	18	MED		X	G
3871	LGADM-1	17	Aviation Blvd	516	El Segundo	6	0.59	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3872	LGADM-1	18	E Imperial Hwy	139	El Segundo	6	0.16	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3873	LGADM-1	19	E Imperial Hwy	1598	El Segundo	4	1.21	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3895	LGADM-1	41	Aviation Blvd	2516	Los Angeles	6	2.86	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3896	LGADM-1	42	Avion Dr	1986	Los Angeles	6	2.26	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3897	LGADM-1	43	E Imperial Hwy	311	Los Angeles	6	0.35	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3899	LGADM-1	45	E Imperial Hwy	120	El Segundo	6	0.14	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3900	LGADM-1	46	E Imperial Hwy	491	El Segundo	4	0.37	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3907	LGADM-1	53	W 120th St	1719	Hawthorne	4	1.30	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3916	LGADM-1	62	S Inglewood Ave	1850	Hawthorne	4	1.40	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3917	LGADM-1	63	W 120th St	87	Hawthorne	4	0.07	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3924	LGADM-1	70	Hawthorne Blvd	1280	Hawthorne	6	1.45	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
3936	LGADM-1	82	Aviation Blvd	3550	Los Angeles	6	4.03	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3937	LGADM-1	83	Avion Dr	1207	Los Angeles	6	1.37	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3938	LGADM-1	84	E Imperial Hwy	609	Los Angeles	6	0.69	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3939	LGADM-1	85	Imperial Hwy	121	Los Angeles	6	0.14	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3940	LGADM-1	86	W Century Blvd	1205	Los Angeles	6	1.37	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3941	LGADM-1	87	W Imperial Hwy	2653	Los Angeles	6	3.01	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
3942	LGADM-1	88	E Imperial Hwy	694	Los Angeles	4	0.53	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			G
3954	LGADM-1	100	W Century Blvd	4703	Los Angeles	6	5.34	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3955	LGADM-1	101	E Imperial Hwy	338	Los Angeles	4	0.26	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
3968	LGADM-1	114	E Imperial Hwy	602	Los Angeles	6	0.68	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
3970	LGADM-1	116	E Imperial Hwy	213	Los Angeles	4	0.16	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			G
3975	LGADM-10	4	Normandie Ave	1031	Los Angeles	6	1.17	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
3977	LGADM-10	6	S Vermont Ave	2074	Los Angeles	6	2.36	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4002	LGADM-10	31	S Vermont Ave	1295	Los Angeles	6	1.47	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
4009	LGADM-11	1	S Vermont Ave	151	CO	6	0.17	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH		X	G
4010	LGADM-11	2	Hamilton Ave	24	CO	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
4011	LGADM-11	3	Knox St	132	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
4012	LGADM-11	4	S Hamilton Ave	831	CO	4	0.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
4014	LGADM-11	6	S Vermont Ave	41	Los Angeles	6	0.05	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4016	LGADM-11	8	W 190th St	1873	Los Angeles	6	2.13	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4017	LGADM-11	9	Hamilton Ave	86	Los Angeles	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH		X	G
4021	LGADM-16	3	Pacific Coast Hwy	608	Los Angeles	6	0.69	Highway	100	10	0	10	6	0.33	3	23	HIGH			G
4029	LGADM-16	11	Eubank Ave	463	Los Angeles	4	0.35	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			G
4031	LGADM-16	13	Pacific Coast Hwy	2630	Los Angeles	6	2.99	Highway	100	10	0	10	14	0.81	10	30	HIGH			G
4035	LGADM-16	17	Alameda St	1446	Los Angeles	6	1.64	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4036	LGADM-16	18	E Lomita Blvd	502	Los Angeles	6	0.57	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4039	LGADM-16	21	Blinn Ave	1254	Los Angeles	4	0.95	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4047	LGADM-16	29	E Lomita Blvd	1149	Los Angeles	4	0.87	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4052	LGADM-16	34	Eubank Ave	2133	Los Angeles	4	1.62	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4060	LGADM-16	42	Pacific Coast Hwy	413	Los Angeles	6	0.47	Highway	100	10	0	10	15	0.72	7	27	HIGH			G
4067	LGADM-16	49	Pacific Coast Hwy	523	Los Angeles	6	0.59	Highway	100	10	1	8	14	0.81	10	28	HIGH			G
4093	LGADM-17	24	Alameda St	1564	Los Angeles	6	1.78	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4094	LGADM-17	25	E Anaheim St	245	Los Angeles	6	0.28	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4123	LGADM-2	13	S Prairie Ave	838	Hawthorne	6	0.95	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4124	LGADM-2	14	W Imperial Hwy	1453	Hawthorne	6	1.65	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4132	LGADM-2	22	W Imperial Hwy	1119	Hawthorne	6	1.27	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			G
4142	LGADM-2	32	Prairie Ave	78	Inglewood	6	0.09	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4143	LGADM-2	33	S Prairie Ave	872	Inglewood	6	0.99	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4156	LGADM-3	7	Crenshaw Blvd	1304	Hawthorne	6	1.48	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4157	LGADM-3	8	W 120th St	4486	Hawthorne	4	3.40	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			G
4175	LGADM-3	26	Crenshaw Blvd	66	Hawthorne	6	0.08	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
4176	LGADM-3	27	W 120th St	2118	Hawthorne	4	1.60	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			G
4182	LGADM-4	2	W El Segundo Blvd	2440	Hawthorne	6	2.77	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4187	LGADM-4	7	S Van Ness Ave	1472	CO	4	1.11	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			G
4189	LGADM-4	9	W El Segundo Blvd	808	Hawthorne	6	0.92	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
4190	LGADM-4	10	S Van Ness Ave	446	Hawthorne	4	0.34	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			G
4206	LGADM-5	1	Crenshaw Blvd	691	CO	6	0.79	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
4216	LGADM-5	11	Crenshaw Blvd	604	CO	6	0.69	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4232	LGADM-5	27	Crenshaw Blvd	160	Hawthorne	6	0.18	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
4233	LGADM-5	28	Rosecrans Ave	1192	Hawthorne	6	1.35	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
4247	LGADM-6	1	Manhattan Beach Blvd	2027	CO	6	2.30	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
4269	LGADM-6	23	Manhattan Beach Blvd	509	CO	6	0.58	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			G
4424	Port04	11	E Anaheim St	800	Los Angeles	6	0.91	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4481	Port15	1	Figueroa St	542	Los Angeles	6	0.62	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4520	SD2002	1	Redondo Beach Blvd	2972	CO	6	3.38	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			G
4525	SD2002	6	Prairie Ave	246	CO	6	0.28	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			G
4526	SD2002	7	Redondo Beach Blvd	688	CO	6	0.78	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			G
4618	SPB08	4	S Pacific Ave	2145	Los Angeles	6	2.44	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			G
4630	SPB08	16	S Pacific Ave	1128	Los Angeles	6	1.28	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			G
4672	SPB08	58	N Pacific Ave	871	Los Angeles	6	0.99	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
4675	SPB08	61	S Pacific Ave	583	Los Angeles	6	0.66	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			G
4710	SPB08	96	S Pacific Ave	405	Los Angeles	6	0.46	Primary-Arterial	100	10	2	6	16	0.36	4	20	HIGH			G
4723	SPB08	109	W 6th St	2264	CO	4	1.72	Secondary-Collector	64	8	3	4	4	0.4	5	17	MED		X	G
4787	SPB08	173	W 6th St	1467	CO	4	1.11	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED		X	G
4917	SPB11	12	W Anaheim St	3093	Los Angeles	6	3.52	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4924	SPB11	19	N Fries Ave	2852	Los Angeles	4	2.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4935	SPB11	30	W Denni St	843	Los Angeles	4	0.64	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4936	SPB11	31	W E St	1188	Los Angeles	4	0.90	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4938	SPB11	33	W G St	1194	Los Angeles	4	0.90	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4941	SPB11	36	W Opp St	1552	Los Angeles	4	1.18	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4944	SPB12	2	N Avalon Blvd	1738	Los Angeles	6	1.98	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			G
4949	SPB12	7	E E St	874	Los Angeles	4	0.66	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			G
4952	SPB12	10	N Avalon Blvd	529	Los Angeles	4	0.40	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			G
4954	SPB12	12	S Avalon Blvd	1138	Los Angeles	4	0.86	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			G
4959	SPB12	17	W E St	292	Los Angeles	4	0.22	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			G
4962	SPB12	20	E Anaheim St	362	Los Angeles	6	0.41	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4963	SPB12	21	N Avalon Blvd	4237	Los Angeles	6	4.81	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4964	SPB12	22	W Anaheim St	402	Los Angeles	6	0.46	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			G
4969	SPB12	27	E G St	748	Los Angeles	4	0.57	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4972	SPB12	30	E Opp St	107	Los Angeles	4	0.08	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4973	SPB12	31	N Fries Ave	1609	Los Angeles	4	1.22	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4976	SPB12	34	W Denni St	1139	Los Angeles	4	0.86	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4977	SPB12	35	W E St	122	Los Angeles	4	0.09	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4979	SPB12	37	W G St	384	Los Angeles	4	0.29	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G
4982	SPB12	40	W Opp St	797	Los Angeles	4	0.60	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			G

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
112	BI10-1	112	W El Segundo Blvd	76	Los Angeles	6	0.09	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
539	BI1104-1	8	Pacific Coast Hwy	717	Lomita	6	0.81	Highway	100	10	2	6	16	0.36	4	20	HIGH			
585	BI1104-2	1	Normandie Ave	3782	CO	6	4.30	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
586	BI1104-2	2	S Vermont Ave	4787	CO	6	5.44	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
587	BI1104-2	3	W Lomita Blvd	1459	CO	6	1.66	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
665	BI1104-2	81	Western Ave	6744	Los Angeles	6	7.66	Highway	100	10	0	10	13	0.45	6	26	HIGH			
666	BI1104-2	82	Normandie Ave	415	Los Angeles	6	0.47	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
677	BI1104-2	93	Pacific Coast Hwy	438	Lomita	6	0.50	Highway	100	10	2	6	16	0.36	4	20	HIGH			
682	BI1104-2	98	Lomita Blvd	466	Lomita	6	0.53	Primary-Arterial	100	10	0	10	4	0.4	5	25	HIGH			
684	BI1104-2	100	Ebony Ln	315	Lomita	4	0.24	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
686	BI1104-2	102	Lomita Blvd	670	Lomita	6	0.76	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
689	BI1104-2	105	247th St	792	Lomita	4	0.60	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
696	BI1104-2	112	Ebony Ln	729	Lomita	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
701	BI1104-2	117	W 247th St	233	Lomita	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
706	BI1104-2	122	Western Ave	1285	Los Angeles	6	1.46	Highway	100	10	0	10	4	0.4	5	25	HIGH			
707	BI1104-2	123	Lomita Blvd	360	Los Angeles	6	0.41	Primary-Arterial	100	10	0	10	4	0.4	5	25	HIGH			
708	BI1104-2	124	W Lomita Blvd	628	Los Angeles	6	0.71	Primary-Arterial	100	10	0	10	4	0.4	5	25	HIGH			
714	BI1104-2	130	W Lomita Blvd	1945	Los Angeles	6	2.21	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
731	BI1104-2	147	President Ave	3083	Los Angeles	4	2.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
741	BI1104-2	157	W 247th St	2098	Los Angeles	4	1.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
747	BI1104-2	163	W 254th St	611	Los Angeles	4	0.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
751	BI1104-2	167	S Vermont Ave	629	CO	6	0.72	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
752	BI1104-2	168	W Lomita Blvd	1813	CO	6	2.06	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
779	BI1104-2	195	254th St	1078	Lomita	4	0.82	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
780	BI1104-2	196	Ebony Ln	489	Lomita	4	0.37	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
794	BI1104-2	210	Pacific Coast Hwy	501	Lomita	6	0.57	Highway	100	10	2	6	4	0.4	5	21	HIGH			
941	BI1202	1	E Del Amo Blvd	422	CO	6	0.48	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
943	BI1202	3	E Del Amo Blvd	628	CO	6	0.71	Primary-Arterial	100	10	2	6	6	0.33	3	19	MED			
945	BI1202	5	E Del Amo Blvd	1492	CO	6	1.70	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
160	BI12-1	22	S Sepulveda Blvd	3267	El Segundo	6	3.71	Highway	100	10	0	10	10	0.74	8	28	HIGH			
161	BI12-1	23	Rosecrans Ave	1212	El Segundo	6	1.38	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			
193	BI12-1	55	E El Segundo Blvd	1699	El Segundo	6	1.93	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
194	BI12-1	56	Rosecrans Ave	538	El Segundo	6	0.61	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
274	BI12-1	136	S Sepulveda Blvd	1524	El Segundo	6	1.73	Highway	100	10	1	8	10	0.74	8	26	HIGH			
278	BI12-2	1	Inglewood Ave	281	CO	4	0.21	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
279	BI12-2	2	S Inglewood Ave	1284	CO	4	0.97	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
304	BI12-2	27	S Inglewood Ave	140	CO	4	0.11	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
307	BI12-2	30	S La Cienega Blvd	3797	CO	4	2.88	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
332	BI12-2	55	S Inglewood Ave	2454	Hawthorne	4	1.86	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
355	BI12-2	78	S Inglewood Ave	1321	Hawthorne	4	1.00	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
831	BI12-4	27	Hawthorne Blvd	102	Hawthorne	6	0.12	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
833	BI12-4	29	W Rosecrans Ave	224	Hawthorne	6	0.26	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
1160	BI13B	2	Aviation Blvd	3706	Los Angeles	6	4.21	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1370	BI4-1	17	W Arbor Vitae St	2091	Inglewood	4	1.58	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1404	BI4-1	51	W Arbor Vitae St	532	Inglewood	4	0.40	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1513	BI4-2	34	S Western Ave	483	CO	6	0.55	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			
1520	BI4-2	41	S Western Ave	874	CO	6	0.99	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1574	BI4-2	95	S Western Ave	107	Los Angeles	6	0.12	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1585	BI4-2	106	S Western Ave	934	CO	6	1.06	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
1703	BI4401-1	6	Crenshaw Blvd	1762	Inglewood	6	2.00	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1704	BI4401-1	7	E Manchester Blvd	877	Inglewood	6	1.00	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1734	BI4401-1	37	Crenshaw Blvd	508	Inglewood	6	0.58	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1735	BI4401-1	38	E Manchester Blvd	835	Inglewood	6	0.95	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1740	BI4401-1	43	Pincay Dr	2373	Inglewood	4	1.80	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1779	BI4401-2	6	Crenshaw Blvd	970	Inglewood	6	1.10	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1784	BI4401-2	11	S Doty Ave	1244	Inglewood	4	0.94	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1791	BI4401-2	18	Crenshaw Blvd	843	Inglewood	6	0.96	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1794	BI4401-2	21	Pincay Dr	778	Inglewood	4	0.59	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1800	BI4401-2	27	S Doty Ave	1219	Inglewood	4	0.92	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1806	BI4401-2	33	Pincay Dr	1551	Inglewood	4	1.18	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
1830	BI4401-2	57	Pincay Dr	602	Inglewood	4	0.46	Secondary-Collector	64	8	3	4	13	0.45	6	18	MED			
1847	BI4402A	11	S Cherry Ave	1767	Inglewood	4	1.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1849	BI4402A	13	S Lemoli Ave	1121	Inglewood	4	0.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1855	BI4402A	19	W 116th St	334	Inglewood	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1862	BI4402A	26		558	Inglewood	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1863	BI4402A	27	S Lemoli Ave	1526	Inglewood	4	1.16	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2160	BI534-1	7	W 104th St	1904	CO	4	1.44	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2170	BI534-1	17	E Manchester Blvd	821	Inglewood	6	0.93	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2252	BI534-1	99	E Manchester Blvd	695	Inglewood	6	0.79	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2282	BI534-2	2	W 116th St	624	Hawthorne	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2289	BI534-2	9	Doty Ave	407	Hawthorne	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2294	BI534-2	14	S Doty Ave	872	Inglewood	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2310	BI534-2	30	Lennox Blvd	146	Inglewood	4	0.11	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
2331	BI536A	1	W 135th St	265	CO	4	0.20	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2338	BI536A	8	Hawthorne Blvd	4252	Hawthorne	6	4.83	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
2339	BI536A	9	Prairie Ave	3186	Hawthorne	6	3.62	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
2341	BI536A	11	W Rosecrans Ave	305	Hawthorne	6	0.35	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
2370	BI536A	40	Prairie Ave	1111	Hawthorne	6	1.26	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2371	BI536A	41	W 135th St	2745	Hawthorne	4	2.08	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2378	BI541-1	1	E Del Amo Blvd	1430	CO	6	1.62	Primary-Arterial	100	10	0	10	6	0.33	3	23	HIGH			
2386	BI541-1	9	E Del Amo Blvd	736	CO	6	0.84	Primary-Arterial	100	10	1	8	6	0.33	3	21	HIGH			
2397	BI541-1	20	E Del Amo Blvd	87	CO	6	0.10	Primary-Arterial	100	10	2	6	6	0.33	3	19	MED			
2471	BI74	2	E Alondra Blvd	704	CO	6	0.80	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2476	BI74	7	W Alondra Blvd	993	CO	6	1.13	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2497	BI74	28	W Alondra Blvd	1045	CO	6	1.19	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
3007	BI8101	7	S Western Ave	1146	Los Angeles	6	1.30	Highway	100	10	0	10	13	0.45	6	26	HIGH			
3008	BI8101	8	Western Ave	1348	Los Angeles	6	1.53	Highway	100	10	0	10	13	0.45	6	26	HIGH			
3130	BI9813	61	N Neptune Ave	4032	Los Angeles	4	3.05	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3184	BI9830	2	E D St	815	Los Angeles	4	0.62	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
3208	BI9830	26	E D St	599	Los Angeles	4	0.45	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3216	BI9830	34	E M St	3642	Los Angeles	4	2.76	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3217	BI9830	35	E Mauretania St	2625	Los Angeles	4	1.99	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3223	BI9830	41	E Sandison St	2706	Los Angeles	4	2.05	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3226	BI9830	44	Eubank Ave	6150	Los Angeles	4	4.66	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3289	DDI8NE	15	Yukon Ave	2546	Inglewood	4	1.93	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3292	DDI8NE	18	S Doty Ave	1944	Inglewood	4	1.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3302	DDI8NE	28	W 116th St	1018	Inglewood	4	0.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3357	DDI8NW-2	10	W 111th St	940	CO	4	0.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3366	DDI8NW-2	19	Lennox Blvd	6967	CO	4	5.28	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
3389	DDI8NW-2	42	W 104th St	4185	CO	4	3.17	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3395	DDI8NW-2	48	W 111th St	3067	CO	4	2.32	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3418	DDI8NW-2	71	W 116th St	664	Hawthorne	4	0.50	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3421	DDI8NW-2	74	Lennox Blvd	291	Inglewood	4	0.22	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
3584	DDI8S	123	Northrop Ave	5272	Hawthorne	4	3.99	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3611	DEAMO	2	E Del Amo Blvd	1451	CO	6	1.65	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
3612	DEAMO	3	S Wilmington Ave	548	CO	6	0.62	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
3617	DEAMO	8	S Wilmington Ave	1568	CO	6	1.78	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3625	DEAMO	16	S Wilmington Ave	899	CO	6	1.02	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
3634	DEAMO	25	S Wilmington Ave	1741	CO	6	1.98	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
3645	HLYPK	5	W Imperial Hwy	549	CO	6	0.62	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
3664	HLYPK	24	W Imperial Hwy	1268	CO	6	1.44	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3693	HLYPK	53	W Imperial Hwy	1582	CO	6	1.80	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			
3717	HLYPK	77	W 120th St	3261	CO	4	2.47	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
3766	HLYPK	126	W Imperial Hwy	544	CO	6	0.62	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
3777	HLYPK	137	S Western Ave	3280	CO	6	3.73	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3778	HLYPK	138	W El Segundo Blvd	2112	CO	6	2.40	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3779	HLYPK	139	W Imperial Hwy	594	CO	6	0.68	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3781	HLYPK	141	W 120th St	1757	CO	4	1.33	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
3812	HLYPK	172	W El Segundo Blvd	245	Hawthorne	6	0.28	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3822	HLYPK	182	W El Segundo Blvd	91	Los Angeles	6	0.10	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3826	HLYPK	186	Laconia Blvd	127	Los Angeles	4	0.10	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3833	HLYPK	193	S Western Ave	4055	CO	6	4.61	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
3834	HLYPK	194	W El Segundo Blvd	2643	CO	6	3.00	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
3835	HLYPK	195	W Imperial Hwy	79	CO	6	0.09	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
3932	LGADM-1	78	W 116th St	1205	Hawthorne	4	0.91	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3974	LGADM-10	3	Figueroa St	385	Los Angeles	6	0.44	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3976	LGADM-10	5	S Figueroa St	1498	Los Angeles	6	1.70	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
4051	LGADM-16	33	E Sandison St	1005	Los Angeles	4	0.76	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4100	LGADM-17	31	E Mauretania St	668	Los Angeles	4	0.51	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4115	LGADM-2	5	W 111th St	792	CO	4	0.60	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4119	LGADM-2	9	W 111th St	779	CO	4	0.59	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4121	LGADM-2	11	W 116th St	1874	Hawthorne	4	1.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4139	LGADM-2	29	W 116th St	1317	Hawthorne	4	1.00	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4146	LGADM-2	36	W 111th St	301	Inglewood	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4160	LGADM-3	11	Doty Ave	1373	Hawthorne	4	1.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4207	LGADM-5	2	W 135th St	1108	CO	4	0.84	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
4218	LGADM-5	13	W 135th St	907	CO	4	0.69	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
4888	SPB10	6	N Wilmington Blvd	3166	Los Angeles	6	3.60	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4902	SPB10	20	W E St	2406	Los Angeles	4	1.82	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4915	SPB11	10	W D St	1055	Los Angeles	4	0.80	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4948	SPB12	6	E D St	1141	Los Angeles	4	0.86	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4958	SPB12	16	W D St	213	Los Angeles	4	0.16	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
2	BI10-1	2	S Main St	885	CO	6	1.01	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
4	BI10-1	4		1056	CO	4	0.80	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
5	BI10-1	5	E 126th St	22	CO	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
6	BI10-1	6	E 127th St	215	CO	4	0.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
7	BI10-1	7	E 130th St	201	CO	4	0.15	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
8	BI10-1	8	S Carlton Ave	437	CO	4	0.33	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
11	BI10-1	11	S Broadway St	1736	CO	6	1.97	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
12	BI10-1	12	S Main St	1871	CO	6	2.13	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
13	BI10-1	13	E 124th St	447	CO	4	0.34	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
14	BI10-1	14	E 135th St	162	CO	4	0.12	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
15	BI10-1	15	W 135th St	1988	CO	4	1.51	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
16	BI10-1	16		5426	CO	4	4.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
17	BI10-1	17	Cook St	655	CO	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
18	BI10-1	18	E 126th St	296	CO	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
19	BI10-1	19	E 127th St	259	CO	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
20	BI10-1	20	E 130th St	688	CO	4	0.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
21	BI10-1	21	E 132nd St	986	CO	4	0.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
22	BI10-1	22	Jarvis Ave	1582	CO	4	1.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
23	BI10-1	23	S Carlton Ave	1181	CO	4	0.89	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
24	BI10-1	24	S Spring St	149	CO	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
25	BI10-1	25	Trinity St	116	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
26	BI10-1	26	W 131st St	744	CO	4	0.56	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
27	BI10-1	27	W 132nd St	614	CO	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
28	BI10-1	28	W 134th St	934	CO	4	0.71	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
29	BI10-1	29	W 138th St	108	CO	4	0.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
30	BI10-1	30	Wall St	184	CO	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
32	BI10-1	32	S Main St	1418	CO	6	1.61	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			
34	BI10-1	34	E 124th St	648	CO	4	0.49	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
35	BI10-1	35	W 124th St	860	CO	4	0.65	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
36	BI10-1	36		4978	CO	4	3.77	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
37	BI10-1	37	Bremerton Wy	125	CO	4	0.10	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
38	BI10-1	38	E 126th St	756	CO	4	0.57	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
39	BI10-1	39	E 127th St	409	CO	4	0.31	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
40	BI10-1	40	Maple Ave	191	CO	4	0.14	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
41	BI10-1	41	S Los Angeles St	200	CO	4	0.15	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
42	BI10-1	42	S Spring St	197	CO	4	0.15	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
43	BI10-1	43	W 122nd St	581	CO	4	0.44	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
44	BI10-1	44	W 123rd St	409	CO	4	0.31	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
45	BI10-1	45	W 126th St	855	CO	4	0.65	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
46	BI10-1	46	W 127th St	834	CO	4	0.63	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
47	BI10-1	47	Broadway	280	CO	6	0.32	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
51	BI10-1	51	E 124th St	109	CO	4	0.08	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
52	BI10-1	52	W 124th St	460	CO	4	0.35	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
53	BI10-1	53	W 135th St	519	CO	4	0.39	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
54	BI10-1	54		12096	CO	4	9.16	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
55	BI10-1	55	Athens Blvd	274	CO	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
56	BI10-1	56	Athens Wy	7362	CO	4	5.58	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
57	BI10-1	57	Laconia Blvd	356	CO	4	0.27	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
58	BI10-1	58	S Flower St	224	CO	4	0.17	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
59	BI10-1	59	S Spring St	1135	CO	4	0.86	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
60	BI10-1	60	W 121st St	18	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
61	BI10-1	61	W 122nd St	228	CO	4	0.17	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
62	BI10-1	62	W 123rd St	141	CO	4	0.11	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
63	BI10-1	63	W 124th St	827	CO	4	0.63	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
64	BI10-1	64	W 126th St	795	CO	4	0.60	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
65	BI10-1	65	W 127th St	811	CO	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
66	BI10-1	66	W 129th St	161	CO	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
67	BI10-1	67	W 130th St	901	CO	4	0.68	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
68	BI10-1	68	W 131st St	1490	CO	4	1.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
69	BI10-1	69	W 132nd St	1410	CO	4	1.07	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
70	BI10-1	70	W 133rd St	693	CO	4	0.53	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
71	BI10-1	71	W Athens Blvd	274	CO	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
72	BI10-1	72		161	CO	1	0.03	Alley	20	4	1	8	13	0.45	6	18	MED			
73	BI10-1	73		152	Los Angeles	6	0.17	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
77	BI10-1	77	S Hoover St	356	Los Angeles	4	0.27	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
78	BI10-1	78	W 135th St	1327	Los Angeles	4	1.01	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
79	BI10-1	79		310	Los Angeles	4	0.24	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
80	BI10-1	80	Ainsworth St	1422	Los Angeles	4	1.08	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
81	BI10-1	81	Athens Blvd	804	Los Angeles	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
82	BI10-1	82	Denver Ave	64	Los Angeles	4	0.05	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
83	BI10-1	83	Estrella Ave	132	Los Angeles	4	0.10	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
84	BI10-1	84	Laconia Blvd	421	Los Angeles	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
85	BI10-1	85	S 127th St	465	Los Angeles	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
86	BI10-1	86	S Denver Ave	113	Los Angeles	4	0.09	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
87	BI10-1	87	S Hoover St	3161	Los Angeles	4	2.39	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
88	BI10-1	88	S Menlo Ave	1981	Los Angeles	4	1.50	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
89	BI10-1	89	W 121st St	740	Los Angeles	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
90	BI10-1	90	W 124th St	103	Los Angeles	4	0.08	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
91	BI10-1	91	W 126th St	252	Los Angeles	4	0.19	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
92	BI10-1	92	W 127th St	760	Los Angeles	4	0.58	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
93	BI10-1	93	W 129th St	555	Los Angeles	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
94	BI10-1	94	W 130th St	1072	Los Angeles	4	0.81	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
95	BI10-1	95	W 131st St	151	Los Angeles	4	0.11	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
96	BI10-1	96	W 136th St	178	Los Angeles	4	0.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
97	BI10-1	97	W 137th Pl	654	Los Angeles	4	0.50	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
98	BI10-1	98	W 137th St	493	Los Angeles	4	0.37	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
99	BI10-1	99	W 138th St	883	Los Angeles	4	0.67	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
100	BI10-1	100	W 139th St	707	Los Angeles	4	0.54	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
101	BI10-1	101	W 140th St	1800	Los Angeles	4	1.36	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
102	BI10-1	102	W 141st St	641	Los Angeles	4	0.49	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
103	BI10-1	103	W 142nd St	636	Los Angeles	4	0.48	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
104	BI10-1	104	W Athens Blvd	1350	Los Angeles	4	1.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
105	BI10-1	105	W Laconia Blvd	368	Los Angeles	4	0.28	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
106	BI10-1	106		1683	Los Angeles	1	0.32	Alley	20	4	1	8	13	0.45	6	18	MED			
107	BI10-1	107		113	CO	4	0.09	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
108	BI10-1	108	Athens Wy	37	CO	4	0.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
109	BI10-1	109	W 132nd St	95	CO	4	0.07	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
111	BI10-1	111	S Vermont Ave	126	Los Angeles	6	0.14	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
113	BI10-1	113	W 135th St	1274	Los Angeles	4	0.97	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
114	BI10-1	114	Ainsworth St	915	Los Angeles	4	0.69	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
115	BI10-1	115	Athens Blvd	98	Los Angeles	4	0.07	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
116	BI10-1	116	Denver Ave	897	Los Angeles	4	0.68	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
117	BI10-1	117	Estrella Ave	1097	Los Angeles	4	0.83	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
118	BI10-1	118	Menlo Ave	342	Los Angeles	4	0.26	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
119	BI10-1	119	S Denver Ave	897	Los Angeles	4	0.68	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
120	BI10-1	120	S Hoover St	1692	Los Angeles	4	1.28	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
121	BI10-1	121	S Menlo Ave	1559	Los Angeles	4	1.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
122	BI10-1	122	W 124th St	439	Los Angeles	4	0.33	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
123	BI10-1	123	W 129th St	735	Los Angeles	4	0.56	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
124	BI10-1	124	W 130th St	735	Los Angeles	4	0.56	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
125	BI10-1	125	W 131st St	382	Los Angeles	4	0.29	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
126	BI10-1	126	W 132nd St	1070	Los Angeles	4	0.81	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
127	BI10-1	127	W 133rd St	383	Los Angeles	4	0.29	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
128	BI10-1	128	W 134th St	1120	Los Angeles	4	0.85	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
129	BI10-1	129	W 136th St	485	Los Angeles	4	0.37	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
130	BI10-1	130	W 137th St	170	Los Angeles	4	0.13	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
131	BI10-1	131	W Athens Blvd	141	Los Angeles	4	0.11	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
132	BI10-1	132		6211	Los Angeles	1	1.18	Alley	20	4	2	6	13	0.45	6	16	MED			
133	BI10-1	133	Menlo Ave	31	Los Angeles	4	0.02	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
134	BI10-1	134	S Menlo Ave	851	Los Angeles	4	0.64	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
135	BI10-1	135	W 131st St	735	Los Angeles	4	0.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
136	BI10-1	136	W 132nd St	735	Los Angeles	4	0.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
137	BI10-1	137	W 133rd St	735	Los Angeles	4	0.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
138	BI10-1	138		1471	Los Angeles	1	0.28	Alley	20	4	3	4	13	0.45	6	14	LOW			
382	BI1103	4		1317	Los Angeles	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
383	BI1103	5	Campus Dr	876	Los Angeles	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
384	BI1103	6	Comber Pl	312	Los Angeles	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
385	BI1103	7	Dodge Ave	1349	Los Angeles	4	1.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
386	BI1103	8	Eudora Ave	958	Los Angeles	4	0.73	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
389	BI1103	11	Harborlight Dr	2122	Los Angeles	4	1.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
390	BI1103	12	L St	3495	Los Angeles	4	2.65	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
391	BI1103	13	Lagoon Dr	2553	Los Angeles	4	1.93	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
392	BI1103	14	Lighthouse Dr	1412	Los Angeles	4	1.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
393	BI1103	15	Lynton Ave	305	Los Angeles	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
394	BI1103	16	McCoy Ave	185	Los Angeles	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
395	BI1103	17	Palm Breeze Ln	905	Los Angeles	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
396	BI1103	18	Pine Creek Ln	3142	Los Angeles	4	2.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
397	BI1103	19	Pine Creek Ter	2743	Los Angeles	4	2.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
398	BI1103	20	Rocky Point Rd	867	Los Angeles	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
399	BI1103	21	Surf Ct	515	Los Angeles	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
400	BI1103	22	W 255th St	285	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
401	BI1103	23	W Cruces St	585	Los Angeles	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
402	BI1103	24	W Dolores St	414	Los Angeles	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
403	BI1103	25	W M St	1135	Los Angeles	4	0.86	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
404	BI1103	26	W Mauretania St	1125	Los Angeles	4	0.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
405	BI1103	27	W Q St	216	Los Angeles	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
406	BI1103	28	W Robidoux St	1017	Los Angeles	4	0.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
407	BI1103	29	W Sandison St	580	Los Angeles	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
410	BI1103	32		339	Los Angeles	4	0.26	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
413	BI1103	35	Van Tress Ave	309	Los Angeles	4	0.23	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
414	BI1103	36	W Cruces St	1172	Los Angeles	4	0.89	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
415	BI1103	37	W Dolores St	1307	Los Angeles	4	0.99	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
416	BI1103	38	W G St	114	Los Angeles	4	0.09	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
417	BI1103	39	W I St	246	Los Angeles	4	0.19	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
418	BI1103	40	W Mauretania St	550	Los Angeles	4	0.42	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
419	BI1103	41	W Q St	76	Los Angeles	4	0.06	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
420	BI1103	42	W Sandison St	863	Los Angeles	4	0.65	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
421	BI1103	43		583	Los Angeles	1	0.11	Alley	20	4	0	10	14	0.81	10	24	HIGH			
422	BI1103	44	S Vermont Ave	31	CO	6	0.04	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
423	BI1103	45	McCoy Ave	29	CO	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
428	BI1103	50		3513	Los Angeles	4	2.66	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
429	BI1103	51	255th St	648	Los Angeles	4	0.49	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
430	BI1103	52	Adamite Ter	68	Los Angeles	4	0.05	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
431	BI1103	53	Baycrest Ct	682	Los Angeles	4	0.52	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
432	BI1103	54	Baycrest Ln	420	Los Angeles	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
433	BI1103	55	Bayside Pl	933	Los Angeles	4	0.71	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
434	BI1103	56	Bayview Ln	613	Los Angeles	4	0.46	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
435	BI1103	57	Bixby Ave	586	Los Angeles	4	0.44	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
436	BI1103	58	Broadwell Ave	336	Los Angeles	4	0.25	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
437	BI1103	59	Doble Ave	250	Los Angeles	4	0.19	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
438	BI1103	60	Dodge Ave	3	Los Angeles	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
439	BI1103	61	Flint Dr	70	Los Angeles	4	0.05	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
440	BI1103	62	Harbor Heights Dr	988	Los Angeles	4	0.75	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
441	BI1103	63	Harbor Village Dr	989	Los Angeles	4	0.75	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
442	BI1103	64	Harbor Village Pl	640	Los Angeles	4	0.49	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
443	BI1103	65	Marigold Ave	1001	Los Angeles	4	0.76	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
444	BI1103	66	McCoy Ave	1772	Los Angeles	4	1.34	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
445	BI1103	67	Pebble Dr	74	Los Angeles	4	0.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
446	BI1103	68	Petroleum Ave	305	Los Angeles	4	0.23	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
447	BI1103	69	Portside Ln	332	Los Angeles	4	0.25	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
448	BI1103	70	Sandstone Ln	154	Los Angeles	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
449	BI1103	71	W 253rd St	1207	Los Angeles	4	0.91	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
450	BI1103	72	W 254th St	82	Los Angeles	4	0.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
451	BI1103	73	W 255th St	464	Los Angeles	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
452	BI1103	74	W 256th St	42	Los Angeles	4	0.03	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
455	BI1103	77		395	Los Angeles	1	0.07	Alley	20	4	1	8	13	0.45	6	18	MED			
458	BI1103	80		895	Los Angeles	4	0.68	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
459	BI1103	81	Road 3	305	Los Angeles	4	0.23	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
460	BI1103	82	Tosco Ln	267	Los Angeles	4	0.20	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
462	BI1103	84		264	Los Angeles	4	0.20	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
466	BI1103	88		1074	Los Angeles	4	0.81	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
469	BI1103	91	Road 10	219	Los Angeles	4	0.17	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
470	BI1103	92	Road 3	105	Los Angeles	4	0.08	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
471	BI1103	93	Road H	145	Los Angeles	4	0.11	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
474	BI1103	96		516	Los Angeles	4	0.39	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
475	BI1103	97	Western Ave	888	Lomita	6	1.01	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
476	BI1103	98		1498	Lomita	4	1.14	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
477	BI1103	99	Harbor Hills	64	Lomita	4	0.05	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
478	BI1103	100	Peninsula Verde Dr	5	Lomita	4	0.00	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
480	BI1103	102	Palos Verdes Dr N	386	Los Angeles	6	0.44	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
483	BI1103	105		5773	Los Angeles	4	4.37	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
484	BI1103	106	Pines Estates Dr	66	Los Angeles	4	0.05	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
485	BI1103	107		572	Los Angeles	4	0.43	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
486	BI1103	108	Road 10	359	Los Angeles	4	0.27	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
487	BI1103	109	Tosco Ln	217	Los Angeles	4	0.16	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
488	BI1103	110		277	Los Angeles	4	0.21	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
489	BI1103	111	Palos Verdes Dr N	277	Lomita	6	0.31	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
490	BI1103	112	Western Ave	410	Lomita	6	0.47	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
491	BI1103	113		996	Lomita	4	0.75	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
492	BI1103	114	Alta Vista Ave	4	Lomita	4	0.00	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
493	BI1103	115	Harbor Hills	67	Lomita	4	0.05	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
494	BI1103	116	Palos Verdes Dr N	1617	Los Angeles	6	1.84	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
496	BI1103	118		5033	Los Angeles	4	3.81	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
497	BI1103	119	Agajanian Dr	377	Los Angeles	4	0.29	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
498	BI1103	120	Belle Porte Ave	583	Los Angeles	4	0.44	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
499	BI1103	121	Camino Caro	200	Los Angeles	4	0.15	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
500	BI1103	122	Camino Largo	594	Los Angeles	4	0.45	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
501	BI1103	123	Camino Mayo	24	Los Angeles	4	0.02	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
502	BI1103	124	Camino Raso	343	Los Angeles	4	0.26	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
503	BI1103	125	Camino Verde	751	Los Angeles	4	0.57	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
504	BI1103	126	Camino Vista	368	Los Angeles	4	0.28	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
505	BI1103	127	Leesdale Ave	337	Los Angeles	4	0.26	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
506	BI1103	128	Pines Estates Ct	97	Los Angeles	4	0.07	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
507	BI1103	129	Pines Estates Dr	482	Los Angeles	4	0.37	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
508	BI1103	130	Uss Antietam	398	Los Angeles	4	0.30	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
509	BI1103	131	Uss Missouri	135	Los Angeles	4	0.10	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
510	BI1103	132	Uss New Jersey	1010	Los Angeles	4	0.77	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
511	BI1103	133	Uss Ogden	465	Los Angeles	4	0.35	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
512	BI1103	134	W 263rd St	414	Los Angeles	4	0.31	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
513	BI1103	135	W 264th St	303	Los Angeles	4	0.23	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
514	BI1103	136	W 266th St	602	Los Angeles	4	0.46	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
515	BI1103	137	N Gaffey St	3	Los Angeles	6	0.00	Primary-Arterial	100	10	4	2	14	0.81	10	22	HIGH			
517	BI1103	139		716	Los Angeles	4	0.54	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
518	BI1103	140	Agajanian Dr	622	Los Angeles	4	0.47	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
520	BI1103C	2	W Anaheim St	761	Los Angeles	6	0.86	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
521	BI1103C	3		886	Los Angeles	4	0.67	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
522	BI1103C	4	Alton St	321	Los Angeles	4	0.24	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
523	BI1103C	5	Arabic St	371	Los Angeles	4	0.28	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
524	BI1103C	6	Emden St	263	Los Angeles	4	0.20	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
526	BI1103C	8	Mar Vista Ave	2633	Los Angeles	4	1.99	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
527	BI1103C	9	W D St	629	Los Angeles	4	0.48	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
528	BI1103C	10	W E St	940	Los Angeles	4	0.71	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
529	BI1103C	11	W F St	832	Los Angeles	4	0.63	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
530	BI1103C	12	W G St	790	Los Angeles	4	0.60	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
531	BI1103C	13		5752	Los Angeles	1	1.09	Alley	20	4	0	10	14	0.81	10	24	HIGH			
532	BI1104-1	1	Laura Lee Ln	280	Lomita	4	0.21	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
533	BI1104-1	2	Oak St	578	Lomita	4	0.44	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
534	BI1104-1	3	Woodward Ave	434	Lomita	4	0.33	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
535	BI1104-1	4	Lucille Ave	878	Lomita	4	0.66	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
536	BI1104-1	5	Oak St	324	Lomita	4	0.25	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
537	BI1104-1	6	Stratford Dr	36	Lomita	4	0.03	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
538	BI1104-1	7	Woodward Ave	1026	Lomita	4	0.78	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
540	BI1104-1	9	Eshelman Ave	382	Lomita	4	0.29	Secondary-Collector	64	8	2	6	16	0.36	4	18	MED			
541	BI1104-1	10	255th St	863	Lomita	4	0.65	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
542	BI1104-1	11	256th St	307	Lomita	4	0.23	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
543	BI1104-1	12	257th St	20	Lomita	4	0.02	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
544	BI1104-1	13	Oak St	1110	Lomita	4	0.84	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
545	BI1104-1	14	Eshelman Ave	500	Lomita	4	0.38	Secondary-Collector	64	8	0	10	4	0.4	5	23	HIGH			
546	BI1104-1	15	Narbonne Ave	509	Lomita	4	0.39	Secondary-Collector	64	8	0	10	4	0.4	5	23	HIGH			
547	BI1104-1	16	Alcor St	79	Lomita	4	0.06	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
548	BI1104-1	17	Andreo Ave	507	Lomita	4	0.38	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
549	BI1104-1	18	Comal Ct	177	Lomita	4	0.13	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
550	BI1104-1	19	Doria Ave	200	Lomita	4	0.15	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
551	BI1104-1	20	Eleanor Pl	249	Lomita	4	0.19	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
552	BI1104-1	21	Eshelman Ave	372	Lomita	4	0.28	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
553	BI1104-1	22	Feijoao Ave	523	Lomita	4	0.40	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			

Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
554	BI1104-1	23	Alcor St	164	Lomita	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
555	BI1104-1	24	Eshelman Ave	597	Lomita	4	0.45	Secondary-Collector	64	8	1	8	4	0.4	5	21	HIGH			
556	BI1104-1	25	Narbonne Ave	1060	Lomita	4	0.80	Secondary-Collector	64	8	1	8	4	0.4	5	21	HIGH			
557	BI1104-1	26	252nd St	503	Lomita	4	0.38	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
558	BI1104-1	27	253rd Pl	1017	Lomita	4	0.77	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
559	BI1104-1	28	253rd St	263	Lomita	4	0.20	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
560	BI1104-1	29	254th St	412	Lomita	4	0.31	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
561	BI1104-1	30	Andreo Ave	1044	Lomita	4	0.79	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
562	BI1104-1	31	Blue Rose Ct	64	Lomita	4	0.05	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
563	BI1104-1	32	Doria Ave	662	Lomita	4	0.50	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
564	BI1104-1	33	Feijoa Ave	1062	Lomita	4	0.80	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
565	BI1104-1	34	Oak St	1056	Lomita	4	0.80	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
566	BI1104-1	35	Sunny Leaf Ln	410	Lomita	4	0.31	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
567	BI1104-1	36	Woodward Ave	1058	Lomita	4	0.80	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
568	BI1104-1	37	252nd St	462	Lomita	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
569	BI1104-1	38	253rd St	450	Lomita	4	0.34	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
570	BI1104-1	39	Narbonne Ave	1319	Lomita	4	1.00	Secondary-Collector	64	8	2	6	4	0.4	5	19	MED			
571	BI1104-1	40	255th St	1548	Lomita	4	1.17	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
572	BI1104-1	41	256th St	519	Lomita	4	0.39	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
573	BI1104-1	42	257th St	11	Lomita	4	0.01	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
574	BI1104-1	43	Alliene Ave	515	Lomita	4	0.39	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
575	BI1104-1	44	Cypress St	874	Lomita	4	0.66	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
576	BI1104-1	45	Evans Ct	40	Lomita	4	0.03	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
577	BI1104-1	46	Feijoa Ave	490	Lomita	4	0.37	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
578	BI1104-1	47	Forrester Dr	30	Lomita	4	0.02	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
579	BI1104-1	48	Pacific Coast Hwy	1756	Lomita	6	2.00	Highway	100	10	3	4	4	0.4	5	19	MED			
580	BI1104-1	49	Narbonne Ave	205	Lomita	4	0.15	Secondary-Collector	64	8	3	4	4	0.4	5	17	MED			
581	BI1104-1	50	Cypress St	196	Lomita	4	0.15	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
582	BI1104-1	51	Lucille Ave	199	Lomita	4	0.15	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
583	BI1104-1	52	Viana Ave	13	Lomita	4	0.01	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
584	BI1104-1	53	Pacific Coast Hwy	265	Lomita	6	0.30	Highway	100	10	3	4	16	0.36	4	18	MED			
589	BI1104-2	5		8178	CO	4	6.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
590	BI1104-2	6	1st Ave W	307	CO	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
591	BI1104-2	7	243rd St	353	CO	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
592	BI1104-2	8	244th St	786	CO	4	0.60	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
593	BI1104-2	9	245th St	1437	CO	4	1.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
594	BI1104-2	10	2nd Ave W	228	CO	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
595	BI1104-2	11	3rd Ave E	64	CO	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
596	BI1104-2	12	3rd Ave W	230	CO	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
597	BI1104-2	13	4th Ave E	183	CO	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
598	BI1104-2	14	4th Ave W	424	CO	4	0.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
599	BI1104-2	15	5th Ave E	298	CO	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
600	BI1104-2	16	5th Ave W	527	CO	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
601	BI1104-2	17	6th Ave E	497	CO	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
602	BI1104-2	18	Abraham Ter	73	CO	4	0.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
603	BI1104-2	19	Alexandria Ave	1670	CO	4	1.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
604	BI1104-2	20	Amber Lynn Ct	390	CO	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
605	BI1104-2	21	Ashbridge Dr	183	CO	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
606	BI1104-2	22	Ashbridge Ln	1629	CO	4	1.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
607	BI1104-2	23	Ashpark Ln	760	CO	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
608	BI1104-2	24	Azalea Wy	174	CO	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
609	BI1104-2	25	Berendo Ave	933	CO	4	0.71	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
610	BI1104-2	26	Broadwell Ave	1164	CO	4	0.88	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
611	BI1104-2	27	Center Ave N	192	CO	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
612	BI1104-2	28	Center Ave S	113	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
613	BI1104-2	29	Center Circle Dr	876	CO	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
614	BI1104-2	30	Circle Dr	1371	CO	4	1.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
615	BI1104-2	31	Coriander Dr	463	CO	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
616	BI1104-2	32	Delamo Woods Dr	60	CO	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
617	BI1104-2	33	Doble Ave	444	CO	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
618	BI1104-2	34	East Dr	716	CO	4	0.54	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
619	BI1104-2	35	Fabry Dr	95	CO	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
620	BI1104-2	36	Fauna Ln	428	CO	4	0.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
621	BI1104-2	37	Fernlake Dr	690	CO	4	0.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
622	BI1104-2	38	Fernmeade Ln	432	CO	4	0.33	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
623	BI1104-2	39	Fernrest Dr	1954	CO	4	1.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
624	BI1104-2	40	Frampton Ave	1012	CO	4	0.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
625	BI1104-2	41	Graymouth Ln	17	CO	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
626	BI1104-2	42	Hartwell Ln	287	CO	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
627	BI1104-2	43	Hillcastle Ln	134	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
628	BI1104-2	44	Hunt Ter	62	CO	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
629	BI1104-2	45	Koleeta Dr	1924	CO	4	1.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
630	BI1104-2	46	Lindenc Cliff St	866	CO	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
631	BI1104-2	47	Maple Ln	198	CO	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
632	BI1104-2	48	Marigold Ave	1670	CO	4	1.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
633	BI1104-2	49	Mariposa Ave	1777	CO	4	1.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
634	BI1104-2	50	Meyler Ave	749	CO	4	0.57	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
635	BI1104-2	51	Mountaineering Ln	131	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
636	BI1104-2	52	Oakfern Ln	270	CO	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
637	BI1104-2	53	Oakhorne Dr	2161	CO	4	1.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
638	BI1104-2	54	Oakmere Dr	233	CO	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
639	BI1104-2	55	Oakwater St	527	CO	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
640	BI1104-2	56	Park Circle Dr	1805	CO	4	1.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
641	BI1104-2	57	Parkside Ter	178	CO	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
642	BI1104-2	58	Petroleum Ave	156	CO	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
643	BI1104-2	59	Rayland Dr	124	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
644	BI1104-2	60	Redonda Ln	140	CO	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
645	BI1104-2	61	Sandhurst Ln	977	CO	4	0.74	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
646	BI1104-2	62	Serenity Ln	509	CO	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
647	BI1104-2	63	Sesame St	708	CO	4	0.54	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
648	BI1104-2	64	Shadowbrook Ter	158	CO	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
649	BI1104-2	65	Spicewood Ln	495	CO	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
650	BI1104-2	66	Spruce Lake Dr	669	CO	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
652	BI1104-2	68	Stonecliff Ln	363	CO	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
653	BI1104-2	69	Villager Ln	730	CO	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
654	BI1104-2	70	W 232nd St	61	CO	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
655	BI1104-2	71	W Circle	676	CO	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
656	BI1104-2	72	W Park Circle Dr	121	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
657	BI1104-2	73	West Ave	563	CO	4	0.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
658	BI1104-2	74	West Dr	1198	CO	4	0.91	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
659	BI1104-2	75		982	CO	1	0.19	Alley	20	4	0	10	13	0.45	6	20	HIGH			
660	BI1104-2	76	Leola St	111	Lomita	4	0.08	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
661	BI1104-2	77	W 252nd St	2	Lomita	4	0.00	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
662	BI1104-2	78	Walnut St	384	Lomita	4	0.29	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
663	BI1104-2	79		9	Lomita	1	0.00	Alley	20	4	0	10	4	0.4	5	19	MED			
664	BI1104-2	80		716	Los Angeles	6	0.81	Highway	100	10	0	10	13	0.45	6	26	HIGH			
667	BI1104-2	83	Reed St	37	Lomita	4	0.03	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
668	BI1104-2	84		241	Lomita	4	0.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
669	BI1104-2	85	255th St	767	Lomita	4	0.58	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
670	BI1104-2	86	256th St	1015	Lomita	4	0.77	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
671	BI1104-2	87	257th	241	Lomita	4	0.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
672	BI1104-2	88	257th St	718	Lomita	4	0.54	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
673	BI1104-2	89	W 255th St	241	Lomita	4	0.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
674	BI1104-2	90	W 256th St	1	Lomita	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
675	BI1104-2	91	Walnut St	624	Lomita	4	0.47	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
676	BI1104-2	92		252	Lomita	1	0.05	Alley	20	4	2	6	13	0.45	6	16	MED			
678	BI1104-2	94	Eshelman Ave	293	Lomita	4	0.22	Secondary-Collector	64	8	2	6	16	0.36	4	18	MED			
679	BI1104-2	95	257th St	326	Lomita	4	0.25	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
680	BI1104-2	96	Bland Pl	454	Lomita	4	0.34	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
681	BI1104-2	97	Walnut St	620	Lomita	4	0.47	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
683	BI1104-2	99	252nd St	71	Lomita	4	0.05	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
685	BI1104-2	101	Eleanor Pl	49	Lomita	4	0.04	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
687	BI1104-2	103	246th St	253	Lomita	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
688	BI1104-2	104	247th Pl	784	Lomita	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
690	BI1104-2	106	248th St	503	Lomita	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
691	BI1104-2	107	251st St	274	Lomita	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
692	BI1104-2	108	252nd St	543	Lomita	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
693	BI1104-2	109	253rd Pl	189	Lomita	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
694	BI1104-2	110	253rd St	378	Lomita	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
695	BI1104-2	111	Alcor St	49	Lomita	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
697	BI1104-2	113	Falena Ave	453	Lomita	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
698	BI1104-2	114	Monterey Cir	125	Lomita	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
699	BI1104-2	115	Nordman St	46	Lomita	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
700	BI1104-2	116	W 246th St	140	Lomita	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
702	BI1104-2	118	W 251st St	4	Lomita	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
703	BI1104-2	119	Walnut St	1634	Lomita	4	1.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
704	BI1104-2	120		176	Lomita	1	0.03	Alley	20	4	0	10	13	0.45	6	20	HIGH			
705	BI1104-2	121		106	Los Angeles	6	0.12	Highway	100	10	0	10	4	0.4	5	25	HIGH			
709	BI1104-2	125		139	Los Angeles	4	0.11	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
710	BI1104-2	126	W 249th St	854	Los Angeles	4	0.65	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
711	BI1104-2	127	W 251st St	459	Los Angeles	4	0.35	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
712	BI1104-2	128	W 252nd St	308	Los Angeles	4	0.23	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
713	BI1104-2	129		1822	Los Angeles	1	0.35	Alley	20	4	0	10	4	0.4	5	19	MED			
715	BI1104-2	131		1683	Los Angeles	4	1.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
716	BI1104-2	132	247th Pl	312	Los Angeles	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
717	BI1104-2	133	248th St	1	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
718	BI1104-2	134	253rd Pl	347	Los Angeles	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
719	BI1104-2	135	253rd St	1	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
720	BI1104-2	136	Abraham Ter	444	Los Angeles	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
721	BI1104-2	137	Belle Porte Ave	1489	Los Angeles	4	1.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
722	BI1104-2	138	Censor Ave	408	Los Angeles	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
723	BI1104-2	139	Frampton Ave	2107	Los Angeles	4	1.60	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
724	BI1104-2	140	Hunt Ter	461	Los Angeles	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
725	BI1104-2	141	Lobby Cir	212	Los Angeles	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
726	BI1104-2	142	Magnolia Pl	464	Los Angeles	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
727	BI1104-2	143	Maple Ln	269	Los Angeles	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
728	BI1104-2	144	Marigold Ave	524	Los Angeles	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
729	BI1104-2	145	Otto Ln	282	Los Angeles	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
730	BI1104-2	146	Parkside Ter	908	Los Angeles	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
732	BI1104-2	148	Senator Ave	2417	Los Angeles	4	1.83	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
733	BI1104-2	149	Shadowbrook Ter	450	Los Angeles	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
734	BI1104-2	150	Sycamore Wy	481	Los Angeles	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
735	BI1104-2	151	W 242nd Pl	532	Los Angeles	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
736	BI1104-2	152	W 243rd St	1312	Los Angeles	4	0.99	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
737	BI1104-2	153	W 244th St	1051	Los Angeles	4	0.80	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
738	BI1104-2	154	W 245th St	547	Los Angeles	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
739	BI1104-2	155	W 246th St	781	Los Angeles	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
740	BI1104-2	156	W 247th Pl	1140	Los Angeles	4	0.86	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
742	BI1104-2	158	W 248th St	1291	Los Angeles	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
743	BI1104-2	159	W 249th St	264	Los Angeles	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
744	BI1104-2	160	W 251st St	2824	Los Angeles	4	2.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
745	BI1104-2	161	W 252nd St	1404	Los Angeles	4	1.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
746	BI1104-2	162	W 253rd St	907	Los Angeles	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
748	BI1104-2	164	W 255th St	28	Los Angeles	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
749	BI1104-2	165	Willow Ter	479	Los Angeles	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
750	BI1104-2	166		5053	Los Angeles	1	0.96	Alley	20	4	0	10	13	0.45	6	20	HIGH			
753	BI1104-2	169		2855	CO	4	2.16	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
754	BI1104-2	170	1st Ave E	571	CO	4	0.43	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
755	BI1104-2	171	245th St	167	CO	4	0.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
756	BI1104-2	172	2nd Ave E	584	CO	4	0.44	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
757	BI1104-2	173	3rd Ave E	540	CO	4	0.41	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
758	BI1104-2	174	4th Ave E	444	CO	4	0.34	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
759	BI1104-2	175	5th Ave E	425	CO	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
760	BI1104-2	176	6th Ave E	52	CO	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
761	BI1104-2	177	Broadwell Ave	30	CO	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
762	BI1104-2	178	Center Ave N	314	CO	4	0.24	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
763	BI1104-2	179	Center Ave S	219	CO	4	0.17	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
764	BI1104-2	180	Center Circle Dr	1003	CO	4	0.76	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
765	BI1104-2	181	Circle Dr	1072	CO	4	0.81	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
766	BI1104-2	182	Doble Ave	31	CO	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
767	BI1104-2	183	E Circle	436	CO	4	0.33	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
768	BI1104-2	184	East Dr	686	CO	4	0.52	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
769	BI1104-2	185	McCoy Ave	6	CO	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
770	BI1104-2	186	Petroleum Ave	28	CO	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
771	BI1104-2	187	S Circle	1041	CO	4	0.79	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
772	BI1104-2	188	South Dr	568	CO	4	0.43	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
773	BI1104-2	189	Eshelman Ave	456	Lomita	4	0.35	Secondary-Collector	64	8	1	8	4	0.4	5	21	HIGH			
774	BI1104-2	190	253rd Pl	581	Lomita	4	0.44	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
775	BI1104-2	191	254th St	696	Lomita	4	0.53	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
776	BI1104-2	192	252nd St	47	Lomita	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
777	BI1104-2	193	253rd Pl	280	Lomita	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
778	BI1104-2	194	253rd St	676	Lomita	4	0.51	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
781	BI1104-2	197	Monterey Cir	55	Lomita	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
782	BI1104-2	198	Walnut St	1050	Lomita	4	0.80	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
783	BI1104-2	199		116	Lomita	1	0.02	Alley	20	4	1	8	13	0.45	6	18	MED			
784	BI1104-2	200	254th St	3	Los Angeles	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
785	BI1104-2	201	Broadwell Ave	742	Los Angeles	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
786	BI1104-2	202	Doble Ave	423	Los Angeles	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
787	BI1104-2	203	Petroleum Ave	596	Los Angeles	4	0.45	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
788	BI1104-2	204	W 251st St	513	Los Angeles	4	0.39	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
789	BI1104-2	205	W 254th St	5	Los Angeles	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
790	BI1104-2	206	W 255th St	135	Los Angeles	4	0.10	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
791	BI1104-2	207	W 256th St	6	Los Angeles	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
792	BI1104-2	208	W 257th St	19	Los Angeles	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
793	BI1104-2	209		700	Los Angeles	1	0.13	Alley	20	4	1	8	13	0.45	6	18	MED			
795	BI1104-2	211	Eshelman Ave	629	Lomita	4	0.48	Secondary-Collector	64	8	2	6	4	0.4	5	19	MED			
796	BI1104-2	212	255th St	24	Lomita	4	0.02	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
797	BI1104-2	213	257th St	462	Lomita	4	0.35	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
798	BI1104-2	214	Eshelman Ave	42	Lomita	4	0.03	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
799	BI1104-2	215	Pacific Coast Hwy	38	Los Angeles	6	0.04	Highway	100	10	2	6	13	0.45	6	22	HIGH			
800	BI1104-2	216		2	Los Angeles	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
801	BI1104-2	217	W 255th St	140	Los Angeles	4	0.11	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
802	BI1104-2	218	W 256th St	284	Los Angeles	4	0.22	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
803	BI1104-2	219	W 257th St	282	Los Angeles	4	0.21	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
804	BI1104-2	220		819	Los Angeles	1	0.16	Alley	20	4	2	6	13	0.45	6	16	MED			
858	BI1201	1	W 223rd St	21	CO	6	0.02	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			
859	BI1201	2		213	CO	4	0.16	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
860	BI1201	3	Harbor Ridge Ln	182	CO	4	0.14	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
863	BI1201	6	W 223rd St	2610	CO	6	2.97	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
864	BI1201	7	W Sepulveda Blvd	232	CO	6	0.26	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
866	BI1201	9		9445	CO	4	7.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
867	BI1201	10	226th St	1539	CO	4	1.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
868	BI1201	11	227th St	542	CO	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
869	BI1201	12	229th St	442	CO	4	0.33	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
870	BI1201	13	231st St	543	CO	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
871	BI1201	14	232nd St	1119	CO	4	0.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
872	BI1201	15	Alexandria Ave	1421	CO	4	1.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
873	BI1201	16	Begonia Wy	165	CO	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
874	BI1201	17	Belson St	1111	CO	4	0.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
875	BI1201	18	Berendo Ave	1396	CO	4	1.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
876	BI1201	19	Broadwell Ave	1204	CO	4	0.91	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
877	BI1201	20	Camellia Wy	174	CO	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
878	BI1201	21	Dahlia Wy	172	CO	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
879	BI1201	22	Doble Ave	1533	CO	4	1.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
880	BI1201	23	Fauna Ln	42	CO	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
881	BI1201	24	Gastine Pl	439	CO	4	0.33	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
882	BI1201	25	Gian Dr	1684	CO	4	1.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
883	BI1201	26	Graymouth Ln	64	CO	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
884	BI1201	27	Harbor Ridge Ln	891	CO	4	0.68	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
885	BI1201	28	Harline Ct	150	CO	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
886	BI1201	29	Hillcastle Ln	39	CO	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
887	BI1201	30	Jerene Ln	123	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
888	BI1201	31	Kaywood Dr	397	CO	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
889	BI1201	32	Lindenc cliff St	210	CO	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
890	BI1201	33	Londrina Ln	132	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
891	BI1201	34	Marigold Ave	830	CO	4	0.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
892	BI1201	35	Mariposa Ave	1250	CO	4	0.95	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
893	BI1201	36	Maxfield St	538	CO	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
894	BI1201	37	Menlo Ave	1717	CO	4	1.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
895	BI1201	38	Meyler Ave	969	CO	4	0.73	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
896	BI1201	39	Meyler St	2828	CO	4	2.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
897	BI1201	40	Mountaineering Ln	40	CO	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
898	BI1201	41	Oasis Dr	152	CO	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
899	BI1201	42	Petroleum Ave	1189	CO	4	0.90	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
900	BI1201	43	Rayland Dr	486	CO	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
901	BI1201	44	Rosanna Ct	190	CO	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
902	BI1201	45	S Van Deene Ave	2229	CO	4	1.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
903	BI1201	46	Serenity Ln	278	CO	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
904	BI1201	47	Sesame St	268	CO	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
905	BI1201	48	Sorock Dr	679	CO	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
906	BI1201	49	Storm Pkwy	135	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
907	BI1201	50	Villager Ln	273	CO	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
908	BI1201	51	W 222nd St	617	CO	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
909	BI1201	52	W 225th St	1961	CO	4	1.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
910	BI1201	53	W 227th Pl	134	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
911	BI1201	54	W 227th St	114	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
912	BI1201	55	W 232nd St	1	CO	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
913	BI1201	56	W Jay St	632	CO	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
914	BI1201	57		3128	CO	1	0.59	Alley	20	4	0	10	13	0.45	6	20	HIGH			
915	BI1201	58	Western Ave	896	Los Angeles	6	1.02	Highway	100	10	0	10	13	0.45	6	26	HIGH			
916	BI1201	59	223rd St	2895	Los Angeles	6	3.29	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
918	BI1201	61	Western Ave	854	Los Angeles	6	0.97	Highway	100	10	0	10	10	0.74	8	28	HIGH			
919	BI1201	62	223rd St	82	Los Angeles	6	0.09	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			
921	BI1201	64	221st St	441	Los Angeles	4	0.33	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
922	BI1201	65	Lockness Ave	72	Los Angeles	4	0.05	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
923	BI1201	66	S Harvard Blvd	548	Los Angeles	4	0.41	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
924	BI1201	67	W 222nd St	194	Los Angeles	4	0.15	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
925	BI1201	68	W 227th St	846	Los Angeles	4	0.64	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
926	BI1201	69	W 223rd St	36	Los Angeles	6	0.04	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
928	BI1201	71		852	Los Angeles	4	0.65	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
929	BI1201	72	221st St	136	Los Angeles	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
930	BI1201	73	225th St	672	Los Angeles	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
931	BI1201	74	Denker Ave	2400	Los Angeles	4	1.82	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
932	BI1201	75	Frampton Ave	67	Los Angeles	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
933	BI1201	76	Halldale Ave	2328	Los Angeles	4	1.76	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
934	BI1201	77	Normandie Ave	240	Los Angeles	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
935	BI1201	78	Plaza Del Amo	6064	Los Angeles	4	4.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
936	BI1201	79	S Harvard Blvd	1849	Los Angeles	4	1.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
937	BI1201	80	W 224th St	2249	Los Angeles	4	1.70	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
938	BI1201	81	W 225th St	739	Los Angeles	4	0.56	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
939	BI1201	82	W 226th St	1557	Los Angeles	4	1.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
940	BI1201	83	W 227th St	1997	Los Angeles	4	1.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
942	BI1202	2		98	CO	6	0.11	Primary-Arterial	100	10	2	6	6	0.33	3	19	MED			
944	BI1202	4	S Alameda St	43	CO	6	0.05	Primary-Arterial	100	10	2	6	6	0.33	3	19	MED			
946	BI1202	6		396	CO	4	0.30	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
947	BI1202	7	S Fordyce Ave	40	CO	4	0.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
948	BI1202	8	S Rancho Wy	689	CO	4	0.52	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
949	BI1202	9	S Reeves Ave	37	CO	4	0.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
950	BI1202	10	E Gladwick St	338	CO	4	0.26	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
951	BI1202	11	S Wilmington Ave	20	CO	6	0.02	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
952	BI1202	12	E Pacific Pl	921	CO	4	0.70	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
953	BI1202	13	S Rancho Wy	991	CO	4	0.75	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
1305	BI1206	1	Figueroa St	286	Los Angeles	6	0.33	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1306	BI1206	2	Victoria St	346	Los Angeles	6	0.39	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1307	BI1206	3	W 182nd St	1	Los Angeles	4	0.00	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1308	BI1206	4	Patrice Pl	342	Los Angeles	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1309	BI1206	5	W 189th St	518	Los Angeles	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
139	BI12-1	1	Aviation Blvd	4	CO	6	0.00	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
141	BI12-1	3		86	CO	4	0.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
142	BI12-1	4	124th St	64	CO	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
143	BI12-1	5	Isis Ave	22	CO	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
146	BI12-1	8	E Mariposa Ave	919	El Segundo	4	0.70	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
147	BI12-1	9	N Douglas St	1909	El Segundo	4	1.45	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
148	BI12-1	10		250	El Segundo	4	0.19	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
149	BI12-1	11	120th St	250	El Segundo	4	0.19	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
150	BI12-1	12	Campus Dr	942	El Segundo	4	0.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
151	BI12-1	13	Campus Sq E	711	El Segundo	4	0.54	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
152	BI12-1	14	Campus Sq W	774	El Segundo	4	0.59	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
153	BI12-1	15	Duley Rd	1399	El Segundo	4	1.06	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
154	BI12-1	16	E Grand Ave	430	El Segundo	4	0.33	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
155	BI12-1	17	E Maple Ave	1536	El Segundo	4	1.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
156	BI12-1	18	Hawaii St	926	El Segundo	4	0.70	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
157	BI12-1	19	Hornet Wy	933	El Segundo	4	0.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
158	BI12-1	20	Parkview Dr N	33	El Segundo	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
159	BI12-1	21	Parkview Dr S	470	El Segundo	4	0.36	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
162	BI12-1	24	E Mariposa Ave	474	El Segundo	4	0.36	Secondary-Collector	64	8	0	10	10	0.74	8	26	HIGH			
163	BI12-1	25		830	El Segundo	4	0.63	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
164	BI12-1	26	Allied Wy	821	El Segundo	4	0.62	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
165	BI12-1	27	Apollo St	440	El Segundo	4	0.33	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
166	BI12-1	28	E Maple Ave	612	El Segundo	4	0.46	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
167	BI12-1	29	S Ocean Gate Ave	95	Hawthorne	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
168	BI12-1	30	Strand	1505	Hawthorne	4	1.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
169	BI12-1	31	Union Ave	728	Hawthorne	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
170	BI12-1	32	W 133rd St	571	Hawthorne	4	0.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
171	BI12-1	33	W 135th St	2189	Hawthorne	4	1.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
172	BI12-1	34	Park Wy	0	El Segundo	4	0.00	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
173	BI12-1	35	S Allied Wy	58	El Segundo	4	0.04	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
174	BI12-1	36	S Hughes Wy	1170	El Segundo	4	0.89	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
175	BI12-1	37	S Nash St	829	El Segundo	4	0.63	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
179	BI12-1	41	E Grand Ave	315	El Segundo	4	0.24	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
180	BI12-1	42	E Mariposa Ave	1215	El Segundo	4	0.92	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
181	BI12-1	43	N Douglas St	1991	El Segundo	4	1.51	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
182	BI12-1	44	N Nash St	3414	El Segundo	4	2.59	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
183	BI12-1	45	S Douglas St	4211	El Segundo	4	3.19	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
184	BI12-1	46	Alaska Ave	1474	El Segundo	4	1.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
185	BI12-1	47	Campus Dr	397	El Segundo	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
186	BI12-1	48	Coral Cir	1744	El Segundo	4	1.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
187	BI12-1	49	E Grand Ave	210	El Segundo	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
188	BI12-1	50	E Maple Ave	874	El Segundo	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
189	BI12-1	51	Hawaii St	601	El Segundo	4	0.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
190	BI12-1	52	Hornet Wy	1724	El Segundo	4	1.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
191	BI12-1	53	Utah Ave	1346	El Segundo	4	1.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
192	BI12-1	54	W 135th St	6	El Segundo	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
195	BI12-1	57	Continental Blvd	1109	El Segundo	4	0.84	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
196	BI12-1	58	E Grand Ave	319	El Segundo	4	0.24	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
197	BI12-1	59	E Mariposa Ave	865	El Segundo	4	0.66	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
198	BI12-1	60	N Nash St	487	El Segundo	4	0.37	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
199	BI12-1	61	S Douglas St	1166	El Segundo	4	0.88	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
200	BI12-1	62		65	El Segundo	4	0.05	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
201	BI12-1	63	Apollo St	787	El Segundo	4	0.60	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
202	BI12-1	64	E Maple Ave	697	El Segundo	4	0.53	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
203	BI12-1	65	Lairport St	1202	El Segundo	4	0.91	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
204	BI12-1	66	Park Pl	1882	El Segundo	4	1.43	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
205	BI12-1	67	S Allied Wy	452	El Segundo	4	0.34	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
206	BI12-1	68	S Hughes Wy	776	El Segundo	4	0.59	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
207	BI12-1	69	S Nash St	257	El Segundo	4	0.19	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
210	BI12-1	72		61	Hawthorne	4	0.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
211	BI12-1	73	140th St	77	Hawthorne	4	0.06	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
212	BI12-1	74	141st St	179	Hawthorne	4	0.14	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
213	BI12-1	75	142nd St	241	Hawthorne	4	0.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
214	BI12-1	76	Court Wy	61	Hawthorne	4	0.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
215	BI12-1	77	Hawaii St	0	Hawthorne	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
216	BI12-1	78	Hindry Ave	1001	Hawthorne	4	0.76	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
217	BI12-1	79	Judah Ave	873	Hawthorne	4	0.66	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
218	BI12-1	80	S Ocean Gate Ave	477	Hawthorne	4	0.36	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
219	BI12-1	81	W 142nd Pl	209	Hawthorne	4	0.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
220	BI12-1	82	W 147th St	424	Hawthorne	4	0.32	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
222	BI12-1	84	N Aviation Blvd	6	Hawthorne	6	0.01	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
224	BI12-1	86		1092	Hawthorne	4	0.83	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
225	BI12-1	87	132nd St	350	Hawthorne	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
226	BI12-1	88	134th Pl	1170	Hawthorne	4	0.89	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
227	BI12-1	89	134th St	2000	Hawthorne	4	1.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
228	BI12-1	90	136th St	533	Hawthorne	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
229	BI12-1	91	137th Pl	650	Hawthorne	4	0.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
230	BI12-1	92	137th St	676	Hawthorne	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
231	BI12-1	93	138th Pl	2061	Hawthorne	4	1.56	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
232	BI12-1	94	138th St	1991	Hawthorne	4	1.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
233	BI12-1	95	139th St	870	Hawthorne	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
234	BI12-1	96	140th St	498	Hawthorne	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
235	BI12-1	97	141st St	325	Hawthorne	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
236	BI12-1	98	142nd St	200	Hawthorne	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
237	BI12-1	99	Alaska Ave	0	Hawthorne	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
238	BI12-1	100	Boardwalk	400	Hawthorne	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
239	BI12-1	101	Central Ave	780	Hawthorne	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
240	BI12-1	102	City Ct	155	Hawthorne	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
241	BI12-1	103	City Dr	105	Hawthorne	4	0.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
242	BI12-1	104	Delafield Ave	712	Hawthorne	4	0.54	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
243	BI12-1	105	Glasgow Pl	232	Hawthorne	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
244	BI12-1	106	Grider Ave	709	Hawthorne	4	0.54	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
245	BI12-1	107	Hansworth Ave	762	Hawthorne	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
246	BI12-1	108	Heather Wy	308	Hawthorne	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
247	BI12-1	109	Hindry Ave	1442	Hawthorne	4	1.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
248	BI12-1	110	Isis Ave	3138	Hawthorne	4	2.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
249	BI12-1	111	Judah Ave	1807	Hawthorne	4	1.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
250	BI12-1	112	Manhattan Ct	259	Hawthorne	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
251	BI12-1	113	Mission Ave	614	Hawthorne	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
252	BI12-1	114	Ocean	1371	Hawthorne	4	1.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
253	BI12-1	115	Pacific Trl	557	Hawthorne	4	0.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
254	BI12-1	116	Palm Dr	694	Hawthorne	4	0.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
255	BI12-1	117	Park	183	Hawthorne	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
256	BI12-1	118	Park Pl	402	Hawthorne	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
257	BI12-1	119	Rossburn Ave	341	Hawthorne	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
258	BI12-1	120	S Clydepark Ave	800	Hawthorne	4	0.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
259	BI12-1	121	W 142nd Pl	66	Hawthorne	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
260	BI12-1	122	Wiseburn St	2268	Hawthorne	4	1.72	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
262	BI12-1	124		436	Hawthorne	4	0.33	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
263	BI12-1	125	139th St	735	Hawthorne	4	0.56	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
264	BI12-1	126	140th St	1038	Hawthorne	4	0.79	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
265	BI12-1	127	141st St	1117	Hawthorne	4	0.85	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
266	BI12-1	128	142nd Pl	370	Hawthorne	4	0.28	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
267	BI12-1	129	142nd St	729	Hawthorne	4	0.55	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
268	BI12-1	130	Court Wy	436	Hawthorne	4	0.33	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
269	BI12-1	131	Hindry Ave	284	Hawthorne	4	0.22	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
270	BI12-1	132	Isis Ave	1676	Hawthorne	4	1.27	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
271	BI12-1	133	S Ocean Gate Ave	805	Hawthorne	4	0.61	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
272	BI12-1	134	W 142nd Pl	801	Hawthorne	4	0.61	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
273	BI12-1	135	N Sepulveda Blvd	0	El Segundo	6	0.00	Highway	100	10	1	8	10	0.74	8	26	HIGH			
275	BI12-1	137	Rosecrans Ave	181	El Segundo	6	0.21	Primary-Arterial	100	10	1	8	10	0.74	8	26	HIGH			
276	BI12-1	138	Allied Wy	358	El Segundo	4	0.27	Minor-Local	60	6	1	8	10	0.74	8	22	HIGH			
277	BI12-1	139	E Park Pl	1031	El Segundo	4	0.78	Minor-Local	60	6	1	8	10	0.74	8	22	HIGH			
280	BI12-2	3	129th St	740	CO	4	0.56	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
281	BI12-2	4	130th St	690	CO	4	0.52	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
282	BI12-2	5	131st St	777	CO	4	0.59	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
283	BI12-2	6	137th Pl	0	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
284	BI12-2	7	138th St	983	CO	4	0.74	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
286	BI12-2	9	Ocean Gate Ave	3661	CO	4	2.77	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
287	BI12-2	10	S La Cienega Blvd	941	CO	4	0.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
288	BI12-2	11	S Shoup Ave	4688	CO	4	3.55	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
289	BI12-2	12	W 129th St	1215	CO	4	0.92	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
290	BI12-2	13	W 130th St	1548	CO	4	1.17	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
291	BI12-2	14	W 131st St	1782	CO	4	1.35	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
292	BI12-2	15	W 132nd St	2417	CO	4	1.83	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
293	BI12-2	16	W 133rd St	2218	CO	4	1.68	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
294	BI12-2	17	W 134th Pl	1789	CO	4	1.36	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
295	BI12-2	18	W 134th St	1875	CO	4	1.42	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
296	BI12-2	19	W 135th St	1628	CO	4	1.23	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
297	BI12-2	20	W 136th St	1747	CO	4	1.32	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
308	BI12-2	31	S Shoup Ave	253	CO	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
309	BI12-2	32	W 132nd St	161	CO	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
311	BI12-2	34	W 134th Pl	824	CO	4	0.62	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
313	BI12-2	36	W 135th St	782	CO	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
323	BI12-2	46	S Ocean Gate Ave	66	Hawthorne	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
324	BI12-2	47	W 130th St	370	Hawthorne	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
325	BI12-2	48	W 131st St	587	Hawthorne	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
326	BI12-2	49	W 132nd St	634	Hawthorne	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
327	BI12-2	50	W 133rd St	211	Hawthorne	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
328	BI12-2	51	W 134th St	506	Hawthorne	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
329	BI12-2	52	W 135th St	431	Hawthorne	4	0.33	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
330	BI12-2	53	W 136th St	392	Hawthorne	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
333	BI12-2	56	129th St	37	Hawthorne	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
334	BI12-2	57	137th Pl	643	Hawthorne	4	0.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
335	BI12-2	58	138th St	629	Hawthorne	4	0.48	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
336	BI12-2	59	140th St	280	Hawthorne	4	0.21	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
337	BI12-2	60	Eucalyptus Ave	30	Hawthorne	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
338	BI12-2	61	Gale Ave	456	Hawthorne	4	0.35	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
339	BI12-2	62	Ramona Ave	275	Hawthorne	4	0.21	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
340	BI12-2	63	S Shoup Ave	358	Hawthorne	4	0.27	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
341	BI12-2	64	W 129th St	547	Hawthorne	4	0.41	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
342	BI12-2	65	W 130th St	1013	Hawthorne	4	0.77	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
343	BI12-2	66	W 131st St	639	Hawthorne	4	0.48	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
344	BI12-2	67	W 132nd St	335	Hawthorne	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
345	BI12-2	68	W 133rd St	289	Hawthorne	4	0.22	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
346	BI12-2	69	W 135th St	1514	Hawthorne	4	1.15	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
347	BI12-2	70	W 136th St	989	Hawthorne	4	0.75	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
348	BI12-2	71	W 137th St	396	Hawthorne	4	0.30	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
349	BI12-2	72	W 139th St	0	Hawthorne	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
350	BI12-2	73	W 140th St	134	Hawthorne	4	0.10	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
351	BI12-2	74	W 141st St	35	Hawthorne	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
352	BI12-2	75	W 145th St	1143	Hawthorne	4	0.87	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
353	BI12-2	76	W 147th St	541	Hawthorne	4	0.41	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
356	BI12-2	79	134th St	99	Hawthorne	4	0.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
357	BI12-2	80	137th Pl	574	Hawthorne	4	0.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
358	BI12-2	81	137th St	254	Hawthorne	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
359	BI12-2	82	138th Pl	37	Hawthorne	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
360	BI12-2	83	138th St	278	Hawthorne	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
361	BI12-2	84	139th St	477	Hawthorne	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
362	BI12-2	85	140th St	731	Hawthorne	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
363	BI12-2	86	141st St	640	Hawthorne	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
364	BI12-2	87	Condon Ave	162	Hawthorne	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
365	BI12-2	88	Gale Ave	59	Hawthorne	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
366	BI12-2	89	Glasgow Pl	3772	Hawthorne	4	2.86	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
367	BI12-2	90	Ocean Gate Ave	194	Hawthorne	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
368	BI12-2	91	Ramona Ave	254	Hawthorne	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
370	BI12-2	93	W 142nd St	1014	Hawthorne	4	0.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
371	BI12-2	94	W 147th St	586	Hawthorne	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
372	BI12-2	95		149	Hawthorne	6	0.17	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
374	BI12-2	97	140th St	12	Hawthorne	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
375	BI12-2	98	141st St	478	Hawthorne	4	0.36	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
376	BI12-2	99	142nd Pl	631	Hawthorne	4	0.48	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
377	BI12-2	100	Glasgow Pl	454	Hawthorne	4	0.34	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
378	BI12-2	101	Hindry Ave	387	Hawthorne	4	0.29	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
954	BI1232-1	1		2460	CO	6	2.80	Highway	100	10	0	10	9	0.27	2	22	HIGH			
957	BI1232-1	4		4610	CO	4	3.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
967	BI1232-1	14	Linley St	116	CO	4	0.09	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
968	BI1232-1	15	Melissa St	124	CO	4	0.09	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
984	BI1232-1	31	W Baron St	535	CO	4	0.41	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
985	BI1232-1	32	W Del Amo Blvd	1180	CO	4	0.89	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
989	BI1232-1	36	Menlo Ave	490	CO	6	0.56	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			
991	BI1232-1	38	W 223rd St	553	CO	6	0.63	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			
993	BI1232-1	40		3459	CO	4	2.62	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
994	BI1232-1	41	Harbor Ridge Ln	9	CO	4	0.01	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
995	BI1232-1	42	W 219th St	561	CO	4	0.43	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
996	BI1232-1	43	W 220th St	471	CO	4	0.36	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
999	BI1232-1	46	W 223rd St	444	CO	6	0.50	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1001	BI1232-1	48	W Del Amo Blvd	57	CO	6	0.07	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1002	BI1232-1	49		7145	CO	4	5.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1004	BI1232-1	51	221st St	421	CO	4	0.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1010	BI1232-1	57	Dunwich Ave	615	CO	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1013	BI1232-1	60	Jay Pl	472	CO	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1014	BI1232-1	61	Kenwood Ave	199	CO	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1017	BI1232-1	64	Mariposa Ave	612	CO	4	0.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1026	BI1232-1	73	S Menlo Ave	2	CO	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1029	BI1232-1	76	W 196th St	492	CO	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1034	BI1232-1	81	W 219th St	75	CO	4	0.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1035	BI1232-1	82	W 220th St	2895	CO	4	2.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1036	BI1232-1	83	W 222nd St	234	CO	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1038	BI1232-1	85	W Del Amo Blvd	2011	CO	4	1.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1040	BI1232-1	87	Fiat St	1269	CO	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1041	BI1232-1	88	W Jay St	644	CO	4	0.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1043	BI1232-1	90	Western Ave	453	Los Angeles	6	0.51	Highway	100	10	0	10	13	0.45	6	26	HIGH			
1046	BI1232-1	93		256	Los Angeles	6	0.29	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
1049	BI1232-1	96	W Torrance Blvd	31	Los Angeles	4	0.02	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
1050	BI1232-1	97		31	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1051	BI1232-1	98	Del Amo Blvd	1562	Los Angeles	4	1.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1052	BI1232-1	99	Denker Ave	1341	Los Angeles	4	1.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1053	BI1232-1	100	Francisco St	172	Los Angeles	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1054	BI1232-1	101	Halldale Ave	16	Los Angeles	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1055	BI1232-1	102	Pacific Gateway Dr	581	Los Angeles	4	0.44	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1056	BI1232-1	103	S Brighton Ave	66	Los Angeles	4	0.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1057	BI1232-1	104	S Dalton Ave	27	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1058	BI1232-1	105	S Harvard Blvd	1253	Los Angeles	4	0.95	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1059	BI1232-1	106	S Normandie Ave	580	Los Angeles	4	0.44	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1060	BI1232-1	107	W 204th St	1682	Los Angeles	4	1.27	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1061	BI1232-1	108	W 205th St	1233	Los Angeles	4	0.93	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1062	BI1232-1	109	W 206th St	834	Los Angeles	4	0.63	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1063	BI1232-1	110	W 208th St	10	Los Angeles	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1064	BI1232-1	111	W Del Amo Blvd	33	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1065	BI1232-1	112	W Jon St	30	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1066	BI1232-1	113	W Milton St	32	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1067	BI1232-1	114	221st St	273	Los Angeles	4	0.21	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1068	BI1232-1	115	S Harvard Blvd	425	Los Angeles	4	0.32	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1069	BI1232-1	116	W 222nd St	839	Los Angeles	4	0.64	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1071	BI1232-1	118		254	Los Angeles	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1072	BI1232-1	119	220th St	2980	Los Angeles	4	2.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1073	BI1232-1	120	221st St	2017	Los Angeles	4	1.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1074	BI1232-1	121	Denker Ave	1239	Los Angeles	4	0.94	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1075	BI1232-1	122	Dunwich Ave	32	Los Angeles	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1076	BI1232-1	123	Francisco St	1313	Los Angeles	4	0.99	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1077	BI1232-1	124	Halldale Ave	2172	Los Angeles	4	1.65	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1078	BI1232-1	125	Levinson St	33	Los Angeles	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1079	BI1232-1	126	Magellan Dr	276	Los Angeles	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1080	BI1232-1	127	Normandie Ave	2661	Los Angeles	4	2.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1081	BI1232-1	128	S Harvard Blvd	822	Los Angeles	4	0.62	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1082	BI1232-1	129	W 196th St	3	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1083	BI1232-1	130	W 212th St	39	Los Angeles	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1084	BI1232-1	131	W 218th St	1272	Los Angeles	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1085	BI1232-1	132	W 219th St	1266	Los Angeles	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1086	BI1232-1	133	W 220th St	31	Los Angeles	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1087	BI1232-1	134	W 222nd St	1833	Los Angeles	4	1.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1089	BI1232-2	2	Hamilton Ave	607	Los Angeles	4	0.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
807	BI12-4	3		300	CO	4	0.23	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
808	BI12-4	4	Marine Ave	300	CO	4	0.23	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
809	BI12-4	5		140	CO	4	0.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
810	BI12-4	6	154th St	51	CO	4	0.04	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
811	BI12-4	7	Bodger Ave	0	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
812	BI12-4	8	Cordary Ave	2255	CO	4	1.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
813	BI12-4	9	Cranbrook Ave	2609	CO	4	1.98	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
814	BI12-4	10	Fonthill Ave	1276	CO	4	0.97	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
815	BI12-4	11	Gerkin Ave	2296	CO	4	1.74	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
816	BI12-4	12	Kornblum Ave	1267	CO	4	0.96	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
817	BI12-4	13	Manhattan Beach	2254	CO	4	1.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
818	BI12-4	14	Marine Ave	1519	CO	4	1.15	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
819	BI12-4	15	Prairie	2112	CO	4	1.60	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
820	BI12-4	16	Roselle Ave	1963	CO	4	1.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
821	BI12-4	17	S Doty Ave	2618	CO	4	1.98	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
822	BI12-4	18	S Florwood Ave	2258	CO	4	1.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
823	BI12-4	19	W 152nd St	242	CO	4	0.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
824	BI12-4	20	W 154th St	2432	CO	4	1.84	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
825	BI12-4	21	W 156th St	802	CO	4	0.61	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
826	BI12-4	22	W 157th St	2124	CO	4	1.61	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
827	BI12-4	23	Yukon Ave	1335	CO	4	1.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
828	BI12-4	24	S Manor Dr	516	Hawthorne	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
829	BI12-4	25	Truro Ave	515	Hawthorne	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
830	BI12-4	26	W 136th St	107	Hawthorne	4	0.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
834	BI12-4	30	Marine Ave	162	Hawthorne	4	0.12	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
835	BI12-4	31		0	Hawthorne	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
836	BI12-4	32	137th Pl	287	Hawthorne	4	0.22	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
837	BI12-4	33	138th St	92	Hawthorne	4	0.07	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
838	BI12-4	34	140th St	152	Hawthorne	4	0.12	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
839	BI12-4	35	141st St	449	Hawthorne	4	0.34	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
840	BI12-4	36	Bodger Ave	0	Hawthorne	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
841	BI12-4	37	Eucalyptus Ave	48	Hawthorne	4	0.04	Minor-Local	60	6	0	10	9	0.27	2	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
842	BI12-4	38	Prairie	14	Hawthorne	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
843	BI12-4	39	W 136th St	1288	Hawthorne	4	0.98	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
844	BI12-4	40	W 137th St	977	Hawthorne	4	0.74	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
845	BI12-4	41	W 142nd St	585	Hawthorne	4	0.44	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
846	BI12-4	42		23	Hawthorne	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
847	BI12-4	43	137th Pl	1412	Hawthorne	4	1.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
848	BI12-4	44	138th St	1917	Hawthorne	4	1.45	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
849	BI12-4	45	140th St	1886	Hawthorne	4	1.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
850	BI12-4	46	141st St	1549	Hawthorne	4	1.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
851	BI12-4	47	Eucalyptus Ave	438	Hawthorne	4	0.33	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
852	BI12-4	48	Firmona Ave	23	Hawthorne	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
853	BI12-4	49	Grevillea Ave	516	Hawthorne	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
854	BI12-4	50	Ramona Ave	2424	Hawthorne	4	1.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
855	BI12-4	51	S Hawthorne Wy	516	Hawthorne	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
856	BI12-4	52	W 137th St	1263	Hawthorne	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
857	BI12-4	53	W 142nd St	1419	Hawthorne	4	1.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1090	BI1275	1		396	CO	6	0.45	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1092	BI1275	3	E Redondo Beach Blvd	112	CO	6	0.13	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1094	BI1275	5	S Avalon Blvd	3213	CO	6	3.65	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1095	BI1275	6	S Main St	3248	CO	6	3.69	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1096	BI1275	7	S San Pedro St	3542	CO	6	4.03	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1098	BI1275	9		39	CO	4	0.03	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1099	BI1275	10	E 135th St	1290	CO	4	0.98	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1100	BI1275	11	E Compton Blvd	324	CO	4	0.25	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1101	BI1275	12	S Stanford Ave	2282	CO	4	1.73	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1102	BI1275	13	W Compton Blvd	87	CO	4	0.07	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1103	BI1275	14		6266	CO	4	4.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1104	BI1275	15	Alfeld Ave	472	CO	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1105	BI1275	16	Alsina St	297	CO	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1106	BI1275	17	Cadmus Ave	349	CO	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1107	BI1275	18	Dagmar Ave	342	CO	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1108	BI1275	19	E 136th St	1316	CO	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1109	BI1275	20	E 137th St	1471	CO	4	1.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1110	BI1275	21	E 138th St	1977	CO	4	1.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1111	BI1275	22	E 139th St	2522	CO	4	1.91	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1112	BI1275	23	E 140th St	1780	CO	4	1.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1113	BI1275	24	E 141st St	218	CO	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1114	BI1275	25	E 142nd St	213	CO	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1115	BI1275	26	E 145th St	380	CO	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1116	BI1275	27	E 146th St	317	CO	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1117	BI1275	28	E 154th St	76	CO	4	0.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1118	BI1275	29	E 157th St	140	CO	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1119	BI1275	30	E Allenhurst St	1324	CO	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1120	BI1275	31	E Lennon St	554	CO	4	0.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1121	BI1275	32	E Piru St	217	CO	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1122	BI1275	33	E Santa Rita St	300	CO	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1123	BI1275	34	Eadall Ave	986	CO	4	0.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1124	BI1275	35	Maple Ave	370	CO	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1125	BI1275	36	Markton Ave	444	CO	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1126	BI1275	37	Markton St	444	CO	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1127	BI1275	38	Mettler Ave	366	CO	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1128	BI1275	39	Piru St	217	CO	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1129	BI1275	40	S Caswell Ave	334	CO	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1130	BI1275	41	S Clymar Ave	1225	CO	4	0.93	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1131	BI1275	42	S Maple Ave	370	CO	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1132	BI1275	43	S Tarrant Ave	939	CO	4	0.71	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1133	BI1275	44	S Towne Ave	777	CO	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1134	BI1275	45	S Visalia Ave	190	CO	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1135	BI1275	46	Towne Ave	777	CO	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1136	BI1275	47	W 138th St	739	CO	4	0.56	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1137	BI1275	48	W 140th St	137	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1138	BI1275	49		94	CO	6	0.11	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1140	BI1275	51	E Redondo Beach Blvd	2178	CO	6	2.48	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1141	BI1275	52	S Avalon Blvd	6522	CO	6	7.41	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1142	BI1275	53	S San Pedro St	3955	CO	6	4.49	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
1143	BI1275	54		25	CO	4	0.02	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1144	BI1275	55	E Compton Blvd	2403	CO	4	1.82	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1145	BI1275	56		6532	CO	4	4.95	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1146	BI1275	57	Dee St	873	CO	4	0.66	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1147	BI1275	58	E 149th St	645	CO	4	0.49	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1148	BI1275	59	E 153rd St	47	CO	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1149	BI1275	60	E 154th St	1138	CO	4	0.86	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1150	BI1275	61	E 157th St	106	CO	4	0.08	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1151	BI1275	62	E Airline Wy	14	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1152	BI1275	63	Finney Ct	162	CO	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1153	BI1275	64	McKinley Ave	14	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1154	BI1275	65	S Haskins Ave	496	CO	4	0.38	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1155	BI1275	66	S McKinley Ave	14	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1156	BI1275	67	S Tarrant Ave	1246	CO	4	0.94	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1157	BI1275	68	S Visalia Ave	10	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1158	BI1275	69	Stulman Ave	284	CO	4	0.22	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1159	BI13B	1	Airport Blvd	4632	Los Angeles	6	5.26	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1161	BI13B	3	Portal Ave	61	Los Angeles	6	0.07	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1163	BI13B	5	Portal Ave	1954	Inglewood	4	1.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1164	BI13B	6		1101	Los Angeles	4	0.83	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1165	BI13B	7	Continental City Drive Wy	328	Los Angeles	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1166	BI13B	8	Hindry Ave	863	Los Angeles	4	0.65	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1167	BI13B	9	Vicksburg Ave	1158	Los Angeles	4	0.88	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1168	BI13B	10	W 102nd St	126	Los Angeles	4	0.10	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1169	BI13B	11	W 104th St	166	Los Angeles	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1170	BI13B	12	W 111th St	1456	Los Angeles	4	1.10	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1171	BI13B	13	W 96th St	1660	Los Angeles	4	1.26	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1172	BI13B	14	W 98th St	1889	Los Angeles	4	1.43	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1177	BI13B	19	96th Pl	518	Los Angeles	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1178	BI13B	20	Belford Ave	2256	Los Angeles	4	1.71	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1179	BI13B	21	Bellanca Ave	4366	Los Angeles	4	3.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1180	BI13B	22	Glider Ave	156	Los Angeles	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1181	BI13B	23	Interceptor St	1972	Los Angeles	4	1.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1182	BI13B	24	Isis Ave	840	Los Angeles	4	0.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1183	BI13B	25	Jenny Ave	2184	Los Angeles	4	1.65	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1184	BI13B	26	Lilienthal Ave	928	Los Angeles	4	0.70	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1185	BI13B	27	Morley St	328	Los Angeles	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1186	BI13B	28	Portal Ave	107	Los Angeles	4	0.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1187	BI13B	29	Ramsgate Ave	1900	Los Angeles	4	1.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1188	BI13B	30	Reading Ave	1803	Los Angeles	4	1.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1189	BI13B	31	W 102nd St	37	Los Angeles	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1190	BI13B	32	W 104th St	369	Los Angeles	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1191	BI13B	33	W 88th St	226	Los Angeles	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1192	BI13B	34	W 93rd St	722	Los Angeles	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1193	BI13B	35	W 95th St	184	Los Angeles	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1194	BI13B	36	W 96th St	3292	Los Angeles	4	2.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1195	BI13B	37	W 98th St	3290	Los Angeles	4	2.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1196	BI13B	38	W 99th Pl	368	Los Angeles	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1197	BI13B	39	W 99th St	142	Los Angeles	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1198	BI13B	40	Yorktown Ave	246	Los Angeles	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1199	BI13B	41		140	Los Angeles	1	0.03	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1200	BI13B	42		166	Los Angeles	4	0.13	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
1201	BI13B	43	Fleetwing Ave	31	Los Angeles	4	0.02	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
1203	BI13B	45	Will Rogers Pl	294	Los Angeles	4	0.22	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
1204	BI13B	46	Will Rogers St	862	Los Angeles	4	0.65	Secondary-Collector	64	8	0	10	14	0.81	10	28	HIGH			
1205	BI13B	47	Fleetwing Ave	42	Los Angeles	4	0.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1206	BI13B	48	Kittyhawk Ave	148	Los Angeles	4	0.11	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1207	BI13B	49	Sepulveda Eastway	372	Los Angeles	4	0.28	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1208	BI13B	50	Atwell Pl	160	Los Angeles	4	0.12	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1209	BI13B	51	Glasgow Pl	1041	Los Angeles	4	0.79	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1210	BI13B	52	Hindry Ave	440	Los Angeles	4	0.33	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1211	BI13B	53	Hindry Pl	419	Los Angeles	4	0.32	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1212	BI13B	54	Isis Ave	742	Los Angeles	4	0.56	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1213	BI13B	55	W 104th St	1747	Los Angeles	4	1.32	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1214	BI13B	56	W 111th St	1041	Los Angeles	4	0.79	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1215	BI13B	57	W 93rd St	13	Los Angeles	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1216	BI13B	58	W 94th St	43	Los Angeles	4	0.03	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1217	BI13B	59	W 95th St	1149	Los Angeles	4	0.87	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1218	BI13B	60	W 96th St	1346	Los Angeles	4	1.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1219	BI13B	61	W 97th St	350	Los Angeles	4	0.26	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1220	BI13B	62	W 98th St	175	Los Angeles	4	0.13	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1221	BI13B	63	W 99th St	12	Los Angeles	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
1222	BI13B	64		256	Los Angeles	1	0.05	Alley	20	4	0	10	16	0.36	4	18	MED			
1223	BI13B	65	Wiley Post Ave	812	Los Angeles	4	0.61	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1224	BI13B	66	Glider Ave	587	Los Angeles	4	0.44	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1225	BI13B	67	Lilienthal Ave	516	Los Angeles	4	0.39	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1226	BI13B	68	W 86th Pl	346	Los Angeles	4	0.26	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1227	BI13B	69	Yorktown Ave	554	Los Angeles	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1228	BI13B	70	Wiley Post Ave	298	Los Angeles	4	0.23	Secondary-Collector	64	8	1	8	14	0.81	10	26	HIGH			
1229	BI13B	71	Will Rogers St	1132	Los Angeles	4	0.86	Secondary-Collector	64	8	1	8	14	0.81	10	26	HIGH			
1230	BI13B	72	Airlane Ave	623	Los Angeles	4	0.47	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1231	BI13B	73	Bleriot Ave	287	Los Angeles	4	0.22	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1232	BI13B	74	Croydon Ave	477	Los Angeles	4	0.36	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1233	BI13B	75	De Haviland Ave	679	Los Angeles	4	0.51	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1234	BI13B	76	Earhart Ave	824	Los Angeles	4	0.62	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1235	BI13B	77	Fleetwing Ave	616	Los Angeles	4	0.47	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1236	BI13B	78	Glider Ave	220	Los Angeles	4	0.17	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1237	BI13B	79	Kittyhawk Ave	884	Los Angeles	4	0.67	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1238	BI13B	80	Sepulveda Eastway	837	Los Angeles	4	0.63	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1239	BI13B	81	W 86th Pl	859	Los Angeles	4	0.65	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1240	BI13B	82	W 89th St	40	Los Angeles	4	0.03	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1241	BI13B	83	Yorktown Ave	856	Los Angeles	4	0.65	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
1242	BI13B	84	La Tijera Blvd	294	Los Angeles	6	0.33	Primary-Arterial	100	10	2	6	10	0.74	8	24	HIGH			
1243	BI13B	85	S La Tijera Blvd	294	Los Angeles	6	0.33	Primary-Arterial	100	10	2	6	10	0.74	8	24	HIGH			
1244	BI13B	86	Bleriot Ave	144	Los Angeles	4	0.11	Minor-Local	60	6	2	6	10	0.74	8	20	HIGH			
1245	BI13B	87	Airlane Ave	209	Los Angeles	4	0.16	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
1246	BI13B	88	Bleriot Ave	810	Los Angeles	4	0.61	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
1247	BI13B	89	Croydon Ave	488	Los Angeles	4	0.37	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
1248	BI13B	90	De Haviland Ave	70	Los Angeles	4	0.05	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
1249	BI13B	91	Kittyhawk Ave	910	Los Angeles	4	0.69	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
1250	BI13B	92	W 86th Pl	76	Los Angeles	4	0.06	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
1251	BI2	1	Pennsylvania Ave	874	Lomita	4	0.66	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1252	BI2	2	Lomita Blvd	912	Lomita	6	1.04	Primary-Arterial	100	10	0	10	10	0.74	8	28	HIGH			
1253	BI2	3	Eshelman Ave	12	Lomita	4	0.01	Secondary-Collector	64	8	0	10	10	0.74	8	26	HIGH			
1254	BI2	4	Narbonne Ave	1067	Lomita	4	0.81	Secondary-Collector	64	8	0	10	10	0.74	8	26	HIGH			
1255	BI2	5	240th St	98	Lomita	4	0.07	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1256	BI2	6	241st St	1654	Lomita	4	1.25	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1257	BI2	7	242nd St	1609	Lomita	4	1.22	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1258	BI2	8	243rd St	1080	Lomita	4	0.82	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1259	BI2	9	245th St	366	Lomita	4	0.28	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1260	BI2	10	Alliene Ave	745	Lomita	4	0.56	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1261	BI2	11	Benhill Ave	174	Lomita	4	0.13	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1262	BI2	12	Carlene Ln	184	Lomita	4	0.14	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1263	BI2	13	Dawn St	461	Lomita	4	0.35	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1264	BI2	14	Hendricks Ave	1036	Lomita	4	0.78	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1265	BI2	15	Hillview Ln	145	Lomita	4	0.11	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1266	BI2	16	Lomita Dr	550	Lomita	4	0.42	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1267	BI2	17	Lomita Park Pl	660	Lomita	4	0.50	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1268	BI2	18	Lucille Ave	320	Lomita	4	0.24	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1269	BI2	19	Park Haven Pl	493	Lomita	4	0.37	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1270	BI2	20	Pennsylvania Ave	1078	Lomita	4	0.82	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
1271	BI2	21		563	Lomita	1	0.11	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1272	BI2	22	247th St	401	Lomita	4	0.30	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1273	BI2	23	248th St	837	Lomita	4	0.63	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1274	BI2	24	249th St	823	Lomita	4	0.62	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1275	BI2	25	250th St	2080	Lomita	4	1.58	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1276	BI2	26	Comal Ct	34	Lomita	4	0.03	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1277	BI2	27	Cypress St	410	Lomita	4	0.31	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1278	BI2	28	Feijoa Ave	36	Lomita	4	0.03	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
1279	BI2	29	Lomita Blvd	4412	Lomita	6	5.01	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1280	BI2	30	Eshelman Ave	1399	Lomita	4	1.06	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1281	BI2	31	Narbonne Ave	1494	Lomita	4	1.13	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1282	BI2	32	245th St	1048	Lomita	4	0.79	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1283	BI2	33	246th Pl	53	Lomita	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1284	BI2	34	246th St	463	Lomita	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1285	BI2	35	247th St	1183	Lomita	4	0.90	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1286	BI2	36	248th St	1491	Lomita	4	1.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1287	BI2	37	Abita Ave	206	Lomita	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1288	BI2	38	Adona Dr	303	Lomita	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1289	BI2	39	Allbrook St	510	Lomita	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1290	BI2	40	Alliene Ave	447	Lomita	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1291	BI2	41	Austinbrook Ct	129	Lomita	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1292	BI2	42	Cadiz Dr	357	Lomita	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1293	BI2	43	Cypress St	751	Lomita	4	0.57	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1294	BI2	44	Eshelman Wy	70	Lomita	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1295	BI2	45	Hendricks Ave	55	Lomita	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1296	BI2	46	Lucille Ave	286	Lomita	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1297	BI2	47	Moon Ave	878	Lomita	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1298	BI2	48	Nordman St	490	Lomita	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1299	BI2	49	Oak St	662	Lomita	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1300	BI2	50	Padron Pl	226	Lomita	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1301	BI2	51	Pennsylvania Ave	85	Lomita	4	0.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1302	BI2	52	Via Kosta	192	Lomita	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1303	BI2	53	Woodward Ave	1396	Lomita	4	1.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1304	BI2	54		831	Lomita	1	0.16	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1311	BI242	2	S Normandie Ave	381	Los Angeles	6	0.43	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1312	BI242	3	Western Ave	10	Los Angeles	6	0.01	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1313	BI242	4		108	Los Angeles	4	0.08	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1314	BI242	5	182nd St	71	Los Angeles	4	0.05	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1315	BI242	6	W 182nd St	907	Los Angeles	4	0.69	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1316	BI242	7		34	Los Angeles	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1317	BI242	8	Dalton Ave	13	Los Angeles	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1318	BI242	9	Electric St	34	Los Angeles	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1319	BI242	10	Evelyn Ave	1881	Los Angeles	4	1.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1320	BI242	11	S Brighton Ave	286	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1321	BI242	12	S Dalton Ave	254	Los Angeles	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1322	BI242	13	S Denker Ave	665	Los Angeles	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1323	BI242	14	S Harvard Blvd	123	Los Angeles	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1324	BI242	15	S Normandie Ave	1293	Los Angeles	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1325	BI242	16	W 183rd St	1223	Los Angeles	4	0.93	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1326	BI242	17	W 184th St	906	Los Angeles	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1327	BI242	18	W 185th St	901	Los Angeles	4	0.68	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1328	BI242	19	W 186th St	2955	Los Angeles	4	2.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1329	BI242	20	W 187th Pl	1429	Los Angeles	4	1.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1330	BI242	21	W 187th St	1455	Los Angeles	4	1.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1331	BI242	22		1321	Los Angeles	1	0.25	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1333	BI3894	2		103	Los Angeles	6	0.12	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1340	BI3894	9		170	Los Angeles	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1341	BI3894	10	Francisco St	3072	Los Angeles	4	2.33	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1342	BI3894	11	Harborgate Wy	691	Los Angeles	4	0.52	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1343	BI3894	12	Knox St	286	Los Angeles	4	0.22	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1344	BI3894	13	Western Ave	19	Los Angeles	6	0.02	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1345	BI3894	14		1309	Los Angeles	4	0.99	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1346	BI3894	15	Harborgate Wy	2355	Los Angeles	4	1.78	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1347	BI3894	16	Knox St	19	Los Angeles	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1348	BI3894	17	Pacific Gateway Dr	221	Los Angeles	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1349	BI3894	18	S New Hampshire Ave	463	Los Angeles	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1350	BI3894	19	W 187th Pl	950	Los Angeles	4	0.72	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1351	BI3894	20	W 187th St	743	Los Angeles	4	0.56	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1352	BI3894	21	W 196th St	19	Los Angeles	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1354	BI4-1	1	W Century	755	CO	6	0.86	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1356	BI4-1	3		2737	CO	4	2.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1357	BI4-1	4	Haas Ave	132	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1358	BI4-1	5	S Gramercy Pl	353	CO	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1359	BI4-1	6	S Wilton Pl	768	CO	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1360	BI4-1	7	W 102nd St	1041	CO	4	0.79	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1361	BI4-1	8	W 103rd St	37	CO	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1362	BI4-1	9	W 111th St	379	Inglewood	4	0.29	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1363	BI4-1	10	W 90th St	66	Inglewood	4	0.05	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1364	BI4-1	11	W 94th Ave	462	Inglewood	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1365	BI4-1	12	W 95th St	485	Inglewood	4	0.37	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1366	BI4-1	13	W Hardy St	735	Inglewood	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1367	BI4-1	14	Service Rd	1857	Inglewood	4	1.41	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1368	BI4-1	15		1133	Inglewood	1	0.21	Alley	20	4	1	8	13	0.45	6	18	MED			
1371	BI4-1	18	S 2nd Ave	3206	Inglewood	4	2.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1372	BI4-1	19	S 3rd Ave	2889	Inglewood	4	2.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1373	BI4-1	20	S 4th Ave	3575	Inglewood	4	2.71	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1374	BI4-1	21	S 5th Ave	3272	Inglewood	4	2.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1375	BI4-1	22	S 6th Ave	1460	Inglewood	4	1.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1376	BI4-1	23	S 7th Ave	1326	Inglewood	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1377	BI4-1	24	W 102nd St	113	Inglewood	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1378	BI4-1	25	W 90th St	1375	Inglewood	4	1.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1379	BI4-1	26	W Hardy St	1385	Inglewood	4	1.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1380	BI4-1	27	Ruthelen St	495	Los Angeles	4	0.37	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1381	BI4-1	28	S Saint Andrews Pl	302	Los Angeles	4	0.23	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1384	BI4-1	31		1	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1385	BI4-1	32	Cimarron St	1563	Los Angeles	4	1.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1386	BI4-1	33	Haas Ave	2153	Los Angeles	4	1.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1387	BI4-1	34	Ruthelen St	85	Los Angeles	4	0.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1388	BI4-1	35	S Gramercy Pl	389	Los Angeles	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1389	BI4-1	36	S Saint Andrews Pl	277	Los Angeles	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1390	BI4-1	37	W 94th Pl	1	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1391	BI4-1	38	W 95th St	1240	Los Angeles	4	0.94	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1392	BI4-1	39	W 96th Pl	194	Los Angeles	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1393	BI4-1	40	W 96th St	1549	Los Angeles	4	1.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1394	BI4-1	41	W 97th St	923	Los Angeles	4	0.70	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1395	BI4-1	42	W 98th St	380	Los Angeles	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1396	BI4-1	43	W 99th St	348	Los Angeles	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1397	BI4-1	44	W Hardy St	5	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1399	BI4-1	46		184	CO	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1400	BI4-1	47	S Gramercy Pl	155	CO	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1405	BI4-1	52	Ardath Ave	280	Inglewood	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1406	BI4-1	53	Atkinson Ave	533	Inglewood	4	0.40	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1407	BI4-1	54	Chanera Ave	249	Inglewood	4	0.19	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1408	BI4-1	55	S 1st Ave	518	Inglewood	4	0.39	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1409	BI4-1	56	S 2nd Ave	856	Inglewood	4	0.65	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1410	BI4-1	57	S 3rd Ave	674	Inglewood	4	0.51	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1411	BI4-1	58	S 4th Ave	793	Inglewood	4	0.60	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1412	BI4-1	59	S 5th Ave	1331	Inglewood	4	1.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1413	BI4-1	60	S 6th Ave	1590	Inglewood	4	1.20	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1414	BI4-1	61	S 7th Ave	566	Inglewood	4	0.43	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1415	BI4-1	62	S 8th Ave	1438	Inglewood	4	1.09	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1416	BI4-1	63	Thoreau St	912	Inglewood	4	0.69	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1417	BI4-1	64	W 101st St	871	Inglewood	4	0.66	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1418	BI4-1	65	W 102nd St	1430	Inglewood	4	1.08	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1420	BI4-1	67	S Gramercy Pl	72	Los Angeles	4	0.05	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1422	BI4-1	69	W 95th St	636	Los Angeles	4	0.48	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1423	BI4-1	70	W 96th St	735	Los Angeles	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1424	BI4-1	71	W 98th St	192	Los Angeles	4	0.15	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1425	BI4-1	72	W 99th St	416	Los Angeles	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1428	BI4-1	75	W 104th St	72	Inglewood	4	0.05	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
1429	BI4-1	76	W 108th St	66	Inglewood	4	0.05	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
1430	BI4-1	77	Ardath Ave	1237	Inglewood	4	0.94	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1431	BI4-1	78	Atkinson Ave	806	Inglewood	4	0.61	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1432	BI4-1	79	Casimir Ave	492	Inglewood	4	0.37	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1433	BI4-1	80	Chanera Ave	6	Inglewood	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1434	BI4-1	81	Cullivan St	1073	Inglewood	4	0.81	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1435	BI4-1	82	Penney Ave	332	Inglewood	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1436	BI4-1	83	S 10th Ave	797	Inglewood	4	0.60	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1437	BI4-1	84	S 1st Ave	883	Inglewood	4	0.67	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1438	BI4-1	85	S 2nd Ave	882	Inglewood	4	0.67	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1439	BI4-1	86	S 6th Ave	754	Inglewood	4	0.57	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1440	BI4-1	87	S 7th Ave	753	Inglewood	4	0.57	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1441	BI4-1	88	S 8th Ave	1840	Inglewood	4	1.39	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1442	BI4-1	89	S Chanera Ave	1033	Inglewood	4	0.78	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1443	BI4-1	90	Thoreau St	1452	Inglewood	4	1.10	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1444	BI4-1	91	Van Wick St	1166	Inglewood	4	0.88	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1445	BI4-1	92	W 104th St	657	Inglewood	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1446	BI4-1	93	W 107th St	246	Inglewood	4	0.19	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1447	BI4-1	94	W 108th St	424	Inglewood	4	0.32	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1448	BI4-1	95	W 109th St	910	Inglewood	4	0.69	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1449	BI4-1	96	W 111th St	1189	Inglewood	4	0.90	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1450	BI4-1	97	W 94th Ave	199	Inglewood	4	0.15	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1451	BI4-1	98	W 95th St	199	Inglewood	4	0.15	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1452	BI4-1	99	W Arbor Vitae St	23	Inglewood	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1453	BI4-1	100	W Hardy St	548	Inglewood	4	0.42	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1454	BI4-1	101	Wilkie Ave	1146	Inglewood	4	0.87	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1455	BI4-1	102	Service Rd	4007	Inglewood	4	3.04	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1456	BI4-1	103		2719	Inglewood	1	0.51	Alley	20	4	2	6	13	0.45	6	16	MED			
1459	BI4-1	106	Casimir Ave	102	Inglewood	4	0.08	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1460	BI4-1	107	Cullivan St	98	Inglewood	4	0.07	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1461	BI4-1	108	Penney Ave	262	Inglewood	4	0.20	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1462	BI4-1	109	S 1st Ave	740	Inglewood	4	0.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1463	BI4-1	110	S 2nd Ave	745	Inglewood	4	0.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1464	BI4-1	111	S 3rd Ave	1627	Inglewood	4	1.23	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1465	BI4-1	112	S 4th Ave	1627	Inglewood	4	1.23	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1466	BI4-1	113	S 5th Ave	1626	Inglewood	4	1.23	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1467	BI4-1	114	S 6th Ave	2088	Inglewood	4	1.58	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1468	BI4-1	115	S 7th Ave	2062	Inglewood	4	1.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1469	BI4-1	116	S 8th Ave	3467	Inglewood	4	2.63	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1470	BI4-1	117	S 8th Pl	1321	Inglewood	4	1.00	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1471	BI4-1	118	S Spinning Ave	339	Inglewood	4	0.26	Minor-Local	60	6	3	4	13	0.45	6	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1472	BI4-1	119	W 101st St	904	Inglewood	4	0.68	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1473	BI4-1	120	W 102nd St	959	Inglewood	4	0.73	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1474	BI4-1	121	W 104th St	1912	Inglewood	4	1.45	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1475	BI4-1	122	W 108th St	2042	Inglewood	4	1.55	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1476	BI4-1	123	W 109th St	1339	Inglewood	4	1.01	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1477	BI4-1	124	Wilkie Ave	381	Inglewood	4	0.29	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1478	BI4-1	125	Service Rd	204	Inglewood	4	0.15	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1479	BI4-1	126		3289	Inglewood	1	0.62	Alley	20	4	3	4	13	0.45	6	14	LOW			
1480	BI4-2	1	Denker Ave	557	CO	4	0.42	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1481	BI4-2	2	Ponty St	397	CO	4	0.30	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1482	BI4-2	3	S Denker Ave	557	CO	4	0.42	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1483	BI4-2	4	W 106th St	44	CO	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1484	BI4-2	5	W 107th St	357	CO	4	0.27	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1485	BI4-2	6	W 108th St	441	CO	4	0.33	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1486	BI4-2	7	W 109th Pl	477	CO	4	0.36	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1487	BI4-2	8	W 109th St	643	CO	4	0.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1488	BI4-2	9	W 110th Pl	208	CO	4	0.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1489	BI4-2	10	W 110th St	209	CO	4	0.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1490	BI4-2	11	S Van Ness Ave	0	CO	4	0.00	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1491	BI4-2	12		670	CO	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1492	BI4-2	13	Haas Ave	314	CO	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1493	BI4-2	14	Ponty St	338	CO	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1494	BI4-2	15	S Gramercy Pl	428	CO	4	0.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1495	BI4-2	16	S Wilton Pl	225	CO	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1496	BI4-2	17	W 102nd St	12	CO	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1497	BI4-2	18	W 103rd St	976	CO	4	0.74	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1498	BI4-2	19	W 109th Pl	258	CO	4	0.20	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1499	BI4-2	20	W 109th St	92	CO	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1500	BI4-2	21	W 112th St	614	Inglewood	4	0.47	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1501	BI4-2	22	W 116th St	426	Inglewood	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1502	BI4-2	23	W 118th Pl	354	Inglewood	4	0.27	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1503	BI4-2	24	Service Rd	2033	Inglewood	4	1.54	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1504	BI4-2	25		3006	Inglewood	1	0.57	Alley	20	4	1	8	13	0.45	6	18	MED			
1505	BI4-2	26		289	Inglewood	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1506	BI4-2	27	S Simms Ave	636	Inglewood	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1507	BI4-2	28	W 115th St	17	Inglewood	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1508	BI4-2	29		340	Inglewood	1	0.06	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1509	BI4-2	30	Ruthelen St	428	Los Angeles	4	0.32	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1510	BI4-2	31	S Saint Andrews Pl	428	Los Angeles	4	0.32	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1511	BI4-2	32	W 103rd St	755	Los Angeles	4	0.57	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1512	BI4-2	33	W 103rd St	211	Los Angeles	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1514	BI4-2	35	S Hobart Blvd	87	CO	4	0.07	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1515	BI4-2	36	W 106th St	380	CO	4	0.29	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1516	BI4-2	37	W 107th St	380	CO	4	0.29	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1517	BI4-2	38	W 108th St	118	CO	4	0.09	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1518	BI4-2	39	W 110th Pl	321	CO	4	0.24	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1519	BI4-2	40	W 110th St	361	CO	4	0.27	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1522	BI4-2	43		2958	CO	4	2.24	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1523	BI4-2	44	Cimarron St	724	CO	4	0.55	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1524	BI4-2	45	Haas Ave	951	CO	4	0.72	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1525	BI4-2	46	Ponty St	54	CO	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1526	BI4-2	47	S Gramercy Pl	591	CO	4	0.45	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1527	BI4-2	48	S Hobart Blvd	891	CO	4	0.67	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1528	BI4-2	49	S Manhattan Pl	424	CO	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1529	BI4-2	50	S Saint Andrews Pl	176	CO	4	0.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1530	BI4-2	51	S Wilton Pl	1178	CO	4	0.89	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1531	BI4-2	52	W 103rd Pl	735	CO	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1532	BI4-2	53	W 104th St	1239	CO	4	0.94	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1533	BI4-2	54	W 105th St	468	CO	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1534	BI4-2	55	W 106th St	275	CO	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1535	BI4-2	56	W 108th St	263	CO	4	0.20	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1536	BI4-2	57	W 109th Pl	54	CO	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1537	BI4-2	58	W 109th St	49	CO	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1538	BI4-2	59	W 110th Pl	414	CO	4	0.31	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1539	BI4-2	60	W 110th St	374	CO	4	0.28	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1540	BI4-2	61	W 111th St	257	CO	4	0.19	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1542	BI4-2	63		2409	Hawthorne	4	1.83	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1543	BI4-2	64	115th Pl	873	Hawthorne	4	0.66	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1544	BI4-2	65	119th St	2402	Hawthorne	4	1.82	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1545	BI4-2	66	Ardath Ave	1016	Hawthorne	4	0.77	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1546	BI4-2	67	Atkinson Ave	780	Hawthorne	4	0.59	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1547	BI4-2	68	Casimir Ave	1751	Hawthorne	4	1.33	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1548	BI4-2	69	Chanera Ave	931	Hawthorne	4	0.71	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1549	BI4-2	70	Daphne Ave	441	Hawthorne	4	0.33	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1550	BI4-2	71	Purche Ave	196	Hawthorne	4	0.15	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1551	BI4-2	72	Spinning Ave	1065	Hawthorne	4	0.81	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1552	BI4-2	73	W 115th St	812	Hawthorne	4	0.62	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1553	BI4-2	74	W 116th St	2308	Hawthorne	4	1.75	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1554	BI4-2	75	W 117th St	977	Hawthorne	4	0.74	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1555	BI4-2	76	W 118th Pl	466	Hawthorne	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1556	BI4-2	77	W 118th St	720	Hawthorne	4	0.55	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1557	BI4-2	78	Wilkie Ave	1030	Hawthorne	4	0.78	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1558	BI4-2	79		693	Hawthorne	1	0.13	Alley	20	4	1	8	13	0.45	6	18	MED			
1561	BI4-2	82		451	Inglewood	4	0.34	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1562	BI4-2	83	119th St	173	Inglewood	4	0.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1563	BI4-2	84	Ardath Ave	729	Inglewood	4	0.55	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1564	BI4-2	85	Casimir Ave	92	Inglewood	4	0.07	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1565	BI4-2	86	Crenshaw Blvd	705	Inglewood	4	0.53	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1566	BI4-2	87	Hudspeth St	889	Inglewood	4	0.67	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1567	BI4-2	88	S Lemoli Ave	212	Inglewood	4	0.16	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1568	BI4-2	89	S Simms Ave	1338	Inglewood	4	1.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1569	BI4-2	90	Ruthelen St	296	Los Angeles	4	0.22	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1570	BI4-2	91	S Manhattan Pl	290	Los Angeles	4	0.22	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1571	BI4-2	92	S Saint Andrews Pl	812	Los Angeles	4	0.62	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1572	BI4-2	93	W 104th St	631	Los Angeles	4	0.48	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1573	BI4-2	94	W 106th St	493	Los Angeles	4	0.37	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
1575	BI4-2	96		0	Los Angeles	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1576	BI4-2	97	Ruthelen St	1260	Los Angeles	4	0.95	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1577	BI4-2	98	S Gramercy Pl	704	Los Angeles	4	0.53	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1578	BI4-2	99	S Manhattan Pl	458	Los Angeles	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1579	BI4-2	100	S Saint Andrews Pl	818	Los Angeles	4	0.62	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1580	BI4-2	101	W 104th St	335	Los Angeles	4	0.25	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1581	BI4-2	102	W 106th St	831	Los Angeles	4	0.63	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1582	BI4-2	103	W 108th St	900	Los Angeles	4	0.68	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1583	BI4-2	104		1298	CO	6	1.47	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
1584	BI4-2	105	Imperial Hwy	1328	CO	6	1.51	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
1586	BI4-2	107	W Imperial Hwy	19	CO	6	0.02	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
1588	BI4-2	109		6171	CO	4	4.68	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1589	BI4-2	110	Cimarron St	1015	CO	4	0.77	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1590	BI4-2	111	Cullivan St	630	CO	4	0.48	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1591	BI4-2	112	Haas Ave	1306	CO	4	0.99	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1592	BI4-2	113	Imperial Hwy	1001	CO	4	0.76	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1593	BI4-2	114	Lohengrin St	2109	CO	4	1.60	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1594	BI4-2	115	Ruthelen St	1574	CO	4	1.19	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1595	BI4-2	116	S Gramercy Pl	321	CO	4	0.24	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1596	BI4-2	117	S Hobart Blvd	625	CO	4	0.47	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1597	BI4-2	118	S Manhattan Pl	2173	CO	4	1.65	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1598	BI4-2	119	S Saint Andrews Pl	1474	CO	4	1.12	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1599	BI4-2	120	S Wilton Pl	1359	CO	4	1.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1600	BI4-2	121	Thoreau St	1561	CO	4	1.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1601	BI4-2	122	Van Wick St	1038	CO	4	0.79	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1602	BI4-2	123	W 104th St	86	CO	4	0.07	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1603	BI4-2	124	W 107th St	250	CO	4	0.19	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1604	BI4-2	125	W 108th St	837	CO	4	0.63	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1605	BI4-2	126	W 109th St	1606	CO	4	1.22	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1606	BI4-2	127	W 110th Pl	57	CO	4	0.04	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1607	BI4-2	128	W 110th St	381	CO	4	0.29	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1608	BI4-2	129	W 111th St	1488	CO	4	1.13	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1609	BI4-2	130	W 112th St	1562	CO	4	1.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1611	BI4-2	132		28	Hawthorne	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1612	BI4-2	133	115th Pl	32	Hawthorne	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1613	BI4-2	134	119th St	28	Hawthorne	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1614	BI4-2	135	Spinning Ave	130	Hawthorne	4	0.10	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1615	BI4-2	136	W 115th St	388	Hawthorne	4	0.29	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1616	BI4-2	137	W 116th St	257	Hawthorne	4	0.19	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1617	BI4-2	138	Imperial Hwy	2	Inglewood	6	0.00	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
1620	BI4-2	141	Hudspeth St	641	Inglewood	4	0.49	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1621	BI4-2	142	S Spinning Ave	1561	Inglewood	4	1.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1622	BI4-2	143	Thoreau St	27	Inglewood	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1623	BI4-2	144	Van Wick St	20	Inglewood	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1624	BI4-2	145	W 104th St	12	Inglewood	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1625	BI4-2	146	W 111th St	373	Inglewood	4	0.28	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1626	BI4-2	147	W 112th St	920	Inglewood	4	0.70	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1627	BI4-2	148	Service Rd	661	Inglewood	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1628	BI4-2	149		1937	Inglewood	1	0.37	Alley	20	4	2	6	13	0.45	6	16	MED			
1629	BI4-2	150	Ruthelen St	73	Los Angeles	4	0.06	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1630	BI4-2	151	S Gramercy Pl	335	Los Angeles	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1631	BI4-2	152	W 108th St	423	Los Angeles	4	0.32	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1633	BI4-2	154		897	CO	4	0.68	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1634	BI4-2	155	Cimarron St	90	CO	4	0.07	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1635	BI4-2	156	Cullivan St	923	CO	4	0.70	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1636	BI4-2	157	Haas Ave	34	CO	4	0.03	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1637	BI4-2	158	Lohengrin St	477	CO	4	0.36	Minor-Local	60	6	3	4	13	0.45	6	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1638	BI4-2	159	Ruthelen St	125	CO	4	0.09	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1639	BI4-2	160	S Wilton Pl	1896	CO	4	1.44	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1640	BI4-2	161	Thoreau St	917	CO	4	0.69	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1641	BI4-2	162	Van Wick St	1060	CO	4	0.80	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1642	BI4-2	163	W 107th St	329	CO	4	0.25	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1643	BI4-2	164	W 108th St	487	CO	4	0.37	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1644	BI4-2	165	W 109th Pl	685	CO	4	0.52	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1645	BI4-2	166	W 109th St	660	CO	4	0.50	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1646	BI4-2	167	W 111th St	251	CO	4	0.19	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1647	BI4-2	168	Cullivan St	345	Inglewood	4	0.26	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1648	BI4-2	169	S 1st Ave	4	Inglewood	4	0.00	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1649	BI4-2	170	S Spinning Ave	740	Inglewood	4	0.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1650	BI4-2	171	W 108th St	119	Inglewood	4	0.09	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1651	BI4-2	172		1174	Inglewood	1	0.22	Alley	20	4	3	4	13	0.45	6	14	LOW			
1652	BI432	1	Western Ave	472	Los Angeles	6	0.54	Highway	100	10	0	10	9	0.27	2	22	HIGH			
1653	BI432	2		83	Los Angeles	6	0.09	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
1654	BI432	3	190th St	8	Los Angeles	6	0.01	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
1655	BI432	4	Western Ave	280	Los Angeles	6	0.32	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
1656	BI432	5	Knox St	220	Los Angeles	4	0.17	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
1657	BI432	6	Western Ave	1230	Los Angeles	6	1.40	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
1658	BI432	7	185th St	30	Los Angeles	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1659	BI432	8	186th St	28	Los Angeles	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1660	BI432	9	Dalton Ave	64	Los Angeles	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1661	BI432	10	Molina Ln	193	Los Angeles	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1662	BI432	11	S Dalton Ave	406	Los Angeles	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1663	BI432	12	S Denker Ave	992	Los Angeles	4	0.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1664	BI432	13	S Harvard Blvd	811	Los Angeles	4	0.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1665	BI432	14	W 183rd St	1028	Los Angeles	4	0.78	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1666	BI432	15	W 184th St	1346	Los Angeles	4	1.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1667	BI432	16	W 185th St	191	Los Angeles	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1668	BI432	17	W 186th St	50	Los Angeles	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1669	BI439E	1		361	Hawthorne	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1671	BI439E	3	W 120th St	14	Hawthorne	4	0.01	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1672	BI439E	4		974	Hawthorne	4	0.74	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1673	BI439E	5	W 120th St	167	Hawthorne	4	0.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1676	BI439E	8		666	CO	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1677	BI439E	9	119th St	2	CO	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1678	BI439E	10	Ruthelen St	964	CO	4	0.73	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1679	BI439E	11	S Saint Andrews Pl	983	CO	4	0.74	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1680	BI439E	12	S Wilton Pl	1438	CO	4	1.09	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1681	BI439E	13	W 115th St	782	CO	4	0.59	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1682	BI439E	14	W 117th St	14	CO	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1683	BI439E	15	W Imperial Hwy	1236	CO	4	0.94	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1685	BI439E	17		1330	Hawthorne	4	1.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1686	BI439E	18	119th St	1330	Hawthorne	4	1.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1687	BI439E	19	Cimarron Ave	1805	Hawthorne	4	1.37	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1688	BI439E	20	Daleside Ave	1063	Hawthorne	4	0.81	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1689	BI439E	21	Haas Ave	1808	Hawthorne	4	1.37	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1690	BI439E	22	S Wilton Pl	490	Hawthorne	4	0.37	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1691	BI439E	23	Tarron Ave	1793	Hawthorne	4	1.36	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1692	BI439E	24	W 115th St	1320	Hawthorne	4	1.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1693	BI439E	25	W 116th St	1322	Hawthorne	4	1.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1694	BI439E	26	W 117th St	0	Hawthorne	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1695	BI439E	27	W 120th St	1190	Hawthorne	4	0.90	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1697	BI439E	29	Service Rd	108	Inglewood	4	0.08	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1698	BI4401-1	1	W 82nd Pl	348	Inglewood	4	0.26	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1699	BI4401-1	2	W 83rd St	812	Inglewood	4	0.62	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1700	BI4401-1	3	W 84th Pl	782	Inglewood	4	0.59	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1701	BI4401-1	4	W 85th St	660	Inglewood	4	0.50	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1702	BI4401-1	5		1939	Inglewood	1	0.37	Alley	20	4	1	8	13	0.45	6	18	MED			
1707	BI4401-1	10	N Hillcrest Blvd	286	Inglewood	4	0.22	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1708	BI4401-1	11	S 8th Ave	842	Inglewood	4	0.64	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1709	BI4401-1	12	S Hillcrest Blvd	260	Inglewood	4	0.20	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
1710	BI4401-1	13	11th Ave	118	Inglewood	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1711	BI4401-1	14	E Aerick St	384	Inglewood	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1712	BI4401-1	15	E Carondelet Wy	427	Inglewood	4	0.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1713	BI4401-1	16	E Nutwood St	916	Inglewood	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1714	BI4401-1	17	E Queen St	653	Inglewood	4	0.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1715	BI4401-1	18	E Regent St	784	Inglewood	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1716	BI4401-1	19	E Spruce Ave	714	Inglewood	4	0.54	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1717	BI4401-1	20	E Tamarack Ave	652	Inglewood	4	0.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1718	BI4401-1	21	Howland Dr	782	Inglewood	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1719	BI4401-1	22	Manchester Dr	215	Inglewood	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1720	BI4401-1	23	Manchester Ter	615	Inglewood	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1721	BI4401-1	24	N Eastwood Ave	582	Inglewood	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1722	BI4401-1	25	Regent Cir	20	Inglewood	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1723	BI4401-1	26	S 10th Ave	387	Inglewood	4	0.29	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1724	BI4401-1	27	S 11th Ave	642	Inglewood	4	0.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1725	BI4401-1	28	S 6th Ave	12	Inglewood	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1726	BI4401-1	29	S 7th Ave	1360	Inglewood	4	1.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1727	BI4401-1	30	S 8th Ave	19	Inglewood	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1728	BI4401-1	31	S Flower St	27	Inglewood	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1729	BI4401-1	32	W 83rd St	1961	Inglewood	4	1.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1730	BI4401-1	33	W 84th Pl	2082	Inglewood	4	1.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1731	BI4401-1	34	W 84th St	1807	Inglewood	4	1.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1732	BI4401-1	35	W 85th St	2149	Inglewood	4	1.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1733	BI4401-1	36		2158	Inglewood	1	0.41	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1739	BI4401-1	42	Crenshaw Dr	1582	Inglewood	4	1.20	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1741	BI4401-1	44	11th Ave	78	Inglewood	4	0.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1742	BI4401-1	45	Crenshaw Dr	180	Inglewood	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1743	BI4401-1	46	E Aerick St	556	Inglewood	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1744	BI4401-1	47	E Kelso St	3	Inglewood	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1745	BI4401-1	48	E Nutwood St	737	Inglewood	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1746	BI4401-1	49	E Queen St	788	Inglewood	4	0.60	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1747	BI4401-1	50	E Tamarack Ave	83	Inglewood	4	0.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1748	BI4401-1	51	Kareem Ct	1293	Inglewood	4	0.98	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1749	BI4401-1	52	Manchester Dr	787	Inglewood	4	0.60	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1750	BI4401-1	53	Manchester Ter	789	Inglewood	4	0.60	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1751	BI4401-1	54	S 10th Ave	75	Inglewood	4	0.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1752	BI4401-1	55	S 12th Ave	117	Inglewood	4	0.09	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1753	BI4401-1	56	S Osage Ave	1006	Inglewood	4	0.76	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1756	BI4401-1	59	E Nutwood St	54	Inglewood	4	0.04	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1757	BI4401-1	60	S 12th Ave	82	Inglewood	4	0.06	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1758	BI4401-1	61	Victoria Ave	882	Inglewood	4	0.67	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1759	BI4401-1	62	W 82nd Pl	735	Inglewood	4	0.56	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1760	BI4401-1	63	W 82nd St	87	Inglewood	4	0.07	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1761	BI4401-1	64	W 83rd St	735	Inglewood	4	0.56	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1762	BI4401-1	65	W 88th St	16	Inglewood	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1763	BI4401-1	66	West Blvd	213	Inglewood	4	0.16	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1764	BI4401-1	67		255	Inglewood	1	0.05	Alley	20	4	2	6	13	0.45	6	16	MED			
1766	BI4401-1	69	Crenshaw Dr	190	Inglewood	4	0.14	Secondary-Collector	64	8	3	4	13	0.45	6	18	MED			
1767	BI4401-1	70	Victoria Ave	104	Inglewood	4	0.08	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1768	BI4401-1	71	W 82nd Pl	90	Inglewood	4	0.07	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1769	BI4401-1	72	W 83rd St	90	Inglewood	4	0.07	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1770	BI4401-1	73	W 84th Pl	825	Inglewood	4	0.63	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1771	BI4401-1	74	W 85th St	1040	Inglewood	4	0.79	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1772	BI4401-1	75	West Blvd	1676	Inglewood	4	1.27	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1773	BI4401-1	76	Service Rd	27	Inglewood	4	0.02	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1774	BI4401-2	1	W 106th St	571	Inglewood	4	0.43	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1775	BI4401-2	2	W 88th St	735	Inglewood	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1776	BI4401-2	3	W 90th St	469	Inglewood	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1777	BI4401-2	4	Service Rd	1190	Inglewood	4	0.90	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1778	BI4401-2	5		319	Inglewood	1	0.06	Alley	20	4	1	8	13	0.45	6	18	MED			
1780	BI4401-2	7	S 5th Ave	1283	Inglewood	4	0.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1781	BI4401-2	8	S 6th Ave	1291	Inglewood	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1782	BI4401-2	9	S 7th Ave	1299	Inglewood	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1783	BI4401-2	10	S 8th Ave	980	Inglewood	4	0.74	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1785	BI4401-2	12	W 104th St	393	Inglewood	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1786	BI4401-2	13	W 105th St	577	Inglewood	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1787	BI4401-2	14	W 106th St	937	Inglewood	4	0.71	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1788	BI4401-2	15	W 107th St	482	Inglewood	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1789	BI4401-2	16	W 88th St	1536	Inglewood	4	1.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1790	BI4401-2	17		2309	Inglewood	1	0.44	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1793	BI4401-2	20		74	Inglewood	4	0.06	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1795	BI4401-2	22	Yukon Ave	505	Inglewood	4	0.38	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
1796	BI4401-2	23	11th Ave	803	Inglewood	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1797	BI4401-2	24	Club Dr	96	Inglewood	4	0.07	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1798	BI4401-2	25	S 10th Ave	807	Inglewood	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1799	BI4401-2	26	S 8th Ave	326	Inglewood	4	0.25	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1801	BI4401-2	28	W 102nd St	1198	Inglewood	4	0.91	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1802	BI4401-2	29	W 104th St	1727	Inglewood	4	1.31	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1803	BI4401-2	30	W 105th St	908	Inglewood	4	0.69	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1805	BI4401-2	32		586	Inglewood	4	0.44	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
1807	BI4401-2	34	W 104th St	59	Inglewood	4	0.05	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
1808	BI4401-2	35	Yukon Ave	860	Inglewood	4	0.65	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
1809	BI4401-2	36		323	Inglewood	4	0.24	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1810	BI4401-2	37	11th Ave	320	Inglewood	4	0.24	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1811	BI4401-2	38	Bartdon Ave	337	Inglewood	4	0.26	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1812	BI4401-2	39	Club Dr	811	Inglewood	4	0.61	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1813	BI4401-2	40	Darby Ave	632	Inglewood	4	0.48	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1814	BI4401-2	41	Dixon Ave	630	Inglewood	4	0.48	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1815	BI4401-2	42	England Ave	889	Inglewood	4	0.67	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1816	BI4401-2	43	S 10th Ave	2404	Inglewood	4	1.82	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1817	BI4401-2	44	S 11th Ave	1405	Inglewood	4	1.06	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1818	BI4401-2	45	S 12th Ave	800	Inglewood	4	0.61	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1819	BI4401-2	46	S Village Dr	435	Inglewood	4	0.33	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1820	BI4401-2	47	W 102nd St	962	Inglewood	4	0.73	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1821	BI4401-2	48	W 104th St	2138	Inglewood	4	1.62	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1822	BI4401-2	49	W 88th St	228	Inglewood	4	0.17	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1823	BI4401-2	50	W 99th St	653	Inglewood	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1824	BI4401-2	51	W Arbor Vitae St	814	Inglewood	4	0.62	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1825	BI4401-2	52	W Hardy St	324	Inglewood	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1826	BI4401-2	53	Woodworth Ave	781	Inglewood	4	0.59	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1827	BI4401-2	54	Service Rd	3251	Inglewood	4	2.46	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1828	BI4401-2	55		4334	Inglewood	1	0.82	Alley	20	4	2	6	13	0.45	6	16	MED			
1831	BI4401-2	58	S 10th Ave	665	Inglewood	4	0.50	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1832	BI4401-2	59	S 11th Ave	652	Inglewood	4	0.49	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1833	BI4401-2	60	S 12th Ave	320	Inglewood	4	0.24	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1834	BI4401-2	61	W 99th St	88	Inglewood	4	0.07	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1835	BI4401-2	62	W Hardy St	336	Inglewood	4	0.25	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1836	BI4401-2	63	Service Rd	705	Inglewood	4	0.53	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1837	BI4402A	1	W 108th St	559	Inglewood	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1838	BI4402A	2	W 109th St	1044	Inglewood	4	0.79	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1839	BI4402A	3	W 110th St	1459	Inglewood	4	1.11	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1840	BI4402A	4	W 111th Pl	1129	Inglewood	4	0.86	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1841	BI4402A	5	W 111th St	1399	Inglewood	4	1.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1842	BI4402A	6	W 112th St	790	Inglewood	4	0.60	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1843	BI4402A	7	W 113th St	537	Inglewood	4	0.41	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1844	BI4402A	8		2060	Inglewood	1	0.39	Alley	20	4	1	8	13	0.45	6	18	MED			
1846	BI4402A	10		391	Inglewood	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1848	BI4402A	12	S Dehn Ave	630	Inglewood	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1850	BI4402A	14	S Simms Ave	41	Inglewood	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1851	BI4402A	15	W 111th Pl	171	Inglewood	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1852	BI4402A	16	W 112th St	510	Inglewood	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1853	BI4402A	17	W 113th St	772	Inglewood	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1854	BI4402A	18	W 115th St	347	Inglewood	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1856	BI4402A	20	W 117th St	598	Inglewood	4	0.45	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1857	BI4402A	21	W 118th Pl	227	Inglewood	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1858	BI4402A	22	W 118th St	306	Inglewood	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1859	BI4402A	23		742	Inglewood	1	0.14	Alley	20	4	0	10	13	0.45	6	20	HIGH			
1864	BI4402A	28	Thoreau St	9	Inglewood	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
1866	BI4402A	30	S 10th Ave	326	Inglewood	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1867	BI4402A	31	W 107th St	1	Inglewood	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1868	BI4402A	32	W 108th St	641	Inglewood	4	0.49	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1869	BI4402A	33	W 109th St	259	Inglewood	4	0.20	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1870	BI4402A	34		403	Inglewood	1	0.08	Alley	20	4	2	6	13	0.45	6	16	MED			
1872	BI510A	2	Eudora Ave	1435	Los Angeles	4	1.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1874	BI510A	4	Lynton Ave	291	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1875	BI510A	5	Van Tress Ave	1082	Los Angeles	4	0.82	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1876	BI510A	6	W Chandler St	155	Los Angeles	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1877	BI510A	7	W Dolores St	151	Los Angeles	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1878	BI510A	8	W Don St	633	Los Angeles	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1879	BI510A	9	W Q St	596	Los Angeles	4	0.45	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
1880	BI510A	10	W R St	685	Los Angeles	4	0.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1882	BI510A	12	E Lomita Blvd	127	Los Angeles	6	0.14	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
1883	BI510A	13	Lomita Blvd	901	Los Angeles	6	1.02	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
1884	BI510A	14	N Wilmington Blvd	5	Los Angeles	6	0.01	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
1885	BI510A	15		12	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1886	BI510A	16	Albatross Ave	213	Los Angeles	4	0.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1887	BI510A	17	Bayview Ave	13	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1888	BI510A	18	Broad Ave	1260	Los Angeles	4	0.95	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1889	BI510A	19	E 246th St	528	Los Angeles	4	0.40	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1890	BI510A	20	E 247th St	197	Los Angeles	4	0.15	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1891	BI510A	21	E 248th St	395	Los Angeles	4	0.30	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1892	BI510A	22	E 249th St	497	Los Angeles	4	0.38	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1894	BI510A	24	N Gulf Ave	7	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1895	BI510A	25	N Island Ave	12	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1896	BI510A	26	N Lagoon Ave	8	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1897	BI510A	27	N Neptune Ave	14	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1898	BI510A	28	N Ravenna Ave	11	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1899	BI510A	29	S Lagoon Ave	12	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1900	BI510A	30	S Neptune Ave	2	Los Angeles	4	0.00	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1901	BI510A	31	Van Tress Ave	437	Los Angeles	4	0.33	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1902	BI510A	32	W Chandler St	1107	Los Angeles	4	0.84	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1903	BI510A	33	W Don St	683	Los Angeles	4	0.52	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1904	BI510A	34	W Lowen St	1235	Los Angeles	4	0.94	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1905	BI510A	35	W Q St	1266	Los Angeles	4	0.96	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1906	BI510A	36	W R St	915	Los Angeles	4	0.69	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
1907	BI510A	37		1339	Los Angeles	1	0.25	Alley	20	4	0	10	14	0.81	10	24	HIGH			
1908	BI511A	1	N Patton Ave	111	Los Angeles	4	0.08	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1909	BI511A	2	W Elberon Ave	126	Los Angeles	4	0.10	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1910	BI511A	3	W Ofarrell St	748	Los Angeles	4	0.57	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1911	BI511A	4	N Meyler St	41	Los Angeles	4	0.03	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1912	BI511A	5	W Elberon Ave	271	Los Angeles	4	0.21	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1913	BI511A	6		151	Los Angeles	1	0.03	Alley	20	4	3	4	9	0.27	2	10	LOW			
1914	BI511A	7	Paraiso St	9	Los Angeles	4	0.01	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
1915	BI511A	8	S Herbert Ave	36	Los Angeles	4	0.03	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
1916	BI511A	9	W Channel St	364	Los Angeles	4	0.28	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
1917	BI511A	10	N Western Ave	394	Los Angeles	6	0.45	Primary-Arterial	100	10	4	2	4	0.4	5	17	MED			
1918	BI511A	11	W Summerland Ave	977	Los Angeles	4	0.74	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
1919	BI511A	12	N Bandini St	252	Los Angeles	4	0.19	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
1920	BI511A	13	N Ellery Dr	207	Los Angeles	4	0.16	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
1921	BI511A	14	N Harbor View Ave	416	Los Angeles	4	0.32	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
1922	BI511A	15	N Walker Ave	98	Los Angeles	4	0.07	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
1923	BI511A	16	W Elberon Ave	465	Los Angeles	4	0.35	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
1924	BI511A	17	W Ofarrell St	1408	Los Angeles	4	1.07	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
1925	BI511A	18		822	Los Angeles	1	0.16	Alley	20	4	4	2	4	0.4	5	11	LOW			
1926	BI511A	19	Lois Ave	140	Los Angeles	4	0.11	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
1927	BI511A	20	N Bandini St	344	Los Angeles	4	0.26	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
1928	BI511A	21	N Dunn St	353	Los Angeles	4	0.27	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
1929	BI511A	22	N Meyler St	479	Los Angeles	4	0.36	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
1930	BI511A	23	W Crestwood Ave	924	Los Angeles	4	0.70	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
1931	BI511A	24	W Upland Ave	782	Los Angeles	4	0.59	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
1932	BI511A	25		148	Los Angeles	1	0.03	Alley	20	4	4	2	9	0.27	2	8	LOW			
1933	BI511A	26	W Channel St	399	Los Angeles	4	0.30	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1934	BI511A	27	N Meyler St	249	Los Angeles	4	0.19	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
1935	BI511A	28	S Herbert Ave	345	Los Angeles	4	0.26	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
1936	BI511A	29	W Channel St	338	Los Angeles	4	0.26	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
1937	BI511D	1	N Gaffey St	1191	Los Angeles	6	1.35	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
1938	BI511D	2	W Summerland Ave	546	Los Angeles	4	0.41	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
1939	BI511D	3	W Summerland Pl	214	Los Angeles	4	0.16	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
1940	BI511D	4	N Cabrillo Ave	1300	Los Angeles	4	0.98	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1941	BI511D	5	N Grand Ave	88	Los Angeles	4	0.07	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1942	BI511D	6	N Marshall Ct	472	Los Angeles	4	0.36	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1943	BI511D	7	N Parker St	0	Los Angeles	4	0.00	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1944	BI511D	8	W Elberon Ave	24	Los Angeles	4	0.02	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1945	BI511D	9	W Ofarrell St	372	Los Angeles	4	0.28	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1946	BI511D	10	W Oliver St	858	Los Angeles	4	0.65	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1947	BI511D	11	W Santa Cruz St	1023	Los Angeles	4	0.77	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1948	BI511D	12	W Sepulveda St	1041	Los Angeles	4	0.79	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1949	BI511D	13	W Summerland Ave	534	Los Angeles	4	0.40	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
1950	BI511D	14		1102	Los Angeles	1	0.21	Alley	20	4	2	6	9	0.27	2	12	LOW			
1952	BI511D	16	Bonita St	338	Los Angeles	4	0.26	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1953	BI511D	17	N Gaffey Pl	216	Los Angeles	4	0.16	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1954	BI511D	18	N Grand Ave	651	Los Angeles	4	0.49	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1955	BI511D	19	Termino Ave	327	Los Angeles	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1956	BI511D	20	W Elberon Ave	19	Los Angeles	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1957	BI511D	21	W Ofarrell St	1242	Los Angeles	4	0.94	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1958	BI511D	22	W Oliver St	1159	Los Angeles	4	0.88	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
1959	BI511D	23		1134	Los Angeles	1	0.21	Alley	20	4	2	6	13	0.45	6	16	MED			
1960	BI511D	24	N Front St	24	Los Angeles	6	0.03	Primary-Arterial	100	10	3	4	3	0.77	9	23	HIGH			
1961	BI511D	25	N Pacific Ave	52	Los Angeles	6	0.06	Primary-Arterial	100	10	3	4	3	0.77	9	23	HIGH			
1962	BI511D	26	W Summerland Ave	156	Los Angeles	4	0.12	Secondary-Collector	64	8	3	4	4	0.4	5	17	MED			
1963	BI511D	27	N Meyler St	867	Los Angeles	4	0.66	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1964	BI511D	28	N Patton Ave	321	Los Angeles	4	0.24	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1965	BI511D	29	W Oliver St	406	Los Angeles	4	0.31	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1966	BI511D	30	W Santa Cruz St	253	Los Angeles	4	0.19	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1967	BI511D	31	W Sepulveda St	666	Los Angeles	4	0.50	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
1968	BI511D	32		1462	Los Angeles	1	0.28	Alley	20	4	3	4	4	0.4	5	13	LOW			
1969	BI511D	33	W Summerland Ave	329	Los Angeles	4	0.25	Secondary-Collector	64	8	3	4	9	0.27	2	14	LOW			
1970	BI511D	34	N Cabrillo Ave	203	Los Angeles	4	0.15	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1971	BI511D	35	N Marshall Ct	201	Los Angeles	4	0.15	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1972	BI511D	36	N Meyler St	343	Los Angeles	4	0.26	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1973	BI511D	37	N Parker St	205	Los Angeles	4	0.16	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1974	BI511D	38	W Oliver St	331	Los Angeles	4	0.25	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1975	BI511D	39	W Santa Cruz St	43	Los Angeles	4	0.03	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1976	BI511D	40	W Sepulveda St	71	Los Angeles	4	0.05	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
1977	BI511D	41		1095	Los Angeles	1	0.21	Alley	20	4	3	4	9	0.27	2	10	LOW			
1979	BI511D	43	Bonita St	158	Los Angeles	4	0.12	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1980	BI511D	44	N Gaffey Pl	861	Los Angeles	4	0.65	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1981	BI511D	45	W Crestwood Ave	189	Los Angeles	4	0.14	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1982	BI511D	46	W Macarthur Ave	335	Los Angeles	4	0.25	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1983	BI511D	47	W Oliver St	427	Los Angeles	4	0.32	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1984	BI511D	48	W Upland Ave	148	Los Angeles	4	0.11	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
1985	BI511D	49		310	Los Angeles	1	0.06	Alley	20	4	3	4	13	0.45	6	14	LOW			
1986	BI511D	50	N Gaffey Pl	21	Los Angeles	4	0.02	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
1987	BI511D	51	W Macarthur Ave	159	Los Angeles	4	0.12	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
1988	BI511D	52	N Front St	114	Los Angeles	6	0.13	Primary-Arterial	100	10	4	2	3	0.77	9	21	HIGH			
1989	BI511D	53	N Pacific Ave	285	Los Angeles	6	0.32	Primary-Arterial	100	10	4	2	3	0.77	9	21	HIGH			
1990	BI511D	54		55	Los Angeles	4	0.04	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
1991	BI511D	55	Knoll Dr	55	Los Angeles	4	0.04	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
1992	BI511D	56	N Grand Ave	105	Los Angeles	4	0.08	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
1993	BI511D	57	Shields Dr	65	Los Angeles	4	0.05	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
1994	BI511D	58	W Elberon Ave	187	Los Angeles	4	0.14	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
1995	BI511D	59	W Macarthur Ave	388	Los Angeles	4	0.29	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
1996	BI511D	60	W Summerland Ave	263	Los Angeles	4	0.20	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
1997	BI511D	61	W Summerland Ave	266	Los Angeles	4	0.20	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
1998	BI511D	62	N Bandini St	1083	Los Angeles	4	0.82	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
1999	BI511D	63	N Harbor View Ave	222	Los Angeles	4	0.17	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2000	BI511D	64	N Walker Ave	333	Los Angeles	4	0.25	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2001	BI511D	65	W Ofarrell St	155	Los Angeles	4	0.12	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2002	BI511D	66	W Oliver St	737	Los Angeles	4	0.56	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2003	BI511D	67	W Santa Cruz St	10	Los Angeles	4	0.01	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2004	BI511D	68	W Sepulveda St	737	Los Angeles	4	0.56	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2005	BI511D	69		1125	Los Angeles	1	0.21	Alley	20	4	4	2	4	0.4	5	11	LOW			
2006	BI511D	70	N Pacific Ave	177	Los Angeles	6	0.20	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
2007	BI511D	71	W Elberon Ave	74	Los Angeles	4	0.06	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2008	BI511D	72	N Pacific Ave	518	Los Angeles	6	0.59	Primary-Arterial	100	10	4	2	16	0.36	4	16	MED			
2009	BI511D	73	N Grand Ave	600	Los Angeles	4	0.45	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2010	BI511D	74	Shields Dr	70	Los Angeles	4	0.05	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2011	BI511D	75	W Elberon Ave	379	Los Angeles	4	0.29	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2012	BI511D	76	W Macarthur Ave	510	Los Angeles	4	0.39	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2013	BI511D	77	W Summerland Ave	338	Los Angeles	4	0.26	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2014	BI511D	78	W Upland Ave	649	Los Angeles	4	0.49	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2015	BI512A	1	S Leland St	882	Los Angeles	4	0.67	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2016	BI512A	2	S Meyler St	917	Los Angeles	4	0.69	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2017	BI512A	3	W 11th St	346	Los Angeles	4	0.26	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2018	BI512A	4	W 12th St	337	Los Angeles	4	0.26	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2019	BI512A	5	W 13th St	507	Los Angeles	4	0.38	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2020	BI512A	6	W 22nd St	737	Los Angeles	4	0.56	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2021	BI512A	7	S Gaffey St	773	Los Angeles	6	0.88	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			
2023	BI512A	9	W 19th St	862	Los Angeles	4	0.65	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
2024	BI512A	10	S Cabrillo Ave	553	Los Angeles	4	0.42	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2025	BI512A	11	S Grand Ave	2534	Los Angeles	4	1.92	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2026	BI512A	12	W 11th St	435	Los Angeles	4	0.33	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2027	BI512A	13	W 12th St	688	Los Angeles	4	0.52	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2028	BI512A	14	W 13th St	880	Los Angeles	4	0.67	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2029	BI512A	15	W 14th St	930	Los Angeles	4	0.70	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2030	BI512A	16	W 15th St	905	Los Angeles	4	0.69	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2031	BI512A	17	W 16th St	928	Los Angeles	4	0.70	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2032	BI512A	18	W 17th St	943	Los Angeles	4	0.71	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2033	BI512A	19	W 18th St	929	Los Angeles	4	0.70	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2034	BI512A	20	W 19th St	57	Los Angeles	4	0.04	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2035	BI512A	21	W 20th St	1391	Los Angeles	4	1.05	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2036	BI512A	22	W 21st St	1474	Los Angeles	4	1.12	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
2037	BI512A	23		12557	Los Angeles	1	2.38	Alley	20	4	1	8	9	0.27	2	14	LOW			
2038	BI512A	24	W 23rd St	737	Los Angeles	4	0.56	Minor-Local	60	6	2	6	4	0.4	5	17	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2039	BI512A	25	W 24th St	737	Los Angeles	4	0.56	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2040	BI512A	26		1460	Los Angeles	1	0.28	Alley	20	4	2	6	4	0.4	5	15	MED			
2041	BI512A	27	S Gaffey St	1862	Los Angeles	6	2.12	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
2042	BI512A	28	S Pacific Ave	882	Los Angeles	6	1.00	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
2043	BI512A	29	S Mesa St	294	Los Angeles	4	0.22	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
2044	BI512A	30	W 22nd St	795	Los Angeles	4	0.60	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
2045	BI512A	31	Barbour Ct	334	Los Angeles	4	0.25	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2046	BI512A	32	Harbor View Ter	40	Los Angeles	4	0.03	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2047	BI512A	33	N Smallwood Dr	200	Los Angeles	4	0.15	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2048	BI512A	34	Old E Fort Rd	120	Los Angeles	4	0.09	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2049	BI512A	35	Old W Fort Rd	538	Los Angeles	4	0.41	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2050	BI512A	36	Quartermaster Rd	19	Los Angeles	4	0.01	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2051	BI512A	37	S Cabrillo Ave	1241	Los Angeles	4	0.94	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2052	BI512A	38	S Mesa St	556	Los Angeles	4	0.42	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2053	BI512A	39	S Parker St	210	Los Angeles	4	0.16	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2054	BI512A	40	Via Cabrillo Marina	17	Los Angeles	4	0.01	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2055	BI512A	41	W 11th St	784	Los Angeles	4	0.59	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2056	BI512A	42	W 12th St	606	Los Angeles	4	0.46	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2057	BI512A	43	W 13th St	310	Los Angeles	4	0.24	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2058	BI512A	44	W 14th St	1474	Los Angeles	4	1.12	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2059	BI512A	45	W 15th St	1146	Los Angeles	4	0.87	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2060	BI512A	46	W 16th St	1146	Los Angeles	4	0.87	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2061	BI512A	47	W 17th St	737	Los Angeles	4	0.56	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2062	BI512A	48	W 18th St	737	Los Angeles	4	0.56	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2063	BI512A	49	W 21st St	56	Los Angeles	4	0.04	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2064	BI512A	50	W 22nd St	363	Los Angeles	4	0.28	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2065	BI512A	51	W 23rd St	123	Los Angeles	4	0.09	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2066	BI512A	52	W Hamilton Ave	130	Los Angeles	4	0.10	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2067	BI512A	53		7619	Los Angeles	1	1.44	Alley	20	4	2	6	9	0.27	2	12	LOW			
2068	BI512A	54	S Western Ave	524	Los Angeles	6	0.60	Primary-Arterial	100	10	3	4	4	0.4	5	19	MED			
2069	BI512A	55	Aldine Ct	37	Los Angeles	4	0.03	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2070	BI512A	56	S Alma St	1546	Los Angeles	4	1.17	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2071	BI512A	57	S Leland St	551	Los Angeles	4	0.42	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2072	BI512A	58	S Meyler St	119	Los Angeles	4	0.09	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2073	BI512A	59	S Walker Ave	1149	Los Angeles	4	0.87	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2074	BI512A	60	W 11th St	446	Los Angeles	4	0.34	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2075	BI512A	61	W 12th St	1058	Los Angeles	4	0.80	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2076	BI512A	62	W 13th St	2256	Los Angeles	4	1.71	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2077	BI512A	63	W 14th St	700	Los Angeles	4	0.53	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2078	BI512A	64	W 20th St	303	Los Angeles	4	0.23	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2079	BI512A	65	W 22nd St	1474	Los Angeles	4	1.12	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2080	BI512A	66	W 23rd St	1474	Los Angeles	4	1.12	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2081	BI512A	67	W 24th St	1474	Los Angeles	4	1.12	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2082	BI512A	68		5575	Los Angeles	1	1.06	Alley	20	4	3	4	4	0.4	5	13	LOW			
2083	BI512A	69	S Pacific Ave	1239	Los Angeles	6	1.41	Primary-Arterial	100	10	3	4	9	0.27	2	16	MED			
2084	BI512A	70	W 22nd St	737	Los Angeles	4	0.56	Secondary-Collector	64	8	3	4	9	0.27	2	14	LOW			
2085	BI512A	71		75	Los Angeles	4	0.06	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2086	BI512A	72	Harbor View Ter	113	Los Angeles	4	0.09	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2087	BI512A	73	Meyler Rd	226	Los Angeles	4	0.17	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2088	BI512A	74	N Smallwood Dr	149	Los Angeles	4	0.11	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2089	BI512A	75	Oceanview Ter	190	Los Angeles	4	0.14	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2090	BI512A	76	Officers Rd	398	Los Angeles	4	0.30	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2091	BI512A	77	Quartermaster Rd	619	Los Angeles	4	0.47	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2092	BI512A	78	S Denison Ave	114	Los Angeles	4	0.09	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2093	BI512A	79	S Grand Ave	882	Los Angeles	4	0.67	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2094	BI512A	80	S Parker St	120	Los Angeles	4	0.09	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2095	BI512A	81	W 14th St	37	Los Angeles	4	0.03	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2096	BI512A	82	W 23rd St	737	Los Angeles	4	0.56	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2097	BI512A	83	W 24th St	467	Los Angeles	4	0.35	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2098	BI512A	84	W 26th St	123	Los Angeles	4	0.09	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2099	BI512A	85	W 28th St	354	Los Angeles	4	0.27	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2100	BI512A	86	W Hamilton Ave	538	Los Angeles	4	0.41	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2101	BI512A	87		2710	Los Angeles	1	0.51	Alley	20	4	3	4	9	0.27	2	10	LOW			
2102	BI512A	88	N Western Ave	37	Los Angeles	6	0.04	Primary-Arterial	100	10	4	2	4	0.4	5	17	MED			
2103	BI512A	89	S Western Ave	475	Los Angeles	6	0.54	Primary-Arterial	100	10	4	2	4	0.4	5	17	MED			
2104	BI512A	90	W 9th St	151	Los Angeles	6	0.17	Primary-Arterial	100	10	4	2	4	0.4	5	17	MED			
2105	BI512A	91	S Weymouth Ave	343	Los Angeles	4	0.26	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
2106	BI512A	92	W 19th St	203	Los Angeles	4	0.15	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
2107	BI512A	93	W 6th St	121	Los Angeles	4	0.09	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
2108	BI512A	94		619	Los Angeles	4	0.47	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2109	BI512A	95	Constellation Wy	410	Los Angeles	4	0.31	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2110	BI512A	96	Elanita Dr	1910	Los Angeles	4	1.45	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2111	BI512A	97	Mirabeau Ave	30	Los Angeles	4	0.02	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2112	BI512A	98	N Ellery Dr	344	Los Angeles	4	0.26	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2113	BI512A	99	N Ellery Pl	135	Los Angeles	4	0.10	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2114	BI512A	100	Orbit Ln	169	Los Angeles	4	0.13	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2115	BI512A	101	Perigee Cir	314	Los Angeles	4	0.24	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2116	BI512A	102	S Alma St	446	Los Angeles	4	0.34	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2117	BI512A	103	S Averill Ave	830	Los Angeles	4	0.63	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2118	BI512A	104	S Carolina St	499	Los Angeles	4	0.38	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2119	BI512A	105	S Kerckhoff Ave	68	Los Angeles	4	0.05	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2120	BI512A	106	S Leland St	1764	Los Angeles	4	1.34	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2121	BI512A	107	S Patton Ave	1131	Los Angeles	4	0.86	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2122	BI512A	108	S Walker Ave	1764	Los Angeles	4	1.34	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2123	BI512A	109	W 10th St	149	Los Angeles	4	0.11	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2124	BI512A	110	W 13th St	737	Los Angeles	4	0.56	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2125	BI512A	111	W 14th St	2211	Los Angeles	4	1.67	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2126	BI512A	112	W 15th St	1936	Los Angeles	4	1.47	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2127	BI512A	113	W 16th St	1264	Los Angeles	4	0.96	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2128	BI512A	114	W 1st St	537	Los Angeles	4	0.41	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2129	BI512A	115	W 20th St	1949	Los Angeles	4	1.48	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2130	BI512A	116	W 21st St	1485	Los Angeles	4	1.13	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2131	BI512A	117	W 22nd St	646	Los Angeles	4	0.49	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2132	BI512A	118	W 23rd St	86	Los Angeles	4	0.07	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2133	BI512A	119	W 24th St	87	Los Angeles	4	0.07	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2134	BI512A	120	W 26th St	292	Los Angeles	4	0.22	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2135	BI512A	121	W 5th St	145	Los Angeles	4	0.11	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2136	BI512A	122	W 7th St	152	Los Angeles	4	0.12	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2137	BI512A	123	W Hamilton Ave	35	Los Angeles	4	0.03	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2138	BI512A	124	W Santa Cruz St	922	Los Angeles	4	0.70	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2139	BI512A	125		8527	Los Angeles	1	1.62	Alley	20	4	4	2	4	0.4	5	11	LOW			
2140	BI512A	126	S Gaffey St	882	Los Angeles	6	1.00	Primary-Arterial	100	10	4	2	9	0.27	2	14	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2141	BI512A	127	W 19th St	737	Los Angeles	4	0.56	Secondary-Collector	64	8	4	2	9	0.27	2	12	LOW			
2142	BI512A	128	Oceanview Ter	206	Los Angeles	4	0.16	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2143	BI512A	129	S Cabrillo Ave	882	Los Angeles	4	0.67	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2144	BI512A	130	S Denison Ave	896	Los Angeles	4	0.68	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2145	BI512A	131	S Grand Ave	16	Los Angeles	4	0.01	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2146	BI512A	132	S Kerckhoff Ave	246	Los Angeles	4	0.19	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2147	BI512A	133	W 17th St	737	Los Angeles	4	0.56	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2148	BI512A	134	W 18th St	737	Los Angeles	4	0.56	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2149	BI512A	135	W 20th St	737	Los Angeles	4	0.56	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2150	BI512A	136	W 21st St	737	Los Angeles	4	0.56	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2151	BI512A	137	W 26th St	445	Los Angeles	4	0.34	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2152	BI512A	138	W Hamilton Ave	215	Los Angeles	4	0.16	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2153	BI512A	139		5076	Los Angeles	1	0.96	Alley	20	4	4	2	9	0.27	2	8	LOW			
2156	BI534-1	3	Freeman Ave	311	CO	4	0.24	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2157	BI534-1	4	S Burin Ave	57	CO	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2158	BI534-1	5	S Freeman Ave	446	CO	4	0.34	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2159	BI534-1	6	S Osage Ave	54	CO	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2161	BI534-1	8	W 105th St	1176	CO	4	0.89	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2162	BI534-1	9	W 106th St	1342	CO	4	1.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2163	BI534-1	10		29	CO	1	0.01	Alley	20	4	0	10	16	0.36	4	18	MED			
2164	BI534-1	11	W Kelso St	140	Inglewood	4	0.11	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2165	BI534-1	12		7979	Inglewood	1	1.51	Alley	20	4	1	8	13	0.45	6	18	MED			
2167	BI534-1	14	S Prairie Ave	21	Inglewood	6	0.02	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			
2169	BI534-1	16	E La Palma Dr	4	Inglewood	4	0.00	Secondary-Collector	64	8	1	8	16	0.36	4	20	HIGH			
2172	BI534-1	19		66	Inglewood	4	0.05	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2174	BI534-1	21	E Hillcrest Blvd	1331	Inglewood	4	1.01	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2175	BI534-1	22	S Grevillea Ave	2531	Inglewood	4	1.92	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2176	BI534-1	23	S Hillcrest Blvd	75	Inglewood	4	0.06	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2178	BI534-1	25	W Hillcrest Blvd	799	Inglewood	4	0.61	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2179	BI534-1	26		97	Inglewood	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2180	BI534-1	27	E 94th St	661	Inglewood	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2181	BI534-1	28	E Buckthorn St	615	Inglewood	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2182	BI534-1	29	E Hillcrest Blvd	97	Inglewood	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2183	BI534-1	30	E Kelso St	943	Inglewood	4	0.71	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2184	BI534-1	31	E Nutwood St	812	Inglewood	4	0.62	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2185	BI534-1	32	E Spruce Ave	1415	Inglewood	4	1.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2186	BI534-1	33	E Tamarack Ave	817	Inglewood	4	0.62	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2187	BI534-1	34	S Fir Ave	768	Inglewood	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2188	BI534-1	35	S Flower St	461	Inglewood	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2189	BI534-1	36	S Locust St	747	Inglewood	4	0.57	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2190	BI534-1	37	S Maple Ave	900	Inglewood	4	0.68	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2191	BI534-1	38	S Walnut St	1713	Inglewood	4	1.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2192	BI534-1	39	W Buckthorn St	824	Inglewood	4	0.62	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2193	BI534-1	40	W Kelso St	693	Inglewood	4	0.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2194	BI534-1	41	W Lime St	811	Inglewood	4	0.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2195	BI534-1	42		7679	Inglewood	1	1.45	Alley	20	4	0	10	13	0.45	6	20	HIGH			
2196	BI534-1	43		47	Inglewood	6	0.05	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
2201	BI534-1	48		40	Inglewood	4	0.03	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
2202	BI534-1	49	S Grevillea Ave	2040	Inglewood	4	1.55	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
2205	BI534-1	52	W Hillcrest Blvd	2620	Inglewood	4	1.98	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
2206	BI534-1	53		240	Inglewood	4	0.18	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2207	BI534-1	54	Condon Ave	64	Inglewood	4	0.05	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2208	BI534-1	55	Dalerose Ave	57	Inglewood	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2209	BI534-1	56	E 94th St	38	Inglewood	4	0.03	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2210	BI534-1	57	E 97th St	462	Inglewood	4	0.35	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2211	BI534-1	58	E 98th St	1409	Inglewood	4	1.07	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2212	BI534-1	59	E 99th St	1988	Inglewood	4	1.51	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2213	BI534-1	60	E Hardy St	690	Inglewood	4	0.52	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2214	BI534-1	61	Freeman Ave	25	Inglewood	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2215	BI534-1	62	S Burin Ave	1293	Inglewood	4	0.98	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2216	BI534-1	63	S Cedar Ave	3222	Inglewood	4	2.44	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2217	BI534-1	64	S Eucalyptus Ave	4814	Inglewood	4	3.65	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2218	BI534-1	65	S Fir Ave	4101	Inglewood	4	3.11	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2219	BI534-1	66	S Firmona Ave	54	Inglewood	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2220	BI534-1	67	S Flower St	505	Inglewood	4	0.38	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2221	BI534-1	68	S Freeman Ave	995	Inglewood	4	0.75	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2222	BI534-1	69	S Grevillea Ave	59	Inglewood	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2223	BI534-1	70	S Holly St	51	Inglewood	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2224	BI534-1	71	S Larch St	318	Inglewood	4	0.24	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2225	BI534-1	72	S Mansel Ave	50	Inglewood	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2226	BI534-1	73	S Maple Ave	1742	Inglewood	4	1.32	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2227	BI534-1	74	S Myers Pl	736	Inglewood	4	0.56	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2228	BI534-1	75	S Myrtle Ave	782	Inglewood	4	0.59	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2229	BI534-1	76	S Oak St	2451	Inglewood	4	1.86	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2230	BI534-1	77	S Rosewood Ave	1084	Inglewood	4	0.82	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2231	BI534-1	78	S Truro Ave	1975	Inglewood	4	1.50	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2232	BI534-1	79	S Walnut St	2391	Inglewood	4	1.81	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2233	BI534-1	80	W 101st St	1586	Inglewood	4	1.20	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2234	BI534-1	81	W 102nd St	2134	Inglewood	4	1.62	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2235	BI534-1	82	W 103rd St	1432	Inglewood	4	1.09	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2236	BI534-1	83	W 104th St	21	Inglewood	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2237	BI534-1	84	W 105th St	40	Inglewood	4	0.03	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2238	BI534-1	85	W 106th St	131	Inglewood	4	0.10	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2239	BI534-1	86	W 94th St	863	Inglewood	4	0.65	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2240	BI534-1	87	W 98th St	1362	Inglewood	4	1.03	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2241	BI534-1	88	W Buckthorn St	2982	Inglewood	4	2.26	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2242	BI534-1	89	W Elm Ave	1582	Inglewood	4	1.20	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2243	BI534-1	90	W Hardy St	782	Inglewood	4	0.59	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2244	BI534-1	91	W Kelso St	2631	Inglewood	4	1.99	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2245	BI534-1	92	W Lime St	1966	Inglewood	4	1.49	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2246	BI534-1	93	W Magnolia Ave	2417	Inglewood	4	1.83	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2247	BI534-1	94	W Nectarine St	1399	Inglewood	4	1.06	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2248	BI534-1	95	W Olive St	2614	Inglewood	4	1.98	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2249	BI534-1	96	W Spruce Ave	2457	Inglewood	4	1.86	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2250	BI534-1	97		8640	Inglewood	1	1.64	Alley	20	4	0	10	16	0.36	4	18	MED			
2251	BI534-1	98	E La Palma Dr	27	Inglewood	6	0.03	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2256	BI534-1	103	E Hillcrest Blvd	1284	Inglewood	4	0.97	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
2257	BI534-1	104	E La Palma Dr	2301	Inglewood	4	1.74	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
2258	BI534-1	105	S Grevillea Ave	1309	Inglewood	4	0.99	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
2259	BI534-1	106	Davis Dr	496	Inglewood	4	0.38	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2260	BI534-1	107	E Buckthorn St	1664	Inglewood	4	1.26	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2261	BI534-1	108	E Kelso St	2276	Inglewood	4	1.72	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2262	BI534-1	109	E Nutwood St	1085	Inglewood	4	0.82	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2263	BI534-1	110	E Spruce Ave	927	Inglewood	4	0.70	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2264	BI534-1	111	E Tamarack Ave	1449	Inglewood	4	1.10	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2265	BI534-1	112	S Flower St	1040	Inglewood	4	0.79	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2266	BI534-1	113	S Java St	505	Inglewood	4	0.38	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2267	BI534-1	114	S Larch St	1308	Inglewood	4	0.99	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2268	BI534-1	115	S Myrtle Ave	1165	Inglewood	4	0.88	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2269	BI534-1	116	S Orchard Dr	546	Inglewood	4	0.41	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2270	BI534-1	117	S Osage Ave	980	Inglewood	4	0.74	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2271	BI534-1	118	E 97th St	2150	Inglewood	4	1.63	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2272	BI534-1	119	E 99th St	507	Inglewood	4	0.38	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2273	BI534-1	120	E Buckthorn St	601	Inglewood	4	0.46	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2274	BI534-1	121	E Hardy St	2630	Inglewood	4	1.99	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2275	BI534-1	122	S Flower St	2741	Inglewood	4	2.08	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2276	BI534-1	123	S Larch St	952	Inglewood	4	0.72	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2277	BI534-1	124	S Myrtle Ave	2160	Inglewood	4	1.64	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2278	BI534-1	125	S Orchard Dr	774	Inglewood	4	0.59	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2279	BI534-1	126	S Osage Ave	2221	Inglewood	4	1.68	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2280	BI534-1	127		3767	Inglewood	1	0.71	Alley	20	4	1	8	16	0.36	4	16	MED			
2281	BI534-2	1	W 115th St	628	Hawthorne	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2283	BI534-2	3	W 117th St	55	Hawthorne	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2284	BI534-2	4		364	Inglewood	1	0.07	Alley	20	4	1	8	13	0.45	6	18	MED			
2288	BI534-2	8	E La Palma Dr	411	Inglewood	4	0.31	Secondary-Collector	64	8	1	8	16	0.36	4	20	HIGH			
2293	BI534-2	13	Doty Ave	43	Inglewood	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2295	BI534-2	15	W 104th St	249	Inglewood	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2296	BI534-2	16	W 105th St	493	Inglewood	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2297	BI534-2	17	W 106th St	637	Inglewood	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2298	BI534-2	18	W 107th St	915	Inglewood	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2299	BI534-2	19	W 108th St	1337	Inglewood	4	1.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2300	BI534-2	20	W 109th St	1360	Inglewood	4	1.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2301	BI534-2	21	W 110th St	1356	Inglewood	4	1.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2302	BI534-2	22	W 111th Pl	1345	Inglewood	4	1.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2303	BI534-2	23	W 111th St	1396	Inglewood	4	1.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2304	BI534-2	24	W 112th St	2025	Inglewood	4	1.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2305	BI534-2	25	W 113th St	2025	Inglewood	4	1.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2306	BI534-2	26		42	Inglewood	1	0.01	Alley	20	4	0	10	13	0.45	6	20	HIGH			
2307	BI534-2	27		41	Inglewood	6	0.05	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
2311	BI534-2	31	W 101st St	147	Inglewood	4	0.11	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2312	BI534-2	32	W 102nd St	867	Inglewood	4	0.66	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2313	BI534-2	33	W 103rd St	148	Inglewood	4	0.11	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2314	BI534-2	34	W 104th St	1014	Inglewood	4	0.77	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2315	BI534-2	35	W 105th St	795	Inglewood	4	0.60	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2316	BI534-2	36	W 106th St	535	Inglewood	4	0.40	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2317	BI534-2	37	W 107th St	464	Inglewood	4	0.35	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2318	BI534-2	38	W 108th St	28	Inglewood	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2319	BI534-2	39		1283	Inglewood	1	0.24	Alley	20	4	0	10	16	0.36	4	18	MED			
2322	BI534-2	42	E Kelso St	419	Inglewood	4	0.32	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2323	BI534-2	43	W 102nd St	52	Inglewood	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2324	BI534-2	44	E 97th St	31	Inglewood	4	0.02	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2325	BI534-2	45	E 99th St	148	Inglewood	4	0.11	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2326	BI534-2	46	E Buckthorn St	403	Inglewood	4	0.31	Minor-Local	60	6	1	8	16	0.36	4	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2327	BI534-2	47	E Hardy St	22	Inglewood	4	0.02	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2328	BI534-2	48	S Osage Ave	21	Inglewood	4	0.02	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2329	BI534-2	49	W 102nd St	52	Inglewood	4	0.04	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2330	BI534-2	50		1517	Inglewood	1	0.29	Alley	20	4	1	8	16	0.36	4	16	MED			
2332	BI536A	2	Cerise Ave	0	CO	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2333	BI536A	3	W 132nd Pl	18	Hawthorne	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2334	BI536A	4	W 132nd St	444	Hawthorne	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2335	BI536A	5	W 133rd St	1421	Hawthorne	4	1.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2336	BI536A	6	W 134th Pl	456	Hawthorne	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2337	BI536A	7	W 134th St	1145	Hawthorne	4	0.87	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2342	BI536A	12	W 135th St	251	Hawthorne	4	0.19	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
2343	BI536A	13	Yukon Ave	2308	Hawthorne	4	1.75	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
2344	BI536A	14		168	Hawthorne	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2345	BI536A	15	137th Pl	7	Hawthorne	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2346	BI536A	16	138th St	2648	Hawthorne	4	2.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2347	BI536A	17	140th St	6	Hawthorne	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2348	BI536A	18	141st St	2648	Hawthorne	4	2.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2349	BI536A	19	142nd St	858	Hawthorne	4	0.65	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2350	BI536A	20	144th St	891	Hawthorne	4	0.68	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2351	BI536A	21	Cerise Ave	1774	Hawthorne	4	1.34	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2352	BI536A	22	Cordary Ave	2374	Hawthorne	4	1.80	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2353	BI536A	23	Doty Ave	2341	Hawthorne	4	1.77	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2354	BI536A	24	Fonthill Ave	502	Hawthorne	4	0.38	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2355	BI536A	25	Jefferson Ave	3483	Hawthorne	4	2.64	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2356	BI536A	26	Kornblum Ave	2302	Hawthorne	4	1.74	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2357	BI536A	27	Lemoli Wy	168	Hawthorne	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2358	BI536A	28	Lisso Ave	546	Hawthorne	4	0.41	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2359	BI536A	29	Ramona Ave	800	Hawthorne	4	0.61	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2360	BI536A	30	Slayton St	180	Hawthorne	4	0.14	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2361	BI536A	31	W 132nd St	1265	Hawthorne	4	0.96	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2362	BI536A	32	W 133rd St	3380	Hawthorne	4	2.56	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2363	BI536A	33	W 134th St	3949	Hawthorne	4	2.99	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2364	BI536A	34	W 135th St	4029	Hawthorne	4	3.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2365	BI536A	35	W 136th St	2648	Hawthorne	4	2.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2366	BI536A	36	W 137th St	2647	Hawthorne	4	2.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2367	BI536A	37	W 139th St	5892	Hawthorne	4	4.46	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2368	BI536A	38	W 142nd St	1794	Hawthorne	4	1.36	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2369	BI536A	39	Washington Ave	3480	Hawthorne	4	2.64	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2372	BI536A	42	Yukon Ave	787	Hawthorne	4	0.60	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2373	BI536A	43	Cordary Ave	1290	Hawthorne	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2374	BI536A	44	Doty Ave	1161	Hawthorne	4	0.88	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2375	BI536A	45	Kornblum Ave	1614	Hawthorne	4	1.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2376	BI536A	46	Ramona Ave	373	Hawthorne	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2377	BI536A	47	Roselle Ave	1323	Hawthorne	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2379	BI541-1	2	S Santa Fe Ave	874	CO	6	0.99	Primary-Arterial	100	10	0	10	6	0.33	3	23	HIGH			
2380	BI541-1	3		746	CO	6	0.85	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
2381	BI541-1	4	S Alameda St	1511	CO	6	1.72	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
2382	BI541-1	5	S Santa Fe Ave	912	CO	6	1.04	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
2383	BI541-1	6	State Route 47	1513	CO	6	1.72	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
2384	BI541-1	7		486	CO	4	0.37	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
2385	BI541-1	8	S Santa Fe Ave	611	CO	4	0.46	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2387	BI541-1	10	S Alameda St	1205	CO	6	1.37	Primary-Arterial	100	10	1	8	6	0.33	3	21	HIGH			
2388	BI541-1	11	S Santa Fe Ave	1087	CO	6	1.24	Primary-Arterial	100	10	1	8	6	0.33	3	21	HIGH			
2389	BI541-1	12	State Route 47	1161	CO	6	1.32	Primary-Arterial	100	10	1	8	6	0.33	3	21	HIGH			
2390	BI541-1	13	Vista Industria	329	CO	4	0.25	Minor-Local	60	6	1	8	6	0.33	3	17	MED			
2391	BI541-1	14		459	CO	4	0.35	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2392	BI541-1	15		61	CO	6	0.07	Primary-Arterial	100	10	2	6	3	0.77	9	25	HIGH			
2393	BI541-1	16	S Alameda St	1745	CO	6	1.98	Primary-Arterial	100	10	2	6	3	0.77	9	25	HIGH			
2394	BI541-1	17	S Santa Fe Ave	234	CO	6	0.27	Primary-Arterial	100	10	2	6	3	0.77	9	25	HIGH			
2395	BI541-1	18	State Route 47	1959	CO	6	2.23	Primary-Arterial	100	10	2	6	3	0.77	9	25	HIGH			
2396	BI541-1	19		352	CO	4	0.27	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
2398	BI541-1	21	S Laurel Park Rd	436	CO	4	0.33	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
2399	BI541-1	22	E Victoria St	107	CO	4	0.08	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2400	BI541-1	23	S Alameda St	1800	CO	6	2.05	Primary-Arterial	100	10	3	4	3	0.77	9	23	HIGH			
2401	BI541-1	24	State Route 47	1800	CO	6	2.05	Primary-Arterial	100	10	3	4	3	0.77	9	23	HIGH			
2402	BI541-1	25	S Laurel Park Rd	336	CO	4	0.25	Secondary-Collector	64	8	3	4	3	0.77	9	21	HIGH			
2403	BI541-1	26	S Alameda St	1845	CO	6	2.10	Primary-Arterial	100	10	3	4	6	0.33	3	17	MED			
2404	BI541-1	27	State Route 47	1845	CO	6	2.10	Primary-Arterial	100	10	3	4	6	0.33	3	17	MED			
2405	BI541-1	28		47	CO	4	0.04	Minor-Local	60	6	3	4	6	0.33	3	13	LOW			
2406	BI541-1	29	Vista Industria	265	CO	4	0.20	Minor-Local	60	6	3	4	6	0.33	3	13	LOW			
2407	BI541-1	30	S Laurel Park Rd	548	CO	4	0.42	Secondary-Collector	64	8	3	4	13	0.45	6	18	MED			
2408	BI541-1	31		310	CO	4	0.24	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2409	BI541-1	32	S Alameda St	1190	CO	6	1.35	Primary-Arterial	100	10	4	2	3	0.77	9	21	HIGH			
2410	BI541-1	33	State Route 47	1190	CO	6	1.35	Primary-Arterial	100	10	4	2	3	0.77	9	21	HIGH			
2411	BI541-1	34	S Laurel Park Rd	1077	CO	4	0.82	Secondary-Collector	64	8	4	2	3	0.77	9	19	MED			
2412	BI541-1	35		140	CO	4	0.11	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
2413	BI541-1	36	S Alameda St	261	CO	6	0.30	Primary-Arterial	100	10	4	2	6	0.33	3	15	MED			
2414	BI541-1	37	State Route 47	261	CO	6	0.30	Primary-Arterial	100	10	4	2	6	0.33	3	15	MED			
2415	BI541-1	38	S Laurel Park Rd	178	CO	4	0.13	Secondary-Collector	64	8	4	2	13	0.45	6	16	MED			
2416	BI541-1	39		4995	CO	4	3.78	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2417	BI541-1	40	S Rancho Wy	955	CO	4	0.72	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2418	BI541-2	1	E 223rd St	598	Los Angeles	6	0.68	Primary-Arterial	100	10	0	10	6	0.33	3	23	HIGH			
2419	BI541-2	2	E 223rd St	153	Los Angeles	4	0.12	Secondary-Collector	64	8	0	10	6	0.33	3	21	HIGH			
2420	BI586D	1	Manhattan Beach Blvd	18	CO	6	0.02	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2421	BI586D	2	Chadron Ave	919	CO	4	0.70	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2422	BI586D	3	W 155th St	7	CO	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2423	BI586D	4	W 157th St	16	CO	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2425	BI661	2	W Sepulveda Blvd	32	CO	6	0.04	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2426	BI661	3	Ashbridge Dr	406	CO	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2427	BI661	4	Ashpark Ln	545	CO	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2428	BI661	5	Delamo Woods Dr	115	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2429	BI661	6	Elderglen Ln	369	CO	4	0.28	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2430	BI661	7	Livewood Ln	1333	CO	4	1.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2431	BI661	8	Oakfair Ln	815	CO	4	0.62	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2432	BI661	9	Oakheath Dr	1096	CO	4	0.83	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2433	BI661	10	Oakrest Ln	769	CO	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2434	BI661	11	Pasatiempo Ln	2149	CO	4	1.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2435	BI661	12	Pine Park Cir	113	CO	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2436	BI661	13	Pineforest Ln	835	CO	4	0.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2437	BI661	14	Sandhurst Ln	174	CO	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2438	BI661	15	Spruce Tree Ln	133	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2439	BI661	16	Stone Court Cir	95	CO	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2440	BI661	17	Stonecliff Ln	170	CO	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2441	BI661	18	Storm Pkwy	161	CO	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2442	BI661	19	Woodbury Dr	1520	CO	4	1.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2443	BI661	20	Woodbury Dr	633	Los Angeles	4	0.48	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
2445	BI661	22	W 228th St	167	Los Angeles	4	0.13	Secondary-Collector	64	8	0	10	10	0.74	8	26	HIGH			
2446	BI661	23	Lockness Ave	1604	Los Angeles	4	1.22	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
2447	BI661	24	Lockness Pl	243	Los Angeles	4	0.18	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
2448	BI661	25	Oakhorne Dr	540	Los Angeles	4	0.41	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
2449	BI661	26	Pryor Pl	287	Los Angeles	4	0.22	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
2451	BI661	28		60	Los Angeles	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2452	BI661	29	Batey Ave	1290	Los Angeles	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2453	BI661	30	Batey Pl	179	Los Angeles	4	0.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2454	BI661	31	Brightwater Pl	601	Los Angeles	4	0.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2455	BI661	32	Clearpool Pl	1206	Los Angeles	4	0.91	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2456	BI661	33	Dorset Pl	549	Los Angeles	4	0.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2457	BI661	34	Frampton Ave	676	Los Angeles	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2458	BI661	35	Halldale Ave	1236	Los Angeles	4	0.94	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2459	BI661	36	Kentworthy Ave	1115	Los Angeles	4	0.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2460	BI661	37	Lockness Ave	895	Los Angeles	4	0.68	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2461	BI661	38	Maltby Pl	473	Los Angeles	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2462	BI661	39	Oakheath Dr	550	Los Angeles	4	0.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2463	BI661	40	Oakheath Pl	296	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2464	BI661	41	Oakhorne Dr	2872	Los Angeles	4	2.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2465	BI661	42	Pryor Pl	20	Los Angeles	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2466	BI661	43	Sidlee Pl	914	Los Angeles	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2467	BI661	44	Storm Pkwy	536	Los Angeles	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2468	BI661	45	Toomey Pl	305	Los Angeles	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2469	BI661	46	Woodbury Dr	2112	Los Angeles	4	1.60	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2470	BI74	1		204	CO	6	0.23	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2473	BI74	4	S Broadway St	2401	CO	6	2.73	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2474	BI74	5	S Main St	1553	CO	6	1.77	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2475	BI74	6	S San Pedro St	329	CO	6	0.37	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2478	BI74	9		527	CO	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2479	BI74	10	Darlan St	127	CO	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2480	BI74	11	E 157th St	752	CO	4	0.57	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2481	BI74	12	E 158th St	779	CO	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2482	BI74	13	E 159th St	572	CO	4	0.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2483	BI74	14	E Newfield St	757	CO	4	0.57	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2484	BI74	15	Lorella Ave	637	CO	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2485	BI74	16	Maple Ave	732	CO	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2486	BI74	17	S Ball Ave	530	CO	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2487	BI74	18	S Broadway	4	CO	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2489	BI74	20	S Lorella Ave	637	CO	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2490	BI74	21	S Maple Ave	732	CO	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2491	BI74	22	W 140th St	671	CO	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2492	BI74	23	W 146th St	667	CO	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2493	BI74	24	W 157th St	738	CO	4	0.56	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2494	BI74	25	S Alley 01	2	CO	1	0.00	Alley	20	4	0	10	13	0.45	6	20	HIGH			
2496	BI74	27	S Broadway St	62	CO	6	0.07	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
2498	BI74	29		2156	CO	4	1.63	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2499	BI74	30	Broadway Center St	302	CO	4	0.23	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2500	BI74	31	New Century Dr	330	CO	4	0.25	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2502	BI74	33	W 157th St	1733	CO	4	1.31	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2503	BI74	34	W Gardena Blvd	453	Los Angeles	4	0.34	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
2504	BI74	35		1125	Los Angeles	4	0.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2505	BI74	36	171st St	218	Los Angeles	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2506	BI74	37	Ainsworth St	398	Los Angeles	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2507	BI74	38	Estrella Ave	547	Los Angeles	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2508	BI74	39	Merit Ave	1198	Los Angeles	4	0.91	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2509	BI74	40	S Hoover St	1669	Los Angeles	4	1.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2510	BI74	41	S Menlo Ave	134	Los Angeles	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2511	BI74	42	S Orchard Ave	989	Los Angeles	4	0.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2512	BI74	43	W 168th Pl	301	Los Angeles	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2513	BI74	44	W 168th St	1516	Los Angeles	4	1.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2514	BI74	45	W 169th Pl	201	Los Angeles	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2515	BI74	46	W 169th St	1555	Los Angeles	4	1.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2516	BI74	47	W 170th St	288	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2517	BI74	48	W 172nd St	679	Los Angeles	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2518	BI74	49		406	Los Angeles	1	0.08	Alley	20	4	0	10	13	0.45	6	20	HIGH			
2519	BI74	50	Redondo Beach Blvd	56	Los Angeles	6	0.06	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
2521	BI74	52	W Alondra Blvd	1677	Los Angeles	6	1.91	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
2523	BI74	54	W Gardena Blvd	1104	Los Angeles	4	0.84	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
2524	BI74	55		31	Los Angeles	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2525	BI74	56	157th St	70	Los Angeles	4	0.05	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2526	BI74	57	Ainsworth St	1598	Los Angeles	4	1.21	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2527	BI74	58	Bonsallo Ave	1823	Los Angeles	4	1.38	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2528	BI74	59	Estrella Ave	1701	Los Angeles	4	1.29	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2529	BI74	60	Orchard Ave	328	Los Angeles	4	0.25	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2530	BI74	61	S Denver Ave	2701	Los Angeles	4	2.05	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2531	BI74	62	S Hoover St	1943	Los Angeles	4	1.47	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2532	BI74	63	S Menlo Ave	1476	Los Angeles	4	1.12	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2533	BI74	64	S Orchard Ave	1637	Los Angeles	4	1.24	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2534	BI74	65	W 154th St	990	Los Angeles	4	0.75	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2535	BI74	66	W 155th St	1179	Los Angeles	4	0.89	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2536	BI74	67	W 156th St	925	Los Angeles	4	0.70	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2537	BI74	68	W 157th St	2074	Los Angeles	4	1.57	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2538	BI74	69	W 158th St	1193	Los Angeles	4	0.90	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2539	BI74	70	W 159th Pl	294	Los Angeles	4	0.22	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2540	BI74	71	W 159th St	981	Los Angeles	4	0.74	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2541	BI74	72	W 160th St	304	Los Angeles	4	0.23	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2542	BI74	73	W 164th St	530	Los Angeles	4	0.40	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2543	BI74	74	W 165th Pl	431	Los Angeles	4	0.33	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2544	BI74	75	W 167th St	1192	Los Angeles	4	0.90	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2545	BI74	76	W 168th St	120	Los Angeles	4	0.09	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2546	BI74	77		2111	Los Angeles	1	0.40	Alley	20	4	0	10	16	0.36	4	18	MED			
2547	BI74	78		3718	CO	6	4.22	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2548	BI74	79	E Redondo Beach Blvd	2	CO	6	0.00	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2550	BI74	81	S Broadway St	1573	CO	6	1.79	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2551	BI74	82	S Main St	2922	CO	6	3.32	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2552	BI74	83	S San Pedro St	724	CO	6	0.82	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2555	BI74	86	E Compton Blvd	1950	CO	4	1.48	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
2556	BI74	87		1962	CO	4	1.49	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2557	BI74	88	Crown Vista Dr	87	CO	4	0.07	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2558	BI74	89	Darlan St	102	CO	4	0.08	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2559	BI74	90	Deblynn Ave	849	CO	4	0.64	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2560	BI74	91	E 152nd St	640	CO	4	0.48	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2561	BI74	92	E 154th St	38	CO	4	0.03	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2562	BI74	93	E 157th St	2256	CO	4	1.71	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2563	BI74	94	E 159th St	7	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2564	BI74	95	E Airline Wy	779	CO	4	0.59	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2565	BI74	96	E Darlan St	232	CO	4	0.18	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2566	BI74	97	E Newfield St	542	CO	4	0.41	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2567	BI74	98	Englander St	212	CO	4	0.16	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2568	BI74	99	Lennon St	628	CO	4	0.48	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2569	BI74	100	Lorella Ave	804	CO	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2570	BI74	101	Maple Ave	1800	CO	4	1.36	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2571	BI74	102	Micon Cir	160	CO	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2572	BI74	103	S Ball Ave	244	CO	4	0.19	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2573	BI74	104	S Lorella Ave	804	CO	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2574	BI74	105	S Maple Ave	1800	CO	4	1.36	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2575	BI74	106	S Spring St	962	CO	4	0.73	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2576	BI74	107	S Stulman St	782	CO	4	0.59	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2577	BI74	108	Sandel Ave	541	CO	4	0.41	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2578	BI74	109	Staff Ct	237	CO	4	0.18	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2579	BI74	110	Stulman Ave	184	CO	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2580	BI74	111	W 154th St	559	CO	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2581	BI74	112	W 155th St	748	CO	4	0.57	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2583	BI74	114	S Broadway St	312	CO	6	0.35	Primary-Arterial	100	10	1	8	16	0.36	4	22	HIGH			
2585	BI74	116		986	CO	4	0.75	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2586	BI74	117		792	Los Angeles	6	0.90	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2589	BI74	120		77	Los Angeles	4	0.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2590	BI74	121	147th St	1314	Los Angeles	4	1.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2591	BI74	122	Ainsworth St	183	Los Angeles	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2592	BI74	123	Estrella Ave	1060	Los Angeles	4	0.80	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2593	BI74	124	S Denver Ave	1270	Los Angeles	4	0.96	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2594	BI74	125	S Hoover St	724	Los Angeles	4	0.55	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2595	BI74	126	S Menlo Ave	1063	Los Angeles	4	0.81	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2596	BI74	127	S Orchard Ave	2143	Los Angeles	4	1.62	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2597	BI74	128	W 142nd St	7	Los Angeles	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2598	BI74	129	W 144th St	858	Los Angeles	4	0.65	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2599	BI74	130	W 145th St	1174	Los Angeles	4	0.89	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2600	BI74	131	W 146th St	1936	Los Angeles	4	1.47	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2601	BI74	132	W 148th Dr	543	Los Angeles	4	0.41	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2602	BI74	133	W 148th Pl	979	Los Angeles	4	0.74	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2603	BI74	134	W 148th St	984	Los Angeles	4	0.75	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2604	BI74	135	W 149th St	1915	Los Angeles	4	1.45	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2605	BI74	136	W 152nd St	487	Los Angeles	4	0.37	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2606	BI74	137		189	Los Angeles	1	0.04	Alley	20	4	1	8	13	0.45	6	18	MED			
2609	BI74	140		30	Los Angeles	4	0.02	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2613	BI74	144	S Broadway St	1732	CO	6	1.97	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
2614	BI74	145	S Main St	1018	CO	6	1.16	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
2616	BI74	147	E Compton Blvd	133	CO	4	0.10	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
2617	BI74	148	W Compton Blvd	2039	CO	4	1.54	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2618	BI74	149		574	CO	4	0.43	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2619	BI74	150	Crown Vista Dr	320	CO	4	0.24	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2620	BI74	151	E 152nd St	1253	CO	4	0.95	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2621	BI74	152	S Ball Ave	120	CO	4	0.09	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2622	BI74	153	W 154th St	185	CO	4	0.14	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2624	BI74	155	W Compton Blvd	23	Los Angeles	4	0.02	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
2625	BI74	156	S Denver Ave	476	Los Angeles	4	0.36	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2626	BI74	157	W 148th St	319	Los Angeles	4	0.24	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2627	BI74	158	W 149th St	568	Los Angeles	4	0.43	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2628	BI74	159	W 152nd St	207	Los Angeles	4	0.16	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2629	BI76	1	Western Ave	1246	Los Angeles	6	1.42	Highway	100	10	0	10	13	0.45	6	26	HIGH			
2630	BI76	2	Carson St	2	Los Angeles	6	0.00	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2632	BI76	4		36	Los Angeles	6	0.04	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
2634	BI76	6	W Torrance Blvd	1291	Los Angeles	6	1.47	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
2635	BI76	7	Denker Ave	1509	Los Angeles	4	1.14	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2636	BI76	8	Halldale Ave	1128	Los Angeles	4	0.85	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2637	BI76	9	La Salle Ave	177	Los Angeles	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2638	BI76	10	S Brighton Ave	1076	Los Angeles	4	0.81	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2639	BI76	11	S Dalton Ave	1097	Los Angeles	4	0.83	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2640	BI76	12	S Harvard Blvd	1056	Los Angeles	4	0.80	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2641	BI76	13	S Normandie Ave	644	Los Angeles	4	0.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2642	BI76	14	W 205th St	327	Los Angeles	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2643	BI76	15	W 206th St	727	Los Angeles	4	0.55	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2644	BI76	16	W 207th St	1562	Los Angeles	4	1.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2645	BI76	17	W 208th St	1559	Los Angeles	4	1.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2646	BI76	18	W 209th St	2953	Los Angeles	4	2.24	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
2648	BI76	20	W Torrance Blvd	1076	Los Angeles	6	1.22	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2649	BI76	21	219th St	780	Los Angeles	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2650	BI76	22	Brighton Ave	294	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2651	BI76	23	Dalton Ave	306	Los Angeles	4	0.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2652	BI76	24	Denker Ave	3630	Los Angeles	4	2.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2653	BI76	25	Halldale Ave	2502	Los Angeles	4	1.90	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2654	BI76	26	Hobart Blvd	550	Los Angeles	4	0.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2655	BI76	27	La Salle Ave	1109	Los Angeles	4	0.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2656	BI76	28	Normandie Ave	1465	Los Angeles	4	1.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2657	BI76	29	S Brighton Ave	1023	Los Angeles	4	0.78	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2658	BI76	30	S Dalton Ave	872	Los Angeles	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2659	BI76	31	S Harvard Blvd	3590	Los Angeles	4	2.72	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2660	BI76	32	S Hobart Blvd	723	Los Angeles	4	0.55	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2661	BI76	33	S Normandie Ave	764	Los Angeles	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2662	BI76	34	W 210th St	225	Los Angeles	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2663	BI76	35	W 211th St	2481	Los Angeles	4	1.88	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2664	BI76	36	W 212th St	2568	Los Angeles	4	1.95	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2665	BI76	37	W 213th St	2339	Los Angeles	4	1.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2666	BI76	38	W 214th St	2616	Los Angeles	4	1.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2667	BI76	39	W 215th St	2250	Los Angeles	4	1.70	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2668	BI76	40	W 216th St	2885	Los Angeles	4	2.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2669	BI76	41	W 218th St	1605	Los Angeles	4	1.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2670	BI76	42	W 219th St	829	Los Angeles	4	0.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2672	BI77A	2	Western Ave	22	Los Angeles	6	0.03	Highway	100	10	0	10	13	0.45	6	26	HIGH			
2674	BI77A	4	Reed St	226	Lomita	4	0.17	Minor-Local	60	6	2	6	4	0.4	5	17	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2676	BI77A	6	258th Pl	469	Lomita	4	0.36	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2677	BI77A	7	259th St	404	Lomita	4	0.31	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2678	BI77A	8	Appian Wy	592	Lomita	4	0.45	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2679	BI77A	9	Cayuga Ave	683	Lomita	4	0.52	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2680	BI77A	10	Market Pl	224	Lomita	4	0.17	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2681	BI77A	11	W 259th St	257	Lomita	4	0.19	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2683	BI77A	13	259th St	59	Lomita	4	0.04	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2684	BI77A	14	Appian Wy	375	Lomita	4	0.28	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2685	BI77A	15	Avocado St	204	Lomita	4	0.15	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2686	BI77A	16	Oak St	669	Lomita	4	0.51	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2687	BI77A	17	Oakwood Ridge Ln	57	Lomita	4	0.04	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2688	BI77A	18	Walnut St	672	Lomita	4	0.51	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2689	BI77A	19	Palos Verdes Dr N	1254	Lomita	6	1.42	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
2690	BI77A	20	Rolling Vista Dr	892	Lomita	4	0.68	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2691	BI77A	21	Via Desmonde	468	Lomita	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2692	BI77A	22	Belle Porte Ave	1343	Los Angeles	4	1.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2694	BI77A	24	Marigold Ave	327	Los Angeles	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2695	BI77A	25	President Ave	2396	Los Angeles	4	1.82	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2696	BI77A	26	Senator Ave	2395	Los Angeles	4	1.81	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2697	BI77A	27	W 252nd St	1923	Los Angeles	4	1.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2698	BI77A	28	W 253rd St	2922	Los Angeles	4	2.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2701	BI77A	31	W 256th St	1755	Los Angeles	4	1.33	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2702	BI77A	32	W 257th St	2359	Los Angeles	4	1.79	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2704	BI77A	34		13020	Los Angeles	1	2.47	Alley	20	4	0	10	13	0.45	6	20	HIGH			
2707	BI77A	37	Normandie Ave	100	Los Angeles	6	0.11	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
2708	BI77A	38		188	Los Angeles	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2709	BI77A	39	Adamite Ter	192	Los Angeles	4	0.15	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2710	BI77A	40	Belle Porte Ave	882	Los Angeles	4	0.67	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2711	BI77A	41	Flint Dr	190	Los Angeles	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2713	BI77A	43	Marigold Ave	611	Los Angeles	4	0.46	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2714	BI77A	44	Pebble Dr	186	Los Angeles	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2715	BI77A	45	Petroleum Ave	527	Los Angeles	4	0.40	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2716	BI77A	46	President Ave	882	Los Angeles	4	0.67	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2717	BI77A	47	Riverrock Dr	164	Los Angeles	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2718	BI77A	48	Senator Ave	882	Los Angeles	4	0.67	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2719	BI77A	49	Slate Ave	172	Los Angeles	4	0.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2720	BI77A	50	Stonehaven Dr	775	Los Angeles	4	0.59	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2721	BI77A	51	Tiger Eye Dr	127	Los Angeles	4	0.10	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2722	BI77A	52	W 252nd St	625	Los Angeles	4	0.47	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2723	BI77A	53	W 253rd St	997	Los Angeles	4	0.75	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2724	BI77A	54	W 254th St	767	Los Angeles	4	0.58	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2725	BI77A	55	W 255th St	253	Los Angeles	4	0.19	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2726	BI77A	56	W 256th St	1079	Los Angeles	4	0.82	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2727	BI77A	57	W 257th St	742	Los Angeles	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2729	BI77A	59		5618	Los Angeles	1	1.06	Alley	20	4	1	8	13	0.45	6	18	MED			
2730	BI77A	60	Eshelman Ave	661	Lomita	4	0.50	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
2734	BI77A	64	258th Pl	331	Los Angeles	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2735	BI77A	65	Belle Porte Ave	886	Los Angeles	4	0.67	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2736	BI77A	66	Senator Ave	273	Los Angeles	4	0.21	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2737	BI77A	67	W 259th St	1018	Los Angeles	4	0.77	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2738	BI77A	68	W 260th St	531	Los Angeles	4	0.40	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2739	BI77A	69	W 261st St	268	Los Angeles	4	0.20	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2740	BI77A	70		1925	Los Angeles	1	0.36	Alley	20	4	2	6	13	0.45	6	16	MED			
2741	BI77A	71	Narbonne Ave	677	Lomita	4	0.51	Secondary-Collector	64	8	3	4	4	0.4	5	17	MED			
2742	BI77A	72	Cypress St	686	Lomita	4	0.52	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2743	BI77A	73	Lucille Ave	683	Lomita	4	0.52	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2744	BI77A	74	Viana Ave	696	Lomita	4	0.53	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2745	BI77A	75	Palos Verdes Dr N	41	Lomita	6	0.05	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
2746	BI77A	76	Harbor Hills	369	Lomita	4	0.28	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2747	BI77A	77	Rolling Vista Dr	1108	Lomita	4	0.84	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2748	BI77A	78	Via Desmonde	932	Lomita	4	0.71	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2749	BI77A	79	Via Encanto	41	Lomita	4	0.03	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2750	BI77A	80	Via Marquette	697	Lomita	4	0.53	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2751	BI77A	81	Via Nova	361	Lomita	4	0.27	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2752	BI77A	82	Via Tampa	178	Lomita	4	0.14	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2753	BI77A	83	Via Vera	8	Lomita	4	0.01	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2754	BI77A	84	Oakwood Ridge Ln	185	Lomita	4	0.14	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2756	BI77A	86	Western Ave	185	Los Angeles	6	0.21	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
2757	BI77A	87		674	Los Angeles	4	0.51	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2758	BI77A	88	Frampton Ave	613	Los Angeles	4	0.46	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2759	BI77A	89	Governor Ave	616	Los Angeles	4	0.47	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2760	BI77A	90	President Ave	780	Los Angeles	4	0.59	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2761	BI77A	91	W 259th Pl	1059	Los Angeles	4	0.80	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2762	BI77A	92	W 260th St	1473	Los Angeles	4	1.12	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2763	BI77A	93	W 261st St	1473	Los Angeles	4	1.12	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2764	BI77A	94	W 262nd St	707	Los Angeles	4	0.54	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2765	BI77A	95	Zephyr Ave	1	Los Angeles	4	0.00	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2766	BI77A	96	Narbonne Ave	882	Lomita	4	0.67	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
2767	BI77A	97	259th Pl	491	Lomita	4	0.37	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2768	BI77A	98	261st St	60	Lomita	4	0.05	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2769	BI77A	99	262nd St	505	Lomita	4	0.38	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2770	BI77A	100	Cypress St	634	Lomita	4	0.48	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2771	BI77A	101	Danmar Ct	129	Lomita	4	0.10	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2772	BI77A	102	Eshelman Ave	614	Lomita	4	0.46	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2773	BI77A	103	Garner St	315	Lomita	4	0.24	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2774	BI77A	104	Lucille Ave	605	Lomita	4	0.46	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2775	BI77A	105	Murad Ave	56	Lomita	4	0.04	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2776	BI77A	106	Pennsylvania Ave	139	Lomita	4	0.11	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2777	BI77A	107	Pennsylvania Dr	82	Lomita	4	0.06	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2778	BI77A	108	Viana Ave	259	Lomita	4	0.20	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2779	BI77A	109	Palos Verdes Dr N	1266	Lomita	6	1.44	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
2780	BI77A	110	Western Ave	813	Lomita	6	0.92	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
2781	BI77A	111	259th Pl	651	Lomita	4	0.49	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2782	BI77A	112	260th St	691	Lomita	4	0.52	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2783	BI77A	113	261st St	717	Lomita	4	0.54	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2784	BI77A	114	262nd St	664	Lomita	4	0.50	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2785	BI77A	115	264th St	203	Lomita	4	0.15	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2786	BI77A	116	Alta Vista Ave	8	Lomita	4	0.01	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2787	BI77A	117	Cayuga Ave	968	Lomita	4	0.73	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2788	BI77A	118	Fairview Ave	622	Lomita	4	0.47	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2789	BI77A	119	Glentree Dr	102	Lomita	4	0.08	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2790	BI77A	120	Harbor Hills	1371	Lomita	4	1.04	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2791	BI77A	121	Market Pl	265	Lomita	4	0.20	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2792	BI77A	122	Ovid Ave	215	Lomita	4	0.16	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2793	BI77A	123	Rolling Vista Dr	361	Lomita	4	0.27	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2794	BI77A	124	Via Encanto	77	Lomita	4	0.06	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2795	BI77A	125	Via Madonna	718	Lomita	4	0.54	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2796	BI77A	126	Via Marquette	246	Lomita	4	0.19	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2797	BI77A	127	Via Vera	123	Lomita	4	0.09	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2798	BI77A	128	W 259th Pl	4	Lomita	4	0.00	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2799	BI77A	129	W 260th St	5	Lomita	4	0.00	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2800	BI77A	130	W 262nd St	67	Lomita	4	0.05	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2801	BI77A	131	259th Pl	1038	Lomita	4	0.79	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2802	BI77A	132	260th St	504	Lomita	4	0.38	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2803	BI77A	133	261st St	1234	Lomita	4	0.93	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2804	BI77A	134	262nd St	1540	Lomita	4	1.17	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2805	BI77A	135	Appian Wy	1078	Lomita	4	0.82	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2806	BI77A	136	Avocado St	248	Lomita	4	0.19	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2807	BI77A	137	Eshelman Ave	224	Lomita	4	0.17	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2808	BI77A	138	Monte Vista Ave	11	Lomita	4	0.01	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2809	BI77A	139	Oak St	943	Lomita	4	0.71	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2810	BI77A	140	Ocean View Ave	11	Lomita	4	0.01	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2811	BI77A	141	Regent Ave	616	Lomita	4	0.47	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2812	BI77A	142	Walnut St	25	Lomita	4	0.02	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2813	BI77A	143	Palos Verdes Dr N	17	Los Angeles	6	0.02	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
2815	BI77A	145	Western Ave	531	Los Angeles	6	0.60	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
2816	BI77A	146	261st St	53	Los Angeles	4	0.04	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2817	BI77A	147	Belle Porte Ave	299	Los Angeles	4	0.23	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2818	BI77A	148	Ozone Ave	6	Los Angeles	4	0.00	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2819	BI77A	149	W 259th Pl	282	Los Angeles	4	0.21	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2820	BI77A	150	W 260th St	282	Los Angeles	4	0.21	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2821	BI77A	151	W 261st St	229	Los Angeles	4	0.17	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2822	BI77A	152	W 262nd St	283	Los Angeles	4	0.21	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2823	BI79	1	W Channel St	281	Los Angeles	4	0.21	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
2824	BI79	2	Barrywood Ave	254	Los Angeles	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2825	BI79	3	Millmark Grove St	123	Los Angeles	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
2827	BI79	5	W Capitol Dr	765	Los Angeles	4	0.58	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
2828	BI79	6	Barhugh Pl	7	Los Angeles	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2829	BI79	7	Barrywood Ave	914	Los Angeles	4	0.69	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2830	BI79	8	Bejay Pl	46	Los Angeles	4	0.03	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2831	BI79	9	Eastman Pl	85	Los Angeles	4	0.06	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
2832	BI79	10		530	Los Angeles	6	0.60	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
2833	BI79	11	John S Gibson Blvd	530	Los Angeles	6	0.60	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
2834	BI79	12	N Pacific Ave	34	Los Angeles	6	0.04	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
2835	BI79	13	W Channel St	95	Los Angeles	4	0.07	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
2836	BI79	14	Casey Pl	77	Los Angeles	4	0.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
2837	BI79	15		351	Los Angeles	6	0.40	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			
2838	BI79	16	John S Gibson Blvd	351	Los Angeles	6	0.40	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			
2840	BI79	18		880	Los Angeles	4	0.67	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
2841	BI79	19	Gatun St	200	Los Angeles	4	0.15	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
2842	BI79	20	Road A	35	Los Angeles	4	0.03	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
2843	BI79	21	Westmont Dr	224	Los Angeles	4	0.17	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
2844	BI79	22		104	Los Angeles	6	0.12	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2845	BI79	23	N Gaffey St	620	Los Angeles	6	0.70	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
2846	BI79	24	W Summerland Pl	85	Los Angeles	4	0.06	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
2847	BI79	25	N Cabrillo Ave	192	Los Angeles	4	0.15	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2848	BI79	26	Barhugh Pl	744	Los Angeles	4	0.56	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2849	BI79	27	Barrywood Ave	472	Los Angeles	4	0.36	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2850	BI79	28	Bejay Pl	374	Los Angeles	4	0.28	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2851	BI79	29	Bolker Pl	518	Los Angeles	4	0.39	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2852	BI79	30	Casey Pl	553	Los Angeles	4	0.42	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2853	BI79	31	Gatun St	803	Los Angeles	4	0.61	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2854	BI79	32	Westmont Dr	472	Los Angeles	4	0.36	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
2855	BI79	33	W Elberon Ave	801	Los Angeles	4	0.61	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
2856	BI79	34	Western Ave	112	Los Angeles	6	0.13	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
2857	BI79	35		1251	Los Angeles	4	0.95	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2858	BI79	36	Amelia Ave	857	Los Angeles	4	0.65	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2859	BI79	37	Bardale Ave	73	Los Angeles	4	0.06	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2860	BI79	38	Bloomwood Rd	510	Los Angeles	4	0.39	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2861	BI79	39	Casey Pl	44	Los Angeles	4	0.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2862	BI79	40	Dalmatia Dr	1005	Los Angeles	4	0.76	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2863	BI79	41	Eastman Pl	123	Los Angeles	4	0.09	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2864	BI79	42	Englander St	994	Los Angeles	4	0.75	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2865	BI79	43	Jack Pl	58	Los Angeles	4	0.04	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2866	BI79	44	John Montgomery Dr	812	Los Angeles	4	0.61	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2867	BI79	45	Millmark Grove St	603	Los Angeles	4	0.46	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2868	BI79	46	Mount Shasta Dr	948	Los Angeles	4	0.72	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2869	BI79	47	N Gaffey Pl	98	Los Angeles	4	0.07	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2870	BI79	48	N Taper Ave	1085	Los Angeles	4	0.82	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2871	BI79	49	Roseglen Ave	326	Los Angeles	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2872	BI79	50	Samuel Dupont Ave	145	Los Angeles	4	0.11	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2873	BI79	51	Sandwood Pl	1040	Los Angeles	4	0.79	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2874	BI79	52	Statler St	1774	Los Angeles	4	1.34	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2875	BI79	53	Stonewood Ct	236	Los Angeles	4	0.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2876	BI79	54	W Elberon Ave	165	Los Angeles	4	0.12	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2877	BI79	55	Westmont Dr	1097	Los Angeles	4	0.83	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
2878	BI79	56		925	Los Angeles	1	0.18	Alley	20	4	2	6	13	0.45	6	16	MED			
2880	BI79	58	W Capitol Dr	80	Los Angeles	4	0.06	Secondary-Collector	64	8	2	6	14	0.81	10	24	HIGH			
2881	BI79	59		548	Los Angeles	4	0.42	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
2882	BI79	60	W Basin St	298	Los Angeles	4	0.23	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
2883	BI79	61	W Battery St	453	Los Angeles	4	0.34	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
2884	BI79	62		298	Los Angeles	1	0.06	Alley	20	4	2	6	14	0.81	10	20	HIGH			
2886	BI79	64	W Capitol Dr	148	Los Angeles	4	0.11	Secondary-Collector	64	8	2	6	16	0.36	4	18	MED			
2887	BI79	65	Amelia Ave	32	Los Angeles	4	0.02	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2888	BI79	66	Barhugh Pl	252	Los Angeles	4	0.19	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2889	BI79	67	Barrywood Ave	240	Los Angeles	4	0.18	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2890	BI79	68	Bejay Pl	370	Los Angeles	4	0.28	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2891	BI79	69	Bloomwood Rd	11	Los Angeles	4	0.01	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2892	BI79	70	Eastman Pl	622	Los Angeles	4	0.47	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2893	BI79	71	Millmark Grove St	145	Los Angeles	4	0.11	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2894	BI79	72	N Taper Ave	704	Los Angeles	4	0.53	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2895	BI79	73	Roseglen Ave	569	Los Angeles	4	0.43	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2896	BI79	74	Statler St	40	Los Angeles	4	0.03	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2897	BI79	75	W Battery St	77	Los Angeles	4	0.06	Minor-Local	60	6	2	6	16	0.36	4	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2898	BI79	76	W Channel St	456	Los Angeles	4	0.35	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2899	BI79	77	Werbel Pl	372	Los Angeles	4	0.28	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2900	BI79	78	Westmont Dr	1205	Los Angeles	4	0.91	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
2901	BI79	79		296	Los Angeles	1	0.06	Alley	20	4	2	6	16	0.36	4	14	LOW			
2902	BI79	80	N Pacific Ave	273	Los Angeles	6	0.31	Primary-Arterial	100	10	3	4	3	0.77	9	23	HIGH			
2903	BI79	81	W Summerland Ave	153	Los Angeles	4	0.12	Secondary-Collector	64	8	3	4	4	0.4	5	17	MED			
2904	BI79	82	W Elberon Ave	28	Los Angeles	4	0.02	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
2905	BI79	83		89	Los Angeles	1	0.02	Alley	20	4	3	4	4	0.4	5	13	LOW			
2906	BI79	84		56	Los Angeles	6	0.06	Primary-Arterial	100	10	3	4	9	0.27	2	16	MED			
2907	BI79	85	N Gaffey St	56	Los Angeles	6	0.06	Primary-Arterial	100	10	3	4	9	0.27	2	16	MED			
2908	BI79	86	W Summerland Ave	99	Los Angeles	4	0.07	Secondary-Collector	64	8	3	4	9	0.27	2	14	LOW			
2909	BI79	87	N Cabrillo Ave	387	Los Angeles	4	0.29	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2910	BI79	88	N Meyler St	388	Los Angeles	4	0.29	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2911	BI79	89	W Crestwood Ave	409	Los Angeles	4	0.31	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2912	BI79	90	W Elberon Ave	312	Los Angeles	4	0.24	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2913	BI79	91	W Upland Ave	179	Los Angeles	4	0.14	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
2914	BI79	92		198	Los Angeles	1	0.04	Alley	20	4	3	4	9	0.27	2	10	LOW			
2915	BI79	93		831	Los Angeles	6	0.94	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
2916	BI79	94	N Gaffey St	831	Los Angeles	6	0.94	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
2917	BI79	95	Western Ave	381	Los Angeles	6	0.43	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
2918	BI79	96	W Capitol Dr	450	Los Angeles	4	0.34	Secondary-Collector	64	8	3	4	13	0.45	6	18	MED			
2919	BI79	97		6279	Los Angeles	4	4.76	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2920	BI79	98	Amelia Ave	426	Los Angeles	4	0.32	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2921	BI79	99	Bardale Ave	911	Los Angeles	4	0.69	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2922	BI79	100	Bejay Pl	103	Los Angeles	4	0.08	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2923	BI79	101	Bloomwood Rd	351	Los Angeles	4	0.27	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2924	BI79	102	Dalmatia Dr	84	Los Angeles	4	0.06	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2925	BI79	103	Eastman Pl	111	Los Angeles	4	0.08	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2926	BI79	104	Fitness Dr	97	Los Angeles	4	0.07	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2927	BI79	105	Gatun St	499	Los Angeles	4	0.38	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2928	BI79	106	John Montgomery Dr	2415	Los Angeles	4	1.83	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2929	BI79	107	John Sloat Pl	1436	Los Angeles	4	1.09	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2930	BI79	108	Millmark Grove St	742	Los Angeles	4	0.56	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2931	BI79	109	Mount Shasta Dr	510	Los Angeles	4	0.39	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2932	BI79	110	N Cabrillo Ave	194	Los Angeles	4	0.15	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2933	BI79	111	N Meyler St	294	Los Angeles	4	0.22	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2934	BI79	112	N Taper Ave	645	Los Angeles	4	0.49	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2935	BI79	113	Robert Stockton Pl	1289	Los Angeles	4	0.98	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2936	BI79	114	Roseglen Ave	674	Los Angeles	4	0.51	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2937	BI79	115	Samuel Dupont Ave	1183	Los Angeles	4	0.90	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2938	BI79	116	Sandwood Pl	315	Los Angeles	4	0.24	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2939	BI79	117	Stonewood Ct	2149	Los Angeles	4	1.63	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2940	BI79	118	W Crestwood Ave	99	Los Angeles	4	0.07	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2941	BI79	119	W Macarthur Ave	84	Los Angeles	4	0.06	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2942	BI79	120	W Upland Ave	276	Los Angeles	4	0.21	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2943	BI79	121	Westmont Dr	1419	Los Angeles	4	1.08	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
2944	BI79	122		244	Los Angeles	6	0.28	Primary-Arterial	100	10	3	4	14	0.81	10	24	HIGH			
2945	BI79	123	John S Gibson Blvd	244	Los Angeles	6	0.28	Primary-Arterial	100	10	3	4	14	0.81	10	24	HIGH			
2946	BI79	124		1124	Los Angeles	4	0.85	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
2947	BI79	125	Road A	600	Los Angeles	4	0.45	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
2948	BI79	126	W Basin St	35	Los Angeles	4	0.03	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
2949	BI79	127		7	Los Angeles	1	0.00	Alley	20	4	3	4	14	0.81	10	18	MED			
2950	BI79	128	W Capitol Dr	339	Los Angeles	4	0.26	Secondary-Collector	64	8	3	4	16	0.36	4	16	MED			
2951	BI79	129		198	Los Angeles	4	0.15	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2952	BI79	130	Amelia Ave	392	Los Angeles	4	0.30	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2953	BI79	131	Bardale Ave	473	Los Angeles	4	0.36	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2954	BI79	132	Bejay Pl	78	Los Angeles	4	0.06	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2955	BI79	133	Gatun St	578	Los Angeles	4	0.44	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2956	BI79	134	Mount Shasta Dr	327	Los Angeles	4	0.25	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2957	BI79	135	N Cabrillo Ave	817	Los Angeles	4	0.62	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2958	BI79	136	N Meyler St	359	Los Angeles	4	0.27	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2959	BI79	137	N Natchez Pl	109	Los Angeles	4	0.08	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2960	BI79	138	Natchez St	422	Los Angeles	4	0.32	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2961	BI79	139	Paraiso St	706	Los Angeles	4	0.54	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2962	BI79	140	W Basin St	391	Los Angeles	4	0.30	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2963	BI79	141	W Battery St	371	Los Angeles	4	0.28	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2964	BI79	142	W Channel St	373	Los Angeles	4	0.28	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2965	BI79	143	Werbel Pl	443	Los Angeles	4	0.34	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
2966	BI79	144		735	Los Angeles	1	0.14	Alley	20	4	3	4	16	0.36	4	12	LOW			
2967	BI79	145	N Pacific Ave	957	Los Angeles	6	1.09	Primary-Arterial	100	10	4	2	3	0.77	9	21	HIGH			
2968	BI79	146	N Grand Ave	65	Los Angeles	4	0.05	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
2969	BI79	147	Shields Dr	556	Los Angeles	4	0.42	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
2970	BI79	148	N Bandini St	294	Los Angeles	4	0.22	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2971	BI79	149	W Elberon Ave	272	Los Angeles	4	0.21	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
2972	BI79	150	N Meyler St	213	Los Angeles	4	0.16	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2973	BI79	151	W Crestwood Ave	340	Los Angeles	4	0.26	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2974	BI79	152	W Upland Ave	327	Los Angeles	4	0.25	Minor-Local	60	6	4	2	9	0.27	2	10	LOW			
2975	BI79	153	Western Ave	14	Los Angeles	6	0.02	Primary-Arterial	100	10	4	2	13	0.45	6	18	MED			
2976	BI79	154	W Capitol Dr	1604	Los Angeles	4	1.22	Secondary-Collector	64	8	4	2	13	0.45	6	16	MED			
2977	BI79	155		1877	Los Angeles	4	1.42	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2978	BI79	156	Amelia Ave	162	Los Angeles	4	0.12	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2979	BI79	157	Bloomwood Rd	936	Los Angeles	4	0.71	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2980	BI79	158	John Montgomery Dr	793	Los Angeles	4	0.60	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2981	BI79	159	John Sloat Pl	199	Los Angeles	4	0.15	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2982	BI79	160	N Meyler St	152	Los Angeles	4	0.12	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2983	BI79	161	N Park Western Dr	967	Los Angeles	4	0.73	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2984	BI79	162	N Taper Ave	1044	Los Angeles	4	0.79	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2985	BI79	163	Roseglen Ave	105	Los Angeles	4	0.08	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2986	BI79	164	Samuel Dupont Ave	401	Los Angeles	4	0.30	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2987	BI79	165	Sandwood Pl	447	Los Angeles	4	0.34	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2988	BI79	166	Stonewood Ct	797	Los Angeles	4	0.60	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2989	BI79	167	Via La Paz	387	Los Angeles	4	0.29	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2990	BI79	168	W Basin St	356	Los Angeles	4	0.27	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2991	BI79	169	W Battery St	356	Los Angeles	4	0.27	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2992	BI79	170	Westmont Dr	746	Los Angeles	4	0.56	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
2993	BI79	171	W Capitol Dr	424	Los Angeles	4	0.32	Secondary-Collector	64	8	4	2	16	0.36	4	14	LOW			
2994	BI79	172	Gatun St	102	Los Angeles	4	0.08	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2995	BI79	173	N Meyler St	673	Los Angeles	4	0.51	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2996	BI79	174	N Park Western Dr	102	Los Angeles	4	0.08	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2997	BI79	175	Natchez St	144	Los Angeles	4	0.11	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2998	BI79	176	Via La Paz	211	Los Angeles	4	0.16	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
2999	BI79	177	W Basin St	383	Los Angeles	4	0.29	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3000	BI79	178	W Battery St	174	Los Angeles	4	0.13	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
3001	BI8101	1	Eshelman Ave	1127	Lomita	4	0.85	Secondary-Collector	64	8	0	10	10	0.74	8	26	HIGH			
3002	BI8101	2	242nd St	42	Lomita	4	0.03	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3003	BI8101	3	Callison St	131	Lomita	4	0.10	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3004	BI8101	4	Dawn St	46	Lomita	4	0.03	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3005	BI8101	5	Lomita Park Pl	50	Lomita	4	0.04	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3006	BI8101	6	Stanhurst Ave	175	Lomita	4	0.13	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3009	BI8101	9	Eshelman Wy	148	Lomita	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3010	BI8101	10	Falena Ave	5	Lomita	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3011	BI8101	11	Turrell St	527	Lomita	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3012	BI8101	12	Walnut St	500	Lomita	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3013	BI8101	13	Fulmar Ave	13	Los Angeles	4	0.01	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3014	BI8101	14	W 238th St	62	Los Angeles	4	0.05	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3015	BI8101	15	W 239th St	29	Los Angeles	4	0.02	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3016	BI8101	16		126	Los Angeles	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3017	BI8101	17	236th St	29	Los Angeles	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3018	BI8101	18	237th St	1070	Los Angeles	4	0.81	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3019	BI8101	19	238th St	1281	Los Angeles	4	0.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3020	BI8101	20	Ambassador Pl	358	Los Angeles	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3021	BI8101	21	Avenue A	126	Los Angeles	4	0.10	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3022	BI8101	22	Censor Ave	615	Los Angeles	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3023	BI8101	23	Frampton Ave	1738	Los Angeles	4	1.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3024	BI8101	24	Fulmar Ave	572	Los Angeles	4	0.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3025	BI8101	25	Governor Ave	474	Los Angeles	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3026	BI8101	26	Guilford Pl	414	Los Angeles	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3027	BI8101	27	Himber Pl	240	Los Angeles	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3028	BI8101	28	Hynford Pl	486	Los Angeles	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3029	BI8101	29	Kippen St	631	Los Angeles	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3030	BI8101	30	Maidstone Cir	316	Los Angeles	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3031	BI8101	31	Maidstone Pl	338	Los Angeles	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3032	BI8101	32	President Ave	3225	Los Angeles	4	2.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3033	BI8101	33	Rutgers Pl	290	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3034	BI8101	34	W 235th St	540	Los Angeles	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3035	BI8101	35	W 238th St	243	Los Angeles	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3036	BI8101	36	W 239th St	226	Los Angeles	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3037	BI8101	37	W 240th St	2032	Los Angeles	4	1.54	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3038	BI8101	38	W 241st St	278	Los Angeles	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3039	BI8101	39	W 242nd Pl	1808	Los Angeles	4	1.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3040	BI8101	40	W 242nd St	338	Los Angeles	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3041	BI8101	41	W Postmaster Ave	472	Los Angeles	4	0.36	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3042	BI8101	42		1625	Los Angeles	1	0.31	Alley	20	4	0	10	13	0.45	6	20	HIGH			
3043	BI9806	1		1719	CO	4	1.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3044	BI9806	2	Corlett Ave	1112	CO	4	0.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3045	BI9806	3	E 148th St	1864	CO	4	1.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3046	BI9806	4	E 149th St	1941	CO	4	1.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3047	BI9806	5	E 150th St	1034	CO	4	0.78	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3048	BI9806	6	S Aprilia Ave	1119	CO	4	0.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3049	BI9806	7	S Bahama Ave	1082	CO	4	0.82	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3050	BI9806	8	S Cahita Ave	1136	CO	4	0.86	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3051	BI9806	9	S Cairn Ave	1125	CO	4	0.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3052	BI9806	10	S Corlett Ave	1112	CO	4	0.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3053	BI9806	11	S Deodora Ave	332	CO	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3054	BI9806	12	S Goleta St	356	CO	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3055	BI9806	13	S Haskins Ave	494	CO	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3056	BI9806	14	S Keene Ave	1101	CO	4	0.83	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3057	BI9806	15	S Lonest Ave	1092	CO	4	0.83	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3058	BI9806	16	S Wadsworth Ave	146	CO	4	0.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3059	BI9806	17		473	CO	4	0.36	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3060	BI9806	18	E 153rd St	611	CO	4	0.46	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3061	BI9806	19	E 154th St	867	CO	4	0.66	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3062	BI9806	20	E 157th St	270	CO	4	0.20	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3063	BI9806	21	E Darlan St	237	CO	4	0.18	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3064	BI9806	22	McKinley Ave	1090	CO	4	0.83	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3065	BI9806	23	S Haskins Ave	959	CO	4	0.73	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3066	BI9806	24	S McKinley Ave	1090	CO	4	0.83	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3067	BI9806	25	S Stanford Ave	1183	CO	4	0.90	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3068	BI9806	26	S Visalia Ave	2386	CO	4	1.81	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3069	BI9806	27	W 154th St	114	CO	4	0.09	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3070	BI9813	1		1654	Los Angeles	1	0.31	Alley	20	4	0	10	10	0.74	8	22	HIGH			
3073	BI9813	4	Broad Ave	755	Los Angeles	4	0.57	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3074	BI9813	5	E Chandler St	461	Los Angeles	4	0.35	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3075	BI9813	6	E Don St	518	Los Angeles	4	0.39	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3077	BI9813	8	Lakme Ave	607	Los Angeles	4	0.46	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3078	BI9813	9	N Banning Blvd	597	Los Angeles	4	0.45	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3082	BI9813	13		3260	Los Angeles	4	2.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3085	BI9813	16	King Ave	631	Los Angeles	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3086	BI9813	17	L St	328	Los Angeles	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3087	BI9813	18	Lagoon Dr	659	Los Angeles	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3089	BI9813	20	W Grant St	1213	Los Angeles	4	0.92	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3090	BI9813	21	W L St	1890	Los Angeles	4	1.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3091	BI9813	22	W M St	296	Los Angeles	4	0.22	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3092	BI9813	23	W Opp St	2	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3093	BI9813	24	W Papeete St	1814	Los Angeles	4	1.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3094	BI9813	25	W Robidoux St	676	Los Angeles	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3095	BI9813	26	W Young St	1270	Los Angeles	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3096	BI9813	27		2242	Los Angeles	1	0.42	Alley	20	4	0	10	13	0.45	6	20	HIGH			
3099	BI9813	30	Avalon Blvd	5	Los Angeles	6	0.01	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
3102	BI9813	33	Lomita Blvd	838	Los Angeles	6	0.95	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
3105	BI9813	36	W Anaheim St	337	Los Angeles	6	0.38	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
3106	BI9813	37		127	Los Angeles	4	0.10	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3107	BI9813	38	Baypoint Ave	26	Los Angeles	4	0.02	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3110	BI9813	41	E 249th St	26	Los Angeles	4	0.02	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3111	BI9813	42	E Chandler St	55	Los Angeles	4	0.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3112	BI9813	43	E M St	738	Los Angeles	4	0.56	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3113	BI9813	44	E N St	785	Los Angeles	4	0.59	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3114	BI9813	45	E O St	360	Los Angeles	4	0.27	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3116	BI9813	47	E Sandison St	487	Los Angeles	4	0.37	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3117	BI9813	48	Eubank Ave	402	Los Angeles	4	0.30	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3120	BI9813	51	Hawaiian Ave	1070	Los Angeles	4	0.81	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3121	BI9813	52	King Ave	1873	Los Angeles	4	1.42	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3122	BI9813	53	Lakme Ave	2321	Los Angeles	4	1.76	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3123	BI9813	54	N Banning Blvd	1991	Los Angeles	4	1.51	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3127	BI9813	58	N Lagoon Ave	4387	Los Angeles	4	3.32	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3129	BI9813	60	N McDonald Ave	5138	Los Angeles	4	3.89	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3132	BI9813	63	N Ronan Ave	5122	Los Angeles	4	3.88	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3133	BI9813	64	Ronan Ave	531	Los Angeles	4	0.40	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3134	BI9813	65	S Fries Ave	10	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3135	BI9813	66	S Island Ave	9	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3136	BI9813	67	W Chandler St	62	Los Angeles	4	0.05	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3137	BI9813	68	W Cruces St	46	Los Angeles	4	0.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3139	BI9813	70	W Dolores St	55	Los Angeles	4	0.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3140	BI9813	71	W Don St	66	Los Angeles	4	0.05	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3141	BI9813	72	W Grant St	49	Los Angeles	4	0.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3142	BI9813	73	W I St	2309	Los Angeles	4	1.75	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3144	BI9813	75	W Lowen St	47	Los Angeles	4	0.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3146	BI9813	77	W Mauretania St	49	Los Angeles	4	0.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3148	BI9813	79	W Papeete St	56	Los Angeles	4	0.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3151	BI9813	82	W Robidoux St	188	Los Angeles	4	0.14	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3153	BI9813	84		19282	Los Angeles	1	3.65	Alley	20	4	0	10	14	0.81	10	24	HIGH			
3154	BI9827B-4	1	Pennsylvania Ave	364	Lomita	4	0.28	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
3155	BI9827B-4	2	Kelley Ave	498	Lomita	4	0.38	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3156	BI9827B-4	3	Pennsylvania Ave	848	Lomita	4	0.64	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3157	BI9827B-4	4	Reed Dr	299	Lomita	4	0.23	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3158	BI9827B-4	5	Stratford Dr	294	Lomita	4	0.22	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3159	BI9827B-4	6	Cypress Circle Dr	309	Lomita	4	0.23	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
3160	BI9827B-4	7	Cypress St	469	Lomita	4	0.36	Minor-Local	60	6	0	10	4	0.4	5	21	HIGH			
3161	BI9827B-4	8	251st St	870	Lomita	4	0.66	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3162	BI9827B-4	9	253rd St	859	Lomita	4	0.65	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3163	BI9827B-4	10	254th St	689	Lomita	4	0.52	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3164	BI9827B-4	11	Aubrey Ln	181	Lomita	4	0.14	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3165	BI9827B-4	12	Blue Rose Ct	127	Lomita	4	0.10	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3166	BI9827B-4	13	Cypress St	1064	Lomita	4	0.81	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3167	BI9827B-4	14	McKenna Ct	326	Lomita	4	0.25	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3168	BI9827B-4	15	Noelle Ct	174	Lomita	4	0.13	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3169	BI9827B-4	16	Pennsylvania Ave	1465	Lomita	4	1.11	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3170	BI9827B-4	17	Robin Ln	310	Lomita	4	0.24	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
3171	BI9827B-4	18	254th St	174	Lomita	4	0.13	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3172	BI9827B-4	19	255th St	997	Lomita	4	0.76	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3173	BI9827B-4	20	256th St	109	Lomita	4	0.08	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3174	BI9827B-4	21	Adamo Ave	283	Lomita	4	0.21	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3175	BI9827B-4	22	Cypress St	542	Lomita	4	0.41	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3176	BI9827B-4	23	Evans Ct	312	Lomita	4	0.24	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3177	BI9827B-4	24	Forrester Dr	548	Lomita	4	0.42	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
3178	BI9827B-4	25	Pacific Coast Hwy	189	Lomita	6	0.21	Highway	100	10	3	4	4	0.4	5	19	MED			
3179	BI9827B-4	26	Reed Dr	179	Lomita	4	0.14	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
3180	BI9827B-4	27	Pacific Coast Hwy	522	Lomita	6	0.59	Highway	100	10	4	2	4	0.4	5	17	MED			
3181	BI9827B-4	28	Esther View Dr	524	Lomita	4	0.40	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
3182	BI9827B-4	29	Pennsylvania Ave	743	Lomita	4	0.56	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
3183	BI9830	1	E C St	452	Los Angeles	4	0.34	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
3186	BI9830	4	E F St	227	Los Angeles	4	0.17	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
3189	BI9830	7	Quay Ave	1741	Los Angeles	4	1.32	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
3190	BI9830	8	Highway 1	404	Los Angeles	6	0.46	Highway	100	10	0	10	14	0.81	10	30	HIGH			
3192	BI9830	10	Pch Hwy	404	Los Angeles	6	0.46	Highway	100	10	0	10	14	0.81	10	30	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3193	BI9830	11	State Route 1 Hwy	404	Los Angeles	6	0.46	Highway	100	10	0	10	14	0.81	10	30	HIGH			
3197	BI9830	15		1743	Los Angeles	4	1.32	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3198	BI9830	16	Alameda St	2249	Los Angeles	4	1.70	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3199	BI9830	17	Avalon Pl	1047	Los Angeles	4	0.79	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3202	BI9830	20	Cary Ave	1921	Los Angeles	4	1.46	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3204	BI9830	22	Dominguez Ave	1425	Los Angeles	4	1.08	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3206	BI9830	24	E Colon St	3036	Los Angeles	4	2.30	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3207	BI9830	25	E Cruces St	2685	Los Angeles	4	2.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3211	BI9830	29	E F St	1364	Los Angeles	4	1.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3213	BI9830	31	E Grant St	1105	Los Angeles	4	0.84	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3214	BI9830	32	E I St	2301	Los Angeles	4	1.74	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3218	BI9830	36	E N St	369	Los Angeles	4	0.28	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3219	BI9830	37	E O St	3575	Los Angeles	4	2.71	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3221	BI9830	39	E Q St	1336	Los Angeles	4	1.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3222	BI9830	40	E Robidoux St	2526	Los Angeles	4	1.91	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3224	BI9830	42	E Young St	2958	Los Angeles	4	2.24	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3225	BI9830	43	Emery Pl	404	Los Angeles	4	0.31	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3227	BI9830	45	Flint Ave	3361	Los Angeles	4	2.55	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3228	BI9830	46	Gamble Ave	785	Los Angeles	4	0.59	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3229	BI9830	47	Hyatt Ave	2924	Los Angeles	4	2.21	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3232	BI9830	50	Mahar Ave	2672	Los Angeles	4	2.02	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3233	BI9830	51	McFarland Ave	4662	Los Angeles	4	3.53	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3235	BI9830	53	N Henry Ford Ave	35	Los Angeles	4	0.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3236	BI9830	54	Pioneer Ave	3792	Los Angeles	4	2.87	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3237	BI9830	55	Quay Ave	887	Los Angeles	4	0.67	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3239	BI9830	57	Sanford St	1604	Los Angeles	4	1.22	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3241	BI9830	59		25366	Los Angeles	1	4.80	Alley	20	4	0	10	14	0.81	10	24	HIGH			
3242	BODGR	1		1311	CO	4	0.99	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3243	BODGR	2	Marine Ave	1311	CO	4	0.99	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3244	BODGR	3		26	CO	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3245	BODGR	4	Cranbrook Ave	11	CO	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3246	BODGR	5	Gerkin Ave	13	CO	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3247	BODGR	6	Kornblum Ave	7	CO	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3248	BODGR	7	Marine Ave	103	CO	4	0.08	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3249	BODGR	8	S Doty Ave	2	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3250	BODGR	9		58	Hawthorne	6	0.07	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
3252	BODGR	11		264	Hawthorne	4	0.20	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3253	BODGR	12	Marine Ave	861	Hawthorne	4	0.65	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3254	BODGR	13		408	Hawthorne	4	0.31	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3255	BODGR	14	144th Pl	940	Hawthorne	4	0.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3256	BODGR	15	144th St	368	Hawthorne	4	0.28	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3257	BODGR	16	145th St	64	Hawthorne	4	0.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3258	BODGR	17	147th Pl	978	Hawthorne	4	0.74	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3259	BODGR	18	148th St	1038	Hawthorne	4	0.79	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3260	BODGR	19	149th St	495	Hawthorne	4	0.38	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3261	BODGR	20	Bodger Ave	2484	Hawthorne	4	1.88	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3262	BODGR	21	Cordary Ave	2000	Hawthorne	4	1.51	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3263	BODGR	22	Cranbrook Ave	1054	Hawthorne	4	0.80	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3264	BODGR	23	Doty Ave	2757	Hawthorne	4	2.09	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3265	BODGR	24	Florwood Ave	827	Hawthorne	4	0.63	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3266	BODGR	25	Fonthill Ave	2576	Hawthorne	4	1.95	Minor-Local	60	6	0	10	9	0.27	2	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3267	BODGR	26	Gerkin Ave	556	Hawthorne	4	0.42	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3268	BODGR	27	Kornblum Ave	1632	Hawthorne	4	1.24	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3269	BODGR	28	Marine Ave	1968	Hawthorne	4	1.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3270	BODGR	29	Ruthbar Dr	782	Hawthorne	4	0.59	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3271	BODGR	30	W 144th St	2	Hawthorne	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3272	BODGR	31	W 145th St	723	Hawthorne	4	0.55	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3273	BODGR	32	W 146th St	1462	Hawthorne	4	1.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3274	BODGR	33	W 147th St	1150	Hawthorne	4	0.87	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3275	DDI8NE	1	W 115th St	55	Hawthorne	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3276	DDI8NE	2	W 116th St	60	Hawthorne	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3277	DDI8NE	3	W 117th St	63	Hawthorne	4	0.05	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3278	DDI8NE	4	W 119th Ct	2	Hawthorne	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3279	DDI8NE	5	W 106th St	1	Inglewood	4	0.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3280	DDI8NE	6	W 107th St	259	Inglewood	4	0.20	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3281	DDI8NE	7	W 108th St	1285	Inglewood	4	0.97	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3282	DDI8NE	8	W 109th St	844	Inglewood	4	0.64	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3283	DDI8NE	9	W 110th St	349	Inglewood	4	0.26	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3284	DDI8NE	10	W 111th St	69	Inglewood	4	0.05	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3285	DDI8NE	11	Kornblum Ave	225	Hawthorne	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3286	DDI8NE	12	Yukon Ave	490	Hawthorne	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3288	DDI8NE	14		437	Inglewood	4	0.33	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3290	DDI8NE	16		1409	Inglewood	4	1.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3291	DDI8NE	17	Kornblum Ave	482	Inglewood	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3293	DDI8NE	19	W 107th St	718	Inglewood	4	0.54	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3294	DDI8NE	20	W 108th St	1434	Inglewood	4	1.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3295	DDI8NE	21	W 109th St	1778	Inglewood	4	1.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3296	DDI8NE	22	W 110th St	2121	Inglewood	4	1.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3297	DDI8NE	23	W 111th Pl	2637	Inglewood	4	2.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3298	DDI8NE	24	W 111th St	2465	Inglewood	4	1.87	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3299	DDI8NE	25	W 112th St	1956	Inglewood	4	1.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3300	DDI8NE	26	W 113th St	1947	Inglewood	4	1.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3301	DDI8NE	27	W 115th St	675	Inglewood	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3303	DDI8NE	29	W 117th St	1022	Inglewood	4	0.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3304	DDI8NE	30	W 118th Pl	802	Inglewood	4	0.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3305	DDI8NE	31	W 118th St	953	Inglewood	4	0.72	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3306	DDI8NE	32	W 119th Ct	467	Inglewood	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3307	DDI8NE	33	Yukon Ave	1990	Inglewood	4	1.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3308	DDI8NE	34		368	Inglewood	1	0.07	Alley	20	4	0	10	13	0.45	6	20	HIGH			
3309	DDI8NE	35		320	Inglewood	4	0.24	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
3310	DDI8NE	36	Yukon Ave	1399	Inglewood	4	1.06	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
3311	DDI8NE	37	S Lemoli Ave	23	Inglewood	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3312	DDI8NE	38	W 105th St	23	Inglewood	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3313	DDI8NW-1	1	State Route 42	5	Los Angeles	6	0.01	Highway	100	10	0	10	13	0.45	6	26	HIGH			
3314	DDI8NW-1	2	W Manchester Ave	5	Los Angeles	6	0.01	Highway	100	10	0	10	13	0.45	6	26	HIGH			
3315	DDI8NW-1	3	Aviation Blvd	239	Los Angeles	6	0.27	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3316	DDI8NW-1	4	Aviation Blvd	2667	Inglewood	6	3.03	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3317	DDI8NW-1	5	W Florence Ave	1344	Inglewood	6	1.53	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3318	DDI8NW-1	6	W Manchester Blvd	1961	Inglewood	6	2.23	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3320	DDI8NW-1	8	W Hillcrest Blvd	88	Inglewood	4	0.07	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3321	DDI8NW-1	9	S Glasgow Ave	577	Inglewood	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3322	DDI8NW-1	10	S Hindry Ave	1280	Inglewood	4	0.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3323	DDI8NW-1	11	S Isis Ave	1273	Inglewood	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3324	DDI8NW-1	12	W Olive St	606	Inglewood	4	0.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3325	DDI8NW-1	13	S La Cienega Blvd	374	Inglewood	6	0.42	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
3326	DDI8NW-1	14	Isis Ave	28	Inglewood	4	0.02	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
3328	DDI8NW-1	16	W Hillcrest Blvd	1743	Inglewood	4	1.32	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
3329	DDI8NW-1	17	Hindry Pl	30	Inglewood	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3330	DDI8NW-1	18	S Glasgow Ave	2501	Inglewood	4	1.89	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3331	DDI8NW-1	19	S Hindry Ave	2120	Inglewood	4	1.61	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3332	DDI8NW-1	20	S Isis Ave	1943	Inglewood	4	1.47	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3333	DDI8NW-1	21	W Arbor Vitae St	31	Inglewood	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3334	DDI8NW-1	22	W Spruce Ave	525	Inglewood	4	0.40	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3335	DDI8NW-1	23	W Manchester Blvd	3	Los Angeles	6	0.00	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3336	DDI8NW-1	24		126	Los Angeles	1	0.02	Alley	20	4	0	10	13	0.45	6	20	HIGH			
3337	DDI8NW-1	25	Isis Ave	27	Los Angeles	4	0.02	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
3338	DDI8NW-1	26	Glasgow Pl	727	Los Angeles	4	0.55	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3339	DDI8NW-1	27	Hindry Pl	790	Los Angeles	4	0.60	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3340	DDI8NW-1	28	Isis Ave	508	Los Angeles	4	0.38	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3341	DDI8NW-1	29	S La Cienega Blvd	804	Los Angeles	4	0.61	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3342	DDI8NW-1	30	W 93rd St	1627	Los Angeles	4	1.23	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3343	DDI8NW-1	31	W 94th St	1103	Los Angeles	4	0.84	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3344	DDI8NW-1	32	W 95th Pl	110	Los Angeles	4	0.08	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3345	DDI8NW-1	33	W 95th St	110	Los Angeles	4	0.08	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3346	DDI8NW-1	34	W Arbor Vitae St	1338	Los Angeles	4	1.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3347	DDI8NW-1	35		2181	Los Angeles	1	0.41	Alley	20	4	0	10	16	0.36	4	18	MED			
3348	DDI8NW-2	1		295	CO	6	0.34	Highway	100	10	0	10	9	0.27	2	22	HIGH			
3353	DDI8NW-2	6	S La Cienega Blvd	28	CO	4	0.02	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3354	DDI8NW-2	7	Dalerose Ave	196	CO	4	0.15	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3355	DDI8NW-2	8	S Buford Ave	267	CO	4	0.20	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3356	DDI8NW-2	9	S Burl Ave	25	CO	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3361	DDI8NW-2	14	Felton Ave	28	CO	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3362	DDI8NW-2	15	Sundale Ave	27	CO	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3363	DDI8NW-2	16		412	CO	6	0.47	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
3368	DDI8NW-2	21	Burin Ave	1241	CO	4	0.94	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3369	DDI8NW-2	22	Condon Ave	3972	CO	4	3.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3370	DDI8NW-2	23	Dalerose Ave	3969	CO	4	3.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3371	DDI8NW-2	24	Irwin Ave	281	CO	4	0.21	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3372	DDI8NW-2	25	Larch Ave	1160	CO	4	0.88	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3373	DDI8NW-2	26	S Acacia Ave	1039	CO	4	0.79	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3374	DDI8NW-2	27	S Buford Ave	3732	CO	4	2.83	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3375	DDI8NW-2	28	S Burin Ave	1483	CO	4	1.12	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3376	DDI8NW-2	29	S Burl Ave	3763	CO	4	2.85	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3377	DDI8NW-2	30	S Eastwood Ave	55	CO	4	0.04	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3378	DDI8NW-2	31	S Felton Ave	2708	CO	4	2.05	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3379	DDI8NW-2	32	S Firmona Ave	3688	CO	4	2.79	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3380	DDI8NW-2	33	S Freeman Ave	652	CO	4	0.49	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3381	DDI8NW-2	34	S Grevillea Ave	2755	CO	4	2.09	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3382	DDI8NW-2	35	S Irwin Ave	291	CO	4	0.22	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3383	DDI8NW-2	36	S Mansel Ave	3509	CO	4	2.66	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3384	DDI8NW-2	37	S Ocean Gate Ave	1086	CO	4	0.82	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3385	DDI8NW-2	38	S Osage Ave	321	CO	4	0.24	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3386	DDI8NW-2	39	S Redfern Ave	1663	CO	4	1.26	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3387	DDI8NW-2	40	S Truro Ave	2497	CO	4	1.89	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3388	DDI8NW-2	41	W 101st St	150	CO	4	0.11	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3390	DDI8NW-2	43	W 106th St	1158	CO	4	0.88	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3391	DDI8NW-2	44	W 107th St	1346	CO	4	1.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3392	DDI8NW-2	45	W 109th St	1255	CO	4	0.95	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3393	DDI8NW-2	46	W 110th St	689	CO	4	0.52	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3394	DDI8NW-2	47	W 111th Pl	1648	CO	4	1.25	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3396	DDI8NW-2	49	W 112th St	1648	CO	4	1.25	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3397	DDI8NW-2	50	Sundale Ave	9	Hawthorne	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3400	DDI8NW-2	53	Dalerose Ave	245	Hawthorne	4	0.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3401	DDI8NW-2	54	Eucalyptus Ave	90	Hawthorne	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3402	DDI8NW-2	55	Felton Ave	9	Hawthorne	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3403	DDI8NW-2	56	Gale Ave	123	Hawthorne	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3406	DDI8NW-2	59		498	Hawthorne	4	0.38	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3407	DDI8NW-2	60	Condon Ave	384	Hawthorne	4	0.29	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3408	DDI8NW-2	61	Dalerose Ave	18	Hawthorne	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3409	DDI8NW-2	62	Eucalyptus Ave	33	Hawthorne	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3410	DDI8NW-2	63	Grevillea Ave	679	Hawthorne	4	0.51	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3411	DDI8NW-2	64	Ramona Ave	367	Hawthorne	4	0.28	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3412	DDI8NW-2	65	S Burin Ave	770	Hawthorne	4	0.58	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3413	DDI8NW-2	66	S Firmona Ave	618	Hawthorne	4	0.47	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3414	DDI8NW-2	67	S Grevillea Ave	852	Hawthorne	4	0.65	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3415	DDI8NW-2	68	S Mansel Ave	701	Hawthorne	4	0.53	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3416	DDI8NW-2	69	S Truro Ave	619	Hawthorne	4	0.47	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3417	DDI8NW-2	70	W 115th St	1875	Hawthorne	4	1.42	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3419	DDI8NW-2	72	S Prairie Ave	4	Inglewood	6	0.00	Primary-Arterial	100	10	0	10	16	0.36	4	24	HIGH			
3424	DDI8NW-2	77	W Hillcrest Blvd	578	Inglewood	4	0.44	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
3425	DDI8NW-2	78		32	Inglewood	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3426	DDI8NW-2	79	Condon Ave	431	Inglewood	4	0.33	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3427	DDI8NW-2	80	Dalerose Ave	352	Inglewood	4	0.27	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3428	DDI8NW-2	81	S Ash Ave	1747	Inglewood	4	1.32	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3429	DDI8NW-2	82	S Buford Ave	132	Inglewood	4	0.10	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3430	DDI8NW-2	83	S Burl Ave	66	Inglewood	4	0.05	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3431	DDI8NW-2	84	S Cedar Ave	840	Inglewood	4	0.64	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3432	DDI8NW-2	85	S Felton Ave	247	Inglewood	4	0.19	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3433	DDI8NW-2	86	S Firmona Ave	482	Inglewood	4	0.36	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3434	DDI8NW-2	87	S Grevillea Ave	1234	Inglewood	4	0.94	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3435	DDI8NW-2	88	S Holly St	844	Inglewood	4	0.64	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3436	DDI8NW-2	89	S Kenwood St	894	Inglewood	4	0.68	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3437	DDI8NW-2	90	S Laraway Ave	24	Inglewood	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3438	DDI8NW-2	91	S Mansel Ave	237	Inglewood	4	0.18	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3439	DDI8NW-2	92	S Oak St	1516	Inglewood	4	1.15	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3440	DDI8NW-2	93	S Ocean Gate Ave	231	Inglewood	4	0.17	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3441	DDI8NW-2	94	S Redfern Ave	117	Inglewood	4	0.09	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3442	DDI8NW-2	95	S Sycamore Pl	448	Inglewood	4	0.34	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3443	DDI8NW-2	96	W 102nd St	84	Inglewood	4	0.06	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3444	DDI8NW-2	97	W 107th St	19	Inglewood	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3445	DDI8NW-2	98	W 93rd St	661	Inglewood	4	0.50	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3446	DDI8NW-2	99	W 94th St	779	Inglewood	4	0.59	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3447	DDI8NW-2	100	W 95th St	1415	Inglewood	4	1.07	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3448	DDI8NW-2	101	W Buckthorn St	352	Inglewood	4	0.27	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3449	DDI8NW-2	102	W Elm Ave	663	Inglewood	4	0.50	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3450	DDI8NW-2	103	W Kelso St	441	Inglewood	4	0.33	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3451	DDI8NW-2	104	W Lime St	508	Inglewood	4	0.38	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3452	DDI8NW-2	105	W Magnolia Ave	317	Inglewood	4	0.24	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3453	DDI8NW-2	106	W Nectarine St	400	Inglewood	4	0.30	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3454	DDI8NW-2	107	W Olive St	302	Inglewood	4	0.23	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3455	DDI8NW-2	108	W Spruce Ave	704	Inglewood	4	0.53	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3456	DDI8NW-2	109	S La Cienega Blvd	4228	Inglewood	1	0.80	Alley	20	4	0	10	16	0.36	4	18	MED			
3457	DDI8NW-2	110		18	Los Angeles	4	0.01	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3459	DDI8NW-2	112	Lennox Blvd	2	Los Angeles	4	0.00	Secondary-Collector	64	8	0	10	16	0.36	4	22	HIGH			
3460	DDI8NW-2	113	W 104th St	10	Los Angeles	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3461	DDI8NW-2	114	W 111th St	20	Los Angeles	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3462	DDI8S	1	Aviation Blvd	491	CO	1	0.09	Alley	20	4	0	10	9	0.27	2	16	MED			
3465	DDI8S	4	Glasgow Pl	1505	CO	4	1.14	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3467	DDI8S	6	S La Cienega Blvd	1176	CO	4	0.89	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3469	DDI8S	8	Bart Ave	619	CO	4	0.47	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3470	DDI8S	9		145	CO	4	0.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3471	DDI8S	10	Broadway	56	CO	4	0.04	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3472	DDI8S	11	Costa Dr	513	CO	4	0.39	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3473	DDI8S	12	Felton Ave	1770	CO	4	1.34	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3474	DDI8S	13	Glasgow Pl	2417	CO	4	1.83	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3475	DDI8S	14	Hindry Ave	679	CO	4	0.51	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3476	DDI8S	15	Isis Ave	1369	CO	4	1.04	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3477	DDI8S	16	Judah Ave	239	CO	4	0.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3478	DDI8S	17	Ocean Gate Ave	11	CO	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3479	DDI8S	18	S Shoup Ave	9	CO	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3480	DDI8S	19	Stacy St	1081	CO	4	0.82	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3481	DDI8S	20	Tahoe Ave	1936	CO	4	1.47	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3482	DDI8S	21	W 121st St	2034	CO	4	1.54	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3483	DDI8S	22	W 122nd St	2380	CO	4	1.80	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3484	DDI8S	23	W 123rd Pl	2344	CO	4	1.78	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3485	DDI8S	24	W 123rd St	3097	CO	4	2.35	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3486	DDI8S	25	W 124th Pl	998	CO	4	0.76	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3487	DDI8S	26	W 124th St	2148	CO	4	1.63	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3488	DDI8S	27	W 125th St	1343	CO	4	1.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3489	DDI8S	28	W 126th St	1082	CO	4	0.82	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3490	DDI8S	29	W 127th Pl	332	CO	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3491	DDI8S	30	W 127th St	144	CO	4	0.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3494	DDI8S	33	E El Segundo Blvd	30	CO	6	0.03	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3496	DDI8S	35	124th St	1088	CO	4	0.82	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3497	DDI8S	36		392	CO	4	0.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3498	DDI8S	37	Glasgow Pl	312	CO	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3499	DDI8S	38	Isis Ave	1263	CO	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3500	DDI8S	39	W 123rd Pl	648	CO	4	0.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3501	DDI8S	40	W 124th Pl	30	CO	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3502	DDI8S	41	W 124th St	548	CO	4	0.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3503	DDI8S	42	W 125th St	312	CO	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3504	DDI8S	43	W 126th St	526	CO	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3505	DDI8S	44	W 127th Pl	487	CO	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3506	DDI8S	45	W 127th St	674	CO	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3508	DDI8S	47	W 120th St	20	El Segundo	4	0.02	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3509	DDI8S	48		2	El Segundo	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3510	DDI8S	49	120th St	2	El Segundo	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3511	DDI8S	50	Simms Ave	1090	Hawthorne	4	0.83	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3512	DDI8S	51	Surfside	228	Hawthorne	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3513	DDI8S	52	Truro Ave	2945	Hawthorne	4	2.23	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3514	DDI8S	53	W 117th St	653	Hawthorne	4	0.49	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3515	DDI8S	54	W 118th Pl	1296	Hawthorne	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3516	DDI8S	55	W 118th St	2449	Hawthorne	4	1.86	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3517	DDI8S	56	W 119th Pl	22	Hawthorne	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3518	DDI8S	57	W 119th St	1317	Hawthorne	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3519	DDI8S	58	W 122nd St	407	Hawthorne	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3520	DDI8S	59	W 126th St	2739	Hawthorne	4	2.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3521	DDI8S	60	W 129th St	520	Hawthorne	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3522	DDI8S	61	W 130th St	2856	Hawthorne	4	2.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3523	DDI8S	62	W 131st St	1410	Hawthorne	4	1.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3524	DDI8S	63	W 132nd St	3631	Hawthorne	4	2.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3525	DDI8S	64	W 134th St	345	Hawthorne	4	0.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3531	DDI8S	70		57	Hawthorne	4	0.04	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3532	DDI8S	71	123rd Pl	922	Hawthorne	4	0.70	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3533	DDI8S	72	129th St	1511	Hawthorne	4	1.14	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3534	DDI8S	73	Birch Ave	374	Hawthorne	4	0.28	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3535	DDI8S	74	Broadway	2411	Hawthorne	4	1.83	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3536	DDI8S	75	Burl Ave	1022	Hawthorne	4	0.77	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3537	DDI8S	76	Cedar Ave	747	Hawthorne	4	0.57	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3538	DDI8S	77	Felton Ave	233	Hawthorne	4	0.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3539	DDI8S	78	Freeman Ave	1267	Hawthorne	4	0.96	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3540	DDI8S	79	Gale Ave	512	Hawthorne	4	0.39	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3541	DDI8S	80	Jefferson Ave	167	Hawthorne	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3542	DDI8S	81	Menlo Ave	3006	Hawthorne	4	2.28	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3543	DDI8S	82	Oxford Ave	3152	Hawthorne	4	2.39	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3544	DDI8S	83	Sundale Ave	1022	Hawthorne	4	0.77	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3545	DDI8S	84	W 119th St	286	Hawthorne	4	0.22	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3546	DDI8S	85	W 121st St	1322	Hawthorne	4	1.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3547	DDI8S	86	W 122nd St	1563	Hawthorne	4	1.18	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3548	DDI8S	87	W 123rd St	1264	Hawthorne	4	0.96	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3549	DDI8S	88	W 126th St	1132	Hawthorne	4	0.86	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3550	DDI8S	89	W 129th St	281	Hawthorne	4	0.21	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3551	DDI8S	90	W 130th St	1947	Hawthorne	4	1.48	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3552	DDI8S	91	W 131st St	976	Hawthorne	4	0.74	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3553	DDI8S	92	W 132nd St	1611	Hawthorne	4	1.22	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3554	DDI8S	93	Washington Ave	1611	Hawthorne	4	1.22	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3555	DDI8S	94	York Ave	1180	Hawthorne	4	0.89	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3557	DDI8S	96	E El Segundo Blvd	6	Hawthorne	6	0.01	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3564	DDI8S	103	Yukon Ave	1328	Hawthorne	4	1.01	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3565	DDI8S	104	119th Pl	1298	Hawthorne	4	0.98	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3566	DDI8S	105	129th St	1667	Hawthorne	4	1.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3567	DDI8S	106	Broadway	2806	Hawthorne	4	2.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3568	DDI8S	107	Cerise Ave	2438	Hawthorne	4	1.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3569	DDI8S	108	Chadron Ave	2168	Hawthorne	4	1.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3570	DDI8S	109	Cordary Ave	1635	Hawthorne	4	1.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3571	DDI8S	110	Cranbrook Ave	1030	Hawthorne	4	0.78	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3572	DDI8S	111	Doty Ave	2955	Hawthorne	4	2.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3573	DDI8S	112	Eucalyptus Ave	3324	Hawthorne	4	2.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3574	DDI8S	113	Florwood Ave	1315	Hawthorne	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3575	DDI8S	114	Fonthill Ave	1011	Hawthorne	4	0.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3576	DDI8S	115	Gale Ave	675	Hawthorne	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3577	DDI8S	116	Grevillea Ave	3038	Hawthorne	4	2.30	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3578	DDI8S	117	Hawthorne Wy	1245	Hawthorne	4	0.94	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3579	DDI8S	118	Jefferson Ave	1440	Hawthorne	4	1.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3580	DDI8S	119	Kornblum Ave	2351	Hawthorne	4	1.78	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3581	DDI8S	120	Manor Dr	2894	Hawthorne	4	2.19	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3582	DDI8S	121	Menlo Ave	763	Hawthorne	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3583	DDI8S	122	Michu Ln	332	Hawthorne	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3585	DDI8S	124	Ocean	107	Hawthorne	4	0.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3586	DDI8S	125	Oxford Ave	1282	Hawthorne	4	0.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3587	DDI8S	126	Pacific Trl	242	Hawthorne	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3588	DDI8S	127	Ramona Ave	4466	Hawthorne	4	3.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3589	DDI8S	128	Roselle Ave	1316	Hawthorne	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3590	DDI8S	129	Weber Wy	840	Hawthorne	4	0.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3591	DDI8S	130	York Ave	3248	Hawthorne	4	2.46	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3592	DDI8S	131	Yukon Ave	1032	Hawthorne	4	0.78	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3596	DDI8S	135	129th St	857	Hawthorne	4	0.65	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3597	DDI8S	136	Acacia Ave	1827	Hawthorne	4	1.38	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3598	DDI8S	137	Birch Ave	4142	Hawthorne	4	3.14	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3599	DDI8S	138	Broadway	683	Hawthorne	4	0.52	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3600	DDI8S	139	Cedar Ave	3229	Hawthorne	4	2.45	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3601	DDI8S	140	Freeman Ave	2971	Hawthorne	4	2.25	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3602	DDI8S	141	Grevillea Ave	222	Hawthorne	4	0.17	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3603	DDI8S	142	Hawthorne Wy	78	Hawthorne	4	0.06	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3604	DDI8S	143	Menlo Ave	730	Hawthorne	4	0.55	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3605	DDI8S	144	W 118th St	1544	Hawthorne	4	1.17	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3606	DDI8S	145	W 119th St	1680	Hawthorne	4	1.27	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3607	DDI8S	146	W 122nd St	891	Hawthorne	4	0.68	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3608	DDI8S	147	W 126th St	347	Hawthorne	4	0.26	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3609	DDI8S	148	W 130th St	526	Hawthorne	4	0.40	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3610	DELAMO	1		2829	CO	4	2.14	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3613	DELAMO	4		2223	CO	4	1.68	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3614	DELAMO	5	E University Dr	737	CO	4	0.56	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3615	DELAMO	6	S Broadwick St	803	CO	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3616	DELAMO	7	S Dominguez Hills Dr	103	CO	4	0.08	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3618	DELAMO	9	E University Dr	8	CO	4	0.01	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
3619	DELAMO	10		1357	CO	4	1.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3620	DELAMO	11	E Cashdan St	22	CO	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3621	DELAMO	12	E Dimondale Dr	8	CO	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3622	DELAMO	13	E University Dr	666	CO	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3623	DELAMO	14	E Via Arado	432	CO	4	0.33	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3624	DELAMO	15	S Dominguez Hills Dr	856	CO	4	0.65	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3626	DELAMO	17		2600	CO	4	1.97	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3627	DELAMO	18	E Cashdan St	1351	CO	4	1.02	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3628	DELAMO	19	E Gladwick St	193	CO	4	0.15	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3629	DELAMO	20	E Via Arado	1048	CO	4	0.79	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3630	DELAMO	21	E Vista Bella Wy	80	CO	4	0.06	Minor-Local	60	6	3	4	13	0.45	6	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3631	DEAMO	22	S Dominguez Hills Dr	27	CO	4	0.02	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3632	DEAMO	23	S Via Barron	671	CO	4	0.51	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3633	DEAMO	24	Via Baron	671	CO	4	0.51	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3635	DEAMO	26		4195	CO	4	3.18	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
3636	DEAMO	27	B St	160	CO	4	0.12	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
3637	DEAMO	28	E Gladwick St	2752	CO	4	2.09	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
3638	DEAMO	29	E Helmick St	7	CO	4	0.01	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
3639	DEAMO	30	E Vista Bella Wy	481	CO	4	0.36	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
3640	DEAMO	31	S Dominguez Hills Dr	744	CO	4	0.56	Minor-Local	60	6	4	2	13	0.45	6	14	LOW			
3641	HLYPK	1		458	CO	6	0.52	Highway	100	10	0	10	9	0.27	2	22	HIGH			
3642	HLYPK	2		466	CO	6	0.53	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
3643	HLYPK	3	Imperial Hwy	16	CO	6	0.02	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
3644	HLYPK	4	S Vermont Ave	676	CO	6	0.77	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
3646	HLYPK	6		5690	CO	4	4.31	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3647	HLYPK	7	115th Pl	835	CO	4	0.63	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3648	HLYPK	8	Budlong Ave	1139	CO	4	0.86	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3649	HLYPK	9	Denker Ave	325	CO	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3650	HLYPK	10	Raymond Ave	639	CO	4	0.48	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3651	HLYPK	11	S Berendo Ave	555	CO	4	0.42	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3652	HLYPK	12	S Budlong Ave	1139	CO	4	0.86	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3653	HLYPK	13	S Denker Ave	325	CO	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3654	HLYPK	14	S Mariposa Ave	544	CO	4	0.41	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3655	HLYPK	15	S New Hampshire Ave	356	CO	4	0.27	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3656	HLYPK	16	S Raymond Ave	144	CO	4	0.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3657	HLYPK	17	W 110th Pl	536	CO	4	0.41	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3658	HLYPK	18	W 111th Pl	533	CO	4	0.40	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3659	HLYPK	19	W 111th St	1226	CO	4	0.93	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3660	HLYPK	20	W 112th St	486	CO	4	0.37	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3661	HLYPK	21	W 119th St	186	CO	4	0.14	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3662	HLYPK	22		1254	CO	6	1.42	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3663	HLYPK	23	S Vermont Ave	1399	CO	6	1.59	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3665	HLYPK	25	S Normandie Ave	1218	CO	4	0.92	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3666	HLYPK	26		6803	CO	4	5.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3667	HLYPK	27	Berendo Ave	483	CO	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3668	HLYPK	28	Budlong Ave	1469	CO	4	1.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3669	HLYPK	29	Geddes St	848	CO	4	0.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3670	HLYPK	30	Laurel Ave	407	CO	4	0.31	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3671	HLYPK	31	S Berendo Ave	492	CO	4	0.37	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3672	HLYPK	32	S Budlong Ave	1469	CO	4	1.11	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3673	HLYPK	33	S Mariposa Ave	218	CO	4	0.17	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3674	HLYPK	34	S New Hampshire Ave	977	CO	4	0.74	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3675	HLYPK	35	S Raymond Ave	509	CO	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3676	HLYPK	36	Van Buren Ave	1946	CO	4	1.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3677	HLYPK	37	W 112th St	592	CO	4	0.45	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3678	HLYPK	38	W 116th Pl	90	CO	4	0.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3679	HLYPK	39	W 117th St	1193	CO	4	0.90	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3680	HLYPK	40	W 118th St	562	CO	4	0.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3681	HLYPK	41	W 119th St	805	CO	4	0.61	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3682	HLYPK	42	S Vermont Ave	1260	Los Angeles	6	1.43	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3683	HLYPK	43	S Vermont Ave	718	Los Angeles	6	0.82	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
3684	HLYPK	44	W 120th St	374	Los Angeles	4	0.28	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3685	HLYPK	45	Ainsworth St	513	Los Angeles	4	0.39	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3686	HLYPK	46	Menlo Ave	395	Los Angeles	4	0.30	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3687	HLYPK	47	S Ainsworth St	513	Los Angeles	4	0.39	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3688	HLYPK	48	W 119th St	25	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3689	HLYPK	49	W 116th Pl	48	Los Angeles	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3690	HLYPK	50	W 117th St	6	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3691	HLYPK	51	Imperial Hwy	1601	CO	6	1.82	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			
3692	HLYPK	52	S Vermont Ave	2087	CO	6	2.37	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			
3694	HLYPK	54		26	CO	4	0.02	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
3695	HLYPK	55	S Normandie Ave	1675	CO	4	1.27	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
3696	HLYPK	56	W 120th St	290	CO	4	0.22	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
3697	HLYPK	57		4120	CO	4	3.12	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3698	HLYPK	58	Denker Ave	764	CO	4	0.58	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3699	HLYPK	59	La Salle Ave	302	CO	4	0.23	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3700	HLYPK	60	S Denker Ave	764	CO	4	0.58	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3701	HLYPK	61	S Harvard Blvd	301	CO	4	0.23	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3702	HLYPK	62	S Mariposa Ave	579	CO	4	0.44	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3703	HLYPK	63	W 110th Pl	798	CO	4	0.60	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3704	HLYPK	64	W 111th Pl	797	CO	4	0.60	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3705	HLYPK	65	W 111th St	1489	CO	4	1.13	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3706	HLYPK	66	W 112th St	1700	CO	4	1.29	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3707	HLYPK	67	W 113th St	1492	CO	4	1.13	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3708	HLYPK	68	W 119th Pl	177	CO	4	0.13	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3709	HLYPK	69	W 121st St	324	CO	4	0.25	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3710	HLYPK	70	W 122nd St	488	CO	4	0.37	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3711	HLYPK	71	W 123rd St	642	CO	4	0.49	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3712	HLYPK	72	W 124th St	654	CO	4	0.50	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3713	HLYPK	73	W 125th St	374	CO	4	0.28	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3714	HLYPK	74	S Vermont Ave	374	CO	6	0.42	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
3715	HLYPK	75	W Imperial Hwy	1	CO	6	0.00	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
3716	HLYPK	76	S Normandie Ave	1475	CO	4	1.12	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
3718	HLYPK	78		4850	CO	4	3.67	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3719	HLYPK	79	Berendo Ave	1102	CO	4	0.84	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3720	HLYPK	80	Bruin St	284	CO	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3721	HLYPK	81	Budlong Ave	1159	CO	4	0.88	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3722	HLYPK	82	Geddes St	277	CO	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3723	HLYPK	83	Halldale Ave	86	CO	4	0.07	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3724	HLYPK	84	Poindexter St	821	CO	4	0.62	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3725	HLYPK	85	Raymond Ave	1325	CO	4	1.00	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3726	HLYPK	86	S Budlong Ave	1159	CO	4	0.88	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3727	HLYPK	87	S Hobart Blvd	297	CO	4	0.23	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3728	HLYPK	88	Van Buren Ave	239	CO	4	0.18	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3729	HLYPK	89	W 111th St	162	CO	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3730	HLYPK	90	W 118th St	233	CO	4	0.18	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3731	HLYPK	91	W 119th Pl	452	CO	4	0.34	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3732	HLYPK	92	W 119th St	1240	CO	4	0.94	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3733	HLYPK	93	W 121st St	2040	CO	4	1.55	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3734	HLYPK	94	W 122nd St	756	CO	4	0.57	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3735	HLYPK	95	W 123rd St	196	CO	4	0.15	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3736	HLYPK	96	W Bruin St	284	CO	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3737	HLYPK	97	S Vermont Ave	2035	Los Angeles	6	2.31	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3738	HLYPK	98	W 120th St	540	Los Angeles	4	0.41	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
3739	HLYPK	99	Ainsworth St	1332	Los Angeles	4	1.01	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3740	HLYPK	100	Athens Blvd	1346	Los Angeles	4	1.02	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3741	HLYPK	101	Menlo Ave	916	Los Angeles	4	0.69	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3742	HLYPK	102	S Ainsworth St	1375	Los Angeles	4	1.04	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3743	HLYPK	103	W 123rd St	1128	Los Angeles	4	0.85	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3744	HLYPK	104	W 124th St	792	Los Angeles	4	0.60	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3745	HLYPK	105	W Athens Blvd	2624	Los Angeles	4	1.99	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3746	HLYPK	106	S Vermont Ave	510	Los Angeles	6	0.58	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
3747	HLYPK	107		48	Los Angeles	4	0.04	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
3748	HLYPK	108	S Hoover St	1519	Los Angeles	4	1.15	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
3749	HLYPK	109		31	Los Angeles	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3750	HLYPK	110	Ainsworth St	866	Los Angeles	4	0.66	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3751	HLYPK	111	Arbor Pl	794	Los Angeles	4	0.60	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3752	HLYPK	112	Athens Blvd	691	Los Angeles	4	0.52	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3753	HLYPK	113	Laconia Blvd	1917	Los Angeles	4	1.45	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3754	HLYPK	114	Laconia Pl	360	Los Angeles	4	0.27	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3755	HLYPK	115	Menlo Ave	403	Los Angeles	4	0.31	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3756	HLYPK	116	S 127th St	260	Los Angeles	4	0.20	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3757	HLYPK	117	S Ainsworth St	866	Los Angeles	4	0.66	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3758	HLYPK	118	W 121st St	778	Los Angeles	4	0.59	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3759	HLYPK	119	W 123rd St	276	Los Angeles	4	0.21	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3760	HLYPK	120	W 124th St	354	Los Angeles	4	0.27	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3761	HLYPK	121	W 125th St	802	Los Angeles	4	0.61	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3762	HLYPK	122	W 126th St	1491	Los Angeles	4	1.13	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3763	HLYPK	123	W Athens Blvd	1401	Los Angeles	4	1.06	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3764	HLYPK	124	W Laconia Blvd	550	Los Angeles	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
3765	HLYPK	125	Imperial Hwy	532	CO	6	0.60	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
3767	HLYPK	127		583	CO	4	0.44	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
3768	HLYPK	128	La Salle Ave	419	CO	4	0.32	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
3769	HLYPK	129	S Harvard Blvd	418	CO	4	0.32	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
3770	HLYPK	130	W 113th St	415	CO	4	0.31	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
3771	HLYPK	131	W 124th St	40	CO	4	0.03	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
3772	HLYPK	132	W 125th St	219	CO	4	0.17	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
3773	HLYPK	133	W 126th St	25	CO	4	0.02	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
3774	HLYPK	134		1178	CO	6	1.34	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3775	HLYPK	135	Imperial Hwy	651	CO	6	0.74	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3776	HLYPK	136	S Vermont Ave	385	CO	6	0.44	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3780	HLYPK	140	S Normandie Ave	2487	CO	4	1.88	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
3782	HLYPK	142		5067	CO	4	3.84	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3783	HLYPK	143	Berendo Ave	1539	CO	4	1.17	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3784	HLYPK	144	Bruin St	628	CO	4	0.48	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3785	HLYPK	145	Budlong Ave	2113	CO	4	1.60	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3786	HLYPK	146	Denker Ave	1291	CO	4	0.98	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3787	HLYPK	147	Halldale Ave	2671	CO	4	2.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3788	HLYPK	148	Loganside Dr	398	CO	4	0.30	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3789	HLYPK	149	Raymond Ave	2323	CO	4	1.76	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3790	HLYPK	150	Ruthelen St	668	CO	4	0.51	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3791	HLYPK	151	S Budlong Ave	1763	CO	4	1.34	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3792	HLYPK	152	S Denker Ave	1291	CO	4	0.98	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3793	HLYPK	153	S Harvard Blvd	961	CO	4	0.73	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3794	HLYPK	154	S Hobart Blvd	715	CO	4	0.54	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3795	HLYPK	155	S Manhattan Pl	170	CO	4	0.13	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3796	HLYPK	156	S Saint Andrews Pl	661	CO	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3797	HLYPK	157	S Trojan Ave	366	CO	4	0.28	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3798	HLYPK	158	S Wilton Pl	655	CO	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3799	HLYPK	159	Trojan Ave	366	CO	4	0.28	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3800	HLYPK	160	W 113th St	193	CO	4	0.15	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3801	HLYPK	161	W 117th St	992	CO	4	0.75	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3802	HLYPK	162	W 120th St	629	CO	4	0.48	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3803	HLYPK	163	W 121st St	2874	CO	4	2.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3804	HLYPK	164	W 122nd St	3628	CO	4	2.75	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3805	HLYPK	165	W 123rd St	3088	CO	4	2.34	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3806	HLYPK	166	W 124th St	3101	CO	4	2.35	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3807	HLYPK	167	W 125th St	2981	CO	4	2.26	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3808	HLYPK	168	W 126th St	3045	CO	4	2.31	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3809	HLYPK	169	W 127th St	2955	CO	4	2.24	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3810	HLYPK	170	W Bruin St	628	CO	4	0.48	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3811	HLYPK	171	Wilton Pl	4	CO	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3813	HLYPK	173		363	Hawthorne	4	0.28	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3814	HLYPK	174	Cimarron Ave	5	Hawthorne	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3815	HLYPK	175	Cypress Knoll Ln	411	Hawthorne	4	0.31	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3816	HLYPK	176	Pinehurst Ln	19	Hawthorne	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3817	HLYPK	177	S Wilton Pl	8	Hawthorne	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3818	HLYPK	178	Saint Andrews Wy	76	Hawthorne	4	0.06	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3819	HLYPK	179	W 120th St	21	Hawthorne	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3820	HLYPK	180		22	Los Angeles	6	0.02	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3821	HLYPK	181	S Vermont Ave	286	Los Angeles	6	0.32	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
3823	HLYPK	183	S Hoover St	518	Los Angeles	4	0.39	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
3824	HLYPK	184	Arbor Pl	412	Los Angeles	4	0.31	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3825	HLYPK	185	Athens Blvd	11	Los Angeles	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3827	HLYPK	187	Menlo Ave	82	Los Angeles	4	0.06	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3828	HLYPK	188	W 124th St	656	Los Angeles	4	0.50	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3829	HLYPK	189	W 126th St	47	Los Angeles	4	0.04	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3830	HLYPK	190	W Athens Blvd	11	Los Angeles	4	0.01	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
3831	HLYPK	191		754	CO	6	0.86	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
3832	HLYPK	192	Imperial Hwy	29	CO	6	0.03	Primary-Arterial	100	10	3	4	13	0.45	6	20	HIGH			
3836	HLYPK	196		1819	CO	4	1.38	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3837	HLYPK	197	Denker Ave	1465	CO	4	1.11	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3838	HLYPK	198	S Denker Ave	1465	CO	4	1.11	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3839	HLYPK	199	S Harvard Blvd	1375	CO	4	1.04	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3840	HLYPK	200	S Western Ave	1378	CO	4	1.04	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3841	HLYPK	201	W 120th St	243	CO	4	0.18	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3842	HLYPK	202	W 122nd St	349	CO	4	0.26	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3843	HLYPK	203	W 124th St	1504	CO	4	1.14	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3844	HLYPK	204	W 125th St	1649	CO	4	1.25	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3845	HLYPK	205	W 126th St	1708	CO	4	1.29	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3846	HLYPK	206	W 127th St	1762	CO	4	1.33	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
3849	LA24857	3	W 196th St	2	CO	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3851	LA24857	5	Pacific Gateway Dr	110	Los Angeles	4	0.08	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3852	LA24857	6	Knox St	1939	Los Angeles	4	1.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3853	LA24857	7	Magellan Dr	1320	Los Angeles	4	1.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3854	LA24857	8	Pacific Gateway Dr	2164	Los Angeles	4	1.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4300	LGADM_7	2	159th St	4	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4301	LGADM_7	3	160th St	1	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4302	LGADM_7	4	161st St	1	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4303	LGADM_7	5	162nd St	2	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4304	LGADM_7	6	163rd St	2	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4305	LGADM_7	7	164th St	1	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4306	LGADM_7	8	165th St	2	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4307	LGADM_7	9	166th St	2	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4308	LGADM_7	10		15	CO	1	0.00	Alley	20	4	0	10	9	0.27	2	16	MED			
4310	LGADM_7	12	167th St	2	CO	4	0.00	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4311	LGADM_7	13	168th St	2	CO	4	0.00	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
3856	LGADM-1	2	W Imperial Hwy	24	CO	6	0.03	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
3857	LGADM-1	3	S La Cienega Blvd	2004	CO	4	1.52	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3859	LGADM-1	5		96	CO	4	0.07	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3860	LGADM-1	6	118th St	35	CO	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3861	LGADM-1	7	Hindry Ave	47	CO	4	0.04	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3864	LGADM-1	10	Pacific Concourse Dr	922	CO	4	0.70	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3865	LGADM-1	11	Tahoe Ave	61	CO	4	0.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3869	LGADM-1	15	W 119th Pl	2454	CO	4	1.86	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3874	LGADM-1	20	N Douglas St	1386	El Segundo	4	1.05	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3875	LGADM-1	21	N Nash St	756	El Segundo	4	0.57	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3876	LGADM-1	22		217	El Segundo	4	0.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3877	LGADM-1	23	118th St	217	El Segundo	4	0.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3878	LGADM-1	24	Atwood Wy	1235	El Segundo	4	0.94	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3879	LGADM-1	25	E Maple Ave	64	El Segundo	4	0.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3880	LGADM-1	26	Hornet Wy	2630	El Segundo	4	1.99	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3881	LGADM-1	27	Parkview Dr N	543	El Segundo	4	0.41	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3882	LGADM-1	28	W 119th Pl	20	El Segundo	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3883	LGADM-1	29	N Sepulveda Blvd	1076	El Segundo	6	1.22	Highway	100	10	0	10	10	0.74	8	28	HIGH			
3884	LGADM-1	30	E Sycamore Ave	18	El Segundo	4	0.01	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3885	LGADM-1	31	Sundale Ave	1279	Hawthorne	4	0.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3886	LGADM-1	32	Truro Ave	692	Hawthorne	4	0.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3887	LGADM-1	33	W 115th St	1077	Hawthorne	4	0.82	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3888	LGADM-1	34	W 116th St	1415	Hawthorne	4	1.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3889	LGADM-1	35	W 117th St	1312	Hawthorne	4	0.99	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3890	LGADM-1	36	W 118th Pl	981	Hawthorne	4	0.74	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3891	LGADM-1	37	W 118th St	2372	Hawthorne	4	1.80	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3892	LGADM-1	38	W 119th Pl	351	Hawthorne	4	0.27	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3893	LGADM-1	39	W 119th St	624	Hawthorne	4	0.47	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3894	LGADM-1	40	Airport Blvd	42	Los Angeles	6	0.05	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3898	LGADM-1	44	E Walnut Ave	245	El Segundo	4	0.19	Minor-Local	60	6	0	10	10	0.74	8	24	HIGH			
3901	LGADM-1	47	N Nash St	638	El Segundo	4	0.48	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3902	LGADM-1	48	Atwood Wy	125	El Segundo	4	0.09	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3903	LGADM-1	49	E Maple Ave	160	El Segundo	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3904	LGADM-1	50	N Sepulveda Blvd	244	El Segundo	6	0.28	Highway	100	10	0	10	14	0.81	10	30	HIGH			
3905	LGADM-1	51	E Walnut Ave	401	El Segundo	4	0.30	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3906	LGADM-1	52	Selby St	666	El Segundo	4	0.50	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3908	LGADM-1	54		49	Hawthorne	4	0.04	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3909	LGADM-1	55	Felton Ave	1390	Hawthorne	4	1.05	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3910	LGADM-1	56	Tahoe Ave	979	Hawthorne	4	0.74	Minor-Local	60	6	0	10	9	0.27	2	18	MED			

Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3911	LGADM-1	57	W 117th St	44	Hawthorne	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3912	LGADM-1	58	W 118th Pl	723	Hawthorne	4	0.55	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3913	LGADM-1	59	W 118th St	355	Hawthorne	4	0.27	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3914	LGADM-1	60	W 119th Pl	1429	Hawthorne	4	1.08	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3915	LGADM-1	61	W 119th St	1115	Hawthorne	4	0.84	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3918	LGADM-1	64		987	Hawthorne	4	0.75	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3919	LGADM-1	65	Eucalyptus Ave	1377	Hawthorne	4	1.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3920	LGADM-1	66	Felton Ave	1263	Hawthorne	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3921	LGADM-1	67	Gale Ave	1846	Hawthorne	4	1.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3922	LGADM-1	68	Manor Dr	278	Hawthorne	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3923	LGADM-1	69	Ramona Ave	323	Hawthorne	4	0.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3925	LGADM-1	71	Clyde Walker Wy	205	Hawthorne	4	0.16	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3926	LGADM-1	72	Eucalyptus Ave	465	Hawthorne	4	0.35	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3927	LGADM-1	73	Grevillea Ave	1347	Hawthorne	4	1.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3928	LGADM-1	74	Manor Dr	445	Hawthorne	4	0.34	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3929	LGADM-1	75	Ramona Ave	1101	Hawthorne	4	0.83	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3930	LGADM-1	76	S Truro Ave	531	Hawthorne	4	0.40	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3931	LGADM-1	77	Truro Ave	615	Hawthorne	4	0.47	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3933	LGADM-1	79	W 117th St	655	Hawthorne	4	0.50	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3934	LGADM-1	80	W 118th St	1591	Hawthorne	4	1.21	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3935	LGADM-1	81	W 119th St	9	Hawthorne	4	0.01	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
3943	LGADM-1	89	S La Cienega Blvd	650	Los Angeles	4	0.49	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
3944	LGADM-1	90		8442	Los Angeles	4	6.40	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3945	LGADM-1	91	Airport Rd	422	Los Angeles	4	0.32	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3946	LGADM-1	92	Hindry Ave	118	Los Angeles	4	0.09	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3947	LGADM-1	93	Hornet Wy	8	Los Angeles	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3948	LGADM-1	94	Isis Ave	31	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3949	LGADM-1	95	Judah Ave	32	Los Angeles	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3950	LGADM-1	96	N Nash St	149	Los Angeles	4	0.11	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3951	LGADM-1	97	Vicksburg Ave	16	Los Angeles	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3952	LGADM-1	98	W 111th St	38	Los Angeles	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3953	LGADM-1	99	W 116th St	877	Los Angeles	4	0.66	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
3956	LGADM-1	102	Airport Rd	586	Los Angeles	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3957	LGADM-1	103	Avion Dr	1193	Los Angeles	4	0.90	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3958	LGADM-1	104	Bellanca Ave	44	Los Angeles	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3959	LGADM-1	105	International Rd	50	Los Angeles	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3960	LGADM-1	106	Postal Rd	50	Los Angeles	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3961	LGADM-1	107	S Bellanca Ave	50	Los Angeles	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3962	LGADM-1	108	W 102nd St	533	Los Angeles	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3963	LGADM-1	109	W 104th St	2178	Los Angeles	4	1.65	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3964	LGADM-1	110	N Sepulveda Blvd	42	Los Angeles	6	0.05	Highway	100	10	0	10	14	0.81	10	30	HIGH			
3965	LGADM-1	111	S Sepulveda Blvd	225	Los Angeles	6	0.26	Highway	100	10	0	10	14	0.81	10	30	HIGH			
3966	LGADM-1	112	State Route 1	225	Los Angeles	6	0.26	Highway	100	10	0	10	14	0.81	10	30	HIGH			
3967	LGADM-1	113		7	Los Angeles	6	0.01	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
3969	LGADM-1	115	W Imperial Hwy	7	Los Angeles	6	0.01	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
3971	LGADM-1	117	Selby St	5	Los Angeles	4	0.00	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
3972	LGADM-10	1	S Hoover St	1863	Los Angeles	4	1.41	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3973	LGADM-10	2		491	Los Angeles	6	0.56	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
3978	LGADM-10	7	182nd St	88	Los Angeles	4	0.07	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3979	LGADM-10	8	W 182nd St	3295	Los Angeles	4	2.50	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
3980	LGADM-10	9	W Gardena Blvd	13	Los Angeles	4	0.01	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
3981	LGADM-10	10		1843	Los Angeles	4	1.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3982	LGADM-10	11	177th St	5	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3983	LGADM-10	12	Electric St	425	Los Angeles	4	0.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3984	LGADM-10	13	Estrella Ave	38	Los Angeles	4	0.03	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3985	LGADM-10	14	Merit Ave	550	Los Angeles	4	0.42	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3986	LGADM-10	15	S Catalina Ave	1054	Los Angeles	4	0.80	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3987	LGADM-10	16	S Denver Ave	517	Los Angeles	4	0.39	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3988	LGADM-10	17	S Hoover St	666	Los Angeles	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3989	LGADM-10	18	S Mariposa Ave	1048	Los Angeles	4	0.79	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3990	LGADM-10	19	S New Hampshire Ave	271	Los Angeles	4	0.21	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3991	LGADM-10	20	S Raymond Ave	528	Los Angeles	4	0.40	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3992	LGADM-10	21	W 168th St	156	Los Angeles	4	0.12	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3993	LGADM-10	22	W 172nd St	544	Los Angeles	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3994	LGADM-10	23	W 173rd Pl	637	Los Angeles	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3995	LGADM-10	24	W 173rd St	1157	Los Angeles	4	0.88	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3996	LGADM-10	25	W 184th St	2601	Los Angeles	4	1.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3997	LGADM-10	26	W 185th St	1639	Los Angeles	4	1.24	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3998	LGADM-10	27	W 186th St	2334	Los Angeles	4	1.77	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
3999	LGADM-10	28	W 187th Pl	1271	Los Angeles	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4000	LGADM-10	29	W 187th St	1263	Los Angeles	4	0.96	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4001	LGADM-10	30	W Cassidy St	0	Los Angeles	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4003	LGADM-10	32	Budlong Ave	470	Los Angeles	4	0.36	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4004	LGADM-10	33	S New Hampshire Ave	320	Los Angeles	4	0.24	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4005	LGADM-10	34	W 177th St	153	Los Angeles	4	0.12	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4006	LGADM-10	35	W 184th St	140	Los Angeles	4	0.11	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4007	LGADM-10	36	W 185th St	328	Los Angeles	4	0.25	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4008	LGADM-10	37	W 186th St	317	Los Angeles	4	0.24	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4013	LGADM-11	5	S Hamilton St	336	CO	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4015	LGADM-11	7	Victoria St	531	Los Angeles	6	0.60	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
4018	LGADM-11	10	S Hamilton St	57	Los Angeles	4	0.04	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4019	LGADM-16	1	West Rd	16	Los Angeles	4	0.01	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4020	LGADM-16	2	Highway 1	288	Los Angeles	6	0.33	Highway	100	10	0	10	6	0.33	3	23	HIGH			
4022	LGADM-16	4		957	Los Angeles	4	0.72	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4023	LGADM-16	5	1st	197	Los Angeles	4	0.15	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4024	LGADM-16	6	2nd St	677	Los Angeles	4	0.51	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4025	LGADM-16	7	3rd St	713	Los Angeles	4	0.54	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4026	LGADM-16	8	East Rd	2555	Los Angeles	4	1.94	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4027	LGADM-16	9	Middle Rd	4353	Los Angeles	4	3.30	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4028	LGADM-16	10	West Rd	2977	Los Angeles	4	2.26	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4030	LGADM-16	12	Highway 1	1819	Los Angeles	6	2.07	Highway	100	10	0	10	14	0.81	10	30	HIGH			
4032	LGADM-16	14	Pch Hwy	1819	Los Angeles	6	2.07	Highway	100	10	0	10	14	0.81	10	30	HIGH			
4033	LGADM-16	15	State Route 1	1601	Los Angeles	6	1.82	Highway	100	10	0	10	14	0.81	10	30	HIGH			
4034	LGADM-16	16	State Route 1 Hwy	218	Los Angeles	6	0.25	Highway	100	10	0	10	14	0.81	10	30	HIGH			
4037	LGADM-16	19	Wilmington Ave	4	Los Angeles	6	0.00	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4038	LGADM-16	20	Baypoint Ave	2416	Los Angeles	4	1.83	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4040	LGADM-16	22	Bombay Ave	490	Los Angeles	4	0.37	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4041	LGADM-16	23	Broad Ave	205	Los Angeles	4	0.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4042	LGADM-16	24	Deepwater Ave	703	Los Angeles	4	0.53	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4043	LGADM-16	25	E 246th St	1052	Los Angeles	4	0.80	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4044	LGADM-16	26	E 248th St	661	Los Angeles	4	0.50	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4045	LGADM-16	27	E Colon St	182	Los Angeles	4	0.14	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4046	LGADM-16	28	E Dolores St	695	Los Angeles	4	0.53	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4048	LGADM-16	30	E O St	1122	Los Angeles	4	0.85	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4049	LGADM-16	31	E Proctor St	695	Los Angeles	4	0.53	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4050	LGADM-16	32	E Q St	803	Los Angeles	4	0.61	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4053	LGADM-16	35	Goodrich Ave	15	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4054	LGADM-16	36	Lakme Ave	1531	Los Angeles	4	1.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4055	LGADM-16	37	Oceanside St	856	Los Angeles	4	0.65	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4056	LGADM-16	38	Sanford Ave	21	Los Angeles	4	0.02	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4057	LGADM-16	39	Seagrove Ave	1496	Los Angeles	4	1.13	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4058	LGADM-16	40		1348	Los Angeles	1	0.26	Alley	20	4	0	10	14	0.81	10	24	HIGH			
4059	LGADM-16	41	Highway 1	61	Los Angeles	6	0.07	Highway	100	10	0	10	15	0.72	7	27	HIGH			
4061	LGADM-16	43	Pch Hwy	61	Los Angeles	6	0.07	Highway	100	10	0	10	15	0.72	7	27	HIGH			
4062	LGADM-16	44	State Route 1 Hwy	61	Los Angeles	6	0.07	Highway	100	10	0	10	15	0.72	7	27	HIGH			
4063	LGADM-16	45		277	Los Angeles	4	0.21	Minor-Local	60	6	0	10	15	0.72	7	23	HIGH			
4064	LGADM-16	46	1st	178	Los Angeles	4	0.13	Minor-Local	60	6	0	10	15	0.72	7	23	HIGH			
4065	LGADM-16	47	West Rd	534	Los Angeles	4	0.40	Minor-Local	60	6	0	10	15	0.72	7	23	HIGH			
4066	LGADM-16	48	Highway 1	523	Los Angeles	6	0.59	Highway	100	10	1	8	14	0.81	10	28	HIGH			
4068	LGADM-16	50	Pch Hwy	523	Los Angeles	6	0.59	Highway	100	10	1	8	14	0.81	10	28	HIGH			
4069	LGADM-16	51	State Route 1	523	Los Angeles	6	0.59	Highway	100	10	1	8	14	0.81	10	28	HIGH			
4070	LGADM-17	1	State Route 47	3374	Los Angeles	6	3.83	Highway	100	10	0	10	6	0.33	3	23	HIGH			
4071	LGADM-17	2	E Anaheim St	2411	Los Angeles	6	2.74	Primary-Arterial	100	10	0	10	6	0.33	3	23	HIGH			
4072	LGADM-17	3		8365	Los Angeles	4	6.34	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4073	LGADM-17	4	Cushing Ave	1189	Los Angeles	4	0.90	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4074	LGADM-17	5	E Grant St	1983	Los Angeles	4	1.50	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4075	LGADM-17	6	E I St	2818	Los Angeles	4	2.13	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4076	LGADM-17	7	E Opp St	978	Los Angeles	4	0.74	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4077	LGADM-17	8	Farragut Ave	1280	Los Angeles	4	0.97	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4078	LGADM-17	9	Foote Ave	1337	Los Angeles	4	1.01	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4079	LGADM-17	10	Goodrich Ave	570	Los Angeles	4	0.43	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4080	LGADM-17	11	Leeds Ave	389	Los Angeles	4	0.29	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4081	LGADM-17	12	Macdonough Ave	1184	Los Angeles	4	0.90	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4082	LGADM-17	13	N Henry Ford Ave	129	Los Angeles	4	0.10	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4083	LGADM-17	14	Opp St	49	Los Angeles	4	0.04	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4084	LGADM-17	15	Pennington Ave	1292	Los Angeles	4	0.98	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4085	LGADM-17	16	Preble Ave	10	Los Angeles	4	0.01	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4086	LGADM-17	17	Sampson Ave	1038	Los Angeles	4	0.79	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4087	LGADM-17	18	Schley Ave	1202	Los Angeles	4	0.91	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4088	LGADM-17	19	Sigsbee Ave	897	Los Angeles	4	0.68	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4089	LGADM-17	20	Southerland Ave	1691	Los Angeles	4	1.28	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4090	LGADM-17	21	Southern Pacific Dr	1158	Los Angeles	4	0.88	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4091	LGADM-17	22	Vreeland Ave	183	Los Angeles	4	0.14	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4092	LGADM-17	23	Wainwright Ave	234	Los Angeles	4	0.18	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4095	LGADM-17	26	Cristobal Ave	1375	Los Angeles	4	1.04	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4096	LGADM-17	27	E Denni St	745	Los Angeles	4	0.56	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4097	LGADM-17	28	E Grant St	1944	Los Angeles	4	1.47	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4098	LGADM-17	29	E I St	1555	Los Angeles	4	1.18	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4099	LGADM-17	30	E M St	786	Los Angeles	4	0.60	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4101	LGADM-17	32	E Opp St	1686	Los Angeles	4	1.28	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4102	LGADM-17	33	E Robidoux St	905	Los Angeles	4	0.69	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4103	LGADM-17	34	E Young St	705	Los Angeles	4	0.53	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4104	LGADM-17	35	Goodrich Ave	1292	Los Angeles	4	0.98	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4105	LGADM-17	36	Leeds Ave	112	Los Angeles	4	0.08	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4106	LGADM-17	37	Murdock Ave	512	Los Angeles	4	0.39	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4107	LGADM-17	38	N Henry Ford Ave	1914	Los Angeles	4	1.45	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4108	LGADM-17	39	Preble Ave	798	Los Angeles	4	0.60	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4109	LGADM-17	40	Vreeland Ave	757	Los Angeles	4	0.57	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4110	LGADM-17	41		492	Los Angeles	4	0.37	Minor-Local	60	6	0	10	15	0.72	7	23	HIGH			
4111	LGADM-2	1	11th Pl	326	CO	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4112	LGADM-2	2	S Eastwood Ave	692	CO	4	0.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4113	LGADM-2	3	S Freeman Ave	107	CO	4	0.08	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4114	LGADM-2	4	S Osage Ave	887	CO	4	0.67	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4116	LGADM-2	6	S Eastwood Ave	1067	CO	4	0.81	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4117	LGADM-2	7	S Freeman Ave	1444	CO	4	1.09	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4118	LGADM-2	8	S Osage Ave	615	CO	4	0.47	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4120	LGADM-2	10	W 115th St	883	Hawthorne	4	0.67	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4122	LGADM-2	12		26	Hawthorne	6	0.03	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
4125	LGADM-2	15		428	Hawthorne	4	0.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4126	LGADM-2	16	11th Pl	331	Hawthorne	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4127	LGADM-2	17	Freeman Ave	655	Hawthorne	4	0.50	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4128	LGADM-2	18	Menlo Ave	785	Hawthorne	4	0.60	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4129	LGADM-2	19	Oxford Ave	850	Hawthorne	4	0.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4130	LGADM-2	20	S Freeman Ave	196	Hawthorne	4	0.15	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4131	LGADM-2	21	York Ave	460	Hawthorne	4	0.35	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4133	LGADM-2	23	Acacia Ave	818	Hawthorne	4	0.62	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4134	LGADM-2	24	Birch Ave	770	Hawthorne	4	0.58	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4135	LGADM-2	25	Cedar Ave	1309	Hawthorne	4	0.99	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4136	LGADM-2	26	Freeman Ave	392	Hawthorne	4	0.30	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4137	LGADM-2	27	Larch Ave	378	Hawthorne	4	0.29	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4138	LGADM-2	28	S Acacia Ave	510	Hawthorne	4	0.39	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4140	LGADM-2	30	W 118th St	31	Hawthorne	4	0.02	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4141	LGADM-2	31		1	Inglewood	6	0.00	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
4144	LGADM-2	34	W Imperial Hwy	61	Inglewood	6	0.07	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
4145	LGADM-2	35	W 111th Pl	2	Inglewood	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4147	LGADM-2	37	W 112th St	1	Inglewood	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4148	LGADM-2	38	W 113th St	834	Inglewood	4	0.63	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4149	LGADM-2	39	S Osage Ave	263	Inglewood	4	0.20	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4150	LGADM-3	1	S Kornblum Ave	176	Hawthorne	4	0.13	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4151	LGADM-3	2	W 117th St	565	Hawthorne	4	0.43	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4152	LGADM-3	3	W 118th Pl	23	Hawthorne	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4153	LGADM-3	4	W 118th St	820	Hawthorne	4	0.62	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4154	LGADM-3	5	W 119th St	699	Hawthorne	4	0.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4155	LGADM-3	6	W 118th Pl	98	Inglewood	4	0.07	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4158	LGADM-3	9	119th Pl	678	Hawthorne	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4159	LGADM-3	10	Almertens Pl	450	Hawthorne	4	0.34	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4161	LGADM-3	12	Kornblum Ave	330	Hawthorne	4	0.25	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4162	LGADM-3	13	Yukon Ave	9	Hawthorne	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4163	LGADM-3	14		945	Inglewood	4	0.72	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4164	LGADM-3	15	Christopher Ave	668	Inglewood	4	0.51	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4165	LGADM-3	16	S Dehn Ave	1164	Inglewood	4	0.88	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4166	LGADM-3	17	S Lemoli Ave	1418	Inglewood	4	1.07	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4167	LGADM-3	18	S Simms Ave	23	Inglewood	4	0.02	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4168	LGADM-3	19	W 115th St	839	Inglewood	4	0.64	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4169	LGADM-3	20	W 116th St	924	Inglewood	4	0.70	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4170	LGADM-3	21	W 117th Pl	768	Inglewood	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4171	LGADM-3	22	W 117th St	782	Inglewood	4	0.59	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4172	LGADM-3	23	W 118th Pl	1241	Inglewood	4	0.94	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4173	LGADM-3	24	W 118th St	767	Inglewood	4	0.58	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4174	LGADM-3	25		867	Inglewood	1	0.16	Alley	20	4	0	10	13	0.45	6	20	HIGH			
4177	LGADM-3	28		1984	Hawthorne	4	1.50	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4178	LGADM-3	29		32	Inglewood	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4179	LGADM-3	30	Christopher Ave	484	Inglewood	4	0.37	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4180	LGADM-3	31	S Lemoli Ave	32	Inglewood	4	0.02	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4181	LGADM-4	1	W El Segundo Blvd	20	Hawthorne	6	0.02	Primary-Arterial	100	10	0	10	9	0.27	2	22	HIGH			
4183	LGADM-4	3		13	Hawthorne	4	0.01	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4184	LGADM-4	4	Daphne Ave	680	Hawthorne	4	0.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4185	LGADM-4	5	Purche Ave	5	Hawthorne	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4186	LGADM-4	6	Wilkie Ave	1103	Hawthorne	4	0.84	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4188	LGADM-4	8	W 126th St	20	CO	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4191	LGADM-4	11	Van Ness Ave	2	Hawthorne	4	0.00	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
4192	LGADM-4	12	Cypress Knoll Ln	605	Hawthorne	4	0.46	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4193	LGADM-4	13	Daphne Ave	13	Hawthorne	4	0.01	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4194	LGADM-4	14	Glen Eagles Dr	195	Hawthorne	4	0.15	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4195	LGADM-4	15	Oakmont Ln	146	Hawthorne	4	0.11	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4196	LGADM-4	16	Pine Valley Dr	140	Hawthorne	4	0.11	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4197	LGADM-4	17	Pinehurst Ln	319	Hawthorne	4	0.24	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4198	LGADM-4	18	Saint Andrews	129	Hawthorne	4	0.10	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4199	LGADM-4	19	Saint Andrews Wy	455	Hawthorne	4	0.34	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4200	LGADM-4	20	W 126th St	565	Hawthorne	4	0.43	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4201	LGADM-4	21		500	CO	4	0.38	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4202	LGADM-4	22	W El Segundo Blvd	12	Hawthorne	6	0.01	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4203	LGADM-4	23	Cypress Knoll Ln	365	Hawthorne	4	0.28	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4204	LGADM-4	24	Pinehurst Ln	188	Hawthorne	4	0.14	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4205	LGADM-4	25	Saint Andrews Wy	66	Hawthorne	4	0.05	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4208	LGADM-5	3	Chadron Ave	384	CO	4	0.29	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4209	LGADM-5	4	Eriel Ave	932	CO	4	0.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4210	LGADM-5	5	W 132nd St	615	CO	4	0.47	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4211	LGADM-5	6	W 133rd St	824	CO	4	0.62	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4212	LGADM-5	7	W 134th Pl	931	CO	4	0.71	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4213	LGADM-5	8	W 134th St	897	CO	4	0.68	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4214	LGADM-5	9	W 145th St	296	CO	4	0.22	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4215	LGADM-5	10	W 147th St	128	CO	4	0.10	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4217	LGADM-5	12	Marine Ave	346	CO	4	0.26	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
4219	LGADM-5	14	Yukon Ave	568	CO	4	0.43	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
4220	LGADM-5	15	Cerise Ave	579	CO	4	0.44	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4221	LGADM-5	16	Chadron Ave	2	CO	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4222	LGADM-5	17	Eriel Ave	210	CO	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4223	LGADM-5	18	Lemoli Ave	1307	CO	4	0.99	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4224	LGADM-5	19	W 132nd Pl	2	CO	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4225	LGADM-5	20	W 132nd St	2011	CO	4	1.52	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4226	LGADM-5	21	W 133rd St	1737	CO	4	1.32	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4227	LGADM-5	22	W 134th Pl	1117	CO	4	0.85	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4228	LGADM-5	23	W 134th St	1661	CO	4	1.26	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4229	LGADM-5	24	W 132nd Pl	634	Hawthorne	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4230	LGADM-5	25	W 132nd St	1	Hawthorne	4	0.00	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4231	LGADM-5	26	W 133rd St	635	Hawthorne	4	0.48	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4234	LGADM-5	29		15	Hawthorne	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4235	LGADM-5	30	139th St	589	Hawthorne	4	0.45	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4236	LGADM-5	31	Cerise Ave	1484	Hawthorne	4	1.12	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4237	LGADM-5	32	Chadron Ave	3337	Hawthorne	4	2.53	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4238	LGADM-5	33	Galli St	443	Hawthorne	4	0.34	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4239	LGADM-5	34	Lemoli Ave	3740	Hawthorne	4	2.83	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4240	LGADM-5	35	Lemoli Wy	15	Hawthorne	4	0.01	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4241	LGADM-5	36	Slayton St	44	Hawthorne	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4242	LGADM-5	37	W 139th St	1358	Hawthorne	4	1.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4243	LGADM-5	38	Yukon Ave	471	Hawthorne	4	0.36	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
4244	LGADM-5	39	Cerise Ave	435	Hawthorne	4	0.33	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4245	LGADM-5	40	Kornblum Ave	233	Hawthorne	4	0.18	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4246	LGADM-5	41	Lemoli Ave	205	Hawthorne	4	0.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4248	LGADM-6	2		167	CO	4	0.13	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
4249	LGADM-6	3	Marine Ave	1540	CO	4	1.17	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
4250	LGADM-6	4	Yukon Ave	1322	CO	4	1.00	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
4251	LGADM-6	5	148th Pl	0	CO	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4252	LGADM-6	6	Cerise Ave	2328	CO	4	1.76	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4253	LGADM-6	7	Chadron Ave	792	CO	4	0.60	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4254	LGADM-6	8	Lemoli Ave	991	CO	4	0.75	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4255	LGADM-6	9	Manhattan Beach	195	CO	4	0.15	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4256	LGADM-6	10	Marine Ave	812	CO	4	0.62	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4257	LGADM-6	11	Polly Ave	325	CO	4	0.25	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4258	LGADM-6	12	S Ermanita Ave	2116	CO	4	1.60	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4259	LGADM-6	13	S Faysmith Ave	586	CO	4	0.44	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4260	LGADM-6	14	S Lemoli Ave	408	CO	4	0.31	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4261	LGADM-6	15	S Patronella Ave	1777	CO	4	1.35	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4262	LGADM-6	16	W 147th St	1532	CO	4	1.16	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4263	LGADM-6	17	W 152nd St	837	CO	4	0.63	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4264	LGADM-6	18	W 153rd St	167	CO	4	0.13	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4265	LGADM-6	19	W 154th St	349	CO	4	0.26	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4266	LGADM-6	20	W 157th St	1213	CO	4	0.92	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4267	LGADM-6	21	Yukon Ave	655	CO	4	0.50	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4268	LGADM-6	22		1469	CO	1	0.28	Alley	20	4	0	10	9	0.27	2	16	MED			
4270	LGADM-6	24	Marine Ave	553	CO	4	0.42	Secondary-Collector	64	8	0	10	13	0.45	6	24	HIGH			
4271	LGADM-6	25	Chadron Ave	547	CO	4	0.41	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4272	LGADM-6	26	Ogram Ave	698	CO	4	0.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4273	LGADM-6	27	S Falda Ave	699	CO	4	0.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4274	LGADM-6	28	S Faysmith Ave	1530	CO	4	1.16	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4275	LGADM-6	29	S Lemoli Ave	2245	CO	4	1.70	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4276	LGADM-6	30	W 152nd Pl	915	CO	4	0.69	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4277	LGADM-6	31	W 152nd St	1285	CO	4	0.97	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4278	LGADM-6	32	W 153rd St	900	CO	4	0.68	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4279	LGADM-6	33	W 154th Pl	868	CO	4	0.66	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4280	LGADM-6	34	W 154th St	1400	CO	4	1.06	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4281	LGADM-6	35	W 155th St	497	CO	4	0.38	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4282	LGADM-6	36	W 157th St	702	CO	4	0.53	Minor-Local	60	6	0	10	13	0.45	6	22	HIGH			
4283	LGADM-6	37		180	CO	1	0.03	Alley	20	4	0	10	13	0.45	6	20	HIGH			
4284	LGADM-6	38		66	Hawthorne	4	0.05	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4285	LGADM-6	39	Marine Ave	66	Hawthorne	4	0.05	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
4286	LGADM-6	40	Yukon Ave	1147	Hawthorne	4	0.87	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
4287	LGADM-6	41	144th Pl	0	Hawthorne	4	0.00	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4288	LGADM-6	42	148th Pl	266	Hawthorne	4	0.20	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4289	LGADM-6	43	Cerise Ave	565	Hawthorne	4	0.43	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4290	LGADM-6	44	Cranbrook Ave	41	Hawthorne	4	0.03	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4291	LGADM-6	45	Kornblum Ave	846	Hawthorne	4	0.64	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4292	LGADM-6	46	Lemoli Ave	21	Hawthorne	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4293	LGADM-6	47	Marine Ave	159	Hawthorne	4	0.12	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4294	LGADM-6	48	W 144th Pl	646	Hawthorne	4	0.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4295	LGADM-6	49	W 144th St	645	Hawthorne	4	0.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4296	LGADM-6	50	W 145th St	649	Hawthorne	4	0.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4297	LGADM-6	51	W 146th St	650	Hawthorne	4	0.49	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4298	LGADM-6	52	W 147th St	1416	Hawthorne	4	1.07	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4312	LGADM-9	1	S Vermont Ave	251	Los Angeles	6	0.29	Primary-Arterial	100	10	0	10	13	0.45	6	26	HIGH			
4313	Port01	1	S Crescent Ave	184	Los Angeles	4	0.14	Secondary-Collector	64	8	2	6	3	0.77	9	23	HIGH			
4314	Port01	2	S Harbor Blvd	135	Los Angeles	4	0.10	Secondary-Collector	64	8	2	6	3	0.77	9	23	HIGH			
4315	Port01	3		452	Los Angeles	4	0.34	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
4316	Port01	4	Miner St	1141	Los Angeles	4	0.86	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
4317	Port01	5	W 22nd St	1660	Los Angeles	4	1.26	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
4318	Port01	6		2210	Los Angeles	4	1.67	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4319	Port01	7	Miner St	3921	Los Angeles	4	2.97	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4320	Port01	8	Signal Pl	87	Los Angeles	4	0.07	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4321	Port01	9	Signal St	2454	Los Angeles	4	1.86	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4322	Port01	10	W 22nd St	452	Los Angeles	4	0.34	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4323	Port01	11		2571	Los Angeles	4	1.95	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4324	Port01	12	Miner St	3144	Los Angeles	4	2.38	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4325	Port01	13	Signal Pl	460	Los Angeles	4	0.35	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4326	Port01	14	Signal St	1154	Los Angeles	4	0.87	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4327	Port01	15	W 22nd St	972	Los Angeles	4	0.74	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4328	Port01	16	Nagoya Wy	559	Los Angeles	4	0.42	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4329	Port01	17	Timms Wy	47	Los Angeles	4	0.04	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4330	Port01	18	S Crescent Ave	311	Los Angeles	4	0.24	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
4331	Port01	19	S Harbor Blvd	370	Los Angeles	4	0.28	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
4332	Port01	20	Gulch Rd	28	Los Angeles	4	0.02	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4333	Port01	21	Via Cabrillo Marina	31	Los Angeles	4	0.02	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4334	Port01	22	W 22nd St	229	Los Angeles	4	0.17	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4335	Port01	23	S Harbor Blvd	984	Los Angeles	4	0.75	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
4336	Port01	24	Nagoya Wy	68	Los Angeles	4	0.05	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4337	Port01	25	Sampson Wy	1944	Los Angeles	4	1.47	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4338	Port01	26	Timms Wy	207	Los Angeles	4	0.16	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4339	Port01	27	S Crescent Ave	97	Los Angeles	4	0.07	Secondary-Collector	64	8	3	4	9	0.27	2	14	LOW			
4340	Port02	1		431	Los Angeles	4	0.33	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
4341	Port02	2	Via Cabrillo Marina	402	Los Angeles	4	0.30	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
4342	Port02	3		1845	Los Angeles	4	1.40	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4343	Port02	4	Arthur Macarthur Rd	1553	Los Angeles	4	1.18	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4344	Port02	5	Meyler Rd	157	Los Angeles	4	0.12	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4345	Port02	6	Officers Rd	1069	Los Angeles	4	0.81	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4346	Port02	7	Old E Fort Rd	5	Los Angeles	4	0.00	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4347	Port02	8	Old Fort Rd	230	Los Angeles	4	0.17	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4348	Port02	9	Quartermaster Ct	309	Los Angeles	4	0.23	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4349	Port02	10	Quartermaster Rd	1238	Los Angeles	4	0.94	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4350	Port02	11	Shoshonean Rd	314	Los Angeles	4	0.24	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4351	Port02	12	Via Cabrillo Marina	2365	Los Angeles	4	1.79	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4352	Port02	13	W 28th St	119	Los Angeles	4	0.09	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4353	Port02	14	Watchorn Walk	102	Los Angeles	4	0.08	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4354	Port02	15		32	Los Angeles	4	0.02	Minor-Local	60	6	3	4	3	0.77	9	19	MED			
4355	Port02	16		170	Los Angeles	4	0.13	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4356	Port02	17	Arthur Macarthur Rd	54	Los Angeles	4	0.04	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4357	Port02	18	Oliver Vickery Circle Wy	982	Los Angeles	4	0.74	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4358	Port02	19	Shoshonean Rd	1543	Los Angeles	4	1.17	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4359	Port02	20	Stephen M White Dr	169	Los Angeles	4	0.13	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4360	Port02	21		725	Los Angeles	4	0.55	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4361	Port02	22	Arthur Macarthur Rd	1678	Los Angeles	4	1.27	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4362	Port02	23	Meyler Rd	383	Los Angeles	4	0.29	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4363	Port02	24	Officers Rd	458	Los Angeles	4	0.35	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4364	Port02	25	Shoshonean Rd	1266	Los Angeles	4	0.96	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4365	Port02	26	W 28th St	410	Los Angeles	4	0.31	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4366	Port02	27	W 29th St	322	Los Angeles	4	0.24	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4367	Port02	28	W 30th St	83	Los Angeles	4	0.06	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4368	Port02	29	W 31st Ct	170	Los Angeles	4	0.13	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4369	Port02	30	W 31st St	522	Los Angeles	4	0.40	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4370	Port02	31	W 32nd St	434	Los Angeles	4	0.33	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4371	Port02	32	Arthur Macarthur Rd	547	Los Angeles	4	0.41	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4372	Port02	33	W 33rd St	292	Los Angeles	4	0.22	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4373	Port02	34	W 35th St	116	Los Angeles	4	0.09	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4374	Port03	1	N Front St	1111	Los Angeles	6	1.26	Primary-Arterial	100	10	2	6	3	0.77	9	25	HIGH			
4375	Port03	2		2959	Los Angeles	6	3.36	Highway	100	10	0	10	3	0.77	9	29	HIGH			
4376	Port03	3	State Route 47	2959	Los Angeles	6	3.36	Highway	100	10	0	10	3	0.77	9	29	HIGH			
4377	Port03	4		4144	Los Angeles	4	3.14	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4378	Port03	5	Keel St	362	Los Angeles	4	0.27	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4379	Port03	6	Regan St	1586	Los Angeles	4	1.20	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4380	Port03	7	Swinford St	544	Los Angeles	4	0.41	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4381	Port03	8		63	Los Angeles	4	0.05	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4382	Port03	9	Regan St	63	Los Angeles	4	0.05	Minor-Local	60	6	0	10	16	0.36	4	20	HIGH			
4383	Port03	10		503	Los Angeles	6	0.57	Highway	100	10	1	8	3	0.77	9	27	HIGH			
4384	Port03	11	State Route 47	503	Los Angeles	6	0.57	Highway	100	10	1	8	3	0.77	9	27	HIGH			
4385	Port03	12	N Front St	304	Los Angeles	6	0.35	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
4386	Port03	13		308	Los Angeles	4	0.23	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4387	Port03	14	Regan St	308	Los Angeles	4	0.23	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4388	Port03	15		1023	Los Angeles	6	1.16	Highway	100	10	1	8	13	0.45	6	24	HIGH			
4389	Port03	16	State Route 47	1023	Los Angeles	6	1.16	Highway	100	10	1	8	13	0.45	6	24	HIGH			
4390	Port03	17	N Harbor Blvd	349	Los Angeles	6	0.40	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
4391	Port03	18		1090	Los Angeles	4	0.83	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4392	Port03	19	N Front St	341	Los Angeles	4	0.26	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4393	Port03	20	Regan St	829	Los Angeles	4	0.63	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4394	Port03	21		105	Los Angeles	4	0.08	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
4395	Port03	22	Regan St	105	Los Angeles	4	0.08	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
4396	Port03	23		9	Los Angeles	6	0.01	Highway	100	10	2	6	13	0.45	6	22	HIGH			
4397	Port03	24	State Route 47	9	Los Angeles	6	0.01	Highway	100	10	2	6	13	0.45	6	22	HIGH			
4398	Port03	25	N Front St	28	Los Angeles	6	0.03	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4399	Port03	26	N Harbor Blvd	95	Los Angeles	6	0.11	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4400	Port03	27		156	Los Angeles	4	0.12	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4401	Port03	28	E 5th St	110	Los Angeles	4	0.08	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4402	Port03	29	E 6th St	202	Los Angeles	4	0.15	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4403	Port03	30	N Front St	1127	Los Angeles	4	0.85	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4404	Port03	31	Regan St	156	Los Angeles	4	0.12	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4405	Port03	32	Sampson Wy	1477	Los Angeles	4	1.12	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4406	Port03	33	N Front St	111	Los Angeles	6	0.13	Primary-Arterial	100	10	2	6	16	0.36	4	20	HIGH			
4407	Port03	34	N Front St	441	Los Angeles	4	0.33	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4408	Port03	35	N Front St	254	Los Angeles	6	0.29	Primary-Arterial	100	10	3	4	3	0.77	9	23	HIGH			
4409	Port03	36	N Pacific Ave	100	Los Angeles	6	0.11	Primary-Arterial	100	10	3	4	3	0.77	9	23	HIGH			
4410	Port03	37		42	Los Angeles	4	0.03	Minor-Local	60	6	3	4	3	0.77	9	19	MED			
4411	Port03	38	Knoll Dr	42	Los Angeles	4	0.03	Minor-Local	60	6	3	4	3	0.77	9	19	MED			
4412	Port03	39		9	Los Angeles	4	0.01	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
4413	Port03	40	Knoll Dr	9	Los Angeles	4	0.01	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
4414	Port04	1	Alameda St	551	Los Angeles	6	0.63	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4415	Port04	2	E Harry Bridges Blvd	838	Los Angeles	6	0.95	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4416	Port04	3	Canal Ave	638	Los Angeles	4	0.48	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4417	Port04	4	E C St	595	Los Angeles	4	0.45	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4418	Port04	5	E Water St	512	Los Angeles	4	0.39	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4419	Port04	6	N Banning Blvd	7	Los Angeles	4	0.01	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4420	Port04	7	Nissan Wy	913	Los Angeles	4	0.69	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4421	Port04	8	Quay Ave	732	Los Angeles	4	0.55	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4422	Port04	9	Yacht St	1201	Los Angeles	4	0.91	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4423	Port04	10	Alameda St	3487	Los Angeles	6	3.96	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4425	Port04	12	Cristobal Ave	0	Los Angeles	4	0.00	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4426	Port04	13	E C St	520	Los Angeles	4	0.39	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4427	Port04	14	E D St	685	Los Angeles	4	0.52	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4428	Port04	15	Eubank Ave	1180	Los Angeles	4	0.89	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4429	Port04	16	McFarland Ave	795	Los Angeles	4	0.60	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4430	Port05	1	State Route 47	2211	Los Angeles	6	2.51	Highway	100	10	0	10	6	0.33	3	23	HIGH			
4431	Port05	2	E Anaheim St	818	Los Angeles	6	0.93	Primary-Arterial	100	10	0	10	6	0.33	3	23	HIGH			
4432	Port05	3	Farragut Ave	5	Los Angeles	4	0.00	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4433	Port05	4	N Carrack Ave	576	Los Angeles	4	0.44	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4434	Port05	5	Pier B St	1055	Los Angeles	4	0.80	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4435	Port05	6	W Pier B St	104	Los Angeles	4	0.08	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4436	Port06	1	E Anaheim St	644	Los Angeles	6	0.73	Primary-Arterial	100	10	0	10	6	0.33	3	23	HIGH			
4437	Port06	2		359	Los Angeles	4	0.27	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4438	Port06	3	Pier B St	709	Los Angeles	4	0.54	Minor-Local	60	6	0	10	6	0.33	3	19	MED			
4439	Port09	1	Barracuda St	1665	Los Angeles	4	1.26	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4440	Port09	2	Bass St	1043	Los Angeles	4	0.79	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4441	Port09	3	Cannery St	2486	Los Angeles	4	1.88	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4442	Port09	4	Earle St	3023	Los Angeles	4	2.29	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4443	Port09	5	S Seaside Ave	3495	Los Angeles	4	2.65	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4444	Port09	6	Sardine St	472	Los Angeles	4	0.36	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4445	Port09	7	Terminal Wy	2740	Los Angeles	4	2.08	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4446	Port09	8	Tuna St	629	Los Angeles	4	0.48	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4447	Port09	9	Ways St	1671	Los Angeles	4	1.27	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4448	Port09	10	Wharf St	2525	Los Angeles	4	1.91	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4449	Port10	1		2217	Los Angeles	4	1.68	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4450	Port10	2	New Dock St	3320	Los Angeles	4	2.51	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4451	Port10	3	W New Dock St	2645	Los Angeles	4	2.00	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4452	Port10	4	W New Dock St	1251	Los Angeles	4	0.95	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4453	Port11	1		11620	Los Angeles	6	13.20	Highway	100	10	0	10	3	0.77	9	29	HIGH			
4454	Port11	2	State Route 47	11620	Los Angeles	6	13.20	Highway	100	10	0	10	3	0.77	9	29	HIGH			
4455	Port11	3	N Seaside Ave	1731	Los Angeles	6	1.97	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4456	Port11	4	State Route 47	1897	Los Angeles	6	2.16	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4457	Port11	5	W Ocean Blvd	165	Los Angeles	6	0.19	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4458	Port11	6	State Route 47	133	Los Angeles	4	0.10	Secondary-Collector	64	8	0	10	3	0.77	9	27	HIGH			
4459	Port11	7	W Ocean Blvd	133	Los Angeles	4	0.10	Secondary-Collector	64	8	0	10	3	0.77	9	27	HIGH			
4460	Port11	8		11798	Los Angeles	4	8.94	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4461	Port11	9	Altoona Pl	251	Los Angeles	4	0.19	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4462	Port11	10	Cannery St	106	Los Angeles	4	0.08	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4463	Port11	11	Coffman Ave	1322	Los Angeles	4	1.00	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4464	Port11	12	Earle St	729	Los Angeles	4	0.55	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4465	Port11	13	Eldridge St	691	Los Angeles	4	0.52	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4466	Port11	14	Ferry St	2330	Los Angeles	4	1.77	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4467	Port11	15	N Seaside Ave	536	Los Angeles	4	0.41	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4468	Port11	16	Navy Wy	2206	Los Angeles	4	1.67	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4469	Port11	17	Ocean Ave	461	Los Angeles	4	0.35	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4470	Port11	18	Pilchard St	1622	Los Angeles	4	1.23	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4471	Port11	19	Reeves Ave	831	Los Angeles	4	0.63	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4472	Port11	20	S Seaside Ave	1920	Los Angeles	4	1.45	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4473	Port11	21	Terminal Wy	2241	Los Angeles	4	1.70	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4474	Port11	22	W New Dock St	392	Los Angeles	4	0.30	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4475	Port14	1	John S Gibson Blvd	309	Los Angeles	6	0.35	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			
4476	Port14	2		1669	Los Angeles	6	1.90	Primary-Arterial	100	10	3	4	14	0.81	10	24	HIGH			
4477	Port14	3	John S Gibson Blvd	1671	Los Angeles	6	1.90	Primary-Arterial	100	10	3	4	14	0.81	10	24	HIGH			
4478	Port14	4		248	Los Angeles	4	0.19	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
4479	Port14	5		3189	Los Angeles	6	3.62	Primary-Arterial	100	10	4	2	14	0.81	10	22	HIGH			
4480	Port14	6	John S Gibson Blvd	3393	Los Angeles	6	3.86	Primary-Arterial	100	10	4	2	14	0.81	10	22	HIGH			
4482	Port15	2	John S Gibson Blvd	3	Los Angeles	6	0.00	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4483	Port15	3	W Harry Bridges Blvd	1144	Los Angeles	6	1.30	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4484	Port15	4		1079	Los Angeles	4	0.82	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4485	Port15	5	Arabic St	145	Los Angeles	4	0.11	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4486	Port15	6	Emden St	246	Los Angeles	4	0.19	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4487	Port15	7	Figueroa Pl	1294	Los Angeles	4	0.98	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4488	Port15	8	Hawaiian Ave	535	Los Angeles	4	0.41	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4489	Port15	9	Mar Vista Ave	537	Los Angeles	4	0.41	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4490	Port15	10	W C St	1108	Los Angeles	4	0.84	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4491	Port15	11	W E St	383	Los Angeles	4	0.29	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4492	Port15	12	W F St	218	Los Angeles	4	0.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4493	Port15	13	W G St	243	Los Angeles	4	0.18	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4494	Port15	14		529	Los Angeles	1	0.10	Alley	20	4	0	10	14	0.81	10	24	HIGH			
4495	Port15	15	John S Gibson Blvd	314	Los Angeles	6	0.36	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			
4496	Port15	16		1859	Los Angeles	4	1.41	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4497	Port15	17	Arabic St	160	Los Angeles	4	0.12	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4498	Port15	18	Emden St	138	Los Angeles	4	0.10	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4499	Port15	19	W F St	149	Los Angeles	4	0.11	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4500	Port15	20		405	Los Angeles	1	0.08	Alley	20	4	1	8	14	0.81	10	22	HIGH			
4501	Port16	1	W Harry Bridges Blvd	1614	Los Angeles	6	1.83	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4502	Port16	2		2549	Los Angeles	4	1.93	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4503	Port16	3	Bay View Ave	22	Los Angeles	4	0.02	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4504	Port16	4	Falcon St	1790	Los Angeles	4	1.36	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4505	Port16	5	Hermosa St	633	Los Angeles	4	0.48	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4506	Port16	6	Island Ave	410	Los Angeles	4	0.31	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4507	Port16	7	Lagoon Ave	336	Los Angeles	4	0.25	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4508	Port16	8	McDonald Ave	17	Los Angeles	4	0.01	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4509	Port16	9	N Neptune Ave	571	Los Angeles	4	0.43	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4510	Port16	10	Pier A St	5380	Los Angeles	4	4.08	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4511	Port16	11	S Fries Ave	4046	Los Angeles	4	3.06	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4512	Port16	12	S La Paloma Ave	1485	Los Angeles	4	1.12	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4513	Port16	13	San Clemente Ave	554	Los Angeles	4	0.42	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4514	Port16	14	W Water St	714	Los Angeles	4	0.54	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4515	Port16	15		33	Los Angeles	1	0.01	Alley	20	4	0	10	3	0.77	9	23	HIGH			
4516	Port16	16	N Wilmington Blvd	5	Los Angeles	6	0.01	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4517	Port16	17	W Harry Bridges Blvd	715	Los Angeles	6	0.81	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4518	Port16	18	N Gulf Ave	11	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4519	Port16	19	John S Gibson Blvd	480	Los Angeles	6	0.55	Primary-Arterial	100	10	1	8	14	0.81	10	28	HIGH			
4521	SD2002	2	Yukon Ave	16	CO	4	0.01	Secondary-Collector	64	8	0	10	9	0.27	2	20	HIGH			
4522	SD2002	3	Ainsworth Ave	26	CO	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4523	SD2002	4	Thornburgh Ave	24	CO	4	0.02	Minor-Local	60	6	0	10	9	0.27	2	18	MED			
4524	SD2002	5		19	CO	1	0.00	Alley	20	4	0	10	9	0.27	2	16	MED			
4527	SD2002	8	169th St	2	CO	4	0.00	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4528	SPB01	1		1557	Los Angeles	4	1.18	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4529	SPB01	2	Leavenworth Dr	505	Los Angeles	4	0.38	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4530	SPB01	3	Nco Rd	126	Los Angeles	4	0.10	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4531	SPB05	1		1703	Los Angeles	4	1.29	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4532	SPB05	2	Leary Miriam Rd	718	Los Angeles	4	0.54	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4533	SPB05	3	Nco Rd	620	Los Angeles	4	0.47	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4534	SPB05	4	Orc Rd	639	Los Angeles	4	0.48	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4535	SPB05	5	Osgood Farley Rd	177	Los Angeles	4	0.13	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4536	SPB05	6		62	Los Angeles	4	0.05	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
4537	SPB05	7	Leary Miriam Rd	523	Los Angeles	4	0.40	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
4538	SPB05	8	Nco Rd	222	Los Angeles	4	0.17	Minor-Local	60	6	1	8	4	0.4	5	19	MED			
4539	SPB05	9	S Pacific Ave	317	Los Angeles	6	0.36	Primary-Arterial	100	10	3	4	4	0.4	5	19	MED			
4540	SPB05	10	W 32nd St	336	Los Angeles	4	0.25	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4541	SPB05	11	S Pacific Ave	1090	Los Angeles	6	1.24	Primary-Arterial	100	10	3	4	9	0.27	2	16	MED			
4542	SPB05	12	W 30th St	348	Los Angeles	4	0.26	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4543	SPB05	13	W 31st Ct	83	Los Angeles	4	0.06	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4544	SPB05	14	W 32nd St	10	Los Angeles	4	0.01	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4545	SPB05	15	S Pacific Ave	882	Los Angeles	6	1.00	Primary-Arterial	100	10	4	2	4	0.4	5	17	MED			
4546	SPB05	16		970	Los Angeles	4	0.73	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4547	SPB05	17	Arthur Macarthur Rd	334	Los Angeles	4	0.25	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4548	SPB05	18	Barlow Saxton Rd	446	Los Angeles	4	0.34	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4549	SPB05	19	Baywater Ave	210	Los Angeles	4	0.16	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4550	SPB05	20	Leary Miriam Rd	142	Los Angeles	4	0.11	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4551	SPB05	21	Osgood Farley Rd	524	Los Angeles	4	0.40	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4552	SPB05	22	S Smallwood Dr	323	Los Angeles	4	0.25	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4553	SPB05	23	W 30th St	855	Los Angeles	4	0.65	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4554	SPB05	24	W 34th St	666	Los Angeles	4	0.50	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4555	SPB05	25	W 35th St	191	Los Angeles	4	0.14	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4556	SPB06	1	S Crescent Ave	68	Los Angeles	4	0.05	Secondary-Collector	64	8	2	6	3	0.77	9	23	HIGH			
4557	SPB06	2	S Centre St	183	Los Angeles	4	0.14	Minor-Local	60	6	1	8	9	0.27	2	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4558	SPB06	3	S Mesa St	743	Los Angeles	4	0.56	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4559	SPB06	4	W 14th St	12	Los Angeles	4	0.01	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4560	SPB06	5	W 15th St	1281	Los Angeles	4	0.97	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4561	SPB06	6	W 16th St	1277	Los Angeles	4	0.97	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4562	SPB06	7	W 17th St	531	Los Angeles	4	0.40	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4563	SPB06	8	W 18th St	545	Los Angeles	4	0.41	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4564	SPB06	9	W 19th St	555	Los Angeles	4	0.42	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4565	SPB06	10	W 20th St	83	Los Angeles	4	0.06	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4566	SPB06	11		4935	Los Angeles	1	0.93	Alley	20	4	1	8	9	0.27	2	14	LOW			
4567	SPB06	12	S Crescent Ave	1087	Los Angeles	4	0.82	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
4568	SPB06	13	S Mesa St	36	Los Angeles	4	0.03	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
4569	SPB06	14	W 21st St	206	Los Angeles	4	0.16	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
4570	SPB06	15	Gulch Rd	174	Los Angeles	4	0.13	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4571	SPB06	16	S Beacon St	682	Los Angeles	4	0.52	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4572	SPB06	17	S Centre St	1269	Los Angeles	4	0.96	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4573	SPB06	18	S Mesa St	1271	Los Angeles	4	0.96	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4574	SPB06	19	S Palos Verdes St	950	Los Angeles	4	0.72	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4575	SPB06	20	W 15th St	945	Los Angeles	4	0.72	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4576	SPB06	21	W 16th St	938	Los Angeles	4	0.71	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4577	SPB06	22	W 17th St	795	Los Angeles	4	0.60	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4578	SPB06	23	W 18th St	872	Los Angeles	4	0.66	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4579	SPB06	24	W 19th St	564	Los Angeles	4	0.43	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4580	SPB06	25	W 20th St	343	Los Angeles	4	0.26	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4581	SPB06	26	W 21st St	3	Los Angeles	4	0.00	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4582	SPB06	27		4676	Los Angeles	1	0.89	Alley	20	4	2	6	9	0.27	2	12	LOW			
4583	SPB06	28	S Crescent Ave	572	Los Angeles	4	0.43	Secondary-Collector	64	8	3	4	9	0.27	2	14	LOW			
4584	SPB06	29	S Palos Verdes St	25	Los Angeles	4	0.02	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4585	SPB06	30	W 17th St	594	Los Angeles	4	0.45	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4586	SPB06	31	W 18th St	53	Los Angeles	4	0.04	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4587	SPB06	32		615	Los Angeles	1	0.12	Alley	20	4	3	4	9	0.27	2	10	LOW			
4588	SPB07	1	S Mesa St	1282	Los Angeles	4	0.97	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4589	SPB07	2	W 11th St	878	Los Angeles	4	0.67	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4590	SPB07	3	W 12th St	1094	Los Angeles	4	0.83	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4591	SPB07	4	W 13th St	1241	Los Angeles	4	0.94	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4592	SPB07	5	W 14th St	1224	Los Angeles	4	0.93	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4593	SPB07	6		5129	Los Angeles	1	0.97	Alley	20	4	1	8	9	0.27	2	14	LOW			
4594	SPB07	7	W 11th St	297	Los Angeles	4	0.22	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4595	SPB07	8	W 12th St	95	Los Angeles	4	0.07	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4596	SPB07	9		1071	Los Angeles	1	0.20	Alley	20	4	1	8	13	0.45	6	18	MED			
4597	SPB07	10	Gulch Rd	143	Los Angeles	4	0.11	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4598	SPB07	11	S Beacon St	231	Los Angeles	4	0.17	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4599	SPB07	12	S Centre St	522	Los Angeles	4	0.40	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4600	SPB07	13	S Palos Verdes St	111	Los Angeles	4	0.08	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4601	SPB07	14	W 13th St	315	Los Angeles	4	0.24	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4602	SPB07	15	W 14th St	838	Los Angeles	4	0.63	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4603	SPB07	16	W 15th St	11	Los Angeles	4	0.01	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4604	SPB07	17		1049	Los Angeles	1	0.20	Alley	20	4	2	6	9	0.27	2	12	LOW			
4605	SPB07	18	S Harbor Blvd	552	Los Angeles	4	0.42	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
4606	SPB07	19	Gulch Rd	233	Los Angeles	4	0.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4607	SPB07	20	S Beacon St	1391	Los Angeles	4	1.05	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4608	SPB07	21	S Centre St	775	Los Angeles	4	0.59	Minor-Local	60	6	2	6	13	0.45	6	18	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4609	SPB07	22	S Palos Verdes St	1183	Los Angeles	4	0.90	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4610	SPB07	23	W 11th St	1041	Los Angeles	4	0.79	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4611	SPB07	24	W 12th St	1020	Los Angeles	4	0.77	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4612	SPB07	25	W 13th St	684	Los Angeles	4	0.52	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4613	SPB07	26	W 14th St	140	Los Angeles	4	0.11	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4614	SPB07	27		1175	Los Angeles	1	0.22	Alley	20	4	2	6	13	0.45	6	16	MED			
4615	SPB08	1	W 9th St	75	Los Angeles	6	0.09	Primary-Arterial	100	10	2	6	4	0.4	5	21	HIGH			
4616	SPB08	2	S Meyler St	692	Los Angeles	4	0.52	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4617	SPB08	3	W 10th St	286	Los Angeles	4	0.22	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4619	SPB08	5	W 9th St	1024	Los Angeles	6	1.16	Primary-Arterial	100	10	1	8	9	0.27	2	20	HIGH			
4620	SPB08	6	W 6th St	237	Los Angeles	4	0.18	Secondary-Collector	64	8	1	8	9	0.27	2	18	MED			
4621	SPB08	7	S Grand Ave	667	Los Angeles	4	0.51	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4622	SPB08	8	S Mesa St	297	Los Angeles	4	0.22	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4623	SPB08	9	W 10th St	1123	Los Angeles	4	0.85	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4624	SPB08	10	W 11th St	190	Los Angeles	4	0.14	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4625	SPB08	11	W 12th St	205	Los Angeles	4	0.16	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4626	SPB08	12	W 13th St	911	Los Angeles	4	0.69	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4627	SPB08	13	W 7th St	306	Los Angeles	4	0.23	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4628	SPB08	14	W 8th St	802	Los Angeles	4	0.61	Minor-Local	60	6	1	8	9	0.27	2	16	MED			
4629	SPB08	15		5683	Los Angeles	1	1.08	Alley	20	4	1	8	9	0.27	2	14	LOW			
4631	SPB08	17	W 9th St	576	Los Angeles	6	0.65	Primary-Arterial	100	10	1	8	13	0.45	6	24	HIGH			
4632	SPB08	18	W 6th St	1715	Los Angeles	4	1.30	Secondary-Collector	64	8	1	8	13	0.45	6	22	HIGH			
4633	SPB08	19		487	Los Angeles	4	0.37	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4634	SPB08	20	Coverly St	487	Los Angeles	4	0.37	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4635	SPB08	21	Nelson St	331	Los Angeles	4	0.25	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4636	SPB08	22	S Grand Ave	185	Los Angeles	4	0.14	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4637	SPB08	23	S Mesa St	2133	Los Angeles	4	1.62	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4638	SPB08	24	W 10th St	399	Los Angeles	4	0.30	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4639	SPB08	25	W 3rd St	514	Los Angeles	4	0.39	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4640	SPB08	26	W 4th St	674	Los Angeles	4	0.51	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4641	SPB08	27	W 5th St	1655	Los Angeles	4	1.25	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4642	SPB08	28	W 7th St	1528	Los Angeles	4	1.16	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4643	SPB08	29	W 8th St	914	Los Angeles	4	0.69	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4644	SPB08	30		4257	Los Angeles	1	0.81	Alley	20	4	1	8	13	0.45	6	18	MED			
4645	SPB08	31	W 8th St	17	Los Angeles	4	0.01	Minor-Local	60	6	2	6	4	0.4	5	17	MED			
4646	SPB08	32		407	Los Angeles	1	0.08	Alley	20	4	2	6	4	0.4	5	15	MED			
4647	SPB08	33	N Gaffey St	26	Los Angeles	6	0.03	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
4648	SPB08	34	S Gaffey St	1633	Los Angeles	6	1.86	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
4649	SPB08	35	S Pacific Ave	11	Los Angeles	6	0.01	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
4650	SPB08	36	W 9th St	2273	Los Angeles	6	2.58	Primary-Arterial	100	10	2	6	9	0.27	2	18	MED			
4651	SPB08	37	W 6th St	478	Los Angeles	4	0.36	Secondary-Collector	64	8	2	6	9	0.27	2	16	MED			
4652	SPB08	38	N Grand Ave	720	Los Angeles	4	0.55	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4653	SPB08	39	S Cabrillo Ave	1385	Los Angeles	4	1.05	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4654	SPB08	40	S Grand Ave	3201	Los Angeles	4	2.42	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4655	SPB08	41	S Meyler St	280	Los Angeles	4	0.21	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4656	SPB08	42	W 10th St	2230	Los Angeles	4	1.69	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4657	SPB08	43	W 11th St	1199	Los Angeles	4	0.91	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4658	SPB08	44	W 12th St	1196	Los Angeles	4	0.91	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4659	SPB08	45	W 13th St	463	Los Angeles	4	0.35	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4660	SPB08	46	W 1st St	454	Los Angeles	4	0.34	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4661	SPB08	47	W 2nd St	396	Los Angeles	4	0.30	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4662	SPB08	48	W 3rd St	678	Los Angeles	4	0.51	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4663	SPB08	49	W 4th St	331	Los Angeles	4	0.25	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4664	SPB08	50	W 5th St	118	Los Angeles	4	0.09	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4665	SPB08	51	W 7th St	1667	Los Angeles	4	1.26	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4666	SPB08	52	W 8th St	2123	Los Angeles	4	1.61	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4667	SPB08	53	W Santa Cruz St	926	Los Angeles	4	0.70	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4668	SPB08	54	W Sepulveda St	808	Los Angeles	4	0.61	Minor-Local	60	6	2	6	9	0.27	2	14	LOW			
4669	SPB08	55		14933	Los Angeles	1	2.83	Alley	20	4	2	6	9	0.27	2	12	LOW			
4670	SPB08	56		160	Los Angeles	6	0.18	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4671	SPB08	57	N Harbor Blvd	698	Los Angeles	6	0.79	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4673	SPB08	59	S Beacon St	662	Los Angeles	6	0.75	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4674	SPB08	60	S Harbor Blvd	2000	Los Angeles	6	2.27	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4676	SPB08	62	W 7th St	160	Los Angeles	6	0.18	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4677	SPB08	63	W 9th St	1083	Los Angeles	6	1.23	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4678	SPB08	64	S Harbor Blvd	1028	Los Angeles	4	0.78	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
4679	SPB08	65	W 6th St	1319	Los Angeles	4	1.00	Secondary-Collector	64	8	2	6	13	0.45	6	20	HIGH			
4680	SPB08	66	Coverly St	242	Los Angeles	4	0.18	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4681	SPB08	67		177	Los Angeles	4	0.13	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4682	SPB08	68	E 5th St	74	Los Angeles	4	0.06	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4683	SPB08	69	E 6th St	27	Los Angeles	4	0.02	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4684	SPB08	70	N Arboles Ct	165	Los Angeles	4	0.13	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4685	SPB08	71	N Armona Ct	90	Los Angeles	4	0.07	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4686	SPB08	72	N Beacon St	703	Los Angeles	4	0.53	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4687	SPB08	73	N Centre St	414	Los Angeles	4	0.31	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4688	SPB08	74	N Mesa St	947	Los Angeles	4	0.72	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4689	SPB08	75	N Palos Verdes St	331	Los Angeles	4	0.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4690	SPB08	76	S Arboles Ct	350	Los Angeles	4	0.27	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4691	SPB08	77	S Armona Ct	250	Los Angeles	4	0.19	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4692	SPB08	78	S Beacon St	1362	Los Angeles	4	1.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4693	SPB08	79	S Centre St	2956	Los Angeles	4	2.24	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4694	SPB08	80	S Grand Ave	222	Los Angeles	4	0.17	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4695	SPB08	81	S Mesa St	213	Los Angeles	4	0.16	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4696	SPB08	82	S Palos Verdes St	3011	Los Angeles	4	2.28	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4697	SPB08	83	W 10th St	1062	Los Angeles	4	0.80	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4698	SPB08	84	W 1st St	1828	Los Angeles	4	1.39	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4699	SPB08	85	W 2nd St	1699	Los Angeles	4	1.29	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4700	SPB08	86	W 3rd St	2192	Los Angeles	4	1.66	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4701	SPB08	87	W 4th St	552	Los Angeles	4	0.42	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4702	SPB08	88	W 5th St	1651	Los Angeles	4	1.25	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4703	SPB08	89	W 7th St	1125	Los Angeles	4	0.85	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4704	SPB08	90	W 8th St	1105	Los Angeles	4	0.84	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4705	SPB08	91	W Ofarrell St	516	Los Angeles	4	0.39	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4706	SPB08	92	W Santa Cruz St	2119	Los Angeles	4	1.61	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4707	SPB08	93	W Sepulveda St	2154	Los Angeles	4	1.63	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4708	SPB08	94	Wall St	652	Los Angeles	4	0.49	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4709	SPB08	95		11981	Los Angeles	1	2.27	Alley	20	4	2	6	13	0.45	6	16	MED			
4711	SPB08	97		78	Los Angeles	4	0.06	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4712	SPB08	98	N Armona Ct	82	Los Angeles	4	0.06	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4713	SPB08	99	N Centre St	466	Los Angeles	4	0.35	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4714	SPB08	100	N Mesa St	187	Los Angeles	4	0.14	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4715	SPB08	101	N Palos Verdes St	41	Los Angeles	4	0.03	Minor-Local	60	6	2	6	16	0.36	4	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4716	SPB08	102	S Centre St	62	Los Angeles	4	0.05	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4717	SPB08	103	S Mesa St	372	Los Angeles	4	0.28	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4718	SPB08	104	W 1st St	1106	Los Angeles	4	0.84	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4719	SPB08	105	W 2nd St	1294	Los Angeles	4	0.98	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4720	SPB08	106	W Santa Cruz St	798	Los Angeles	4	0.60	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4721	SPB08	107	W Sepulveda St	242	Los Angeles	4	0.18	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4722	SPB08	108		2536	Los Angeles	1	0.48	Alley	20	4	2	6	16	0.36	4	14	LOW			
4724	SPB08	110		163	CO	4	0.12	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4725	SPB08	111	Bandini St	330	CO	4	0.25	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4726	SPB08	112	Lake Ave	223	CO	4	0.17	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4727	SPB08	113	S Alma St	30	CO	4	0.02	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4728	SPB08	114	S Averill Ave	14	CO	4	0.01	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4729	SPB08	115	S Bandini St	122	CO	4	0.09	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4730	SPB08	116	S Butte St	327	CO	4	0.25	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4731	SPB08	117	S Leland St	25	CO	4	0.02	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4732	SPB08	118	S Patton Ave	223	CO	4	0.17	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4733	SPB08	119	W 1st St	379	CO	4	0.29	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4734	SPB08	120	W 2nd St	377	CO	4	0.29	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4735	SPB08	121	W 3rd St	1320	CO	4	1.00	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4736	SPB08	122	W 4th St	604	CO	4	0.46	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4737	SPB08	123	W 5th St	374	CO	4	0.28	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4738	SPB08	124	W 7th St	2564	CO	4	1.94	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4739	SPB08	125	W La Alameda Ave	305	CO	4	0.23	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4740	SPB08	126		6136	CO	1	1.16	Alley	20	4	3	4	4	0.4	5	13	LOW			
4741	SPB08	127	W La Alameda Ave	77	CO	4	0.06	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4742	SPB08	128	W 9th St	3127	Los Angeles	6	3.55	Primary-Arterial	100	10	3	4	4	0.4	5	19	MED			
4743	SPB08	129	W 6th St	323	Los Angeles	4	0.24	Secondary-Collector	64	8	3	4	4	0.4	5	17	MED			
4744	SPB08	130	Aldine Ct	231	Los Angeles	4	0.17	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4745	SPB08	131	N Meyler St	531	Los Angeles	4	0.40	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4746	SPB08	132	N Patton Ave	678	Los Angeles	4	0.51	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4747	SPB08	133	Oro Ter	593	Los Angeles	4	0.45	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4748	SPB08	134	S Alma St	1500	Los Angeles	4	1.14	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4749	SPB08	135	S Averill Ave	1296	Los Angeles	4	0.98	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4750	SPB08	136	S Dolphin St	38	Los Angeles	4	0.03	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4751	SPB08	137	S Leland St	1620	Los Angeles	4	1.23	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4752	SPB08	138	S Meyler St	1792	Los Angeles	4	1.36	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4753	SPB08	139	S Patton Ave	1924	Los Angeles	4	1.46	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4754	SPB08	140	S Walker Ave	1298	Los Angeles	4	0.98	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4755	SPB08	141	W 10th St	3211	Los Angeles	4	2.43	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4756	SPB08	142	W 11th St	2267	Los Angeles	4	1.72	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4757	SPB08	143	W 1st St	1193	Los Angeles	4	0.90	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4758	SPB08	144	W 2nd St	1179	Los Angeles	4	0.89	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4759	SPB08	145	W 3rd St	121	Los Angeles	4	0.09	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4760	SPB08	146	W 5th St	91	Los Angeles	4	0.07	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4761	SPB08	147	W 7th St	178	Los Angeles	4	0.13	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4762	SPB08	148	W 8th St	2471	Los Angeles	4	1.87	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4763	SPB08	149	W Santa Cruz St	986	Los Angeles	4	0.75	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4764	SPB08	150	W Sepulveda St	790	Los Angeles	4	0.60	Minor-Local	60	6	3	4	4	0.4	5	15	MED			
4765	SPB08	151		13907	Los Angeles	1	2.63	Alley	20	4	3	4	4	0.4	5	13	LOW			
4766	SPB08	152	N Gaffey St	239	Los Angeles	6	0.27	Primary-Arterial	100	10	3	4	9	0.27	2	16	MED			
4767	SPB08	153	S Gaffey St	1667	Los Angeles	6	1.89	Primary-Arterial	100	10	3	4	9	0.27	2	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4768	SPB08	154	W 6th St	1092	Los Angeles	4	0.83	Secondary-Collector	64	8	3	4	9	0.27	2	14	LOW			
4769	SPB08	155		684	Los Angeles	4	0.52	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4770	SPB08	156	N Cabrillo Ave	38	Los Angeles	4	0.03	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4771	SPB08	157	N Marshall Ct	41	Los Angeles	4	0.03	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4772	SPB08	158	N Parker St	35	Los Angeles	4	0.03	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4773	SPB08	159	S Cabrillo Ave	1871	Los Angeles	4	1.42	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4774	SPB08	160	S Meyler St	257	Los Angeles	4	0.19	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4775	SPB08	161	W 1st St	1505	Los Angeles	4	1.14	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4776	SPB08	162	W 2nd St	1559	Los Angeles	4	1.18	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4777	SPB08	163	W 3rd St	1713	Los Angeles	4	1.30	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4778	SPB08	164	W 4th St	1801	Los Angeles	4	1.36	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4779	SPB08	165	W 5th St	1746	Los Angeles	4	1.32	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4780	SPB08	166	W 7th St	187	Los Angeles	4	0.14	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4781	SPB08	167	W La Alameda Ave	37	Los Angeles	4	0.03	Minor-Local	60	6	3	4	9	0.27	2	12	LOW			
4782	SPB08	168		8121	Los Angeles	1	1.54	Alley	20	4	3	4	9	0.27	2	10	LOW			
4783	SPB08	169	Harker St	16	Los Angeles	4	0.01	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4784	SPB08	170	N Mesa St	204	Los Angeles	4	0.15	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4785	SPB08	171	W Oliver St	473	Los Angeles	4	0.36	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4786	SPB08	172		448	Los Angeles	1	0.08	Alley	20	4	3	4	13	0.45	6	14	LOW			
4788	SPB08	174		97	CO	4	0.07	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4789	SPB08	175	Arcadia Dr	55	CO	4	0.04	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4790	SPB08	176	Canon Dr	520	CO	4	0.39	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4791	SPB08	177	N Bandini St	293	CO	4	0.22	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4792	SPB08	178	N Dunn St	27	CO	4	0.02	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4793	SPB08	179	Oro Ter	27	CO	4	0.02	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4794	SPB08	180	S Bandini St	1533	CO	4	1.16	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4795	SPB08	181	S Broadway Ave	340	CO	4	0.26	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4796	SPB08	182	S Harbor View Ave	30	CO	4	0.02	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4797	SPB08	183	S La Alameda Ave	519	CO	4	0.39	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4798	SPB08	184	S Walker Ave	647	CO	4	0.49	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4799	SPB08	185	W 1st St	737	CO	4	0.56	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4800	SPB08	186	W 2nd St	737	CO	4	0.56	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4801	SPB08	187	W 3rd St	1195	CO	4	0.91	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4802	SPB08	188	W 4th St	85	CO	4	0.06	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4803	SPB08	189	W 5th St	261	CO	4	0.20	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4804	SPB08	190	W 7th St	1168	CO	4	0.88	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4805	SPB08	191	W La Alameda Ave	261	CO	4	0.20	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4806	SPB08	192		2681	CO	1	0.51	Alley	20	4	4	2	4	0.4	5	11	LOW			
4807	SPB08	193	N Western Ave	810	Los Angeles	6	0.92	Primary-Arterial	100	10	4	2	4	0.4	5	17	MED			
4808	SPB08	194	W 9th St	735	Los Angeles	6	0.84	Primary-Arterial	100	10	4	2	4	0.4	5	17	MED			
4809	SPB08	195	S Weymouth Ave	1885	Los Angeles	4	1.43	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
4810	SPB08	196	W 6th St	44	Los Angeles	4	0.03	Secondary-Collector	64	8	4	2	4	0.4	5	15	MED			
4811	SPB08	197		432	Los Angeles	4	0.33	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4812	SPB08	198	Big Canyon Pl	392	Los Angeles	4	0.30	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4813	SPB08	199	Meramec Ave	152	Los Angeles	4	0.11	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4814	SPB08	200	N Bandini St	196	Los Angeles	4	0.15	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4815	SPB08	201	N Dunn St	241	Los Angeles	4	0.18	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4816	SPB08	202	N Harbor View Ave	682	Los Angeles	4	0.52	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4817	SPB08	203	N Walker Ave	681	Los Angeles	4	0.52	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4818	SPB08	204	Oro Ter	41	Los Angeles	4	0.03	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4819	SPB08	205	S Averill Ave	458	Los Angeles	4	0.35	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			


Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4820	SPB08	206	S Dolphin St	328	Los Angeles	4	0.25	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4821	SPB08	207	S Harbor View Ave	1306	Los Angeles	4	0.99	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4822	SPB08	208	S Patton Ave	632	Los Angeles	4	0.48	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4823	SPB08	209	S Walker Ave	1263	Los Angeles	4	0.96	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4824	SPB08	210	S Weymouth Ave	666	Los Angeles	4	0.50	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4825	SPB08	211	Sunside St	141	Los Angeles	4	0.11	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4826	SPB08	212	W 10th St	2	Los Angeles	4	0.00	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4827	SPB08	213	W 12th St	668	Los Angeles	4	0.51	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4828	SPB08	214	W 1st St	1203	Los Angeles	4	0.91	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4829	SPB08	215	W 2nd St	845	Los Angeles	4	0.64	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4830	SPB08	216	W 3rd St	350	Los Angeles	4	0.27	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4831	SPB08	217	W 5th St	16	Los Angeles	4	0.01	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4832	SPB08	218	W 7th St	172	Los Angeles	4	0.13	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4833	SPB08	219	W 8th St	786	Los Angeles	4	0.60	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4834	SPB08	220	W Santa Cruz St	1671	Los Angeles	4	1.27	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4835	SPB08	221	W Sepulveda St	957	Los Angeles	4	0.73	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4836	SPB08	222	Woodland Dr	414	Los Angeles	4	0.31	Minor-Local	60	6	4	2	4	0.4	5	13	LOW			
4837	SPB08	223		6788	Los Angeles	1	1.29	Alley	20	4	4	2	4	0.4	5	11	LOW			
4838	SPB09	1	N Front St	184	Los Angeles	6	0.21	Primary-Arterial	100	10	2	6	3	0.77	9	25	HIGH			
4839	SPB09	2	Knoll Dr	201	Los Angeles	4	0.15	Minor-Local	60	6	2	6	3	0.77	9	21	HIGH			
4840	SPB09	3	N Front St	208	Los Angeles	6	0.24	Primary-Arterial	100	10	1	8	3	0.77	9	27	HIGH			
4841	SPB09	4		212	Los Angeles	4	0.16	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4842	SPB09	5	Knoll Dr	241	Los Angeles	4	0.18	Minor-Local	60	6	1	8	3	0.77	9	23	HIGH			
4843	SPB09	6		10	Los Angeles	6	0.01	Highway	100	10	1	8	13	0.45	6	24	HIGH			
4844	SPB09	7	State Route 47	10	Los Angeles	6	0.01	Highway	100	10	1	8	13	0.45	6	24	HIGH			
4845	SPB09	8		1499	Los Angeles	6	1.70	Highway	100	10	2	6	13	0.45	6	22	HIGH			
4846	SPB09	9	State Route 47	1499	Los Angeles	6	1.70	Highway	100	10	2	6	13	0.45	6	22	HIGH			
4847	SPB09	10	N Harbor Blvd	715	Los Angeles	6	0.81	Primary-Arterial	100	10	2	6	13	0.45	6	22	HIGH			
4848	SPB09	11		0	Los Angeles	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4849	SPB09	12	N Beacon St	296	Los Angeles	4	0.22	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4850	SPB09	13	N Centre St	256	Los Angeles	4	0.19	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4851	SPB09	14	N Palos Verdes St	225	Los Angeles	4	0.17	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4852	SPB09	15	Regan St	0	Los Angeles	4	0.00	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4853	SPB09	16	W O Farrell St	410	Los Angeles	4	0.31	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4854	SPB09	17	W Ofarrell St	1095	Los Angeles	4	0.83	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4855	SPB09	18		1375	Los Angeles	1	0.26	Alley	20	4	2	6	13	0.45	6	16	MED			
4856	SPB09	19	N Harbor Blvd	590	Los Angeles	6	0.67	Primary-Arterial	100	10	2	6	16	0.36	4	20	HIGH			
4857	SPB09	20	Knoll Dr	89	Los Angeles	4	0.07	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4858	SPB09	21	N Beacon St	790	Los Angeles	4	0.60	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4859	SPB09	22	N Palos Verdes St	212	Los Angeles	4	0.16	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4860	SPB09	23	W O Farrell St	438	Los Angeles	4	0.33	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
4861	SPB09	24		43	Los Angeles	1	0.01	Alley	20	4	2	6	16	0.36	4	14	LOW			
4862	SPB09	25	N Center St	60	Los Angeles	4	0.05	Minor-Local	60	6	3	4	3	0.77	9	19	MED			
4863	SPB09	26	Viewland Pl	177	Los Angeles	4	0.13	Minor-Local	60	6	3	4	3	0.77	9	19	MED			
4864	SPB09	27		996	Los Angeles	6	1.13	Highway	100	10	3	4	13	0.45	6	20	HIGH			
4865	SPB09	28	State Route 47	996	Los Angeles	6	1.13	Highway	100	10	3	4	13	0.45	6	20	HIGH			
4866	SPB09	29	Harker St	440	Los Angeles	4	0.33	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4867	SPB09	30	N Centre St	515	Los Angeles	4	0.39	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4868	SPB09	31	N Mesa St	410	Los Angeles	4	0.31	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4869	SPB09	32	N Palos Verdes St	587	Los Angeles	4	0.44	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4870	SPB09	33	W Amar St	1208	Los Angeles	4	0.92	Minor-Local	60	6	3	4	13	0.45	6	16	MED			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4871	SPB09	34	W Oliver St	1137	Los Angeles	4	0.86	Minor-Local	60	6	3	4	13	0.45	6	16	MED			
4872	SPB09	35		2492	Los Angeles	1	0.47	Alley	20	4	3	4	13	0.45	6	14	LOW			
4873	SPB09	36		476	Los Angeles	4	0.36	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
4874	SPB09	37	Knoll Dr	877	Los Angeles	4	0.66	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
4875	SPB09	38	N Center St	319	Los Angeles	4	0.24	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
4876	SPB09	39	Viewland Pl	92	Los Angeles	4	0.07	Minor-Local	60	6	3	4	16	0.36	4	14	LOW			
4877	SPB09	40		100	Los Angeles	4	0.08	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
4878	SPB09	41	Knoll Dr	100	Los Angeles	4	0.08	Minor-Local	60	6	4	2	3	0.77	9	17	MED			
4879	SPB09	42		159	Los Angeles	6	0.18	Highway	100	10	4	2	13	0.45	6	18	MED			
4880	SPB09	43	State Route 47	159	Los Angeles	6	0.18	Highway	100	10	4	2	13	0.45	6	18	MED			
4881	SPB09	44		115	Los Angeles	4	0.09	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
4882	SPB09	45	Knoll Dr	115	Los Angeles	4	0.09	Minor-Local	60	6	4	2	16	0.36	4	12	LOW			
4883	SPB10	1	Bay View Ave	443	Los Angeles	4	0.34	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4884	SPB10	2	McDonald Ave	185	Los Angeles	4	0.14	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4885	SPB10	3	N Neptune Ave	660	Los Angeles	4	0.50	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4886	SPB10	4	W C St	625	Los Angeles	4	0.47	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4887	SPB10	5		497	Los Angeles	1	0.09	Alley	20	4	0	10	3	0.77	9	23	HIGH			
4889	SPB10	7	W Anaheim St	945	Los Angeles	6	1.07	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4890	SPB10	8	W Harry Bridges Blvd	126	Los Angeles	6	0.14	Primary-Arterial	100	10	0	10	14	0.81	10	30	HIGH			
4891	SPB10	9	Alton St	865	Los Angeles	4	0.66	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4892	SPB10	10	Bay View Ave	2662	Los Angeles	4	2.02	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4893	SPB10	11	Craven St	395	Los Angeles	4	0.30	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4894	SPB10	12	Hawaiian Ave	2636	Los Angeles	4	2.00	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4895	SPB10	13	King Ave	2764	Los Angeles	4	2.09	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4896	SPB10	14	Lagoon Ave	978	Los Angeles	4	0.74	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4897	SPB10	15	McDonald Ave	2949	Los Angeles	4	2.23	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4898	SPB10	16	N Gulf Ave	3125	Los Angeles	4	2.37	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4899	SPB10	17	N Neptune Ave	2432	Los Angeles	4	1.84	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4900	SPB10	18	W C St	1751	Los Angeles	4	1.33	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4901	SPB10	19	W D St	2418	Los Angeles	4	1.83	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4903	SPB10	21	W F St	2843	Los Angeles	4	2.15	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4904	SPB10	22	W G St	2855	Los Angeles	4	2.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4905	SPB10	23		15671	Los Angeles	1	2.97	Alley	20	4	0	10	14	0.81	10	24	HIGH			
4906	SPB11	1	W Harry Bridges Blvd	1477	Los Angeles	6	1.68	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4907	SPB11	2		532	Los Angeles	4	0.40	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4908	SPB11	3	Island Ave	1180	Los Angeles	4	0.89	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4909	SPB11	4	Lagoon Ave	733	Los Angeles	4	0.56	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4910	SPB11	5	N Fries Ave	1829	Los Angeles	4	1.39	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4911	SPB11	6	N Marine Ave	2057	Los Angeles	4	1.56	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4912	SPB11	7	S Fries Ave	662	Los Angeles	4	0.50	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4913	SPB11	8	W A St	672	Los Angeles	4	0.51	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4914	SPB11	9	W C St	1589	Los Angeles	4	1.20	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4916	SPB11	11		3346	Los Angeles	1	0.63	Alley	20	4	0	10	3	0.77	9	23	HIGH			
4918	SPB11	13	Bay View Ave	37	Los Angeles	4	0.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4919	SPB11	14	Bayview Ave	748	Los Angeles	4	0.57	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4920	SPB11	15	Island Ave	3137	Los Angeles	4	2.38	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4921	SPB11	16	Lagoon Ave	2356	Los Angeles	4	1.78	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4922	SPB11	17	McDonald Ave	14	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4923	SPB11	18	N Bayview Ave	1071	Los Angeles	4	0.81	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4925	SPB11	20	N Gulf Ave	493	Los Angeles	4	0.37	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4926	SPB11	21	N Island Ave	586	Los Angeles	4	0.44	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4927	SPB11	22	N Lagoon Ave	1532	Los Angeles	4	1.16	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4928	SPB11	23	N Marine Ave	1354	Los Angeles	4	1.03	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4929	SPB11	24	N McDonald Ave	1046	Los Angeles	4	0.79	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4930	SPB11	25	N Neptune Ave	3010	Los Angeles	4	2.28	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4931	SPB11	26	N Ravenna Ave	2219	Los Angeles	4	1.68	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4932	SPB11	27	Ronan Ave	543	Los Angeles	4	0.41	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4933	SPB11	28	Ross Pl	508	Los Angeles	4	0.39	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4934	SPB11	29	W D St	340	Los Angeles	4	0.26	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4937	SPB11	32	W F St	1169	Los Angeles	4	0.89	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4939	SPB11	34	W I St	2067	Los Angeles	4	1.57	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4940	SPB11	35	W L St	868	Los Angeles	4	0.66	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4942	SPB11	37		8130	Los Angeles	1	1.54	Alley	20	4	0	10	14	0.81	10	24	HIGH			
4943	SPB12	1	E Harry Bridges Blvd	1165	Los Angeles	6	1.32	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4945	SPB12	3	W Harry Bridges Blvd	78	Los Angeles	6	0.09	Primary-Arterial	100	10	0	10	3	0.77	9	29	HIGH			
4946	SPB12	4	Broad Ave	2321	Los Angeles	4	1.76	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4947	SPB12	5	E C St	1153	Los Angeles	4	0.87	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4950	SPB12	8	E Water St	63	Los Angeles	4	0.05	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4951	SPB12	9	Lakme Ave	1351	Los Angeles	4	1.02	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4953	SPB12	11	N Marine Ave	3	Los Angeles	4	0.00	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4955	SPB12	13	S Broad Ave	427	Los Angeles	4	0.32	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4956	SPB12	14	W A St	233	Los Angeles	4	0.18	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4957	SPB12	15	W C St	25	Los Angeles	4	0.02	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4960	SPB12	18	W Water St	4	Los Angeles	4	0.00	Minor-Local	60	6	0	10	3	0.77	9	25	HIGH			
4961	SPB12	19		1943	Los Angeles	1	0.37	Alley	20	4	0	10	3	0.77	9	23	HIGH			
4965	SPB12	23	Avalon Pl	16	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4966	SPB12	24	Broad Ave	1143	Los Angeles	4	0.87	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4967	SPB12	25	E Denni St	4	Los Angeles	4	0.00	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4968	SPB12	26	E F St	579	Los Angeles	4	0.44	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4970	SPB12	28	E I St	101	Los Angeles	4	0.08	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4971	SPB12	29	E L St	8	Los Angeles	4	0.01	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4974	SPB12	32	N Island Ave	949	Los Angeles	4	0.72	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4975	SPB12	33	N Marine Ave	3402	Los Angeles	4	2.58	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4978	SPB12	36	W F St	421	Los Angeles	4	0.32	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4980	SPB12	38	W I St	418	Los Angeles	4	0.32	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4981	SPB12	39	W L St	1114	Los Angeles	4	0.84	Minor-Local	60	6	0	10	14	0.81	10	26	HIGH			
4983	SPB12	41		6674	Los Angeles	1	1.26	Alley	20	4	0	10	14	0.81	10	24	HIGH			
4984	UNION	1		2771	Los Angeles	4	2.10	Minor-Local	60	6	1	8	13	0.45	6	20	HIGH			
4985	UNION	2		2936	Los Angeles	4	2.22	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4986	UNION	3	Road 10	154	Los Angeles	4	0.12	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4987	UNION	4	Road 12	1799	Los Angeles	4	1.36	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4988	UNION	5	Road 3	397	Los Angeles	4	0.30	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4989	UNION	6	Road A	737	Los Angeles	4	0.56	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4990	UNION	7	Road B	752	Los Angeles	4	0.57	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4991	UNION	8	Road C	750	Los Angeles	4	0.57	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4992	UNION	9	Road D	752	Los Angeles	4	0.57	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4993	UNION	10	Road E	753	Los Angeles	4	0.57	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4994	UNION	11	Road F	593	Los Angeles	4	0.45	Minor-Local	60	6	1	8	14	0.81	10	24	HIGH			
4995	UNION	12		1474	Los Angeles	4	1.12	Minor-Local	60	6	1	8	16	0.36	4	18	MED			
4996	UNION	13		35	Los Angeles	4	0.03	Minor-Local	60	6	2	6	13	0.45	6	18	MED			
4997	UNION	14		4570	Los Angeles	4	3.46	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
4998	UNION	15	Road 10	899	Los Angeles	4	0.68	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			

Potential Green Streets Worksheet: Green Street Analysis Summary Table																				
Ranking Criteria				General Criteria																
				General Attributes				Street Width			Street Slope		Soil Type			Score	Rank	Planned Rehab		Selected?
Assigned Weight								1			1		1							
Object ID	Subwatershed	Subwatershed ID	Street Name	Length (ft)	City	Number of Lanes	Lane Miles	Street Type	Street Width (ft)	Score	Slope (%)	Score	Soil Type	Ksat	Score			City	County	
4999	UNION	16	Road 12	810	Los Angeles	4	0.61	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5000	UNION	17	Road 3	1708	Los Angeles	4	1.29	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5001	UNION	18	Road A	737	Los Angeles	4	0.56	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5002	UNION	19	Road B	175	Los Angeles	4	0.13	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5003	UNION	20	Road C	908	Los Angeles	4	0.69	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5004	UNION	21	Road D	1120	Los Angeles	4	0.85	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5005	UNION	22	Road E	564	Los Angeles	4	0.43	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5006	UNION	23	Road G	936	Los Angeles	4	0.71	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5007	UNION	24	Road H	359	Los Angeles	4	0.27	Minor-Local	60	6	2	6	14	0.81	10	22	HIGH			
5008	UNION	25		1076	Los Angeles	4	0.81	Minor-Local	60	6	2	6	16	0.36	4	16	MED			
5009	UNION	26		3733	Los Angeles	4	2.83	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5010	UNION	27	Road 10	2341	Los Angeles	4	1.77	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5011	UNION	28	Road 12	971	Los Angeles	4	0.74	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5012	UNION	29	Road 3	1443	Los Angeles	4	1.09	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5013	UNION	30	Road 8	1995	Los Angeles	4	1.51	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5014	UNION	31	Road A	151	Los Angeles	4	0.11	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5015	UNION	32	Road B	207	Los Angeles	4	0.16	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5016	UNION	33	Road C	187	Los Angeles	4	0.14	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5017	UNION	34	Road D	101	Los Angeles	4	0.08	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5018	UNION	35	Road E	752	Los Angeles	4	0.57	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5019	UNION	36	Road F	1504	Los Angeles	4	1.14	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5020	UNION	37	Road G	1166	Los Angeles	4	0.88	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5021	UNION	38	Road H	1599	Los Angeles	4	1.21	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5022	UNION	39	Tosco Ln	9	Los Angeles	4	0.01	Minor-Local	60	6	3	4	14	0.81	10	20	HIGH			
5023	UNION	40		473	Los Angeles	4	0.36	Minor-Local	60	6	4	2	14	0.81	10	18	MED			
5024	UNION	41	Road 3	599	Los Angeles	4	0.45	Minor-Local	60	6	4	2	14	0.81	10	18	MED			
5025	UNION	42	Road 8	883	Los Angeles	4	0.67	Minor-Local	60	6	4	2	14	0.81	10	18	MED			
5026	UNION	43	Road A	698	Los Angeles	4	0.53	Minor-Local	60	6	4	2	14	0.81	10	18	MED			
5027	UNION	44	Road B	752	Los Angeles	4	0.57	Minor-Local	60	6	4	2	14	0.81	10	18	MED			
5028	UNION	45	Road C	751	Los Angeles	4	0.57	Minor-Local	60	6	4	2	14	0.81	10	18	MED			
5029	UNION	46	Road D	751	Los Angeles	4	0.57	Minor-Local	60	6	4	2	14	0.81	10	18	MED			
5030	UNION	47	Road E	752	Los Angeles	4	0.57	Minor-Local	60	6	4	2	14	0.81	10	18	MED			

Attachment B
Green Street Subarea Analysis Summary



Subarea Summary for Green Street Analysis
DC WMG EWMP

Green Street Implementation Summary by Subarea	
Subarea	Lane Miles Provided
BI10-1	27
BI1103	38
BI1103C	5
BI1104-2	6
BI1201	14
BI1202	0
BI1206	0
BI12-1	14
BI12-2	20
BI1232-1	75
BI1232-2	1
BI12-4	6
BI1275	15
BI13B	4
BI242	1
BI3894	12
BI4-1	15
BI4-2	9
BI432	0
BI439E	5
BI4401-1	12
BI4401-2	5
BI4402A	5
BI510A	5
BI511A	0
BI511D	1
BI512A	3
BI534-1	24
BI534-2	13
BI536A	4
BI541-1	0
BI541-2	0
BI586D	0
BI661	7
BI74	27
BI76	5
BI77A	20
BI79	5
BI8101	0
BI9806	0

Green Street Implementation Summary by Subarea	
Subarea	Lane Miles Provided
BI9813	70
BI9827B-4	0
BI9830	64
BODGR	3
DDI8NE	2
DDI8NW-1	2
DDI8NW-2	22
DDI8S	41
DELAMO	0
HLYPK	0
LA24857	3
LGADM-1	42
LGADM-10	5
LGADM-11	3
LGADM-15	0
LGADM-16	11
LGADM-17	2
LGADM-2	5
LGADM-3	7
LGADM-4	5
LGADM-5	3
LGADM-6	3
LGADM-7	0
LGADM-9	0
Port01	0
Port02	0
Port03	0
Port04	1
Port05	0
Port06	0
Port09	0
Port10	0
Port11	0
Port13	0
Port14	0
Port15	1
Port16	0
Port17	0
SD2002	4
SPB01	0
SPB02	0

Green Street Implementation Summary by Subarea	
Subarea	Lane Miles Provided
SPB03	0
SPB04	0
SPB05	0
SPB06	0
SPB07	0
SPB08	9
SPB09	0
SPB10	0
SPB11	9
SPB12	14
UNION	0

Attachment S

MCM Evaluation

PAGE INTENTIONALLY LEFT BLANK

TECHNICAL MEMORANDUM

To: Dominguez Channel Watershed Management Group (Alfredo Magallanes/City of Los Angeles; Bill Johnson/Los Angeles County; Doug Krauss/City of Hawthorne; Loren Amimoto/City of Inglewood; Lifan Xu/City of El Segundo; Andrew Jirik/Port of Los Angeles)

From: Team Dominguez (Richard Haimann/HDR, Stephanie Shamblin Gray/HDR)

Date: September 22, 2014

Subject: **MCM Evaluation Methodology – Addendum, Revised 9/22/2014**

1. Background

In February 2014, HDR/SGA presented the City of Los Angeles Bureau of Sanitation (City) with the “MCM Evaluation Methodology” technical memorandum (memo). The memo (Attachment 1) presented research findings that may potentially be used to quantify pollutant load reductions as well as the uncertainties associated with those findings.

The memo demonstrated that strategies addressing polluting behaviors using various Minimum Control Measures (MCMs) may be anticipated to produce a wide range of pollutant load reduction. Factors influencing the results include the level of control the City has over the strategy, and the constructs that are affected by the outreach campaigns (guilt, social norm, etc.). The range of pollutant load reduction could be as low as around 2% for a minor pollutant that is a partial consequence of a strategy, to as high as 72% for a major pollutant that is entirely the consequence of a behavior that the City has significant control over (i.e. City staff behaviors).

It should be noted that these pollutant reductions were *per behavior* and no single behavior was expected to be responsible for all of the pollutants entering the watershed. Each of the corrections to behaviors and implementation of potential behaviors will only affect some fraction of the pollutant entering the watershed as there are typically numerous sources of a pollutant. That fraction was not evaluated. Additionally, the percent reduction would apply only to the location where the strategy was employed. Some strategies are geospatially broad (e.g. public education and outreach), while others are geographically constrained (e.g. keeping trash receptacles covered at municipal maintenance facilities). The geospatial contribution of pollutants and reductions in loads are not evaluated as part of this analysis.

2. Description of Previous Effort

The Enhanced Watershed Management Plan (EMWP) for the Dominguez Channel Watershed is a process of planning projects and control measures within the watershed and estimating the pollutant load reductions and resulting receiving water concentrations that would occur when those projects and control measures are implemented.

A number of the control measures anticipated are activities within Minimum Control Measure (MCM) categories. To estimate changes in runoff and receiving water quality based on expanding MCMs, a modeling effort, called a Reasonable Assurance Analysis (RAA), was proposed. The model requires some estimate of the pollutant load reduction that may occur on parcels where MCMs are effective within the watershed.

The MCMs reviewed in the previous memo (Attachment 1) require behavior change among people in order to be successfully implemented. Key to estimating pollutant load reductions from behaviors, then, is

understanding what behaviors are being targeted, the likelihood of behavior change, and the impact of those behaviors on pollutant loads.

To develop the model, research of pro-environmental behavior and meta-analytic studies was conducted. This provided a model to consistently estimate the likelihood of behavior change from differing levels of MCM efforts. This model took into consideration the varying public education and outreach approaches and baseline characteristics of the population and allowed us to estimate that given a certain investment in public education and outreach efforts, some percent of the public will be likely to change behaviors that will result in reducing the loading of a given pollutant. For example, with certain investments in public education and outreach, the literature suggests that one can see approximately 18% of the population outreached changing to a lower pollutant behavior for certain pollutant types. The type of pollutant depends on the behavior change investment. For example, an investment in a campaign to educate, inform, and obtain behavior change associated with pet waste management would affect bacteria, but not necessarily sediment, metals, or pesticides. From the research conducted, the percent of people likely to adopt a less polluting behavior given a certain level of MCM investment can be estimated.

The next step was to estimate the expected reduction in a given pollutant when behavior changes to a lower polluting behavior. For each behavior type, we categorized the pollutants as *entirely*, *largely*, or *partially* the consequence of the polluting behavior the strategy addresses. This is based primarily on the amount of control a strategy has on behavior. The consequence of *entirely*, *largely*, and *partially* polluting behaviors is set at 100%, 66%, and 33%, respectively. Using the studies reviewed, it is reasonable to state that pollutant load reductions from different behavior changes can be categorized as high, medium, or low for those parcels or areas where the behavior change is expected to occur. No pollutant was considered to be removed 100% in any of the behaviors, so the highest value considered was 90%. Thus, reasonable values for high, medium, and low reduction are 90%, 60%, and 30%, respectively. For the distinct purpose of estimating percent pollutant load reduction in the EWMP planning effort, we determined that low pollutant load reduction would be between approximately 10 and 30 percent, medium pollutant load reduction would be between 20 and 60 percent, and high pollutant load reduction would be between 30 and 90 percent.

Finally, we developed a potential range of pollutant load reductions from different behaviors across stormwater pollutant types. The 18% value is the most commonly observed impact of public education and outreach from a pure problem awareness campaign and represents the low range of reduction. An 80% value is the estimated effectiveness of pollution prevention and good housekeeping efforts mandated by municipalities and represents the high range of reduction. This gave us a model that is based on as much reputable data and research as is available to provide some basis for pollutant load reductions for classes of pollutants under different investments in MCMs.

3. Average Percent Removal

To streamline the modeling of pollutant load reduction, the City seeks to estimate a generalized average percent removal that can be used for all MCMs to be implemented and for all pollutants.

As described above, the February, 2014 memo presented the pollutant load reductions that may be anticipated from potential MCMs as a range of percent removals. The MCMs evaluated were based on the Center for Watershed Protection's (CWP's) most common residential and public behaviors that contribute pollutants to watersheds.

To determine an appropriate overall percent removal, a more select list of MCMs that may be expected to be implemented by the City was to be compiled. To that end, technical memorandum "Task 2.2 – Summary of Existing & Potential Control Measures" (March 2014) was used as a guide for future MCMs.

MCM categories that were found to have new activities to implement for the 2012 MS4 permit are as follows:

- Public Information and Participations Program
- Industrial/Commercial Facilities Program
- Planning and Land Development Program
- Development and Construction Program
- Illicit Connection and Illicit Discharge Detection and Elimination Program (IC/ID Program)
- Public Agency Activities Program

Specific MCMs in each of the categories were then compared to the memo's "Appendix A – List of Estimated Pollutant Behavior Impact Ranges" to estimate percent removal of pollutants for each constituent potentially attributable to the MCM. Any MCMs not previously evaluated were evaluated here using the same process. MCMs that were not specific to a behavior or activity associated with a set of pollutants (e.g., Public Education – Activity Specific) but had some type of related activity otherwise stated or implied in the document were evaluated as an activity associated with the non-specific MCMs (e.g., Public Education – Activity Specific: *Pet Waste Pick-Up*). The results of this effort are shown in the attached Table 1. The high-end range of the values represented the pollutant removal that may be anticipated from strategies with which the City has significant direct control (i.e. city staff are performing the behavior desired). The low-end range of the values would be anticipated with strategies associated with only public behavior change.

Each MCM was then evaluated to determine if it would be considered City controlled or public education. Although many activities in several other categories could be considered more heavily controlled, only the activities in the Public Agency Activities Program were considered to be under City control. This is a more conservative approach in that it would tend to under-estimate pollutant load reductions as a factor of safety. The average percent removal of all activities was then calculated for each constituent.

Table 2 presents an example showing two activities and the average percent removal of each constituent. For example, operations and maintenance of roads would be controlled by the City. The previous memo (Attachment 1) presented both the high and low range of percent removal that may be anticipated. Those values are shown in Table 2. Because this is a City controlled activity, the higher percent removal could be used and the value used to calculate the average percent pollutant removal is shown with a highlight in Table 2. An activity like pet waste pickup would rely more on public education and participation and the lower value could be used (shown highlighted). It should be noted that this value does not include any additional behavioral factors that certain messaging campaigns may create, such as guilt, that would increase the percent removal that may be anticipated.

Table 2. Range of Pollutant Load Reduction Effectiveness (%)

Pollutant Generating Activity	Sediment		Nutrients		Metals		Bacteria		Trash		Toxins	
	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High
O&M for streets and roads.	10.7%	47.5%	3.6%	15.8%	7.1%	31.7%	0.0%	0.0%	7.1%	31.7%	3.6%	15.8%
Public Education - Pet Waste Pick Up	0.0%	0.0%	10.7%	47.5%	0.0%	0.0%	10.7%	47.5%	0.0%	0.0%	0.0%	0.0%
Average Percent	23.8%		13.3%		15.8%		5.3%		15.8%		7.9%	

4. Results

Using the values as described above (high value for city controlled activities, low value for public activities) for each constituent, the average removals for each of the constituents (sediment, nutrients, metals, bacteria, trash, and toxins) were calculated. The results are presented in Table 3 below.

Table 3. Average Pollutant Removal per Constituent

Description	%
Sediment	19.6%
Nutrients	11.7%
Metals	14.4%
Bacteria	6.5%
Trash	13.0%
Toxins	10.4%
Average of the Averages Above	12.6%

5. Conclusions

The overall average percent removal for all constituents and all activities is 12.6%. Because the lower public education value used does not consider any of the other constructs that are affected by the outreach campaigns (guilt, social norm, etc.), this overall percent removal may be lower than what will be observed. When considering the pollutant load removal of all activities, 10% may be conservatively and generally applied.

6. Assumptions and Limitations

The following assumptions and limitations should be taken into account when considering using the values presented.

- The percent removals are not based on specific geographic areas and may not apply equally to all geographic areas. For example, activities with a high degree of City control where they are performed by City employees, these may only apply to areas where City employees act, such as maintenance facilities or public buildings and may represent a fairly small portion of the entire pollutant load to a watershed of a particular pollutant. This geospatial variance is not taken into consideration in the averaging techniques employed.
- If only pollutant removals for activities with low degrees of City control – i.e. those that require public behavior change were to be included, the overall average percent removals would be lower. This assumes that the activities affecting public behavior change do not achieve all the constructs necessary to maximize behavior change (Intention, Moral Norm, Attitude, Perceived Behavioral Control, Guilt, Social Norm, Internal Attribution, Problem Awareness).
- If all the constructs necessary to maximize behavior change were successfully achieved throughout the population of the City, then the percent removals would potentially be higher than the average values presented herein.
- The percent reductions are based on a theoretical assessment of the potential reduction that could occur for a specific pollutant within a limited geography should a behavior actually change with respect to the release of that pollutant. Specific field studies are few that have measured changes in pollutant loads as correlated with behavior change.
- The data is more thorough for the measurement of behavior change through the use of survey instruments and observations of random samples through a population to correlate the constructs with changed behavior. The relationship between the behavior change and a measured concentration of a pollutant in runoff is more tenuous and the authors are relying on theoretical relationships between behavior associated with use of certain materials and pollutant releases during the uses of those materials.

Table 1. Range of Pollutant Load Percent Removal

Minimum Control Measure	Sediment		Nutrients		Metals		Bacteria		Trash		Toxins		Entirely, Largely, or Partially a Consequence of Behavior?	Public or Municipal Control?
	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High		
Public Information and Participation Program														
Public Education - proper handling (fertilizer)	0.0%	0.0%	10.7%	47.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.6%	15.8%	Largely	Public
Public Education - activity specific (trash clean-up and maintenance procedures)	0.0%	0.0%	0.0%	0.0%	3.6%	15.8%	7.1%	31.7%	10.7%	47.5%	0.0%	0.0%	Largely	Public
Public Education - activity specific (over-irrigation)	1.8%	7.9%	3.6%	15.8%	1.8%	7.9%	0.0%	0.0%	1.8%	7.9%	3.6%	15.8%	Partially	Public
Public Education - activity specific (pet waste pick up)	0.0%	0.0%	10.7%	47.5%	0.0%	0.0%	10.7%	47.5%	0.0%	0.0%	0.0%	0.0%	Largely	Public
Public Education - activity specific (household hazardous waste collection)	0.0%	0.0%	5.4%	24.0%	10.8%	48.0%	5.4%	24.0%	16.2%	72.0%	16.2%	72.0%	Entirely	Public
Maintain storm water websites	7.1%	31.7%	7.1%	31.7%	7.1%	31.7%	3.6%	15.8%	0.0%	0.0%	3.6%	15.8%	Largely	Public
Industrial/Commercial Facilities Program														
Track critical sources - nurseries and nursery centers (enforce/amend BMPs)	10.7%	47.5%	10.7%	47.5%	0.0%	0.0%	7.1%	31.7%	0.0%	0.0%	10.7%	47.5%	Largely	Public
Track critical sources - other commercial/industrial facilities that Permittee determines may contribute substantial constituent load to MS4 (self-reporting inspections)	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	Entirely	Public
Evaluate all operations of industrial facilities inspected to verify whether their operations are subject to the Industrial General Permit (IGP).	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	Entirely	Public
Facility information - ID whether tributary to 303(d) listed water and generates constituents for which water is impaired (enforce/amend BMPs)	16.2%	72.0%	10.8%	48.0%	10.8%	48.0%	16.2%	72.0%	5.4%	24.0%	10.8%	48.0%	Entirely	Public
Planning and Land Development Program														
Alternative compliance measures through groundwater replenishment	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	Entirely	Public
Alternative compliance measures through biofiltration on- or off-site	16.2%	72.0%	10.8%	48.0%	10.8%	48.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	Entirely	Public
Bioretention and biofiltration systems	16.2%	72.0%	10.8%	48.0%	10.8%	48.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	Entirely	Public
Annual reporting of mitigation project descriptions	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	5.4%	24.0%	Entirely	Public
Implement post construction BMP maintenance inspections	16.2%	72.0%	10.8%	48.0%	10.8%	48.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	Entirely	Public
Development and Construction Program														
For sites less than 1 acre, implement erosion and sediment control BMPs through the use of a erosion and sediment control ordinance	5.3%	23.8%	3.6%	15.8%	1.8%	7.9%	1.8%	7.9%	0.0%	0.0%	0.0%	0.0%	Partially	Public
Implement technical BMP standards	10.7%	47.5%	3.6%	15.8%	3.6%	15.8%	0.0%	0.0%	7.1%	31.7%	7.1%	31.7%	Largely	Public
IC/ID Program														
Procedures for public reporting of ID	10.8%	48.0%	5.4%	24.0%	5.4%	24.0%	16.2%	72.0%	0.0%	0.0%	16.2%	72.0%	Entirely	Public
Public Agency Activities Program														
Employee training	16.2%	72.0%	16.2%	72.0%	16.2%	72.0%	16.2%	72.0%	16.2%	72.0%	16.2%	72.0%	Entirely	Municipal
More frequent street sweeping, especially in areas that lack full capture certified trash control devices.	10.7%	47.5%	3.6%	15.8%	7.1%	31.7%	0.0%	0.0%	7.1%	31.7%	3.6%	15.8%	Largely	Municipal
Utilize street vacuuming in land use areas that generate high metals loads.	10.7%	47.5%	3.6%	15.8%	7.1%	31.7%	0.0%	0.0%	7.1%	31.7%	3.6%	15.8%	Largely	Municipal
Set maximum street sweeper speeds to optimize effectiveness in removing trash, debris, and sediments.	10.7%	47.5%	3.6%	15.8%	7.1%	31.7%	0.0%	0.0%	7.1%	31.7%	3.6%	15.8%	Largely	Municipal
Sweeping center median gutters, and "pork chop" islands at street intersections.	10.7%	47.5%	3.6%	15.8%	7.1%	31.7%	0.0%	0.0%	7.1%	31.7%	3.6%	15.8%	Largely	Municipal
Revise curb miles cleaned as an indicator to volume of trash collected.	10.7%	47.5%	3.6%	15.8%	7.1%	31.7%	0.0%	0.0%	7.1%	31.7%	3.6%	15.8%	Largely	Municipal
Enhanced maintenance of catch basins, especially those with connector pipe screens.	10.7%	47.5%	3.6%	15.8%	7.1%	31.7%	0.0%	0.0%	7.1%	31.7%	3.6%	15.8%	Largely	Municipal

Attachment 1 - MCM Evaluation Methodology

To: Richard Haimann/HDR.

From: Adam Quinn/SGA.

Reviewed by: Stephen Groner/SGA.

Date: 2/25/2014.

Subject: **MCM EVALUATION METHODOLOGY**

1. Executive Summary.

The Enhanced Watershed Management Plan for the Dominguez Channel Watershed is a process of planning projects and control measures within the watershed and estimating the pollutant load reductions and resulting receiving water concentrations that would occur when those projects and control measures are implemented.

A number of the control measures anticipated are activities within Minimum Control Measure (MCM) categories. MCMs include 1) public education and outreach, 2) public participation and involvement, 3) pollution prevention and good housekeeping, 4) illicit discharge detection and elimination, 5) construction site runoff control, and 6) post construction site runoff control.

To estimate changes in runoff and receiving water quality based on expanding these MCMs, a modeling effort, called a Reasonable Assurance Analysis (RAA), is proposed. The model requires some estimate of the pollutant load reduction that may occur on parcels where MCMs are effective within the watershed.

The purpose of this memorandum is to present estimates of pollutant load reductions that can reasonably be expected from expanding three of the above six MCMs. Those MCMs are: 1) public education and outreach, 2) public participation and involvement, and 3) pollution prevention and good housekeeping.

Each of the three MCMs reviewed in this memorandum require behavior change among people in order to be successfully implemented. Key to estimating pollutant load reductions from behaviors, then, is understanding what behaviors are being targeted, the likelihood of behavior change, and the impact of those behaviors on pollutant loads.

To develop the model, research of pro-environmental behavior and meta-analytic studies was conducted. This provided a model to consistently estimate the likelihood of behavior change from differing levels of MCM efforts. This model takes into consideration the varying public education and outreach approaches and baseline characteristics of the population.

The resulting model allows us to estimate that given a certain investment in public education and outreach efforts, some percent of the public will be likely to change behaviors that will result in reducing the loading of a given pollutant. For example, with certain investments in public education and outreach, the literature suggests that one can see approximately 18% of the population outreached changing to a

lower pollutant behavior for certain pollutant types. The type of pollutant depends on the behavior change investment. For example, an investment in a campaign to educate, inform, and obtain behavior change associated with pet waste management would affect bacteria, but not necessarily sediment, metals, or pesticides. From the research conducted, the percent of people likely to adopt a less polluting behavior given a certain level of MCM investment can be estimated.

The next step is to estimate the expected reduction in a given pollutant when behavior changes to a lower polluting behavior. A review of watershed and stormwater research shows that researchers to date have generally not assigned pollutant loads to specific behaviors. A range of studies have substituted the reach of the program (e.g., number of residents outreached) or sample results (e.g., 78 known illegal discharges were eliminated) in place of a quantified measurement of pollution reduction.

Using the studies reviewed, it is reasonable to state that pollutant load reductions from different behavior changes can be categorized as high, medium, or low for those parcels or areas where the behavior change is expected to occur. For the distinct purpose of estimating percent pollutant load reduction in this EWMP planning effort, we estimated that low pollutant load reduction would be between 10 and 30 percent, medium pollutant load reduction would be between 20 and 60 percent, and high pollutant load reduction would be between 30 and 90 percent, as summarized on Table 6.1. These ranges are the product of the high, medium, and low pollutant contribution ranges used in the literature and the categorization of behavior types conducted in Section 6 of this memorandum.

This gives us a model that is based on as much reputable data and research as is available to provide some basis for pollutant load reductions for classes of pollutants under different investments in MCMs. These can be distributed spatially through the model based on land use. For example nutrient load reductions due to improved fertilizer application would apply to the pervious surfaces of residential parcels more so than the pervious surfaces of industrial parcels.

Given this, a certain investment in a public education and outreach campaign may achieve 18% behavior change. This behavior change may result in 30% less nutrient discharges from affected parcels. A subcatchment may have 70% residential and recreational parcels with an average pervious surface of 50% of those parcels. The nutrient load reduction from that subcatchment that can be estimated from the investment in the public education and outreach campaign would be $0.18 \times 0.30 \times 0.70 \times 0.50 = 0.019 = 1.9\%$.

This memo presents the findings of the literature researched and shows how we have constructed the model from that literature for estimating pollutant load reductions from increased investments in the three MCMs listed above. It also presents the percent reductions expected for different pollutant classes on affected parcels from different investments in the MCMs listed above.

2. Introduction.

The watershed management group (WMG) has a stated goal of quantifying the pollutant load reduction associated with various MCMs. This will be used to estimate pollutant load reductions anticipated from expansions or broadening of minimum control measures during implementation of enhanced watershed management plans.

Three minimum control measures are considered in this document:

- Public education and outreach;
- Public participation and involvement; and
- Pollution prevention and good housekeeping.

This document discusses an evaluation methodology for the above MCMs. Each MCM is discussed in turn with consideration to different concepts, the product of which provides an estimation of the impact of that MCM. The concepts are:

- The estimated measurement of behavior change;
- A list of pollution behaviors and the associated pollutants;
- An estimation of cost for a given mode of outreach; and
- An estimation of pollutant load reduction from changes in pollution behaviors.

3. Public education and outreach MCM.

Public education and outreach is a required MCM under NPDES permits with the stated goal of making "the public sufficiently aware and concerned about the significance of their behavior for stormwater pollution, through information and education, that they change improper behaviors." All WMG jurisdictional entities undertake a range of public education and outreach activities as delineated in the WMG jurisdictional entity MCM census.

a. Estimated measurement of behavior change.

There is a significant body of research including multi-decade meta-analyses of behavioral studies assessing the likelihood of an individual adopting pro-environmental behaviors based on different forms of outreach, education, and awareness. Meta-analyses are methods of research that combine results from a range of similar studies to identify patterns in the research. By aggregating an entire body of research, more robust findings and understanding can be asserted. These studies are peer reviewed and subsequent meta-analyses are compared horizontally to demonstrate relatively consistent reporting of results.

The end goal of each study in the meta-analysis was to measure the rate of behavior change caused by public education and outreach efforts. Conversely, the end result of the *meta-analysis* was to identify the extent to which different behavioral constructs contributed to that end behavior change. For example, if a similar amount of funds was spent to reach a similar population of people to change a similar behavior, but the results differed, the meta-analysis sought to identify what caused that difference. The difference might be that one outreach effort used pictures of children to guilt parents into adopting pro-environmental behavior while another outreach effort tried to make residents aware of the problem and the consequences of their behaviors on the environment. These differences were categorized into behavioral constructs and the relationships between the various constructs, ultimately culminating in behavior change, were measured.

The results of this research are summarized in Table 3.1, below, which shows relationships between various behavioral constructs (e.g., intention, moral norms, etc.) and their impact on behavior change.

The results are displayed in a matrix such that the relationship between any two behavioral constructs can be identified.

The numbers in the first column correlate to the numbers across the top of the table. Hence, reading across row "Behavior," we can see that [intention] to undertake a behavior explains 52% of the variance in actual behaviors taken. Similarly, adoption of a [moral norm] explains 15% of the variance in actual behaviors taken and so on until [problem awareness] (e.g., education) which explains 18% of the observed behavior change. Explanations of each behavioral construct follow.

Table 3.1

Standardized total effects of modes of outreach on end states.									
Behavioral Construct	Behavior Change	Intention	Moral Norm	Attitude	PBC	Guilt	Social Norm	Attribution	Problem Awareness
Behavior Change	—	.52	.15	.15	.16	.11	.13	.10	.18
Intention		—	.29	.29	.31	.21	.26	.18	.35
Moral norm			—	—	—	.25	.26	.29	.65
Attitude				—	—	.27	.36	.25	.34
PBC					—	.19	.25	.08	.19
Guilt						—	.32	.22	.63
Social norm							—	.23	.40
Attribution								—	.43
Problem awareness									—

The behavioral constructs used and compared have the following definitions:

- **Behavior Change.** The actual adoption of the intended pro-environmental behavior.
- **Intention.** The intention to adopt a pro-environmental behavior.
- **Moral norm.** The belief that oneself has a moral obligation to adopt a pro-environmental behavior.
- **Attitude.** A positive attitude or disposition towards a pro-environmental behavior.
- **PBC.** Stands for "Perceived Behavioral Control." The belief that adopting a pro-environmental behavior is within your power and you have the tools to do so.
- **Guilt.** The feeling that one ought to adopt a pro-environmental behavior and failure to do so includes negative emotions.
- **Social norm.** The belief that everyone else has adopted a pro-environmental behavior and that to not adopt the same would set you apart.
- **Problem awareness.** Awareness that a behavior is a problem and understanding of the consequences of that problem.

A number of additional considerations should be noted in interpreting the model. Each set of considerations is discussed in turn.

i. Assumptions of the model.

The literature aggregates studies together to calculate a single total effects value. The total effects represent the sum of the direct and mediated indirect effects through which a predictor influences a dependent variable. That is, before a behavior can ever be changed, the resident must have an intention to change their behavior (see Figure 1). A public education or outreach effort using problem awareness in the abstract has an 18% effective rate of behavior change and a 35% effective rate of changing the intention of the resident. The impact of problem awareness on intention is included in the impact of problem awareness on behavior change. Problem awareness' impact on behavior change is a mediated indirect effect that must go through intention to reach behavior change.

A second assumption of the model is that the correlations observed between outreach efforts and behavior change will continue. The results of table 3.1 serve as a proxy for the effectiveness of a given public education or outreach effort. It is important to note that in the underlying model the values are only correlative and not necessarily causative. While we cannot be sure that increasing population awareness of an issue will *necessarily* cause an 18% change in population behavior, we can expect an 18% change in population behavior to correlate with an increase in awareness.

ii. Limitations of the model.

The aggregation of studies into a single meta-analysis results in an equivalence being made between different modes and scales of outreach. The result of a small, one-on-one outreach effort is aggregated along with the result of a countywide advertising campaign outreach effort. This aggregation provides a more accurate estimation of the average outreach effectiveness across the WMG. Because each WMG jurisdictional entity takes a range of outreach efforts across a range of methods (e.g., industry focused, one-on-one, mass media, etc.), an aggregated estimate is the most appropriate estimate.

This aggregation has a final benefit in accounting for MCM overlap. Research indicates that the effectiveness of a given MCM action is dependent on other MCM actions. For example, an MCM action to change a given behavior is more effective if the population has a higher base level of awareness of the issue. A prior MCM focused on public education would improve the effectiveness of a later MCM focused on behavior change. Because each of these MCMs may have occurred through a different method of outreach (e.g., industry focused, one-on-one, mass media, etc.), it is impossible to disambiguate the past outreach efforts from the results of the current outreach effort. Similarly, WMG jurisdictional entities also overlap. It is impossible to properly evaluate the efforts of City of Los Angeles without also considering the efforts of County of Los Angeles because their efforts target the same population. Aggregating all outreach at the population level obviates the need for these distinctions.

iii. Using the model to estimate compound or complex outreach efforts.

In estimating the impact of outreach programs with multiple components, the estimate effectiveness will fall between the baseline effectiveness (in all cases this is education) and the composite of the two

modes. For example, an outreach effort that attempts to educate residents and promote the behavior as a social norm, such as LA County's solar map which shows how many residents have adopted solar solutions, would have an effectiveness somewhere between 18% and 29% ($1 - (.82 \times .85) = .286$). This assumption rests on the premise that both modes of outreach are fully executed. That is, the outreach effort achieves the standard level of education and the standard level of promoting a social norm.

The relationships between potential outreach states are shown in Figure 1, below. All outreach conscribes to one or more of the states below as its primary objective. For example, the majority of outreach aims to educate the public (problem awareness) and then encourage one or more additional states (e.g. internal attribution / "Only you can prevent forest fires"; feelings of guilt / "Get involved now. Pollution hurts all of us."; etc.). The end goal of all public education and outreach is to the change behavior. Consequently, it is important to identify the strategy of the public education or outreach effort to properly estimate its likelihood of changing the end behavior.




Figure 1. Results of Meta Analytic Structural Equation Modeling. PBC = perceived behavioral control. Single headed arrows = standardized path coefficients. Double headed arrows = correlations. R² = explained variance.

The modes of public education and outreach identified for WMG jurisdictional entities in the review of literature are included in Table 3.2, below.

Table3.2

Estimated public education or outreach effectiveness by mode.		
Outreach mode	Calculation	Standardized total effect
Education	$1 - (1 - .18)$	.18
Education and Guilt	$1 - ((1 - .18) \times (1 - .11))$	.18 to .27
Education and Social Norm	$1 - ((1 - .18) \times (1 - .13))$	.18 to .29
Education and Attitude	$1 - ((1 - .18) \times (1 - .15))$	.18 to .30

Estimated public education or outreach effectiveness by mode.		
Outreach mode	Calculation	Standardized total effect
Education and PBC	$1 - ((1 - .18) \times (1 - .16))$	.18 to .31
Education and Intention	$1 - ((1 - .18) \times (1 - .52))$	.18 to .82

In determining where in the provided range a particular outreach effort will align, consideration should be given to the effectiveness of similarly situated efforts on the same target population and the quality and focus of the work plan. A campaign targeted at educating the public and making them feel guilt has less complexity than a campaign targeted at educating the public and persuading them to act (i.e., intention) through an oil filter exchange. The later requires more one-on-one interaction, more resources, and more logistical planning. It should also be noted that achieving the higher standardized total effects becomes increasingly challenging. Although it is possible for an effectively run problem awareness and intention campaign to result in a substantial rate of behavior change (e.g., a hypothetical program that paid \$100 for every gallon of used oil recycled would likely approach 100% behavior change), observed standardized total effects tend toward the lower end of the spectrum.

A final consideration in determining where in the provided range a particular outreach effort will align is existing characteristics of the target population. As discussed, research has shown the public education and outreach efforts are often intertwined such that earlier outreach efforts improve the likelihood of subsequent efforts. For example, there is a critical mass phenomenon where people are more likely to adopt behavior changes when the pre-campaign adoption rate reaches roughly 20% of the general population. Efforts at behavior change with lower overall awareness levels will be less successful. These characteristics can be derived from baseline surveys that often precede any outreach effort so that end-of-campaign surveys can accurately reflect the net change achieved.

b. Identification of polluting behavior and pollutant.

Public education and outreach efforts require a specific behavior to be identified with the goal of changing that behavior. Different behaviors are associated with different pollutants and many behaviors might be associated with more than one pollutant. For example, improper or over fertilization introduces both unnecessary nutrients to the water supply and toxins. Overwatering causes excess sediment, nutrients, metals, trash, and toxins to all flow into the stormwater system, albeit with each pollutant being a smaller overall load than the pollutants from improper fertilization. To that end, it is important to identify the behavior and pollutant profile before estimating the potential pollutant load reduced by successful public education or outreach efforts.

The Center for Watershed Protection (CWP) lists the most common residential and public behaviors that contribute pollutants to watersheds. This list includes the relative proportion of pollutants that are introduced to the watershed by each of these behaviors as estimated by the CWP. This list has been supplemented by activities expressly targeted by WMG jurisdictional entities in existing public education and outreach programs as identified during the census of existing MCM programs. The estimated levels of pollution linked to each behavior were extrapolated from nearest equivalent as established by the CWP.

By identifying the residential polluting behavior a public education or outreach effort will target, an estimation of the total pollutant load of that behavior can be derived.

Table 3.3

Comparison of pollutant contribution from various residential behaviors.							
Residential Polluting Behavior	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Improper fertilization	X	●	X	X	X	○	
Excess pesticide use	X	X	X	X	X	●	
Over-watering	○	⊙	○	X	○	⊙	
Extensive turf cover	○	⊙	X	X	X	⊙	
Tree clearing	⊙	⊙	X	X	X	X	
Yard waste dumping	⊙	●	X	○	○	X	
Soil compaction	⊙	⊙	○	○	X	X	
Soil erosion	●	⊙	○	○	X	X	
Failing septic systems	○	●	X	●	X	○	
Pool discharges	X	X	X	X	X	●	
Car wash water flows	⊙	●	⊙	X	X	⊙	Oil
Hosing/Leaf-blowing	●	⊙	⊙	X	⊙	○	Oil
HHW dumping	X	○	●	X	X	●	Oil
Car fluid spills/dumping	X	X	⊙	X	X	●	Oil
Used oil spills/dumping	X	X	⊙	X	X	●	Oil
Connected downspouts	⊙	●	●	⊙	X	○	Oil
Added IC and bare soil	●	○	⊙	X	⊙	○	Oil
Pet waste wash off	X	●	X	●	X	X	
Poor STP maintenance	●	●	●	⊙	●	○	Oil
Buffer encroachment	○	○	○	○	○	X	
Storm drain dumping	⊙	○	⊙	⊙	●	●	Oil
Hobby farm run off	⊙	●	○	⊙	○	X	
Horse / stable run off	X	●	X	●	X	X	
Recreation vehicle waste	X	●	X	●	●	⊙	Oil
Illegal dumping	○	○	○	X	●	●	Oil
Prescription drugs drain	X	X	X	⊙	X	●	

Comparison of pollutant contribution from various residential behaviors.							
Residential Polluting Behavior	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Recreational boat waste	⊙	X	X	⊙	X	⊙	Oil
Failure to recycle	X	X	●	X	●	X	
○ = minor pollutant contribution ● = major pollutant contribution ⊙ = moderate pollutant contribution X = not a pollutant source							

c. Cost of public education and outreach efforts.

The final element in estimating the pollutant load reduction from public education and outreach efforts is to identify the average cost and the population reached by each mode of outreach. The Center for Watershed Protection provides general guidance on the issue as shown in table 3.4, below.

In interpreting the table, the following definitions are used:

- **Hit rate.** How effective the strategy is in reaching the target audience.
- **Adoption rate.** The proportion of the target audience will adopt the practice after learning about it.
- **Startup cost.** The cost to initially implement the strategy including outreach.
- **Ongoing cost.** The cost to maintain the strategy over several years.
- **Expertise.** The specialized knowledge or training needed to implement the strategy.

Table 3.4

Comparing different public education and outreach methodology costs and effectiveness.					
Public education or outreach methodology	Comparative Factors				
	Hit rate	Adoption rate	Startup cost	Ongoing cost	Expertise
Passive education	●	○	\$\$	\$\$	○
Active education	○	●	\$	\$\$	●
Direct municipal service	●	⊙	\$\$\$	\$\$\$	○
Subsidies and discounts	⊙	⊙	\$\$	\$\$\$	○
Recognition programs	○	●	\$	\$	⊙
Stewardship groups	○	●	\$\$	\$\$	⊙
Local ordinances	○	⊙	\$\$	\$	⊙
Notifications/Signs	⊙	○	\$\$	\$	○
Restrictions/Bans	●	●	\$	\$	⊙
Enforcement	○	●	\$	\$	⊙
Utility pricing	⊙	⊙	\$\$	\$	⊙
○ / \$: low; ⊙ / \$\$: medium; ● / \$\$\$: high					

The hit rates reported generally agree with the hit rates SGA has experienced during past outreach. Similarly, the adoption rates generally agree with the estimated rates of behavior change calculated in section 3, part A, above. Those are, low rates of adoption for passive education and higher rates of adoption as more complex, and often more expensive, modes are introduced. In estimating hit rates, a low hit rate for a typical outreach effort will reach 1000 people, a medium hit rate will reach approximately 10,000, and a high hit rate will reach approximately 50,000.

The CWP also provides the following select price estimates:

Table 3.5

Unit cost for public education and outreach techniques.		
Technique	Unit	Estimated Cost
Overall residential outreach	Per 1000 capita	\$140 – \$1111
Outreach materials (magnets, stickers, etc)	Per 1000 capita	\$170 – \$3500
Advertising (billboards, movie theatre, ads)	Per month	\$150 – \$1850
Surveying	Per 1000 capita	\$15,000
Municipal services (municipal composting, etc)	Per household	\$1.85 – \$2.40
Residential services (curbside pickup)	Per household	\$11 – \$29
Staffing (200 – 800 hours)	Per program	\$10,000 – \$100,000

The costs reported generally agree with the costs experienced by SGA during past outreach. The Southern California area tends towards the higher end of the spectrum in most categories and it should be noted that costs vary considerably across jurisdictions. The competition for billboards in the City of Los Angeles differs from county-wide Los Angeles which differs from penumbral cities. Although every outreach program is different, were average costs to be associated with each category, values of \$25,000, \$50,000, and \$100,000 corresponding with the Low, Medium, and High values in table 3.4 would be reasonable. Concurrently, the number of targets reached would place public education and outreach costs between \$10 and \$100 per outreach effort. The higher values are generally associated with smaller projects wherein administrative and staff time account for a greater percentage of the budget.

4. Public Participation and Involvement.

Public participation and involvement is a required MCM under NPDES permits. The goal of public participation and involvement is not to change behaviors, but to increase public awareness and support for overall watershed maintenance activities. All WMG jurisdictional entities undertake a range of public participation and involvement activities as delineated in WMG jurisdictional entity MCM census.

The stated goals are to achieve broad public support through participation in the decision making process, shorter implementation schedules due to fewer obstacles in the form of public and legal

challenges, a broader base of expertise from free intellectual resources, and to act as a conduit between other governmental programs.

Public participation and involvement best management practices (BMPs) do not focus on changing behaviors in favor of pro-environmental behaviors. Instead, actions like public meetings, resident panels, volunteer events, storm drain stenciling, community cleanups, and resident watch groups are the core focus of this MCM. Although some of these activities could theoretically lead to a reduction in pollutant load, they are not significant contributors nor is pollutant load reduction the core goal. Consequently, the public participation and involvement MCM is best viewed through the lens of the public education and outreach MCM which it supports.

Figure 2, below, shows the public education and outreach states, highlighted in bold, that are targeted by investment in the public participation and involvement MCM. Any level of public involvement increases awareness of the fundamental issues. As discussed in section 3.C, above, a general increase in the population wide level of awareness improves the results of all subsequent outreach activities in effectuating behavior changes. The entrenchment of a moral or social norm similarly increases the rate of adoption of pro-environmental changes as does a positive attitude or perception that a behavior is within one's control.




Figure 2. Bolded outreach states are the core emphasis of the Public Participation and Involvement MCM which provide support and foundation for more effective Public Education and Outreach.

Public participation and involvement BMPs predominantly include municipal support of volunteer activities process changes of mandatory municipal hearings to ensure the public voice can be heard. As a result, public participation and involvement BMPs are extremely price efficient despite not resulting in substantial behavior change on their own. Moreover, public participation and involvement increases the general level of commitment to watershed activities. This commitment translates into support during elections and pressure on politicians to continue funding the MCMs that do translate into substantive behavior changes and reductions in the total pollutant load.

5. Pollution Prevention and Good Housekeeping.

Pollution prevention and good housekeeping is a required MCM under NPDES permits to help ensure a reduction in the amount and type of pollution that (1) collects on streets, parking lots, open spaces, and storage and vehicle maintenance areas and is discharged into local waterways; and (2) results from action such as environmentally damaging land development and flood management practices or poor maintenance of storm sewer systems. The primary target of this MCM is local municipalities, although some municipal actions may increase requirements of private entities within the jurisdiction.

All WMG jurisdictional entities undertake a range of pollution prevention and good housekeeping activities as delineated in WMG jurisdictional entity MCM census.

a. Estimated measurement of behavior change.

Pollution prevention and good housekeeping is a unique MCM in terms of estimation of behavior change because the majority of actors are municipal employees or tenants on municipal property. The rate of behavior could be set as high as 100% if sufficient resources were allocated to municipal enforcement. In reality, a 100% compliance rate is unlikely as individual actors will always have incentive to avoid compliance and even good intentioned actors will occasionally have accidents.

A reasonable estimation of behavior change is 80%, allowing for some accidents, some holdouts, and the natural variation between different pollution prevention and good housekeeping efforts. This value is substantially higher than the highest average rate of behavior change for public education and outreach.

b. Identification of polluting behavior and pollutant.

Similar to public education and outreach efforts, pollution prevention and good housekeeping activities must initially be linked to a behavior and a set of pollutants following from said behavior. The Center for Watershed Protection lists the most common municipal and good housekeeping behaviors and the pollutants associated with them as shown on table 5.1, below.

Table 5.1

Pollution generating activity	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Hotspot Facility Management							
Vehicle repair	○	○	●	X	X	●	
Vehicle fueling	X	○	●	X	X	●	
Vehicle washing	●	●	⊙	X	X	●	
Vehicle storage	○	X	⊙	X	⊙	○	
Outdoor loading	●	⊙	⊙	X	X	○	
Outdoor storage	●	⊙	⊙	X	X	⊙	

Pollution generating activity	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Waste management	○	⊙	⊙	X	⊙	●	
Building repair	●	○	⊙	X	X	⊙	
Building maintenance	●	X	●	X	X	⊙	
Parking lot maintenance	●	○	⊙	X	X	⊙	
Turf management	⊙	●	X	X	X	●	Pesticide
Landscaping	○	●	X	X	X	●	Pesticide
Swimming pool discharge	X	X	X	X	X	X	Chlorine
Construction Project Management							
Construction	●	○	○	X	⊙	⊙	
Street Repair and Maintenance							
Street maintenance	⊙	X	⊙	X	⊙	⊙	
Bridge maintenance	○	X	⊙	X	⊙	⊙	
Right-of-way maintenance	⊙	●	X	X	X	●	Pesticide
Street Sweeping							
Street sweeping	●	○	⊙	X	⊙	○	
Storm Drain Maintenance							
Maintenance of inlet/outlet system	⊙	○	○	X	⊙	○	
Maintenance of storm drain system	⊙	○	○	X	⊙	○	
Stormwater Hotline Response							
Control spills	X	○	X	X	X	●	
Control illicit discharge	⊙	○	○	●	X	●	
Control illegal dumping	○	○	○	X	●	●	
Park and Landscape Maintenance							
Turf management	⊙	●	X	X	X	●	Pesticide
Landscaping	○	●	X	X	X	●	Pesticide
Landscape waste management	○	○	X	X	X	X	
Residential Stewardship							
Storm drain stenciling	X	X	○	●	⊙	⊙	
Waste collection and recycling	X	X	⊙	⊙	●	⊙	
Hazardous waste collect	X	○	⊙	○	●	●	

Pollution generating activity	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Leaf and landscape collect	○	X	X	X	X	X	
Stormwater Management Practice Maintenance							
Stormwater management practice maintenance	⊙	⊙	⊙	○	X	○	Bacteria
Employee Training							
Employee training	●	●	●	●	●	●	Chloride
○ = minor pollutant contribution ● = major pollutant contribution ⊙ = moderate pollutant contribution X = not a pollutant source							

c. Cost of pollution prevention and good housekeeping efforts.

The final element in estimating the pollutant load reduction from pollution prevention and good housekeeping efforts is to identify the average cost and the population reached by each mode of outreach. The Center for Watershed Protection provides general guidance on the issue as shown in table 5.2, below.

In interpreting the table, the following definitions are used:

- **Hit rate.** How effective the strategy is in reaching the target audience.
- **Adoption rate.** The proportion of the target audience will adopt the practice after learning about it.
- **Startup cost.** The cost to initially implement the strategy including outreach.
- **Ongoing cost.** The cost to maintain the strategy over several years.
- **Expertise.** The specialized knowledge or training needed to implement the strategy.

Table 5.2

Comparing different pollution prevention methodology costs and effectiveness.					
Public education or outreach methodology	Comparative Factors				
	Hit rate	Adoption rate	Startup cost	Ongoing cost	Expertise
Industrial NPDES permit	○	⊙	\$	\$	○
ID and refer non-filers	○	⊙	\$\$	\$	⊙
Local hotspot regulation	⊙	⊙	\$\$	\$\$	⊙
Inspections	⊙	●	\$\$	\$\$\$	●
Certification programs	⊙	●	\$\$\$	\$\$\$	●
Hotspot enforcement	●	●	\$	\$\$	⊙
Passive bus. outreach	⊙	○	\$\$	\$\$	⊙
On-site tech assistance	○	●	\$\$	\$\$\$	●
Training	○	●	\$\$\$	\$\$\$	●

Comparing different pollution prevention methodology costs and effectiveness.					
Public education or outreach methodology	Comparative Factors				
	Hit rate	Adoption rate	Startup cost	Ongoing cost	Expertise
Subsidies and discounts	○	⊙	\$\$	\$\$\$	⊙
Business recognition	○	⊙	\$	\$	⊙
○ / \$: low; ⊙ / \$\$: medium; ● / \$\$\$: high					

The price estimates for pollution prevention and good housekeeping efforts are substantially lower than those of public education and outreach because the city has the capacity to mandate these reductions. Not surprisingly, the majority of low-hanging fruit for such efforts are already required by law. Environmentally preferred purchasing plan (EPPP) policies are required for any municipalities receiving a CalRecycle grant. Municipalities are required to use green fertilizers, educate staff about recycling policies, and so on.

In deciding to pursue a supplemental pollution prevention and good housekeeping effort, the following costs can be assumed:

Table 5.3

Estimation of staff hours required to implement pollution prevention or good housekeeping effort.	
Process	Staff Hours
Identify existing municipal operations	4 – 8
Collect information about each operation	20 – 40
Complete municipal operation analysis (MOA)	80 – 120
Focus pollution prevention and good housekeeping efforts	4 – 8
TOTAL PRELIMINARY BMP STUDY TIME	108 – 176
Conduct target BMPs (sample BMPs from the CWP to reference against)—Select One	120 – 240
■ Hotspot facility management	120 –240
■ Construction project management	80 – 160
■ Street repair and maintenance	60 – 120
■ Street sweeping	80 – 200
■ Storm drain maintenance	80 – 200
■ Stormwater hotline response	80 – 160
■ Park and landscape maintenance	120 –240
■ Residential stewardship	80 –200
■ Stormwater management practice maintenance	120 –240
■ Employee training	80 – 160
TOTAL PROGRAM TIME	Per program

Estimation of staff hours required to implement pollution prevention or good housekeeping effort.	
Process	Staff Hours
Evaluate progress	20 – 40
TOTAL BMP IMPLEMENTATION TIME (does not include time of staff to abide and follow BMP).	128 – 206 + program time

By estimating the cost of staffing between \$50 and \$100 per hour with all associated overhead, the development of a pollution prevention or good housekeeping effort costs between \$6000 – \$20,000 to develop. Implementation and ongoing enforcement costs an additional \$3000 –\$24,000 each year in addition to any material costs included in the program.

6. Estimating behavioral impact on pollutant category.

The literature on estimating the impact of behaviors on pollutant loads consistently uses results localized to the outreach effort as measures of impact. That is, a study on the cessation of illegal dumping will report the specific impact of the outreach effort as "collecting 8000 tires" or "closing 78 illegal dumping sites." The reason for this localized impact measurement is the difficulty in establishing a normalized measurement that works for all populations in all regions under all conditions. Public education and outreach is an MCM that is, by its nature, tailored for the target population, and therefore the results of any outreach effort are similarly tailored to that population. Achieving an impact of "closing 78 illegal dumping sites" might have been a monumental success in one jurisdiction while a few towns over it represent a nominal reduction in the overall number of illegal dumping sites. The behaviors of populations do not filter through tributaries and smooth into measureable pollutant levels regardless of the fact that the impact from the behaviors of residents does precisely that.

Despite the unique nature of each public education and outreach effort, each municipality's good housekeeping and pollution prevention abilities, and the responsiveness of each population to public outreach and participation, the underlying behaviors that are addressed by each MCM share certain characteristics. Reasonable assumptions can be made about those behaviors that allows for estimations of the impact of cessation of that behavior. For example, if a resident who dumps used motor oil into a stormwater drain system instead begins to recycle that oil, the impact of *that resident's* improper dumping is almost entirely negated. Comparatively, if a resident who routinely over waters their lawn adopts pro-environmental watering behaviors, a significant, but not complete, portion of *that resident's* overwatering impact will be negated because some level of overwatering is largely unavoidable. These two pollutant behaviors have different behavioral characteristics.

For each behavior we categorize the pollutant activity as *entirely*, *largely*, or *partially* the consequence of the polluting behavior. To return to our previous examples, in the case of used oil dumping into a stormwater system, the introduction of used oil is *entirely* the consequence of the polluting behavior. In the example of overwatering, the runoff of sediment is *partially* the result of the polluting behavior (e.g., watering too often) with the remainder caused by attributes such as soil saturation, angle or grade of the plot, naturally occurring precipitation, and reasonable watering behavior that still contribute to sedimentary runoff. The consequence of *entirely*, *largely*, and *partially* polluting behaviors is set at 100%, 66%, and 33%, respectively.

Pollutant contribution from a behavior is categorized by the literature as high, medium, or low. In assigning a value to those values a reasonable estimate is 90%, 60%, and 30%. These estimates, when taken with the *entirely*, *largely*, and *partially* estimates described below, provide a smooth estimation of overall pollution contribution of various behaviors. However, in interpreting them, all aforementioned caveats should be considered and additional consideration should be given to the unique characteristics of the population, geography, and prior outreach of the jurisdiction.

The pollutant contribution and polluting behavior percentages when taken together provide the following matrix of impacts:

Table 6.1

Matrix of polluting behavior and pollutant contribution impacts.				
Pollutant contribution type	Polluting behavior type			
		Entirely (100%)	Largely (66%)	Partially (33%)
	High (90%)	90.0%	59.4%	29.7%
	Medium (60%)	60.0%	39.6%	19.8%
	Low (30%)	30.0%	19.8%	9.9%

These assumptions provide a nominalized profile of a type of behavior in the abstract. Although specific behaviors can be reasonably categorized under these nominalized profiles, the unique challenges facing each population and each geographic jurisdiction introduce sufficient variation that specific results of a targeted MCM effort will be largely predicted by the intangible traits at the local level. The following behavior profiles and the categorization of specific pollutant behaviors beneath them are initial placements of prototypical behaviors and are not necessarily indicative of all, or even all within a predefined jurisdiction, behaviors.

Behaviors in each of the three categories (e.g., *entirely*, *largely*, and *partially*) are discussed and examined in turn.

a. Pollutants entirely the consequence of behavior.

Behaviors where the pollutant consequence of that behavior are *entirely* the result of the behavior tend to be binary. Behaviors like dumping used oil into the stormwater system or not doing so are entirely the result of the behavior. One-hundred percent of the impact of the pollutant can be attributed to the behavior.

The following table summarizes behaviors wherein the pollutant consequence of that behavior are *entirely* the result of the behavior. Table 6.2 incorporates the pollutant percentages from Table 6.1 along with the high, medium, and low pollutant impact classifications for various pollutant behaviors from Table 3.3, 3.4, and 5.1.

Table 6.2

List of pollutant behaviors entirely the consequence of behavior.							
Polluting Behavior	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Tree clearing	60.0%	60.0%	X	X	X	X	
Yard waste dumping	60.0%	90.0%	X	30.0%	30.0%	X	
Failing septic systems	30.0%	90.0%	X	90.0%	X	30.0%	
Pool discharges	X	X	X	X	X	90.0%	
HHW dumping	X	30.0%	90.0%	X	X	90.0%	Oil
Car fluid spills/dumping	X	X	60.0%	X	X	90.0%	Oil
Used oil spills/dumping	X	X	60.0%	X	X	90.0%	Oil
Connected downspouts	60.0%	90.0%	90.0%	60.0%	X	30.0%	Oil
Poor STP maintenance	90.0%	90.0%	90.0%	60.0%	90.0%	30.0%	Oil
Storm drain dumping	60.0%	30.0%	60.0%	60.0%	90.0%	90.0%	Oil
Recreation vehicle waste	X	90.0%	X	90.0%	90.0%	60.0%	Oil
Illegal dumping	30.0%	30.0%	30.0%	X	90.0%	90.0%	Oil
Prescription drugs drain	X	X	X	60.0%	X	90.0%	
Recreational boat waste	60.0%	X	X	60.0%	X	60.0%	Oil
Failure to recycle	X	X	90.0%	X	90.0%	X	
Landscape waste management	30.0%	30.0%	X	X	X	X	
Storm drain stenciling	X	X	30.0%	90.0%	60.0%	60.0%	
Waste collection and recycling	X	X	60.0%	60.0%	90.0%	60.0%	
Hazardous waste collect	X	30.0%	60.0%	30.0%	90.0%	90.0%	
Employee training	90.0%	90.0%	90.0%	90.0%	90.0%	90.0%	Chloride
X. Behavior does not contribute to this pollutant type.							

b. Pollutants largely the consequence of behavior.

Behaviors where the pollutant consequence of that behavior are *largely* the result of the behavior are actions where the pollutant can be reduced by taking some positive step. For example, improper fertilization can be reduced by learning about proper fertilization techniques, fertilizing at the right time of the year, and using the correct amount of fertilizer. Unlike with pollutants *entirely* the consequence of the behavior, the action is still undertaken, just undertaken properly.

Behaviors where the consequence is *largely* the result of the behavior include many pollution prevention and good housekeeping efforts taken by municipalities. Approximately 66% of the impact of the pollutant can be attributed to the behavior.

The following table summarizes behaviors where the pollutant consequence of that behavior are *largely* the result of the behavior. Table 6.3 incorporates the pollutant percentages from Table 6.1 along with the high, medium, and low pollutant impact classifications for various pollutant behaviors from Table 3.3, 3.4, and 5.1.

Table 6.3

List of pollutant behaviors largely the consequence of behavior.							
Polluting Behavior	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Improper fertilization	X	59.4%	X	X	X	19.8%	
Excess pesticide use	X	X	X	X	X	59.4%	
Added IC and bare soil	59.4%	19.8%	39.6%	X	39.6%	19.8%	Oil
Car wash water flows	39.6%	59.4%	39.6%	X	X	39.6%	Oil
Pet waste wash off	X	59.4%	X	59.4%	X	X	
Hobby farm run off	39.6%	59.4%	19.8%	39.6%	19.8%	X	
Horse / stable run off	X	59.4%	X	59.4%	X	X	
Vehicle repair	19.8%	19.8%	59.4%	X	X	59.4%	
Vehicle fueling	X	19.8%	59.4%	X	X	59.4%	
Vehicle washing	59.4%	59.4%	39.6%	X	X	59.4%	
Vehicle storage	19.8%	X	39.6%	X	39.6%	19.8%	
Outdoor loading	59.4%	39.6%	39.6%	X	X	19.8%	
Outdoor storage	59.4%	39.6%	39.6%	X	X	39.6%	
Waste management	19.8%	39.6%	39.6%	X	39.6%	59.4%	
Building repair	59.4%	19.8%	39.6%	X	X	39.6%	
Construction	59.4%	19.8%	19.8%	X	39.6%	39.6%	
Street sweeping	59.4%	19.8%	39.6%	X	39.6%	19.8%	
Stormwater management practice maintenance	39.6%	39.6%	39.6%	19.8%	X	19.8%	Bacteria
Leaf and landscape collect	19.8%	X	X	X	X	X	
X. Behavior does not contribute to this pollutant type.							

c. Pollutants partially the consequence of behavior.

Behaviors where the pollutant consequence of that behavior are *partially* the result of the behavior are actions that will still be taken to their full extent, just with some mitigation due to improved performance. For example, if a homeowner adopts pro-environmental behaviors with regards to overwatering, watering will still occur along with uncontrollable watering such as natural precipitation. Behaviors where the pollutant consequence of that behavior are *partially* the result of the behavior are distinct from those of "*largely* the consequence" by control of the pollutant itself. For example, the good housekeeping practice of proper municipal vehicle repair allows the municipality to *largely* control the pollutant because they control the pollutant source. Conversely, the good housekeeping practice of proper municipal parking lot maintenance only *partially* allows the municipality to control the pollutant because the pollutant source (vehicles, traffic, stormwater) is outside of their control and they only control the medium. Approximately 33% of the impact of the pollutant can be attributed to the behavior.

The following table summarizes behaviors where the pollutant consequence of that behavior are *partially* the result of the behavior. Table 6.4 incorporates the pollutant percentages from Table 6.1 along with the high, medium, and low pollutant impact classifications for various pollutant behaviors from Table 3.3, 3.4, and 5.1.

Table 6.4

List of pollutant behaviors partially the consequence of behavior.							
Polluting Behavior	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Over-watering	9.9%	19.8%	9.9%	X	9.9%	19.8%	
Extensive turf cover	9.9%	19.8%	X	X	X	19.8%	
Soil compaction	19.8%	19.8%	9.9%	9.9%	X	X	
Soil erosion	29.7%	19.8%	9.9%	9.9%	X	X	
Hosing/Leaf-blowing	29.7%	19.8%	19.8%	X	19.8%	9.9%	Oil
Buffer encroachment	9.9%	9.9%	9.9%	9.9%	9.9%	X	
Building maintenance	29.7%	X	29.7%	X	X	19.8%	
Parking lot maintenance	29.7%	9.9%	19.8%	X	X	19.8%	
Turf management	19.8%	29.7%	X	X	X	29.7%	Pesticide
Landscaping	9.9%	29.7%	X	X	X	29.7%	Pesticide
Street maintenance	19.8%	X	19.8%	X	19.8%	19.8%	
Bridge maintenance	9.9%	X	19.8%	X	19.8%	19.8%	
Right-of-way maintenance	19.8%	29.7%	X	X	X	29.7%	Pesticide
Maintenance of inlet/outlet system	19.8%	9.9%	9.9%	X	19.8%	9.9%	
Maintenance of storm drain system	19.8%	9.9%	9.9%	X	19.8%	9.9%	

X. Behavior does not contribute to this pollutant type.

7. Sample of MCM evaluation.

The concepts discussed above allow for an estimation of the cost and reach of a sample MCM effort. For example, a mass media public education (passive education) and outreach campaign aimed at educating the public about the pollutant effects of overwatering and basic lawn care would have an estimated cost of \$50,000 to start and \$50,000 per year. It will reach a significant number of residents (high hit rate) but have a low adoption rate (18%). That is, if the outreach effort reached 1000 residents, 180 of them would adopt pro-environmental behaviors.

The impact of that behavior change on pollutant load varies on the polluting behavior type and the pollutant contribution type as discussed in Table 6.1. The matrix of polluting behavior types and pollutant contribution type are multiplied by the adoption rate to calculate an end matrix of behavior impact as shown in Table 7.1, below.

Table 7.1

End matrix of behavioral impact outputs from Public Education MCM efforts.											
Pollutant contribution type	Polluting behavior type				x.18	Polluting behavior type					
			Entirely (100%)	Largely (66%)		Partially (33%)			Entirely (100%)	Largely (66%)	Partially (33%)
	High (90%)	90.0%	59.4%	29.7%		High (90%)	16.2%	10.7%	5.3%		
	Medium (60%)	60.0%	39.6%	19.8%		Medium (60%)	10.8%	7.1%	3.6%		
	Low (30%)	30.0%	19.8%	9.9%		Low (30%)	5.4%	3.6%	1.8%		

Returning to the sample MCM effort of a mass media public education (passive education) and outreach campaign aimed at educating the public about the pollutant effects of overwatering and basic lawn care, the campaign is primarily aimed at two polluting behaviors of improper fertilization and over-watering.

Table 7.2

Mass media public education campaign around overwatering and lawn maintenance.							
Residential Polluting Behavior	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Improper fertilization	X	●	X	X	X	○	
Over-watering	○	⊙	○	X	○	⊙	

Improper fertilization is a polluting behavior where the impact is *largely* the result of the behavior. Over-watering is a polluting behavior where the impact is *partially* the result of the behavior. As a result, the outreach campaign will have the following end impacts.

Table 7.3

Mass media public education campaign around overwatering and lawn maintenance.							
Residential Polluting Behavior	Storm Water Pollutants						
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins	Other
Improper fertilization	X	10.7%	X	X	X	3.6%	
Over-watering	○	3.6%	1.8%	X	1.8%	3.6%	

In interpreting the end impact, the percentages given are the percent of the pollution corrected for the population outreached. For example, the sample outreach effort would correct an estimated 10.7% of the nutrient pollution caused by improper fertilization for the entire population reached by the outreach effort. That is, of the sample population of 1000 residents reached, 180 adopted pro-environmental behaviors which reduced their personal nutrient pollution from improper fertilization by 59.4%, representing 10.7% of the entire nutrient pollution for the population of 1000 residents.

A final consideration is determining when the impact will be observed. Because the MCMs evaluated in this memorandum contemplate pollutants that are directly the result of human action, the pollutant load reduction will track closely with the cessation of that action, which can have a temporal element. Behavior may not change instantaneously, but may change gradually as messaging is reinforced. While modeling the pollutant load reduction may be approached as instantaneous with the conclusion of the MCM effort, additional field investigations regarding the time required for behaviors to change would be necessary to estimate anticipated trends of pollutant load reductions.

8. CONCLUSIONS

The overall average percent removal for all constituents and all activities varies depending on the social constructs that are implemented through the MCMs, the polluting behavior targeted, the type of pollutant that behavior affects, and the degree of control over which the City has over that behavior (e.g. employee's behavior can be affected more directly than the public's behavior).

Because the lower public education value used does not consider any of the other behavioral constructs that are affected by the outreach campaigns (guilt, social norm, etc.), this overall percent removal may be lower than what will be observed. Given the amount of behavior change that may be achieved with the MCMs that the dischargers are implementing and the degree of effects that this behavior change can have on pollutant discharge as shown in this analysis, it is reasonable to estimate a 5% mass load reduction associated with MCM implementation.

9. ASSUMPTIONS AND LIMITATIONS

The following assumptions and limitations should be taken into account when considering using the values presented.

- The percent removals are not based on specific geographic areas and may not apply equally to all geographic areas. For example, activities with a high degree of City control where they are performed by City employees, these may only apply to areas where City employees act, such as maintenance facilities or public buildings and may represent a fairly small portion of the entire

pollutant load to a watershed of a particular pollutant. This geospatial variance is not taken into consideration in the averaging techniques employed.

- If only pollutant removals for activities with low degrees of City control – i.e. those that require public behavior change were to be included, the overall average percent removals would be lower. This assumes that the activities affective public behavior change do not achieve all the constructs necessary to maximize behavior change (Intention, Moral Norm, Attitude, Perceived Behavioral Control, Guilt, Social Norm, Internal Attribution, Problem Awareness).
- If all the constructs necessary to maximize behavior change were successfully achieved throughout the population of the City, then the percent removals would potentially be higher than the average values presented herein.
- The percent reductions are based on a theoretical assessment of the potential reduction that could occur for a specific pollutant within a limited geography should a behavior actually change with respect to the release of that pollutant. Specific field studies are few that have measured changes in pollutant loads as correlated with behavior change.
- The data is more thorough for the measurement of behavior change through the use of survey instruments and observations of random samples through a population to correlate the constructs with changed behavior. The relationship between the behavior change and a measured concentration of a pollutant in runoff is more tenuous and the authors are relying on theoretical relationships between behavior associated with use of certain materials and pollutant releases during the uses of those materials.

RESOURCES

- Armitage, C. & Conner, M. (2001). *Efficacy of the theory of planned behaviour: A meta-analytic review. British Journal of Social Psychology*. 40, 471–499.
- Assessing municipal stormwater progress towards TMDL wasteload allocations through control measure implementation. *BASMAA technical draft*. September 2010.
- Bamberg, S. and Moser, G. (2007). Twenty years after Hines, Hungerford and Tomera: A new meta-analysis of psycho-social determinants of pro-environmental behaviour. *Journal of Environmental Psychology*, 27, 14–25.
- BMP Fact Sheets. Available at www.stormwatercenter.net. Accessed February 7, 2014.
- Center for Watershed Protection. Municipal Pollution Prevention / Good Housekeeping Practices: Version 1.0. Urban Watershed Restoration Manual Series. September 2008.
- Center for Watershed Protection. Pollution Source Control Practices: Version 1.0. Urban Watershed Restoration Manual Series. September 2005.
- Coffman, L. S. Reducing Nonpoint Pollution with Public Outreach/Education Programs. *Maryland Department of Environmental Resources*.
- Hayden, D. and Deng, F. (2013). The Science of Goal Setting: A Practitioner's Guide to Goal Setting in the Social Marketing of Conservation. *Social Marketing Quarterly*, 2013, 19:13.
- Hines, J. M., Hungerford, H. R., & Tomera, A. N. (1986/87). Analysis and synthesis of research on responsible environmental behaviour: A meta-analysis. *Journal of Environmental Education*, 18, 1–8.
- Nordlund, A. M, & Garvill, J. (2003). Effects of values, problem awareness, and personal norm on willingness to reduce personal car use. *Journal of Environmental Psychology*, 23, 339–347.

- United States Environmental Protection Agency. Pollution Prevention / Good Housekeeping Minimum Control Measure. January 2000. Factsheet 2.8.
- United States Environmental Protection Agency. Public Participation / Involvement Minimum Control Measure. January 2000. Factsheet 2.4.
- Weiner (2000). Intrapersonal and interpersonal theories of motivation from an attributional perspective. *Educational Psychology Review*. 12, 1–14.

Appendix A – List of estimated pollutant behavior impact ranges.

The following table summarizes the potential range of pollutant load reductions from different behaviors across stormwater pollutant types. The ranges are produced by taking the values calculated in Table 6.2 through 6.4 and multiplying them by 0.18 and 0.80. The 0.18 value is the most commonly observed impact of public education and outreach from a pure problem awareness campaign. The 0.80 value is the estimated effectiveness of pollution prevention and good housekeeping efforts mandated by municipalities.

When evaluating where a particular MCM effort will fall in the range, the following guidance is provided:

- For public education and outreach efforts, a safety factor is to rely on the 0.18 value (the lowest end of the range). A pattern of success, a chain of education efforts that build on each other, or a particularly large investment all justify moving higher in the range.
- For public participation and involvement, these MCMs typically do not seek to affect behavior change but rather lay the foundation to support public education and outreach efforts. To the extent that a public participation and involvement campaign does seek to affect behavior change, the same guidance for public education and outreach efforts applies.
- For pollution prevention and good housekeeping, the highest value should be used which reflects an 80% success rate in adopting and enforcing the new policy. A pattern of failure or lack of enforcement resources justifies moving lower in the range.

List of estimated pollutant behavior impact ranges.						
Polluting Behavior	Storm Water Pollutants					
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins
Tree clearing	10.8% – 48.0%	10.8% – 48.0%	X	X	X	X
Yard waste dumping	10.8% – 48.0%	16.2% – 72.0%	X	5.4% – 24.0%	5.4% – 24.0%	X
Failing septic systems	5.4% – 24.0%	16.2% – 72.0%	X	16.2% – 72.0%	X	5.4% – 24.0%
Pool discharges	X	X	X	X	X	16.2% – 72.0%
HHW dumping	X	5.4% – 24.0%	16.2% – 72.0%	X	X	16.2% – 72.0%
Car fluid spills/dumping	X	X	10.8% – 48.0%	X	X	16.2% – 72.0%
Used oil spills/dumping	X	X	10.8% – 48.0%	X	X	16.2% – 72.0%
Connected downspouts	10.8% – 48.0%	16.2% – 72.0%	16.2% – 72.0%	10.8% – 48.0%	X	5.4% – 24.0%
Poor STP maintenance	16.2% – 72.0%	16.2% – 72.0%	16.2% – 72.0%	10.8% – 48.0%	16.2% – 72.0%	5.4% – 24.0%
Storm drain dumping	10.8% – 48.0%	5.4% – 24.0%	10.8% – 48.0%	10.8% – 48.0%	16.2% – 72.0%	16.2% – 72.0%
Recreation vehicle waste	X	16.2% – 72.0%	X	16.2% – 72.0%	16.2% – 72.0%	10.8% – 48.0%
Illegal dumping	5.4% – 24.0%	5.4% – 24.0%	5.4% – 24.0%	X	16.2% – 72.0%	16.2% – 72.0%
Prescription drugs drain	X	X	X	10.8% – 48.0%	X	16.2% – 72.0%
Recreational boat waste	10.8% – 48.0%	X	X	10.8% – 48.0%	X	10.8% – 48.0%
Failure to recycle	X	X	16.2% – 72.0%	X	16.2% – 72.0%	X

List of estimated pollutant behavior impact ranges.						
Polluting Behavior	Storm Water Pollutants					
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins
Landscape waste management	5.4% – 24.0%	5.4% – 24.0%	X	X	X	X
Storm drain stenciling	X	X	5.4% – 24.0%	16.2% – 72.0%	10.8% – 48.0%	10.8% – 48.0%
Waste collection and recycling	X	X	10.8% – 48.0%	10.8% – 48.0%	16.2% – 72.0%	10.8% – 48.0%
Hazardous waste collect	X	5.4% – 24.0%	10.8% – 48.0%	5.4% – 24.0%	16.2% – 72.0%	16.2% – 72.0%
Employee training	16.2% – 72.0%	16.2% – 72.0%	16.2% – 72.0%	16.2% – 72.0%	16.2% – 72.0%	16.2% – 72.0%
Improper fertilization	X	10.7% – 47.5%	X	X	X	3.6% – 15.8%
Excess pesticide use	X	X	X	X	X	10.7% – 47.5%
Added IC and bare soil	10.7% – 47.5%	3.6% – 15.8%	7.1% – 31.7%	X	7.1% – 31.7%	3.6% – 15.8%
Car wash water flows	7.1% – 31.7%	10.7% – 47.5%	7.1% – 31.7%	X	X	7.1% – 31.7%
Pet waste wash off	X	10.7% – 47.5%	X	10.7% – 47.5%	X	X
Hobby farm run off	7.1% – 31.7%	10.7% – 47.5%	3.6% – 15.8%	7.1% – 31.7%	3.6% – 15.8%	X
Horse / stable run off	X	10.7% – 47.5%	X	10.7% – 47.5%	X	X
Vehicle repair	3.6% – 15.8%	3.6% – 15.8%	10.7% – 47.5%	X	X	10.7% – 47.5%
Vehicle fueling	X	3.6% – 15.8%	10.7% – 47.5%	X	X	10.7% – 47.5%
Vehicle washing	10.7% – 47.5%	10.7% – 47.5%	7.1% – 31.7%	X	X	10.7% – 47.5%
Vehicle storage	3.6% – 15.8%	X	7.1% – 31.7%	X	7.1% – 31.7%	3.6% – 15.8%
Outdoor loading	10.7% – 47.5%	7.1% – 31.7%	7.1% – 31.7%	X	X	3.6% – 15.8%
Outdoor storage	10.7% – 47.5%	7.1% – 31.7%	7.1% – 31.7%	X	X	7.1% – 31.7%
Waste management	3.6% – 15.8%	7.1% – 31.7%	7.1% – 31.7%	X	7.1% – 31.7%	10.7% – 47.5%
Building repair	10.7% – 47.5%	3.6% – 15.8%	7.1% – 31.7%	X	X	7.1% – 31.7%
Construction	10.7% – 47.5%	3.6% – 15.8%	3.6% – 15.8%	X	7.1% – 31.7%	7.1% – 31.7%
Street sweeping	10.7% – 47.5%	3.6% – 15.8%	7.1% – 31.7%	X	7.1% – 31.7%	3.6% – 15.8%
Stormwater management practice maintenance	7.1% – 31.7%	7.1% – 31.7%	7.1% – 31.7%	3.6% – 15.8%	X	3.6% – 15.8%
Leaf and landscape collect	3.6% – 15.8%	X	X	X	X	X
Over-watering	1.8% – 7.9%	3.6% – 15.8%	1.8% – 7.9%	X	1.8% – 7.9%	3.6% – 15.8%
Extensive turf cover	1.8% – 7.9%	3.6% – 15.8%	X	X	X	3.6% – 15.8%
Soil compaction	3.6% – 15.8%	3.6% – 15.8%	1.8% – 7.9%	1.8% – 7.9%	X	X
Soil erosion	5.3% – 23.8%	3.6% – 15.8%	1.8% – 7.9%	1.8% – 7.9%	X	X
Hosing/Leaf-blowing	5.3% – 23.8%	3.6% – 15.8%	3.6% – 15.8%	X	3.6% – 15.8%	1.8% – 7.9%
Buffer encroachment	1.8% – 7.9%	1.8% – 7.9%	1.8% – 7.9%	1.8% – 7.9%	1.8% – 7.9%	X
Building maintenance	5.3% – 23.8%	X	5.3% – 23.8%	X	X	3.6% – 15.8%

List of estimated pollutant behavior impact ranges.						
Polluting Behavior	Storm Water Pollutants					
	Sediment	Nutrients	Metals	Bacteria	Trash	Toxins
Parking lot maintenance	5.3% – 23.8%	1.8% – 7.9%	3.6% – 15.8%	X	X	3.6% – 15.8%
Turf management	3.6% – 15.8%	5.3% – 23.8%	X	X	X	5.3% – 23.8%
Landscaping	1.8% – 7.9%	5.3% – 23.8%	X	X	X	5.3% – 23.8%
Street maintenance	3.6% – 15.8%	X	3.6% – 15.8%	X	3.6% – 15.8%	3.6% – 15.8%
Bridge maintenance	1.8% – 7.9%	X	3.6% – 15.8%	X	3.6% – 15.8%	3.6% – 15.8%
Right-of-way maintenance	3.6% – 15.8%	5.3% – 23.8%	X	X	X	5.3% – 23.8%
Maintenance of inlet/outlet system	3.6% – 15.8%	1.8% – 7.9%	1.8% – 7.9%	X	3.6% – 15.8%	1.8% – 7.9%
Maintenance of storm drain system	3.6% – 15.8%	1.8% – 7.9%	1.8% – 7.9%	X	3.6% – 15.8%	1.8% – 7.9%
X. Behavior does not contribute to this pollutant type.						

Attachment T

Cost Estimates

Regional Project Cost Estimates

Darby Park Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$396,000	\$396,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$99,000	\$99,000
Subtotal:				\$520,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$396,000	\$396,000
Subtotal:				\$396,000
Construction				
Mobilization (10%)	LS	1	\$360,000	\$360,000
Excavation	CY	21,000	\$6	\$126,000
Fill	CY	10,000	\$6	\$60,000
Soil Export	CY	12,000	\$25	\$300,000
Landscaping and Irrigation	SF	29,000	\$2	\$58,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	100	\$200	\$20,000
Storage (Pipes)	GAL	1,710,000	\$1.75	\$2,993,000
Contingency (25%)	LS	1	\$990,000	\$990,000
Subtotal:				\$4,947,000
Total:				\$5,863,000

El Segundo Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$109,000	\$109,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$28,000	\$28,000
Subtotal:				\$162,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$109,000	\$109,000
Subtotal:				\$109,000
Construction				
Mobilization (10%)	LS	1	\$99,000	\$99,000
Excavation	CY	29,000	\$6	\$174,000
Soil Export	CY	29,000	\$25	\$725,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	240	\$200	\$48,000
Contingency (25%)	LS	1	\$272,000	\$272,000
Subtotal:				\$1,086,000
Total:				\$1,357,000

Ramona Park Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$1,410,000	\$1,410,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$353,000	\$353,000
Subtotal:				\$1,788,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$1,410,000	\$1,410,000
Subtotal:				\$1,410,000
Construction				
Mobilization (10%)	LS	1	\$1,282,000	\$1,282,000
Excavation	CY	77,000	\$6	\$462,000
Fill	CY	41,000	\$6	\$246,000
Soil Export	CY	37,000	\$25	\$925,000
Landscaping and Irrigation	SF	52,000	\$2	\$104,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	680	\$200	\$136,000
Storage (Concrete)	LS	6,230,000	\$1.75	\$10,903,000
Contingency (25%)	LS	1	\$3,525,000	\$3,525,000
Subtotal:				\$17,623,000
Total:				\$20,821,000

Jim Thorpe Park Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$1,227,000	\$1,227,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$307,000	\$307,000
Subtotal:				\$1,559,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$1,116,000	\$1,116,000
Subtotal:				\$1,116,000
Construction				
Mobilization (10%)	LS	1	\$1,116,000	\$1,116,000
Excavation	CY	90,000	\$6	\$540,000
Fill	CY	55,000	\$6	\$330,000
Soil Export	CY	36,000	\$25	\$900,000
Landscaping and Irrigation	SF	87,000	\$2	\$174,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	170	\$200	\$34,000
Storage (Pipes)	GAL	5,220,000	\$1.75	\$9,135,000
Contingency (25%)	LS	1	\$3,068,000	\$3,068,000
Subtotal:				\$15,337,000
Total:				\$18,012,000

Hawthorne Memorial Park Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$599,000	\$599,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$150,000	\$150,000
Subtotal:				\$774,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$599,000	\$599,000
Subtotal:				\$599,000
Construction				
Mobilization (10%)	LS	1	\$545,000	\$545,000
Excavation	CY	58,000	\$6	\$348,000
Fill	CY	41,000	\$6	\$246,000
Soil Export	CY	10,000	\$25	\$250,000
Landscaping and Irrigation	SF	42,000	\$2	\$84,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	60	\$200	\$12,000
Storage (Pipes)	GAL	2,550,000	\$1.75	\$4,463,000
Contingency (25%)	LS	1	\$1,497,000	\$1,497,000
Subtotal:				\$7,485,000
Total:				\$8,858,000

**This cost estimate was based on the Helen Keller Park site, which is no longer recommended due to the site being over a former landfill. The costs are assumed to be similar as the projects will mitigate similar volumes.

Chester L. Washington Golf Course Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$4,039,000	\$4,039,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% of Design)	LS	1	\$1,010,000	\$1,010,000
Subtotal:				\$5,074,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$4,039,000	\$4,039,000
Subtotal:				\$4,039,000
Construction				
Mobilization (10%)	LS	1	\$3,672,000	\$3,672,000
Excavation	CY	336,000	\$6	\$2,016,000
Fill	CY	232,000	\$6	\$1,392,000
Soil Export	CY	104,000	\$25	\$2,600,000
Landscaping and Irrigation	SF	238,000	\$2	\$476,000
Diversion Structure	EA	2	\$40,000	\$80,000
Diversion Pipe	LF	880	\$200	\$176,000
Storage (Pipes)	GAL	8,510,000	\$1.75	\$14,893,000
Storage (Concrete)	GAL	8,620,000	\$1.75	\$15,085,000
Contingency (25%)	LS	1	\$10,098,000	\$10,098,000
Subtotal:				\$50,488,000
Total:				\$59,601,000

Harbor City Park Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$5,760,000	\$5,760,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$1,440,000	\$1,440,000
Subtotal:				\$7,225,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$5,760,000	\$5,760,000
Subtotal:				\$5,760,000
Construction				
Mobilization (10%)	LS	1	\$5,236,000	\$5,236,000
Excavation	CY	240,000	\$6	\$1,440,000
Fill	CY	83,000	\$6	\$498,000
Soil Export	CY	158,000	\$25	\$3,950,000
Landscaping and Irrigation	SF	186,000	\$2	\$372,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	80	\$200	\$16,000
Storage (Concrete)	GAL	26,310,000	\$1.75	\$46,043,000
Contingency (25%)	LS	1	\$14,399,000	\$14,399,000
Subtotal:				\$71,994,000
Total:				\$84,979,000

Wilmington Recreation Center Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$981,000	\$981,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$246,000	\$246,000
Subtotal:				\$1,252,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$892,000	\$892,000
Subtotal:				\$892,000
Construction				
Mobilization (10%)	LS	1	\$892,000	\$892,000
Excavation	CY	67,000	\$6	\$402,000
Fill	CY	40,000	\$6	\$240,000
Soil Export	CY	27,000	\$25	\$675,000
Landscaping and Irrigation	SF	52,000	\$2	\$104,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	470	\$200	\$94,000
Storage (Concrete)	GAL	4,204,000	\$1.75	\$7,357,000
Contingency (25%)	LS	1	\$2,451,000	\$2,451,000
Subtotal:				\$12,255,000
Total:				\$14,399,000

Averill Park Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$1,726,000	\$1,726,000
Permits	LS	1	\$25,000	\$25,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$432,000	\$432,000
Subtotal:				\$2,183,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$1,726,000	\$1,726,000
Subtotal:				\$1,726,000
Construction				
Mobilization (10%)	LS	1	\$1,569,000	\$1,569,000
Excavation	CY	189,000	\$6	\$1,134,000
Fill	CY	142,000	\$6	\$852,000
Soil Export	CY	48,000	\$25	\$1,200,000
Landscaping and Irrigation	SF	116,000	\$2	\$232,000
Diversion Structure	LS	1	\$40,000	\$40,000
Diversion Pipe	LF	60	\$200	\$12,000
Storage (Pipes)	GAL	6,980,000	\$1.75	\$12,215,000
Contingency (25%)	LS	1	\$4,314,000	\$4,314,000
Subtotal:				\$21,568,000
Total:				\$25,477,000

Green Street Cost Estimate

Green Street Cost Estimate for 1,000 Linear Feet in One Lane				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$17,000	\$17,000
Permits	LS	1	\$5,000	\$5,000
Environmental Assessment (CEQA) (25% Design)	LS	1	\$5,000	\$5,000
Subtotal:				\$27,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$31,000	\$31,000
Subtotal:				\$31,000
Construction				
Mobilization (10%)	LS	1	\$31,000	\$31,000
Excavation	CY	2230	\$6	\$13,400
Soil Export	CY	1780	\$25	\$44,500
AC Demo	SY	1600	\$40	\$64,000
Reconstruct AC	TONS	510	\$125	\$63,800
Crushed Misc Base	CY	270	\$70	\$18,900
Pipe System for Capture	LF	500	\$200	\$100,000
Gravel	TONS	1	\$70	\$100
Contingency (25%)	LS	1	\$84,000	\$84,000
Subtotal:				\$419,700
Total:				\$477,700

Injection Wells Cost Estimate

Injection Wells Cost Estimate				
Description	Unit	Quantity	Unit Price	Item Total
Engineering				
Design Plan and Specifications (10%)	LS	1	\$110,000	\$110,000
Permits	LS	1	\$500	\$500
Environmental Assessment (CEQA) (25% Design)	LS	1	\$27,500	\$27,500
Subtotal:				\$138,000
Construction Support				
Construction Administration and Inspections (10%)	LS	1	\$100,000	\$100,000
Subtotal:				\$100,000
Construction				
Mobilization (10%)	LS	1	\$100,000	\$100,000
Injection Well	EA	1	\$1,000,000	\$1,000,000
Contingency (25%)	LS	1	\$275,000	\$275,000
Subtotal:				\$1,375,000
Total:				\$1,613,000

Attachment U

Funding

TECHNICAL MEMORANDUM

To: Dominguez Channel Watershed Management Group

From: Team Dominguez

Date: 3/13/2015

Subject: **Dominguez Channel Watershed Management Plan Funding Strategy - DRAFT**

1 Introduction

The following memorandum identifies existing funding sources for stormwater related projects, eligibility requirements for each grant or low-cost loan program, and a description of the associated application process.

The Dominguez Channel Watershed Management Group Area ("WMGA") has opted to develop an Enhanced Watershed Management Plan ("EWMP") to meet newly adopted Municipal Separate Stormwater Sewer System ("MS4") Permit requirements. The WMGA is comprised of the area within the DC watershed under the jurisdiction of the Cities of Los Angeles, El Segundo, Hawthorne, Inglewood, Lomita, and the Los Angeles County Department of Public Works (unincorporated Los Angeles County) and the Los Angeles County Flood Control District.

Within the DCWMGA, nine regional projects have been identified for inclusion in the EWMP. Each of these projects will collect, store, and infiltrate a volume of water from the 85th Percentile storm from a catchment area. Some projects have the opportunity to use the stored water for irrigation at the park or property at which the project is sited.

In addition, the WMGA is considering the inclusion of a range of distributed projects to capture, infiltrate, evapotranspire, use, or treat, the water not captured by the regional projects in order to achieve the pollutant load reduction objectives of the EWMP. The primary set of these projects consist of a substantial green street conversion program.

As a part of the EWMP process the WMGA must consider how the nine capital projects as well as the green street conversion projects will be funded. This report details available funding options, including grant programs and low cost financing programs at the state and federal level. The options available may be used to fund a portion of the capital projects, however other avenues will also need to be researched as a majority of the grant and loan programs require local matching funds.

Moreover, it is important to consider that California as a state needs significant funding to achieve all its clean water goals. The most recent Clean Watersheds Needs Survey in 2008 shows that California needs an estimated \$30.0 billion for wastewater recycling, non-point source pollution elimination and stormwater pollution prevention over the next 20 years. With an estimated need for \$30.0 billion in funding, available funding sources are drying up quickly and there is increased competition for the available funds. For the Dominguez Channel WMGA to be able to successfully fund the proposed projects a mix of both grant and loan funding as well as other revenue sources will need to be utilized.

2 Available Funding Options

The following section provides an overview of grant funding and low interest loan funding available through State and Federal programs. The agencies responsible for implementing and managing the programs each have their own set of guidelines and priorities for project selection and funding. The table below provides a summary of the available programs and the project selection criteria for each program.

Funding Source	Priority Project Elements									
	Drought Preparedness	Increase Local Water Supply	Conservation Programs	Water Quality	Pollution Reduction	Flood Management Programs	Drinking Water Protection	Ecosystem Protection	Restoration	Public Health/ Environmental Impact
EPA Section 319				X	X					
Proposition 1:										
Regional Water Security		X		X				X	X	
Flood Management		X		X				X	X	
, Safe, Reliable Drinking Water		X		X				X	X	
Water Recycling		X		X				X	X	
tem and Watershed Protection		X		X				X	X	
Groundwater Sustainability		X		X				X	X	X
Water Storage Capacity		X		X				X	X	
Clean Beaches Initiatives				X	X			X	X	
TIGER Discretionary *				X						
Supplemental Environmental Project Funds:										
Federal			X	X	X					X
State			X	X	X			X	X	
Clean Water State Revolving Fund	X			X	X					X
California Infrastructure Development Bank – Infrastructure State				X		X				
* Transportation projects that are coordinated with interdisciplinary factors including Stormwater and other infrastructure investments										

3 Grant Funding

3.1 Integrated Regional Water Management Plan

The Department of Water Resources (DWR) administers the Integrated Regional Water Management (IRWM) grant program. The IRWM grant program is designed to encourage integrated regional strategies for management of water resources and to provide funding for implementation projects that support integrated water management.

Of the funding options available through the IRWM grant program only the Implementation Program has funds available to be allocated. According to DWR's 2014 IRWM Drought Solicitation Integrated Regional Water Management Guidelines, issued in June 2014, both the Planning and the Stormwater Flood Management grant programs have fully allocated funds from available funding sources.

In 2014 the California state legislature passed SB 103 and SB 104, which accelerated the expenditure of the remaining \$472.5 million in funds through the Implementation grant program. The program is meant to fund local and regional projects that are already planned or partially completed to increase local reliability, including recapturing of storm water, expanding the use and distribution of recycled water, enhancing the management and recharging of groundwater storage and strengthening water conservation. On October 30, 2014, DWR awarded \$221 million out of the remaining \$472.5 million to 27 proposals to fund projects costing more than \$780 million. The remaining \$251 million will be awarded in 2016 as a part of the final round of IRWM grant funding.

3.1.1 2014 IRWM Drought Solicitation Integrated Regional Water Management Guidelines

The guidelines for the final phase of IRWM funding have not yet been made available, however it is likely the guidelines for the final phase will be similar to the 2014 guidelines given California's lingering state of drought. The following sections provide a summary of the 2014 guidelines.

IRWM Grants are awarded on a competitive basis using specific criteria contained in the Proposal Solicitation Package (PSP) published by DWR. In addition to PSP specific requirements, applicants must follow eligibility and proposal guidelines issued by DWR. The 2014 IRWM Drought Guidelines incorporate new requirements and reflect the expedited nature of the 2014 IRWM Drought Grant Solicitation.

Eligibility Requirements

Local public agencies and non-profit organizations are eligible IRWM grant applicants.¹ Applications for IRWM grants must meet all of the eligibility criteria listed below in order to be considered for funding:

- o The IRWM region where the project is located must have been accepted into the IRWM Grant Program
- o Projects included in the proposal must be included in an IRWM plan

¹For the IRWM Implementation Grant Program, the grant applicant is the agency submitting an application on behalf of an IRWM region and is the agency that would enter an agreement with the State, should the application be successful. At DWR's discretion, partner entities or IRWM stakeholders may be part of the proposal as a project proponent and access grant funding through their relationship with the grant applicant. Stakeholders as defined by CWC § 10541 include municipal and county governments and special districts.

- o If they have not done so prior to submitting the proposal, project proponents must adopt the IRWM Plan
- o Groundwater Management Plan (GWMP) compliance²
- o Urban Water Management Plan Compliance³
- o Agriculture Water Management Plan Compliance⁴
- o Surface Water Diversion Reporting Compliance⁵
- o AB1420 Water Demand Compliance⁶
- o CWC §529.5 Water Meter Compliance⁷
- o CWC §10920 Groundwater monitoring Compliance⁸

Eligible Project Types

Projects that are eligible to receive funds through the 2014 IRWM Drought Grant Solicitation must provide one of the following primary benefits:

- o Immediate regional drought preparedness
- o Increase local water supply reliability and the delivery of safe drinking water
- o Assist water suppliers and regions to implement conservation programs and measures that are not locally cost-effective
- o Reduce water quality conflicts or ecosystem conflicts created by the drought

Eligible projects must also yield multiple benefits; and include one or more of the following elements⁹:

- o Water supply reliability, water conservation, and water use efficiency
- o Stormwater capture, storage, clean-up treatment and management
- o Removal of invasive non-native species, the creation and enhancement of wetlands, and the acquisition, protection, and restoration of open space and watershed lands
- o Non-point source pollution reduction, management, and monitoring
- o Groundwater recharge and management projects
- o Contaminant and salt removal through reclamation, desalting, and other treatment technologies and conveyance of reclaimed water for distribution to users
- o Water banking, exchange, reclamation, and improvement of water quality

² For groundwater projects or for projects that directly affect groundwater levels or quality, the applicant or project proponent must self certify that they have prepared and implemented a Groundwater Management Plan (GWMP), that they participate in a GWMP, or the proposal includes development of a GWMP.

³ Water suppliers proposing a project who were required by the Urban Water Management Planning Act to submit an Urban Water Management Plan to DWR must comply with this requirement to qualify.

⁴ This requirement is applicable to agricultural water suppliers

⁵ A diverter of surface water must comply with surface water diversion reporting requirements codified in the California Water Code (CWC)

⁶ Urban water suppliers must implement water demand management measures described in CWC §10631.

⁷ Applicants for wastewater treatment projects, water use efficiency projects, drinking water treatment projects shall demonstrate that they meet the water meter requirements in CWC §525

⁸ Meet groundwater monitoring requirements set out in CWC §10920

⁹ Defined by PRC §75026(a) as other benefit(s)

- o Planning and implementation of multipurpose flood management programs
- o Watershed protection and management
- o Drinking water treatment and distribution
- o Ecosystem and fisheries restoration and protection

Program Preferences

Proposals that include the following shall be given preference:

- o Include regional projects or programs
- o Effectively integrate water management programs and projects within a hydrologic region identified in the California Water Plan; the Regional Water Quality Control Board (RWQCB) region or subdivision; or other region or sub-region specifically identified by DWR
- o Effectively resolve significant water-related conflicts within or between regions
- o Contribute to attainment of one or more of the objectives of the CALFED Bay-Delta Program
- o Address critical water supply or water quality needs of Disadvantaged Community (DAC)
- o Effectively integrate water management with land use planning
- o Are part of an IRWM Plan that helps the region reduce reliance on the Sacramento-San Joaquin Delta for water supply (for IRWM regions that receive water from the Sacramento-San Joaquin Delta)
- o Address statewide priorities

Minimum Funding Match Requirements

For IRWM Implementation Grants, including the 2014 IRWM Drought Grant solicitation, the minimum-funding match is 25%. Funding match may include, but is not limited to, federal funds, local funding, or donated services from non-state sources. For IRWM implementation projects that address the needs of a DAC and are seeking Proposition 84 funds, funding matches may be waived.

3.2 EPA Section 319 Grants

Section 319 of the Clean Water Act (CWA) authorizes the EPA to develop a grant program aimed at implementing nonpoint source (NPS) management programs. The 319 grant funds are appropriated to states and administered by the EPA regional offices. In 2014 the EPA allocated a total of \$159.3 million in 319 Grant funding to various states throughout the country.

Funding appropriated under Section 319 can be used to implement state NPS programs including, as appropriate, non-regulatory or regulatory programs for enforcement, technical assistance, financial assistance, education, training, technology transfer, and demonstration projects to achieve implementation of best management practices and water quality goals.

States are prohibited from using Section 319 funds for urban stormwater activities that directly implement a final municipal separate storm sewer system (MS4) NPDES permit. However, Section 319 funds may be used for those urban stormwater activities that do not directly implement a final NPDES permit. This means that the urban stormwater activity being funded cannot be explicitly required in a permit or plan required by the NPDES permit. These include activities that may support but do not directly implement permits requirements. However, EPA supports flexibility in funding green infrastructure and low impact development (LID) employed in managing stormwater through the Section 319 Grant Program.

3.2.1 California Section 319 Guidelines

The State Water Resources Control Board ("SWRCB") is responsible for State project development and managing the State project solicitation process for the Section 319 Grant Program. SWRCB has begun the project selection process for 2015 and has announced that it has \$4 million in Section 319 Grant funds to allocate to eligible projects. Up to \$1.0 million will be available for planning and assessment projects and approximately \$3.0 million will be available for implementation projects.

Eligibility Requirements

Project eligibility is based on whether the project fits within the NPS Program Preferences, program funding limits, project timing, and match requirements. Eligible applicants include local public agencies, public agencies, nonprofit organizations, federally recognized Indian tribes, state agencies, public colleges, and federal agencies.

Program preferences are organized by region. The preferences for the Los Angeles Regional Water Board fall within the following watersheds:

- o Calleguas Creek
- o Santa Clara River
- o McGrath Lake
- o Ventura River
- o Marina del Rey Harbor

Eligible Project Types

Eligible planning and assessment project types or the watersheds listed above include:

- o Assessment, study or design identified as a high priority in a TMDL
- o Studies, strategies, management plans, tools for management plan development and similar items

- o Filling recognized Data Gaps
- o Consolidating previously completed planning work in a watershed; or
- o Identifying and prioritizing appropriate management measure and management practices

Eligible planning and assessment projects and or applicants must:

- o Address watersheds and impairments identified in the NPS Program Preferences;
- o Meet funding match requirements
- o Clearly lead to implementation of an adopted or nearly adopted TMDL designated in the NPS Program Preferences;
- o Have at least elements 1, 2, and 3 of US EPA's nine key elements of a watershed based plan (Nine Key Elements) in place at the time of funding¹⁰

And meet one of the following:

- o Complete watershed planning and assessment to fully address all Nine Key Elements
- o Provide information necessary to fully develop at least one of the missing or partially completed elements
- o Complete other priority planning and assessment activities and provide a brief description of how the missing or incomplete elements of the Nine Key Elements will be completed

Eligible implementation project types include project-level planning, design, construction, construction management, implementation and monitoring to implement full scale on-the-ground management measures and/or management practices.

Project Scoring Criteria

The application process is a two-phase process that requires applicants to successfully develop a concept proposal before they are able to move on to the complete proposal phase. Both the concept and full proposals are evaluated and scored using the criteria listed below:

- o Describes the physical watershed, including the targeted watershed's waterbody size (stream miles or acreage) and area, and the portion of the watershed (percent miles or area) that the project will address;
- o Describes how the project will implement activities that are identified as high priority actions in an adopted or nearly adopted TMDL;
- o Describes how the project will lead to a significant reduction of a major pollutant source in an adopted or nearly adopted TMDL
- o Describes how the project is related to other efforts, both past and present, along with how its coordination with current efforts will effectively address impairment(s)
- o Provides an estimate of the overall progress achieved to date in the watershed in meeting specific TMDL targets and/or goals;
- o Specifies an estimated measurable pollutant load or pollutant concentration reduction, if the project is an implementation project;

¹⁰ These elements pertain to identification of causes and sources of impairments, estimating load reductions expected from management activities, and identifying management measures and priority locations for implementation.

- o Demonstrates that the project is technically feasible and appropriate, and identifies if it has been adapted from another effort, and describes how the approach is applicable;
- o Describes how success will be measured through appropriate assessment and monitoring
- o Demonstrates the connectivity between the proposed project and the waterbody addressed by the TMDL;
- o Clearly describes project goals, milestones, tasks and timelines;
- o Demonstrates relevant experience and expertise of the project team;
- o Demonstrates if and how the project could be repeated in another watershed;
- o Shows readiness to proceed; and
- o Demonstrates adequate funding match

Matching Funds

Applicants must provide a minimum 25% funding match. State agencies, may use State funds and services for the funding match. A funding match may include federal funds, local funding, or donated, volunteer and in-kind services from non-State sources.

3.3 Proposition 1

Proposition 1, The Water Quality, Supply, and Infrastructure Improvement Act of 2014, was overwhelmingly approved by voters last November and will make \$7.545 Billion in bond funding available for water projects throughout the state. The funding provided by Proposition 1 will be used to implement the three objectives of the California Water Action Plan, which are more reliable water supplies, the restoration of important species and habitat, and a more resilient and sustainably managed water infrastructure.

In addition to the funding available through the sale of general obligation bonds, Proposition 1 is expected to leverage an addition local and regional funds to provide a total investment of \$25 billion to \$30 billion to address California's water needs.

3.3.1 Key Funding Areas

Regional Water Security: \$810 million

Chapter 7, section 79740 of Proposition 1 make \$810 million available for expenditure on, and competitive grants and loans to, projects that are included in and implemented in an adopted integrated regional water management plan (IRWM) and respond to climate change and contribute to regional water security.

Of the \$810 million available pursuant to this chapter, \$200 million shall be available for grants for multi-benefit stormwater management projects. Eligible projects may include green infrastructure, rainwater and stormwater capture projects, and stormwater treatment facilities. Plans for stormwater projects must address the entire watershed and incorporate the perspectives of communities adjacent to the affected waterways, especially disadvantaged communities.

Cost sharing provisions in this chapter require a cost share from non-state sources of at least 50% of the total costs of the project.

Flood Management: \$395 million

Chapter 11, section 79780 makes \$395 million available to the Department of Water Resources and the Central Valley Flood Protection Board for the purpose of statewide flood management projects and activities. Funds shall be allocated to multi-benefit projects that achieve public safety and include fish and wildlife habitat enhancement. The Department of Water Resources shall make efforts to coordinate this funding with Proposition 84 and 1E funding.

However, of the funds authorized by this section \$295 million will be set aside to reduce the risk of levee failure and flood in the Sacramento and San Joaquin Bay Delta. This leaves only \$100 million for other flood management projects statewide.

Clean, Safe and Reliable Drinking Water: \$520 million

Section 72720, Chapter 5, of Proposition 1 allocates a sum of \$520 million for expenditures, grants, and loans for projects that improve water quality or help provide clean, safe and reliable drinking water to the citizens of California.

Of the \$520 million authorized by Section 79270, \$260 million dollars will be deposited in the State Water Pollution Control Revolving Fund (SWPCRF) Small Community Grant Fund for grants for wastewater treatment projects.

Of the \$520 million authorized by Section 79270, an additional \$260 million shall be available for grants and loans for public water system infrastructure improvements and related actions to meet safe drinking water standards ensure affordable drinking water, or both.

Projects eligible for funding pursuant to this chapter must help improve water quality for a beneficial use and must further the following purposes:

- o Reduce contaminants in drinking water supplies regardless of the source of the water or the contamination
- o Assess and prioritize the risk of contamination to drinking water supplies
- o Address the critical and immediate needs of disadvantaged, rural, or small communities that suffer from contaminated drinking water supplies, including, but not limited to, projects that address a public health emergency
- o Leverage other private, federal, state, and local drinking water quality and wastewater treatment funds
- o Reduce contaminants in discharges, to, and improve the quality of the waters of the state
- o Prevent further contamination of drinking water supplies
- o Provide disadvantaged communities with public drinking water infrastructure that provides clean, safe, and reliable drinking water supplies that the community can sustain over the long term
- o Ensure access to clean, safe, reliable, and affordable drinking water for California's communities
- o Meet primary and secondary safe drinking water standards or remove contaminants identified by the state or federal government for development of a primary or secondary drinking water standard.

Water Recycling: \$725 million

Chapter 9, section 79765 makes \$725 million available for grants or loans for water recycling and advanced treatment technology projects, including all of the following:

- o Water recycling projects, including, but not limited to, treatment storage, conveyance, and distribution facilities for potable and non-potable recycling projects
- o Contaminant and salt removal projects including, but not limited to groundwater, and seawater desalination and associated treatment storage, conveyance and distribution facilities
- o Dedicated distribution infrastructure to serve residential, commercial, agricultural, and industrial end-user retrofit projects to allow use of recycled water.
- o Multi-benefit recycled water projects that improve water quality
- o Technical assistance and grant writing assistance for disadvantaged communities

Ecosystem and Watershed Protection: \$1.495 billion

Chapter 6, section 79730 of Proposition 1 makes available \$1.495 billion for competitive grants for multi-benefit ecosystem and watershed protection and restoration projects in accordance with statewide priorities. The funds are reserved for projects that will provide fisheries or ecosystem benefits or improvements that are greater than required applicable environmental mitigation measure or compliance obligations.

Groundwater sustainability: \$900 million

Chapter 10, Section 79771 allocates \$900 million for expenditures on, and competitive grants and loans for projects to prevent or cleanup the contamination of groundwater that serves or has served as a source of drinking water. Funds appropriated pursuant to this section shall be available to the state board for projects necessary to protect public health by preventing or reducing the contamination of groundwater that serves or has served as a major source of drinking water for a community.

Water Storage Capacity: \$2.7 billion

Chapter 8, Section 79750 of Proposition 1 appropriates \$2.7 billion to the California Water Commission for water storage projects. Projects will be selected by the Commission through a competitive public process that ranks potential projects based on the expected return for public investment as measured by the magnitude of the public benefits provided.

3.3.2 Proposition 1 Guidelines

The bond funds will be distributed through a competitive grant process overseen by various state agencies, including the DWR, SWRCB, and the California Water Commission (CWC). These agencies will conduct processes to solicit proposals for grants, review applications and award funding. The first step in this process is to develop guidelines that spell out the total amount of funding available for various programs and the criteria agencies will apply to evaluate and rank projects for funding. Proposition 1 requires responsible agencies post the draft guidelines on their respective websites for at least 30 days, hold three public meetings, and solicit public input prior to finalizing the guidelines. The following table provides a timetable for the development of the guidelines and the responsible agencies.

Category	Agency	Guideline Process Expected Start	Guideline Process Expected Completion
Small community wastewater treatment	State Water Resources Control Board	March 2015	June 2015
Safe and affordable drinking water	State Water Resources Control Board	May 2015	July-Aug. 2015
Multi-benefit watershed projects	State Conservancies (various)	Jan.-Feb. 2015	Various dates
Enhanced stream flows	Wildlife Conservation Board	Feb. 2015	May 2015
Urban creek restoration	State Conservancies	In process	TBD

	(various)		
State obligations in water-related settlements	Natural Resources Agency	In process	TBD
Watershed and Urban River Enhancements	Natural Resources Agency	In process	TBD
Watershed restoration and Delta water quality and ecosystem restoration	Department of Fish and Wildlife	Jan. 2015	May 2015
Integrated regional water management	Department of Water Resources	March 2015	2016 (Final Round of Prop 84 in progress and to be awarded by Aug. 2015)
Water Use Efficiency Grants, Round 1 – Urban and Agricultural	Department of Water Resources	July 2015	Dec. 2015
Stormwater management	State Water Resources Control Board	In process	TBD
Water Storage Investment Program	California Commission	Jan. 2015	Submission of draft regulations to Office of Administrative Law by Oct. 2015 (OAL process may take up to 12 months)
Water recycling	State Water Resources Control Board	April 2015	June 2015
Groundwater Plans and Project Grant Program – Phase 1	Department of Water Resources	March 2015	TBD
Groundwater Sustainability (cleanup)	State Water Resources Control Board	In process	TBD
Multi-benefit projects to achieve public safety and enhance fish/wildlife, including Delta levee maintenance and improvements	DWR/Central Valley Flood Protection Board	In process	TBD

3.4 Clean Beaches Initiatives

The Clean Beaches Initiative (CBI) Grant Program provides funding for projects that restore and protect the water quality and the environment of coastal waters, estuaries, bays, and near shore water. In June 2010, Senate Bill (SB) 790 became law, amending the CBI Grant Program and authorizing the program to fund projects designed to implement or promote low impact development, and project designed to implement a stormwater resource plan.

3.4.1 Eligibility Requirements

To be eligible for funding, the applicant must be an eligible entity, and the projects must 1) be an eligible project type and 2) address at least one of the CBI Grant Program priorities.

Eligible Project Type

The following are eligible project types:

- o Improve water quality at public beaches and make improvements to ensure that coastal waters adjacent to public beaches meet bacteriological standards as set forth in the Health and Safety Code
- o Make improvements, upgrades, or conversions to existing sewer collection systems and septic systems for the restoration and protection of coastal water quality.
- o Implement stormwater and runoff pollution reduction and prevention programs, or for the implementation of best management practices (BMPs), for the restoration and protection of coastal water quality.
- o Implement or promote low-impact development (LID) for new or existing developments that will contribute to the improvement of water quality or reduce stormwater runoff.
- o Implement a stormwater resource plan prepared pursuant to WC §10560.

All CBI projects must meet the following requirements:

- o Stay consistent with State Water Board's NPS control program, and the requirements of Division 7 (commencing with §13000) of the Water Code.
- o All projects must demonstrate the capability of contributing to sustained, long-term water quality or environmental restoration or protection benefits for a period of 20 years, address the causes of degradation, rather than the symptoms, and be consistent with water quality and resource protection plans prepared, implemented, or adopted by the State Water Board, the applicable Regional Water Quality Control Boards (Regional Water Boards), and the State Coastal Conservancy.
- o Applicants receiving CBI funds must submit to the Division a monitoring and reporting plan that does all of the following: 1) identifies the nonpoint source(s) of pollution to be prevented or reduced by the project; 2) describes the baseline water quality or quality of the environment to be addressed; 3) describes the manner in which the project will be effective in preventing or reducing pollution and in demonstrating the desired environmental results; and 4) describes the monitoring program, including, but not limited to, the methodology, the frequency and duration of monitoring.
- o If applicable, projects funded must be consistent with recovery plans for coho salmon, steelhead trout, or other threatened or endangered species, and to the extent feasible, must seek to implement actions specified in those plans.
- o Meet other reporting requirements

The CBI Grant Program's primary focus is the reduction of bacterial concentrations at public beaches. Eligible projects must address at least one CBI priority. CBI has developed priorities for both implementation and research projects. This report will discuss priorities for implementation projects only.

For capital improvement projects to receive funding from the CBI Grant Program, the project must be one that reduces bacterial contamination at priority beaches. Priority beaches are those that meet any one of the following five criteria:

- o The beach is located adjacent to an ASBS subject to dry weather runoff;
- o High frequency (>4 percent) of bacterial standard exceedences during weekly monitoring of coastal waters April 1 to October 31, as specified in the Health and Safety Code
- o A known public health threat or source of human sewage discharge to ocean waters adjacent to a beach;
- o The beach received a grade of "C", "D", or "F" on Heal the Bay's report card at least once during the previous three AB 411 time periods (April 1 to October 31) or during dry weather year-round; or
- o Demonstrated bacterial contamination problems.

The Clean Beach Task Force has identified a number of priority beaches. A list of these beaches is attached as an appendix.

In the competitive process priority will be given to projects that meet the following program preferences:

- o Have solid baseline water quality data;
- o Integrate into a larger project and provide multiple-benefits;
- o Contribute expeditiously and measurably to the long-term attainment and maintenance of water quality standards by implementing a total maximum daily load (TMDL);
- o Eliminate or significantly reduce pollution into areas of special biological significance (ASBS);
- o Improve water quality in a disadvantaged community;
- o Are LID that contribute to stormwater quality improvements;
- o Promote the infiltration, capture, and treatment of stormwater for reuse consistent with supporting beneficial uses and existing water rights;
- o Meet sustainability and other considerations as outlined in the Ahwahnee Principles or similar land use or planning principles;
- o Address the impacts of climate change, including the minimization of greenhouse gas emission;
- o Provide local cost-sharing or leverage local bond measure funds;
- o Address environmental justice community needs and issues; and
- o Contribute to a 75 percent reduction of wet weather beach postings by 2020

Grant Amounts and Funding Match

The maximum grant amount available through CBI is \$5 million and the minimum grant amount is \$150,000. Applicants must provide a 20% for Projects \$1,000,000 to \$5,000,000 (inclusive) 15% for Projects less than \$1,000,000 75% for sewer infrastructure Projects.

DRAFT

3.5 TIGER Discretionary Grants

The Consolidated Appropriations Act, 2014 appropriated \$600 million to be awarded by the Department of Transportation (DOT) for National Infrastructure Investments. DOT refers to this program as the TIGER Discretionary Grants. The grants are to be awarded on a competitive basis for projects that will have a significant impact on the Nation, on metropolitan area, or a region.

3.5.1 Eligibility Requirements

To receive TIGER Discretionary Grant funding, projects or elements of a project must have independent utility, which means that the project provides transportation benefits and is ready for its intended use upon completion of project construction.

DOT is required to obligate TIGER funds by September 30, 2016. Therefore, successful applicants must also demonstrate the project will proceed to obligation within the statutory deadline upon receipt of a TIGER Discretionary Grant.

Eligible Project Types

Projects that are eligible for TIGER Discretionary Grants for capital projects include, but are not limited to:

- o Highway or bridge projects (including bicycle and pedestrian related projects)
- o Public transportation projects
- o Passenger and freight rail transportation projects
- o Port infrastructure investments
- o Intermodal projects

Projects eligible for TIGER Planning Grants include, but are not limited to:

- o Activities related to the planning preparation or design of a single surface transportation projects
- o Activities related to regional transportation investment planning
- o Transportation planning that is coordinated with interdisciplinary factors including
 - o Housing,
 - o Economic development
 - o Stormwater and other infrastructure investments
- o Transportation planning that addresses future risks and vulnerabilities, including extreme weather and climate change

TIGER Discretionary Grants cannot be directly applied to stormwater management projects. However, TIGER Discretionary Grants may fund green infrastructure projects related to transportation, including green streets.

Selection Criteria

In selecting a project to fund through the TIGER Discretionary Grants, DOT has identified a set of primary selection criteria based on the DOT strategic plan. The following are the primary selection criteria:

- o State of Good Repair – improving the condition of existing transportation facilities with a focus on reducing life-cycle costs and improving resilience
- o Economic Competitiveness – contributing to the economic competitiveness of the United States over the medium- to long-term and preserving jobs
- o Quality of Life – increasing transportation choices and access to transportation services for individuals in communities across the United States
- o Environmental Sustainability - Improving energy efficiency, reducing dependence on oil, reducing greenhouse gas emissions, addressing stormwater through natural means, avoiding and mitigating environmental impacts and otherwise benefitting the environment.
- o Safety – improving the safety of U.S. transportation facilities and systems for all modes of transportation and users.

Secondary selection grants considered by the DOT include:

- o Innovation – use of innovative strategies to pursue long-term outcomes outlined in the primary selection criteria. DOT will consider the extent of technology usage, including intelligent transportation systems, dynamic pricing, value capture, rail wayside or on-board energy recovery, smart cards, active traffic management or radio frequency identification.
- o Partnership – demonstrating strong collaboration among a broad range of participants, integration of transportation with other public service efforts, and/or projects that are the product of a robust planning process.

Grant Amounts and Funding Match

TIGER Discretionary Grants may not be less than \$10 million and not greater than \$200 million. Applicants must be able to show that at least 20% of the project will be funded using non-grant funds. DOT will give priority to projects that use the TIGER Discretionary Grant funding to complete an overall financing package. Projects can increase their competitiveness for purposes of the grant by demonstrating significant non-federal financial contributions.

3.6 Supplemental Environmental Project Funds

Individuals or entities found to be in violation of State or Federal environmental laws and facing monetary damages payments or fines may opt to enter a settlement agreement that includes the implementation of a Supplemental Environmental Project (SEP). Supplemental Environmental Projects are environmentally beneficial projects that a violator voluntarily agrees to undertake in settlement of a civil penalty action.¹¹ The main goal of SEPs is to improve environmental health of communities that have been put at risk due to the violation of an environmental law

The guidelines governing SEPs on the state and federal level are similar, however there are distinctions. The following sections describe both federal and state SEP programs.

3.6.1 Federal

Federal policy requires that a nexus exist between the violation and the proposed SEP. For Federal projects, nexus exists only if a proposed project meets one of the following criteria:

- o The project is designed to reduce the likelihood that similar violations will occur in the future
- o The project reduces the adverse impact to public health or the environment to which the violation at issue contributes; or
- o The project reduces the overall risk to public health or the environment potentially affected by the violation at issue.

Federal SEPs are prevented from containing projects that:

- o Donate funds to third parties
- o Call for EPA management of funds obtained through SEP
- o Augment Congressional appropriations
- o Satisfy EPA's statutory obligation to perform a particular activity; or
- o Supplement projects for which a violator is already receiving federal financial assistance, that is, a federal loan, contract or grant.

3.6.2 State

The SWB or Regional Water Board may allow a discharger to satisfy part of the monetary assessment imposed in an administrative civil liability order by completing or funding one or more SEPs. As a general rule no SEPs should be authorized by the State or Regional Water Board in an amount that exceeds 50% of the total monetary assessment against the discharger.

There are two types of SEPs allowed by State law: (1) SEPs that are implemented by the discharger, and (2) those that are administered by a third-party using funds allocated by the discharger. Third-party entities that are paid to implement an SEP must be independent of the discharger as well as the Water Board.

SEPs approved by the Water Board must, at a minimum satisfy the following criteria:

- o SEP can only consist of measures that go above and beyond what is otherwise required of the discharger.

¹¹ The SEP should be a project that the violator will not otherwise be required to perform.

- o The SEP shall directly benefit or study groundwater or surface water quality or quantity, and the beneficial uses of waters of the State. Examples include:
 - o Monitoring programs
 - o Studies or investigations
 - o Water or soil treatment
 - o Habitat restoration or enhancement
 - o Pollution prevention or reduction
 - o Wetland, stream, or other waterbody protection, restoration or creation
 - o Conservation easements
 - o Stream augmentation
 - o Reclamation
 - o Watershed assessment
 - o Watershed management facilitation services
 - o Compliance training, compliance education, and the development of educational materials
 - o Enforcement projects, such as training or environmental compliance and enforcement personnel, and
 - o Non-point source program implementation
- o A SEP shall not directly benefit a Water Board member or any of his or her family members.

The following additional criteria shall be evaluated by the Water Boards during final approval of the SEPS:

- o Whether the project has documented support by other public agencies, public groups and affected persons
- o Whether the SEP directly benefits the area where the harm occurred or provide a region-wide or state-wide benefit
- o Whether the SEP project complies with the California Environmental Quality Act
- o Whether the entity responsible for implanting the SEP has the stability to complete the project
- o Whether the SEP proposal includes criteria for monitoring and tracking the long-term success of the project.

Eligible projects or proposal must also show that a nexus exists between the SEP and the violation. This means that there must be a relationship between the nature or location of the violation and the nature or location for the SEP. A nexus exists per se if the project remediates or reduces the probable overall environmental or public health impacts or risks to which the violation at issues contributes, or if the project is designed to reduce the likelihood that similar violations will occur in the future.

Project Selection

Each Regional Water Board has discretion in choosing SEP projects. Each Board may maintain a list of pre-approved SEPs and develop criteria for placement of environmental projects on its list of potential SEPs

DRAFT

4 Low Cost Financing

4.1 The Clean Water State Revolving Fund

The federal Clean Water Act established The Clean Water State Revolving Fund (CWSRF) to finance protection and improvement of water quality. The CWSRF program provides each state the opportunity to establish an environmental infrastructure bank capitalized by federal and state funds. Financing options include loans, refinancing debt, purchasing or guaranteeing local debt, and purchasing bond insurance.¹² Since 2009 federal CWSRF appropriations and California law have also authorized grants, negative interest rates, and principal forgiveness on a limited basis.

Through June 30, 2019, the estimated cumulative, uncommitted cash available for financing new projects is approximately \$620 million. The program is capable of financing projects from less than a \$1 million to more than \$100 million.

The State Water Board maintains a Project List (“List”) that reflects projects interested in CWSRF financing. A project must be on the List to receive financing, but the List does not guarantee financing or the order of financing. The List classifies each project application relative to the Water Board’s water quality and sustainability priorities, and helps prioritize the Program staff’s marketing and application review efforts.

The Department of Financial Assistance processes CWSRF applications and makes recommendations to the Executive Director. The Executive Director of the State Water Board generally updates the List quarterly. The Executive Director may update the list more frequently if necessary or less frequently if there are no new potential projects to be added during the quarter.

4.1.1 Priority Classes

As the Division of Financial Assistance (“Division”) receives CWSRF applications it assigns to each project a priority. Each project is assigned to one of the following priority classes:

¹² Interest rates must be below market rate, but not less than zero percent. Repayment periods are up to 30 years or the expected useful life of the financed asset. California’s CWSRF Program has funded a broad range of projects. About 76% of funds were used for wastewater treatment and water recycling facilities. About 20% of funds were used for wastewater collection systems. About four percent of funds were used for non-point source or estuary projects.

Class A- Public Health Problems

- i. "Publicly Owned Treatment Works" projects or other required to alleviate public health problems where the county board of supervisors, City Council, or the County Health Officer has certified that a health problem exists, and where a State or Regional Water Board has (1) adopted a prohibition for elimination of discharges and such prohibition has been approved by the State Water Board, (2) approved a local moratorium prohibiting the construction of new systems, or (3) adopted a cease and desist order; or
- ii. nonpoint source, storm water drainage pollution and estuary enhancement projects required to comply with prohibitions, postings, limitations, or warnings that have been imposed by responsible health authorities, and where the State or Regional Water Board has concurred with the findings of the health authority and has established a time schedule for correction or elimination of the threat to public health.

Class B – Pollution of Impaired Water Bodies

Projects to address impairments of CWA 303(d) listed water bodies.

Class C – Compliance with requirements or Water Recycling projects

- i. Projects necessary to comply with WDRs or other regulatory requirements formally imposed by the State Water Board or Regional Water Board, or projects necessary for correction of threatened violations of existing or proposed WDRs; or
- ii. Projects that provide for treatment and delivery of municipal wastewater or groundwater contaminated due to human activity, for uses that will offset or augment state and local water supplies or projects that are necessary to meet state policy regarding recycled water.\

Class D – Projects Serving as Preventative Measures Against Additional Water Quality Degradation for Impaired or Unimpaired Water Bodies

Project to control discharges to impaired or unimpaired waters, where correction of such discharges may, or may not, be required through formally adopted WDRs.

Class E – Other Projects

Project not included in any of the other priority classes

4.1.2 Sustainability

A project that supports or incorporates one or more of the following sustainability goals receives one priority point for each area addressed:

- a. The project supports infill development or results in the reuse or redevelopment of land in an area presently served by transit, streets, water, sewer, and other essential services.
- b. The applicant maintains a capital improvement plan, an asset management plan, or has performed a full-cost pricing analysis, or the project incorporates climate change adaptation
- c. The project protects environmental or agricultural resources such as farm, range and forestlands; wetlands and wildlife habitats; recreational lands such as parks, trails,

- and greenbelts; or landscapes with locally unique features or areas identified by the state as deserving special protection.
- d. The project is cited in one or more regional environmental management plans.
 - e. The project incorporates wastewater or storm water/urban runoff recycling, water conservation, energy conservation, low impact development, or reduced use of other vital resources
 - f. The project uses low-impact treatment for lower lifecycle operating costs through reduced energy, chemical, or other inputs.

4.1.3 Funding for Projects

The Division will review projects on the Project List with complete applications, except as directed by the State Water Board, based on the project class, A being the highest class and E being the lowest class, and the number of sustainability points. Projects within each project class will be ranked according to their sustainability points. If the State Water Board lacks sufficient funds to fund all projects with complete applications, then the Division will first fund projects based on the classes established above, giving priority with the class to the Small DAC with the lowest median household income, and then to the project that most effectively addresses sustainability and global climate change.

4.2 The California Infrastructure Development Bank – Infrastructure State Revolving Fund Program

The California Infrastructure and Economic Development Bank (“I-Bank”) was created to provide an accessible low-cost financing option to eligible borrowers for a wide range of infrastructure projects. To meet this purpose the I-bank developed its Infrastructure State Revolving Fund (“ISRF Program”). ISRF program funding is available in amounts from \$50,000 to \$25 million, with terms up to 30 years.

4.2.1 Eligibility Criteria

Eligible costs for ISRF program financing include:

- o All or any part of the cost of construction, renovation, and acquisition of all lands, structures, real or personal property.
- o Rights, rights of way, franchises, licenses, easements, and interests acquired or used for a project
- o The cost of demolishing or removing any buildings or structures on land so acquired, including the cost of acquiring any lands to which the buildings or structures may be moved
- o The cost of all machinery, equipment, and financing charges
- o Interest prior to during, and for a period after, completion of construction, renovation, or acquisition, as determined by the I-Bank
- o Provisions for working capital
- o Provisions for working capital
- o Reserves for principal and interest and for extensions, enlargements, additions, replacement, renovations and improvements.
- o The cost of architectural, engineering, financial and legal services, plans, specifications, estimates, administrative expenses
- o Other expenses necessary or incidental to determining the feasibility of any project or incidental to the construction, acquisition, or financing of any project.

ISRF program applicants must meet readiness and feasibility standards to be eligible to participate in the loan program. Applicants must demonstrate that construction of their project will be complete¹³ within 2 years of receiving I-Bank loan approval. Applicants must also meet the following feasibility standards:

- o Permits – Applicant must provide evidence that it has procured or is in the process of procuring all applicable permits or approvals necessary for construction of the project.
- o Source of Loan Repayment – Applicant must demonstrate that it has identified an eligible source of repayment. Eligible sources of payment include:
 - o Water or sewer enterprise/special funds
 - o Other enterprise/special funds
 - o General fund lease

¹³ The portion of the project financed by the I-Bank must meet construction contract specifications for completeness and/ or ability to operate.

- o Land secured
- o Voter-approved general fund debt or other voter approved debt secured by full faith and credit (general obligation)
- o Other sources of repayment and/or alternative financing structures may be considered by the I-bank at its discretion
- o Project funds – I-Bank requires that all project funding sources, other than I-Bank loan funds, to be identified at the time of application and committed prior to loan approval.
- o Prevailing wages and Contractor Pre-Qualification

Eligible Project Types

The ISRF program funds both infrastructure projects as well as economic expansion programs. The ISRF program has enumerated sixteen distinct project types that may be funded as an infrastructure project. These project types include the following:

- o City Streets – any street, avenue, boulevard, road, parkway, drive, or other way that is an existing or planned roadway and may comprise pavement, bridges, shoulders, gutter, curbs, guardrails, sidewalks, parking areas, benches fountains, plantings, lighting systems, and other areas within the street lines
- o Drainage, water supply, and flood control – including but not limited to ditches, canals, levees, pumps, dams, conduits, pipes, storm sewers, and dikes as well as the acquisition, improvement, maintenance, and management of flood plain areas

Selection Criteria

If immediate financing needs of projects to be selected for I-Bank financing exceed the lending capacity of the ISRF Program, I-Bank will give priority to Infrastructure Projects over Economic Expansion Projects. If further prioritization is required, the I-Bank will give priority to Infrastructure projects located in, or adjacent to or directly affecting, areas with high unemployment rates, low median family income, declining or slow growth in labor force employment or high poverty rates.

5 Conclusion

The regional projects and the green street conversion projects identified by the DCWMGA are well positioned to receive grant funding or loan assistance from the sources identified in this memorandum. Members of the DCWMGA should be able to fund a portion of the projects identified in the EWMP through existing funding sources. However, with competition from the other WMGA projects and increasing need for water infrastructure funding throughout the state the DCWMGA will need to look to other sources of funding to complete the funding mix for implementing the EWMP.

Attachment V
Statement of Inclusion from each Permittee

CITY OF LOS ANGELES

CALIFORNIA



ERIC GARCETTI

MAYOR

BOARD OF PUBLIC WORKS MEMBERS

—
KEVIN JAMES
PRESIDENT

MONICA RODRIGUEZ
VICE PRESIDENT

MATT SZABO
PRESIDENT PRO TEMPORE

MICHAEL R. DAVIS
COMMISSIONER

BARBARA ROMERO
COMMISSIONER

BUREAU OF SANITATION

—
ENRIQUE C. ZALDIVAR
DIRECTOR

TRACI J. MINAMIDE
CHIEF OPERATING OFFICER

VAROUJ S. ABKIAN
ADEL H. HAGEKHALIL
ALEXANDER E. HELOU
ASSISTANT DIRECTORS

LISA B. MOWERY
CHIEF FINANCIAL OFFICER

—
1149 SOUTH BROADWAY, 10TH FLOOR
LOS ANGELES, CA 90015
TEL: (213) 485-0587
FAX: (213) 485-3939
WWW.LACITYSAN.ORG

January 22, 2015

Mr. Sam Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
320 West 4th Street, Suite 200
Los Angeles, CA 90013

Attention Mr. Ivar Ridgeway

Dear Mr. Unger:

CERTIFICATION BY LEGAL COUNSEL FOR THE CITY OF LOS ANGELES CONFIRMING LEGAL AUTHORITY TO IMPLEMENT THE PROVISIONS OF THE MUNICIPAL STORMWATER PERMIT

I write pursuant to Part VI(A)(2)(b) of Order No. R4-2012-0175, otherwise known as the Municipal Separate Stormwater Sewer System (MS4) Permit (the "Order"). Part VI(A)(2)(b) of the Permit provides:

"Each Permittee must submit a statement certified by its chief legal counsel that the Permittee has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d) (2) (i) (AF) and this Order."

The Office of the City Attorney of the City of Los Angeles (City), serving as its legal counsel, certifies that the City has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and of the Order. This correspondence addresses all legal authority requirements as listed in the Order. Subsequently, annual certification by our office will be included in the Stormwater Annual Report as required by the Order.

Order Part VI(A)(2)(b)(i) - "Citation of applicable municipal ordinances or other appropriate legal authorities and their relationship to the requirements of 40 CFR §122.26(d) (2) (i) (A-F) and this Order"

zero waste • one water

AN EQUAL EMPLOYMENT OPPORTUNITY - AFFIRMATIVE ACTION EMPLOYER

Recyclable and made from recycled waste



Below is a list of applicable Los Angeles Municipal Code (LAMC) provisions that provide the requisite legal authorities:

LAMC 64.70 General Provisions.
LAMC 64.70.01 Definitions and Abbreviations.
LAMC 64.70.02 Pollutant Discharge Control.
LAMC 64.70.03 Elimination of Illicit Discharges and Illicit Connections.
LAMC 64.70.05 Authority to Inspect.
LAMC 64.70.06 Authority to Arrest and Issue Citations.
LAMC 64.70.07 Enforcement.
LAMC 64.70.08 Remedies Not Exclusive.
LAMC 64.70.09 Liability for Costs of Correction Arising from Unlawful Discharge.
LAMC 64.70.10 Disposition of Money Collected.
LAMC 64.70.11 Stormwater and Urban Runoff Pollution Education.
LAMC 64.70.12 Construction and Application.
LAMC 64.70.13 Severability.
LAMC 64.72 Stormwater Pollution Control Measures for Development Planning and Construction Activities.
LAMC 64.72.01 Authority of the Board of Public Works.
LAMC 64.72.02 Funds Collected from Waiver.
LAMC 64.72.03 Supplemental Provisions.
LAMC 64.72.04 Authority to Inspect and Enforce Stormwater Pollution Control Measures.
LAMC 64.72.05 LID Plan Check Fees.

In addition, statewide regulations provide further legal authorities with respect to intergovernmental authorities, specifically:

California Government Code §6502
California Government Code §23004

Relationship of Applicable Ordinances and Other Legal Authorities to the Requirements of 40CFR §122.26(d)(2)(i)(a-F) and the Order


The table below indicates the basic relationship between the “Legal Authority” requirements listed in Section VI(A)(2)(b) of the Order and the existing legal statutes that provide this legal authority.

Legal Authority Required by Permit	City/State Legal Provisions
VI.A.2.i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.	LAMC 64.70.02.B LAMC 64.70.02.C.1.a LAMC 64.70.02.D LAMC 64.70.03.A
ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A	LAMC 64.70.03.A
iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4	LAMC 64.70.03.A LAMC 64.70.03.B
iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4	LAMC 64.70.03.A
v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows)	LAMC 64.70.03.A LAMC 64.70.07
vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders	LAMC 64.70.05.B.4 LAMC 64.70.05.B.6
vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Co-permittees	California Government Code §6502 California Government Code §23004
viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation	California Government Code §6502 California Government Code §23004

ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances, permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4	LAMC 64.70.05.A LAMC 64.70.05.B LAMC 64.72.04.B
x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations	LAMC 64.70.02.D
xi. Require that structural BMPs are properly operated and maintained	LAMC 64.70.02.D
xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4	LAMC 64.70.05.B.3
VI.A.b.ii. Identification of the local administrative and legal procedures available to mandate compliance with applicable municipal ordinances identified in subsection (i) above and therefore with the conditions of this Order, and a statement as to whether enforcement actions can be completed administratively or whether they must be commenced and completed in the judicial system.	The local administrative and legal procedures available to mandate compliance with the above LAMC provisions are specified in the provisions themselves with key enforcement provisions being LAMC 64.70.06 and LAMC 64.70.07

The City is in the process of updating the LAMC with respect to its stormwater regulations. These changes will be reported with the 2014-2015 annual report.

Very truly yours,


JOHN CARVALHO, Deputy City Attorney
City's Attorney Office

WPDCR9163

CITY OF LOS ANGELES

CALIFORNIA



ERIC GARCETTI

MAYOR

BOARD OF PUBLIC WORKS MEMBERS

—
KEVIN JAMES
PRESIDENT

MONICA RODRIGUEZ
VICE PRESIDENT

MATT SZABO
PRESIDENT PRO TEMPORE

MICHAEL R. DAVIS
COMMISSIONER

BARBARA ROMERO
COMMISSIONER

BUREAU OF SANITATION

—
ENRIQUE C. ZALDIVAR
DIRECTOR

TRACI J. MINAMIDE
CHIEF OPERATING OFFICER

VAROUJ S. ABKIAN
ADEL H. HAGEKHALIL
ALEXANDER E. HELOU
ASSISTANT DIRECTORS

LISA B. MOWERY
CHIEF FINANCIAL OFFICER

—
1149 SOUTH BROADWAY, 10TH FLOOR
LOS ANGELES, CA 90015
TEL: (213) 485-0587
FAX: (213) 485-3939
WWW.LACITYSAN.ORG

January 22, 2015

Mr. Sam Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
320 West 4th Street, Suite 200
Los Angeles, CA 90013

Attention Mr. Ivar Ridgeway

Dear Mr. Unger:

CERTIFICATION BY LEGAL COUNSEL FOR THE CITY OF LOS ANGELES CONFIRMING LEGAL AUTHORITY TO IMPLEMENT THE PROVISIONS OF THE MUNICIPAL STORMWATER PERMIT

I write pursuant to Part VI(A)(2)(b) of Order No. R4-2012-0175, otherwise known as the Municipal Separate Stormwater Sewer System (MS4) Permit (the "Order"). Part VI(A)(2)(b) of the Permit provides:

"Each Permittee must submit a statement certified by its chief legal counsel that the Permittee has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d) (2) (i) (AF) and this Order."

The Office of the City Attorney of the City of Los Angeles (City), serving as its legal counsel, certifies that the City has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and of the Order. This correspondence addresses all legal authority requirements as listed in the Order. Subsequently, annual certification by our office will be included in the Stormwater Annual Report as required by the Order.

Order Part VI(A)(2)(b)(i) - "Citation of applicable municipal ordinances or other appropriate legal authorities and their relationship to the requirements of 40 CFR §122.26(d) (2) (i) (A-F) and this Order"

zero waste • one water

AN EQUAL EMPLOYMENT OPPORTUNITY - AFFIRMATIVE ACTION EMPLOYER

Recyclable and made from recycled waste



Below is a list of applicable Los Angeles Municipal Code (LAMC) provisions that provide the requisite legal authorities:

LAMC 64.70 General Provisions.
LAMC 64.70.01 Definitions and Abbreviations.
LAMC 64.70.02 Pollutant Discharge Control.
LAMC 64.70.03 Elimination of Illicit Discharges and Illicit Connections.
LAMC 64.70.05 Authority to Inspect.
LAMC 64.70.06 Authority to Arrest and Issue Citations.
LAMC 64.70.07 Enforcement.
LAMC 64.70.08 Remedies Not Exclusive.
LAMC 64.70.09 Liability for Costs of Correction Arising from Unlawful Discharge.
LAMC 64.70.10 Disposition of Money Collected.
LAMC 64.70.11 Stormwater and Urban Runoff Pollution Education.
LAMC 64.70.12 Construction and Application.
LAMC 64.70.13 Severability.
LAMC 64.72 Stormwater Pollution Control Measures for Development Planning and Construction Activities.
LAMC 64.72.01 Authority of the Board of Public Works.
LAMC 64.72.02 Funds Collected from Waiver.
LAMC 64.72.03 Supplemental Provisions.
LAMC 64.72.04 Authority to Inspect and Enforce Stormwater Pollution Control Measures.
LAMC 64.72.05 LID Plan Check Fees.

In addition, statewide regulations provide further legal authorities with respect to intergovernmental authorities, specifically:

California Government Code §6502
California Government Code §23004

Relationship of Applicable Ordinances and Other Legal Authorities to the Requirements of 40CFR §122.26(d)(2)(i)(a-F) and the Order


The table below indicates the basic relationship between the “Legal Authority” requirements listed in Section VI(A)(2)(b) of the Order and the existing legal statutes that provide this legal authority.

Legal Authority Required by Permit	City/State Legal Provisions
VI.A.2.i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.	LAMC 64.70.02.B LAMC 64.70.02.C.1.a LAMC 64.70.02.D LAMC 64.70.03.A
ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A	LAMC 64.70.03.A
iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4	LAMC 64.70.03.A LAMC 64.70.03.B
iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4	LAMC 64.70.03.A
v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows)	LAMC 64.70.03.A LAMC 64.70.07
vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders	LAMC 64.70.05.B.4 LAMC 64.70.05.B.6
vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Co-permittees	California Government Code §6502 California Government Code §23004
viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation	California Government Code §6502 California Government Code §23004

ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances, permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4	LAMC 64.70.05.A LAMC 64.70.05.B LAMC 64.72.04.B
x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations	LAMC 64.70.02.D
xi. Require that structural BMPs are properly operated and maintained	LAMC 64.70.02.D
xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4	LAMC 64.70.05.B.3
VI.A.b.ii. Identification of the local administrative and legal procedures available to mandate compliance with applicable municipal ordinances identified in subsection (i) above and therefore with the conditions of this Order, and a statement as to whether enforcement actions can be completed administratively or whether they must be commenced and completed in the judicial system.	The local administrative and legal procedures available to mandate compliance with the above LAMC provisions are specified in the provisions themselves with key enforcement provisions being LAMC 64.70.06 and LAMC 64.70.07

The City is in the process of updating the LAMC with respect to its stormwater regulations. These changes will be reported with the 2014-2015 annual report.

Very truly yours,


JOHN CARVALHO, Deputy City Attorney
City's Attorney Office

WPDCR9163



COUNTY OF LOS ANGELES
OFFICE OF THE COUNTY COUNSEL

648 KENNETH HAHN HALL OF ADMINISTRATION
500 WEST TEMPLE STREET
LOS ANGELES, CALIFORNIA 90012-2713

JOHN F. KRATTLI
County Counsel

December 16, 2013

TELEPHONE
(213) 974-1923
FACSIMILE
(213) 687-7337
TDD
(213) 633-0901

Mr. Samuel Unger, P.E., Executive Officer
California Regional Water Quality Control Board – Los Angeles Region
320 West 4th Street, Suite 200
Los Angeles, CA 90013-2343

Attention: Mr. Ivar Ridgeway

**Re: Certification By Legal Counsel For County of Los Angeles'
Annual Report**

Dear Mr. Unger:

Pursuant to the requirements of Part VI(A)(2)(b) of Order No. R4-2012-0175 (the "Order"), the Office of the County Counsel of the County of Los Angeles makes the following certification in support of the Annual Report of the County of Los Angeles ("County"):

Certification Pursuant To Order Part VI(A)(2)(b)

"Each Permittee must submit a statement certified by its chief legal counsel that the Permittee has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and this Order."

The County has the legal authority within its jurisdiction to implement and enforce each of the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order.

Order Part VI(A)(2)(b)(i)

"Citation of applicable municipal ordinances or other appropriate legal authorities and their relationship to the requirements of 40 CFR §122.26(d)(2)(i)(A-F) and this Order"

Citations Of Applicable Ordinances Or Other Legal Authorities

Although many portions of State law, the Charter of the County of Los Angeles and the Los Angeles County Code are potentially applicable to the implementation and enforcement of these requirements, the primary applicable laws and ordinances are as follows:

Los Angeles County Code, Title 12, Chapter 12.80 STORMWATER AND RUNOFF POLLUTION CONTROL, including:

§12.80.010 - §12.80.360 Definitions

§12.80.370 Short title.

§12.80.380 Purpose and intent.

§12.80.390 Applicability of this chapter.

§12.80.400 Standards, guidelines and criteria.

§12.80.410 Illicit discharges prohibited.

§12.80.420 Installation or use of illicit connections prohibited.

§12.80.430 Removal of illicit connection from the storm drain system.

§12.80.440 Littering and other discharge of polluting or damaging substances prohibited.

§12.80.450 Stormwater and runoff pollution mitigation for construction activity.

§12.80.460 Prohibited discharges from industrial or commercial activity.

§12.80.470 Industrial/commercial facility sources required to obtain a NPDES permit.

§12.80.480 Public facility sources required to obtain a NPDES permit.

§12.80.490 Notification of uncontrolled discharges required.

§12.80.500 Good housekeeping provisions.

§12.80.510 Best management practices for construction activity.

- §12.80.520 Best management practices for industrial and commercial facilities.
- §12.80.530 Installation of structural BMPs.
- §12.80.540 BMPs to be consistent with environmental goals.
- §12.80.550 Enforcement—Director's powers and duties.
- §12.80.560 Identification for inspectors and maintenance personnel.
- §12.80.570 Obstructing access to facilities prohibited.
- §12.80.580 Inspection to ascertain compliance—Access required.
- §12.80.590 Interference with inspector prohibited.
- §12.80.600 Notice to correct violations—Director may take action.
- §12.80.610 Violation a public nuisance.
- §12.80.620 Nuisance abatement—Director to perform work when—Costs.
- §12.80.630 Violation—Penalty.
- §12.80.635 Administrative fines.
- §12.80.640 Penalties not exclusive.
- §12.80.650 Conflicts with other code sections.
- §12.80.660 Severability.
- §12.80.700 Purpose.
- §12.80.710 Applicability.
- §12.80.720 Registration required.
- §12.80.730 Exempt facilities.
- §12.80.740 Certificate of inspection—Issuance by the director.
- §12.80.750 Certificate of inspection—Suspension or revocation.

§12.80.760 Certificate of inspection—Termination.

§12.80.770 Service fees.

§12.80.780 Fee schedule.

§12.80.790 Credit for overlapping inspection programs.

§12.80.800 Annual review of fees.

Los Angeles County Code, Title 12, Chapter 12.84 LOW IMPACT
DEVELOPMENT STANDARDS, including:

§12.84.410 Purpose.

§12.84.420 Definitions.

§12.84.430 Applicability.

§12.84.440 Low Impact Development Standards.

§12.84.445 Hydromodification Control.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Los Angeles County Code, Title 22 PLANNING AND ZONING, Part 6
ENFORCEMENT PROCEDURES, including:

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

Los Angeles County Code, Title 26 BUILDING CODE, including:

§26.103 Violations And Penalties

§26.104 Organization And Enforcement

§26.105 Appeals Boards

§26.106 Permits

§26.107 Fees

§26.108 Inspections

California Government Code §6502

California Government Code §23004

Relationship Of Applicable Ordinances Or Other Legal Authorities To
The Requirements of 40 CFR §122.26(d)(2)(i)(A-F) And The Order

Although, depending upon the particular issue, there may be multiple ways in which particular sections of the County's ordinances and State law relate to the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order, the table below indicates the basic relationship with Part VI(A)(2)(a) of the Order:

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.	§12.80.410 [illicit discharge prohibited]; §12.80.450 [construction] §12.80.460 [industrial and commercial] §12.80.470 and .480 [industrial and commercial NPDES requirements] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injunction] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties] §26.104 [enforcement] §26.106 [permits] §26.108 [inspections]
ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A.	§12.80.410 [illicit discharge prohibited]
iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4.	§12.80.410 [illicit discharge prohibited]; §12.80.420 [illicit connections prohibited]
iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4.	§12.80.410 [illicit discharge prohibited]; §12.80.440 [littering and other polluting prohibited]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows).	§12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.620 [nuisance abatement] §12.80.635 [violation penalty] §12.80.640 [penalties not exclusive] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injuncton] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties] §26.104 [enforcement] §26.106 [permits] §26.108 [inspections]
vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders.	Same as item v., above

California Regional Water Quality Control Board, Los Angeles Region

December 16, 2013

Page 8

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Copermittees.	California Government Code §6502 and §23004
viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation.	California Government Code §6502 and §23004
ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances, permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4.	§12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.80.620 [nuisance abatement] §12.80.635 [violation penalty] §12.80.640 [penalties not exclusive] §22.60.380 [enforcement.] §26.106 [permits] §26.108 [inspections]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations.	§12.80.450 [construction mitigation] §12.80.500 [good housekeeping practices] §12.80.510 [construction BMPs] §12.80.520 [industrial/commercial BMPs] §12.84.440 [LID standards] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections]
xi. Require that structural BMPs are properly operated and maintained.	§12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections]
xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4.	§12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections]

Order Part VI(A)(2)(b)(ii)

"Identification of the local administrative and legal procedures available to mandate compliance with applicable municipal ordinances identified in subsection (i) above and therefore with the conditions of this Order, and a statement as to whether enforcement actions can be completed administratively or whether they must be commenced and completed in the judicial system."

The local administrative and legal procedures available to mandate compliance with the above ordinances are specified in those ordinances, particularly in:

§12.80.550 Enforcement—Director's powers and duties.

§12.80.600 Notice to correct violations—Director may take action.

§12.80.610 Violation a public nuisance.

§12.80.620 Nuisance abatement—Director to perform work when—Costs.

§12.80.630 Violation—Penalty.

§12.80.635 Administrative fines.

§12.80.640 Penalties not exclusive.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Title 26, §103 Violations And Penalties

Title 26, §104 Organization And Enforcement

Title 26, §105 Appeals Boards

Title 26, §106 Permits

Title 22 PLANNING AND ZONING, Part 6 ENFORCEMENT
PROCEDURES, including:

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

The County attempts to first resolve each enforcement action administratively. However, the above cited ordinances also provide the County with the authority to pursue such actions in the judicial system as necessary.

Very truly yours,

JOHN F. KRATTLI
County Counsel

By



JUDITH A. FRIES
Principal Deputy County Counsel
Public Works Division

JAF:jjj



COUNTY OF LOS ANGELES
OFFICE OF THE COUNTY COUNSEL

648 KENNETH HAHN HALL OF ADMINISTRATION
500 WEST TEMPLE STREET
LOS ANGELES, CALIFORNIA 90012-2713

JOHN F. KRATTLI
County Counsel

December 16, 2013

TELEPHONE
(213) 974-1923
FACSIMILE
(213) 687-7337
TDD
(213) 633-0901

Mr. Samuel Unger, P.E., Executive Officer
California Regional Water Quality Control Board – Los Angeles Region
320 West 4th Street, Suite 200
Los Angeles, CA 90013-2343

Attention: Mr. Ivar Ridgeway

**Re: Certification By Legal Counsel For Los Angeles County Flood
Control District's Annual Report**

Dear Mr. Unger:

Pursuant to the requirements of Part VI(A)(2)(b) of Order No. R4-2012-0175 (the "Order"), the Office of the County Counsel of the County of Los Angeles makes the following certification in support of the Annual Report of the Los Angeles County Flood Control District ("LACFCD"):

Certification Pursuant To Order Part VI(A)(2)(b)

"Each Permittee must submit a statement certified by its chief legal counsel that the Permittee has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and this Order."

LACFCD has the legal authority within its jurisdiction to implement and enforce each of the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order.

Order Part VI(A)(2)(b)(i)

"Citation of applicable municipal ordinances or other appropriate legal authorities and their relationship to the requirements of 40 CFR §122.26(d)(2)(i)(A-F) and this Order"

Citations Of Applicable Ordinances Or Other Legal Authorities

Although many portions of State law, the Charter of the County of Los Angeles, the Los Angeles County Code and LACFCD's Flood Control District Code ("Code") are potentially applicable to the implementation and enforcement of these requirements, the primary applicable laws and ordinances are as follows:

Los Angeles County Code, Title 12, Chapter 12.80 STORMWATER AND RUNOFF POLLUTION CONTROL, including:

§12.80.010 - §12.80.360 Definitions

§12.80.370 Short title.

§12.80.380 Purpose and intent.

§12.80.390 Applicability of this chapter.

§12.80.400 Standards, guidelines and criteria.

§12.80.410 Illicit discharges prohibited.

§12.80.420 Installation or use of illicit connections prohibited.

§12.80.430 Removal of illicit connection from the storm drain system.

§12.80.440 Littering and other discharge of polluting or damaging substances prohibited.

§12.80.450 Stormwater and runoff pollution mitigation for construction activity.

§12.80.460 Prohibited discharges from industrial or commercial activity.

§12.80.470 Industrial/commercial facility sources required to obtain a NPDES permit.

§12.80.480 Public facility sources required to obtain a NPDES permit.

§12.80.490 Notification of uncontrolled discharges required.

§12.80.500 Good housekeeping provisions.

§12.80.510 Best management practices for construction activity.

- §12.80.520 Best management practices for industrial and commercial facilities.
- §12.80.530 Installation of structural BMPs.
- §12.80.540 BMPs to be consistent with environmental goals.
- §12.80.550 Enforcement—Director's powers and duties.
- §12.80.560 Identification for inspectors and maintenance personnel.
- §12.80.570 Obstructing access to facilities prohibited.
- §12.80.580 Inspection to ascertain compliance—Access required.
- §12.80.590 Interference with inspector prohibited.
- §12.80.600 Notice to correct violations—Director may take action.
- §12.80.610 Violation a public nuisance.
- §12.80.620 Nuisance abatement—Director to perform work when—Costs.
- §12.80.630 Violation—Penalty.
- §12.80.635 Administrative fines.
- §12.80.640 Penalties not exclusive.
- §12.80.650 Conflicts with other code sections.
- §12.80.660 Severability.
- §12.80.700 Purpose.
- §12.80.710 Applicability.
- §12.80.720 Registration required.
- §12.80.730 Exempt facilities.
- §12.80.740 Certificate of inspection—Issuance by the director.
- §12.80.750 Certificate of inspection—Suspension or revocation.

§12.80.760 Certificate of inspection—Termination.

§12.80.770 Service fees.

§12.80.780 Fee schedule.

§12.80.790 Credit for overlapping inspection programs.

§12.80.800 Annual review of fees.

Los Angeles County Code, Title 12, Chapter 12.84 LOW IMPACT
DEVELOPMENT STANDARDS, including:

§12.84.410 Purpose.

§12.84.420 Definitions.

§12.84.430 Applicability.

§12.84.440 Low Impact Development Standards.

§12.84.445 Hydromodification Control.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Los Angeles County Code, Title 22 PLANNING AND ZONING, Part 6
ENFORCEMENT PROCEDURES, including:

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

Los Angeles County Code, Title 26 BUILDING CODE, including:

§26.103 Violations And Penalties

§26.104 Organization And Enforcement

§26.105 Appeals Boards

§26.106 Permits

§26.107 Fees

§26.108 Inspections

LACFCD Code Chapter 21 - STORMWATER AND RUNOFF
POLLUTION CONTROL including:

§21.01 Purpose and Intent

§21.03 Definitions

§21.05 Standards, Guidelines, and Criteria

§21.07 Prohibited Discharges

§21.09 Installation or Use of Illicit Connections Prohibited

§21.11 Littering Prohibited

§21.13 Evidence of Compliance With Permit Requirements for Industrial
or Commercial Activity

§21.15 Notification of Uncontrolled Discharges Required

§21.17 Requirement to Monitor and Analyze

§21.19 Conflicts With Other Code Sections

§21.21 Severability

§21.23 Violation a Public Nuisance

California Government Code §6502

California Government Code §23004

California Water Code §8100 *et. seq.*

Relationship Of Applicable Ordinances Or Other Legal Authorities To
The Requirements of 40 CFR §122.26(d)(2)(i)(A-F) And The Order

Although, depending upon the particular issue, there may be multiple ways in which particular sections of the County of Los Angeles' ordinances, LACFCD's ordinances, and statutes relate to the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order, the table below indicates the basic relationship with Part VI(A)(2)(a) of the Order:

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited]; §12.80.450 [construction] §12.80.460 [industrial and commercial] §12.80.470 and .480 [industrial and commercial NPDES requirements] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injunction] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§26.104 [enforcement] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited] LACFCD Code: §21.07 Prohibited Discharges
iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited]; §12.80.420 [illicit connections prohibited] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.23 Violation a Public Nuisance

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited]; §12.80.440 [littering and other polluting prohibited] LACFCD Code: §19.07 Interference With or Placing Obstructions, Refuse, Contaminating Substances, or Invasive Species in Facilities Prohibited §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows).	Los Angeles County Code: §12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.620 [nuisance abatement] §12.80.635 [violation penalty]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§12.80.640 [penalties not exclusive] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injunction] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties] §26.104 [enforcement] §26.106 [permits] §26.108 [inspections] LACFCD Code: §19.11 Violation a Public Nuisance §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§21.19 Conflicts With Other Code Sections §21.23 Violation a Public Nuisance
vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders.	Same as item v., above
vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Copermittees.	California Government Code §6502 California Government Code §23004
viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation.	California Government Code §6502 California Government Code §23004
ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances, permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4.	Los Angeles County Code: §12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.80.620 [nuisance abatement] §12.80.635 [violation penalty] §12.80.640 [penalties not exclusive] §22.60.380 [enforcement.] §26.106 [permits] §26.108 [inspections]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations.	Los Angeles County Code: §12.80.450 [construction mitigation] §12.80.500 [good housekeeping practices] §12.80.510 [construction BMPs] §12.80.520 [industrial/commercial BMPs] §12.84.440 [LID standards] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
xi. Require that structural BMPs are properly operated and maintained.	Los Angeles County Code: §12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§21.23 Violation a Public Nuisance
xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4.	Los Angeles County Code: §12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance

Order Part VI(A)(2)(b)(ii)

"Identification of the local administrative and legal procedures available to mandate compliance with applicable municipal ordinances identified in subsection (i) above and therefore with the conditions of this Order, and a statement as to whether enforcement actions can be completed administratively or whether they must be commenced and completed in the judicial system."

The local administrative and legal procedures available to mandate compliance with the above ordinances are specified in those ordinances, particularly in:

Los Angeles County Code:

§12.80.550 Enforcement—Director's powers and duties.

§12.80.600 Notice to correct violations—Director may take action.

§12.80.610 Violation a public nuisance.

§12.80.620 Nuisance abatement—Director to perform work when—Costs.

§12.80.630 Violation—Penalty.

§12.80.635 Administrative fines.

§12.80.640 Penalties not exclusive.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Title 26, §103 Violations And Penalties

Title 26, §104 Organization And Enforcement

Title 26, §105 Appeals Boards

Title 26, §106 Permits

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

LACFCD Code:

§21.05 Standards, Guidelines, and Criteria

§21.07 Prohibited Discharges

§21.09 Installation or Use of Illicit Connections Prohibited

§21.11 Littering Prohibited

§21.13 Evidence of Compliance With Permit Requirements for Industrial
or Commercial Activity

§21.15 Notification of Uncontrolled Discharges Required

§21.17 Requirement to Monitor and Analyze

§21.23 Violation a Public Nuisance

LACFCD attempts to first resolve each enforcement action
administratively. However, the above cited ordinances also provide LACFCD
with the authority to pursue such actions in the judicial system as necessary.

Very truly yours,

JOHN F. KRATTLI
County Counsel

By 

JUDITH A. FRIES
Principal Deputy County Counsel
Public Works Division

JAF:jjj

CITY OF HAWTHORNE



4455 West 126th Street • Hawthorne, California 90250-4482

Department of Public Works, Engineering Division

Office (310) 349-2980 Fax (310) 978-9862

Mr. Sam Unger, Executive Officer
California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200
Los Angeles, CA 90013-1105

December 1, 2014

RE: Legal Authority Certification for the City of Hawthorne

The City, by and through its legal counsel, hereby submits the following certification, pursuant to Part VI.A.2 of Order No. R4-2012-0175, issued by the Regional Water Quality Control Board — Los Angeles Region ("RWQCB"), adopted on December 28, 2012 and entitled "Waste Discharge Requirements for Municipal Separate Storm Sewer System (MS4) Discharges within the Coastal Watersheds of Los Angeles County, except those Discharges Originating from the City of Long Beach (MS4)" [NPDES No. CAS004001] (the "2012 NPDES Permit"). Part VI.A.2 of the 2012 NPDES Permit requires the City, as a Permittee, to submit a new or updated statement by its legal counsel that the Permittee has obtained all necessary legal authority to comply with the Permit.

The City, as a general law city, has broad general police powers under the Constitution of the State of California to enact legislation for health and public welfare of the community to the extent not preempted by federal or state law. In addition to the provisions of the municipal Code, which provide various enforcement and nuisance abatement powers, the City has adopted specific stormwater ordinances for the purpose of ensuring that it has adequate legal authority to implement and enforce its stormwater control program and to implement the programs prescribed by the 2012 and preceding NPDES Permits. The City has the authority under the Constitution and statutes of the State of California to enact and enforce these ordinances, and these ordinances were duly enacted. These ordinances contain specific enforcement provisions under the generally applicable enforcement provisions of the Municipal Code.

Based on its prior adoption of comprehensive stormwater ordinances, which have been and continue to be amended as and when required by applicable NPDES permits and RWQCB orders, as well as other parts of its Municipal Code, the City previously submitted statements to the RWQCB confirming that it has all necessary legal authority to control discharges to and from those portions of the Municipal Separate Storm Sewer System (MS4) over which the City has jurisdiction through adoption of ordinances and/or municipal code modifications,

regulations and other legal documents. The purpose of this letter is to provide the RWQCB with an updated statement confirming the City's compliance with Part VI.A.2 of the 2012 NPDES Permit.

In our opinion, as of the date of this letter, the City has adequate legal authority, as envisioned by the 2012 NPDES Permit, the Clean Water Act and applicable regulations promulgated thereunder, specifically, 40 CFR 22.26(d)(2)(i)(A-F), to implement the requirements of the 2012 NPDES Permit by the mandated dates, and to enforce such additional requirements after they have been implemented, consistent with the requirements set forth in the U.S. Environmental Protection Agency's regulations and to the extent permitted by State and Federal law, subject to the limitations on municipal action under the California and United States Constitutions, and that the City has obtained the necessary legal authority to control and prohibit discharges of pollutants into the Municipal Separate Storm Sewer System, as required by the 2012 NPDES Permit.

Should you have any questions regarding the City's legal authority, please feel free to call me at 310-349-2960 or E-Mail me at rmiyahira@cityofhawthorne.org.

Sincerely,



Russell Miyahira
City Attorney

cc: Arnold Shadbehr, P.E.
John L. Hunter & Associates



City of El Segundo

November 18, 2014

Elected Officials:

Suzanne Fuentes,
Mayor
Carl Jacobson
Mayor Pro Tem
Dave Atkinson,
Council Member
Marie Fellhauer,
Council Member
Michael Dugan,
Council Member
Tracy Weaver,
City Clerk

Appointed Officials:

Greg Carpenter,
City Manager
Mark D. Hensley,
City Attorney
Crista Binder,
City Treasurer

Department Directors:

Deborah Cullen,
Finance
Martha Dijkstra,
Human Resources
Kevin Smith,
Fire Chief
Debra Brighton,
Library Services
Sam Lee,
Planning and
Building Safety
Mitch Tavera,
Police Chief
Stephanie Katsouleas,
Public Works
Meredith Petit,
Recreation & Parks

www.elsegundo.org

Mr. Sam Unger, Executive Officer
California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200
Los Angeles, CA 90013-1105

RE: Legal Authority Certification for the City of El Segundo to Implement
and Enforce the Requirements of LARWQCB Order R4-2012-0175

Dear Mr. Unger:

The City of El Segundo submits this statement in its capacity as a co-permittee under LARWQCB Order R4-2012-0175 (NPDES No. CAS004001) (the "MS4 Permit"), in accordance with Part VI.A.2 of the MS4 Permit.

I am the City Attorney of the City of El Segundo, California. In that capacity, I state that it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit, consistent with the requirements set forth in the regulations implementing the Clean Water Act (40 CFR § 122.26(d)(2)(i)(A-F)), and to the extent permitted by state and federal law and subject to the limitations on municipal action under the California and United States Constitutions.

The primary source of the City's authority is Article 11, § 7 of the California Constitution. The City also has authority under California Water Code § 13002 to adopt and enforce regulations conditioning, restricting and limiting activities which might degrade the quality of waters of the State. In accordance with these laws, the City adopted El Segundo Municipal Code ("ESMC") Chapters 5-4 and 5-7 which include the City's regulations enabling it to implement the MS4 Permit. As the City transitions to the new EWMP requirements, these regulations may be amended to implement the new programs. Nevertheless, the City has already the legal authority as required under Part VI.A.2 of the MS4 Permit.


California law also authorizes the City to require the use of control measures to prevent or reduce the discharge of pollutants and ensure that such control measures are properly operated and maintained. The City's regulatory authority is supplemented by the California Environmental Quality Act ("CEQA") process by allowing the City to impose enforceable mitigation measures on development projects. As a general law city and municipal corporation, the City may enter into contracts that enable it to carry out its necessary functions including, without limitation, the ability to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

Pursuant to ESMC Chapters 1-2, 1-2A, and § 5-4-11, the City's regulations may be enforced administratively, civilly and criminally. The ESMC also provides various procedures to modify and/or revoke city-issued permits for unlawful and/or environmentally disruptive activity.

Consequently, it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit. Please do not hesitate to contact me should you have any questions or need any additional information

Very truly yours,
Mark D. Hensley, City Attorney

By:



Karl H. Berger
Assistant City Attorney

JENKINS & HOGIN, LLP
A LAW PARTNERSHIP

MICHAEL JENKINS
CHRISTI HOGIN
JOHN C. COTTI
GREGG W. KETTLES
TARQUIN PREZIOSI
LAUREN LANGER
TREVOR RUSIN
SHAHIEDAH COATES
NATALIE C. KARPELES

MANHATTAN TOWERS
1230 ROSECRANS AVENUE, SUITE 110
MANHATTAN BEACH, CALIFORNIA 90266
(310) 643-8448 • FAX (310) 643-8441
WWW.LOCALGOVLAW.COM

WRITER'S EMAIL ADDRESS:
CHOGIN@LOCALGOVLAW.COM

December 8, 2014

Mr. Sam Unger, Executive Officer
California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200
Los Angeles, CA 90013-1105

RE: Legal Authority Certification for the City of Lomita to Implement and Enforce the
Requirements of LARWQCB Order R4-2012-0175

Dear Mr. Unger:

The City of Lomita submits this statement in its capacity as a co-permittee under LARWQCB Order R4-2012-0175 (NPDES No. CAS004001) (the "MS4 Permit"), in accordance with Part VI.A.2 of the Order.

I am the City Attorney of the City of Lomita, California. In that capacity, I state that it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit, consistent with the requirements set forth in the regulations implementing the Clean Water Act, 40 CFR § 122.26(d)(2)(i)(A-F), and to the extent permitted by state and federal law and subject to the limitations on municipal action under the California and United States Constitutions.

The primary source of the City's authority is Article 11, § 7 of the California Constitution. The City also has authority under § 13002 of the California Water Code to adopt and enforce ordinances conditioning, restricting and limiting activities which might degrade the quality of waters of the State. Pursuant to Article 11, § 7 of the California Constitution and § 13002 of the California Water Code, the City adopted Chapters 5-8 and 5-9 of the Lomita Municipal Code ("LMC"), which contains the City's regulations enabling it to impose the legal requirements of the MS4 Permit (see attached analysis of legal authority). Thus, the City has the legal authority as required under Part VI.A.2 of the MS4 Permit.

Article 11, § 7 also provides the City the authority to require the use of control measures to prevent or reduce the discharge of pollutants and ensure that such control measures are properly

JENKINS & HOGIN, LLP

December 8, 2014


Page 2

operated and maintained. The City's environmental requirements are also implemented in part through the application of the California Environmental Quality Act ("CEQA") process to proposed projects, as enforceable mitigation measures. The City, as a municipal corporation, has authority to enter into contracts that enable it to carry out its necessary functions, including the power to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

Pursuant to LMC Chapters 1-2 Penalty Provisions, 5-8 Stormwater and Runoff Pollution Control Storm Drains and 5-9 Standard Urban Stormwater Mitigation Plan Implementation, the City's regulations may be enforced administratively through a notice to correct violations, civilly as a public nuisance and criminally. The LMC also provides various procedures to modify and/or revoke city-issued permits for unlawful and/or environmentally disruptive activity.

Consequently, it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit. Please do not hesitate to contact me should you have any questions or need any additional information

Very truly yours,



Christi Hogin
City Attorney

Enclosure

Lomita Statement of Legal Authority

- A. The following list shows the relationship of the Lomita Municipal Code¹ and other legal authorities to the MS4 permit requirements under Part VI.A.2 of the Permit:

- i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC Chapter 5-9 Standard Urban Stormwater Mitigation Plan Implementation; LCC 12.80.450 Stormwater and Runoff Pollution Mitigation for Construction Activity; LCC 12.80.460 Prohibited Discharges from Industrial and Commercial Activity; LCC 12.80.470 Industrial/Commercial Facility Sources Required to Obtain NPDES Permit

- ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LCC 12.80.410 Illicit Discharges Prohibited

- iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LCC 12.80.410 Illicit Discharges Prohibited; LCC 12.80.420 Installation or Use of Illicit Connection to Stormdrain Prohibited; LCC 12.80.430 Removal of Illicit Connection from Stormdrain System

- iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LCC 12.80.440 Littering and Other Discharge of

¹ LMC 5-8-02 adopts by reference Chapter 12.80 of Title 12 of the Los Angeles County Code. All references to LCC are from this Chapter 12.80.

Polluting or Damaging Substances Prohibited

- v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows).

LMC Chapter 1-2 Penalty Provisions; LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC Chapter 5-9 Standard Urban Stormwater Mitigation Plan Implementation; Part 4 of LCC Chapter 12.80 Runoff Management Requirements and Part 5 of LCC Chapter 12.80 Violations and Enforcement

- vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders.

LMC Chapter 1-2 Penalty Provisions; LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-200 Violations; Part 5 of LCC Chapter 12.80 Violations and Enforcement

- vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Co-permittees.

In addition to the provisions of LMC Chapter 5-8, which control the contribution of pollutants, the City, as a municipal corporation, has authority to enter into contracts that enable it to carry out its necessary functions, including the power to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

- viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation.

In addition to the provisions of LMC Chapter 5-8, which control the contribution of pollutants, the City, as a municipal corporation, has authority to enter into contracts that enable it to carry out its necessary functions, including the power to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

- ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances,

JENKINS & HOGIN, LLP

December 8, 2014

Page 5

permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-210 Inspections; LCC 12.80.580 Inspection to Ascertain Compliance—Access Required

- x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations.

Article 11, § 7 of the California Constitution; California Public Resources Code § 21000 et seq. (CEQA); LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-06 Best Management Practices; Part 4 of LCC Chapter 12.80 Runoff Management Requirements; LMC Title 11 Zoning

- xi. Require that structural BMPs are properly operated and maintained.

Article 11, § 7 of the California Constitution; California Public Resources Code § 21000 et seq. (CEQA); LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-060 Best Management Practices; LMC 5-9-110 Maintenance of Best Management Practices; LMC 5-9-120 Design Standards for Best Management Practices; Part 4 of LCC Chapter 12.80 Runoff Management Requirements; LMC Title 11 Zoning

- xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4.

California Public Resources Code § 21000 et seq. (CEQA); LMC Chapter 1-2 Penalty Provisions; LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-200 Violations; Part 5 of LCC Chapter 12.80 Violations and Enforcement

B. Procedures available to mandate compliance with applicable municipal ordinances under LMC Chapters 1-2 Penalty Provisions, 5-8 Stormwater and Runoff Pollution Control and 5-9 Standard Urban Stormwater Mitigation Plan Implementation and LCC Chapter 12.80:

1. Criminal Citation (judicial)

JENKINS & HOGIN, LLP

December 8, 2014

Page 6

2. Administrative Notice of Violation (administrative)
3. Civil Nuisance Abatement (judicial)
4. Permit Revocation/Modification (administrative)
5. All other criminal and civil remedies available by law



COUNTY OF LOS ANGELES
OFFICE OF THE COUNTY COUNSEL

648 KENNETH HAHN HALL OF ADMINISTRATION
500 WEST TEMPLE STREET
LOS ANGELES, CALIFORNIA 90012-2713

JOHN F. KRATTLI
County Counsel

December 16, 2013

TELEPHONE
(213) 974-1923
FACSIMILE
(213) 687-7337
TDD
(213) 633-0901

Mr. Samuel Unger, P.E., Executive Officer
California Regional Water Quality Control Board – Los Angeles Region
320 West 4th Street, Suite 200
Los Angeles, CA 90013-2343

Attention: Mr. Ivar Ridgeway

**Re: Certification By Legal Counsel For County of Los Angeles'
Annual Report**

Dear Mr. Unger:

Pursuant to the requirements of Part VI(A)(2)(b) of Order No. R4-2012-0175 (the "Order"), the Office of the County Counsel of the County of Los Angeles makes the following certification in support of the Annual Report of the County of Los Angeles ("County"):

Certification Pursuant To Order Part VI(A)(2)(b)

"Each Permittee must submit a statement certified by its chief legal counsel that the Permittee has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and this Order."

The County has the legal authority within its jurisdiction to implement and enforce each of the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order.

Order Part VI(A)(2)(b)(i)

"Citation of applicable municipal ordinances or other appropriate legal authorities and their relationship to the requirements of 40 CFR §122.26(d)(2)(i)(A-F) and this Order"

Citations Of Applicable Ordinances Or Other Legal Authorities

Although many portions of State law, the Charter of the County of Los Angeles and the Los Angeles County Code are potentially applicable to the implementation and enforcement of these requirements, the primary applicable laws and ordinances are as follows:

Los Angeles County Code, Title 12, Chapter 12.80 STORMWATER AND RUNOFF POLLUTION CONTROL, including:

§12.80.010 - §12.80.360 Definitions

§12.80.370 Short title.

§12.80.380 Purpose and intent.

§12.80.390 Applicability of this chapter.

§12.80.400 Standards, guidelines and criteria.

§12.80.410 Illicit discharges prohibited.

§12.80.420 Installation or use of illicit connections prohibited.

§12.80.430 Removal of illicit connection from the storm drain system.

§12.80.440 Littering and other discharge of polluting or damaging substances prohibited.

§12.80.450 Stormwater and runoff pollution mitigation for construction activity.

§12.80.460 Prohibited discharges from industrial or commercial activity.

§12.80.470 Industrial/commercial facility sources required to obtain a NPDES permit.

§12.80.480 Public facility sources required to obtain a NPDES permit.

§12.80.490 Notification of uncontrolled discharges required.

§12.80.500 Good housekeeping provisions.

§12.80.510 Best management practices for construction activity.

- §12.80.520 Best management practices for industrial and commercial facilities.
- §12.80.530 Installation of structural BMPs.
- §12.80.540 BMPs to be consistent with environmental goals.
- §12.80.550 Enforcement—Director's powers and duties.
- §12.80.560 Identification for inspectors and maintenance personnel.
- §12.80.570 Obstructing access to facilities prohibited.
- §12.80.580 Inspection to ascertain compliance—Access required.
- §12.80.590 Interference with inspector prohibited.
- §12.80.600 Notice to correct violations—Director may take action.
- §12.80.610 Violation a public nuisance.
- §12.80.620 Nuisance abatement—Director to perform work when—Costs.
- §12.80.630 Violation—Penalty.
- §12.80.635 Administrative fines.
- §12.80.640 Penalties not exclusive.
- §12.80.650 Conflicts with other code sections.
- §12.80.660 Severability.
- §12.80.700 Purpose.
- §12.80.710 Applicability.
- §12.80.720 Registration required.
- §12.80.730 Exempt facilities.
- §12.80.740 Certificate of inspection—Issuance by the director.
- §12.80.750 Certificate of inspection—Suspension or revocation.

§12.80.760 Certificate of inspection—Termination.

§12.80.770 Service fees.

§12.80.780 Fee schedule.

§12.80.790 Credit for overlapping inspection programs.

§12.80.800 Annual review of fees.

Los Angeles County Code, Title 12, Chapter 12.84 LOW IMPACT
DEVELOPMENT STANDARDS, including:

§12.84.410 Purpose.

§12.84.420 Definitions.

§12.84.430 Applicability.

§12.84.440 Low Impact Development Standards.

§12.84.445 Hydromodification Control.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Los Angeles County Code, Title 22 PLANNING AND ZONING, Part 6
ENFORCEMENT PROCEDURES, including:

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

Los Angeles County Code, Title 26 BUILDING CODE, including:

§26.103 Violations And Penalties

§26.104 Organization And Enforcement

§26.105 Appeals Boards

§26.106 Permits

§26.107 Fees

§26.108 Inspections

California Government Code §6502

California Government Code §23004

Relationship Of Applicable Ordinances Or Other Legal Authorities To
The Requirements of 40 CFR §122.26(d)(2)(i)(A-F) And The Order

Although, depending upon the particular issue, there may be multiple ways in which particular sections of the County's ordinances and State law relate to the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order, the table below indicates the basic relationship with Part VI(A)(2)(a) of the Order:

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.	§12.80.410 [illicit discharge prohibited]; §12.80.450 [construction] §12.80.460 [industrial and commercial] §12.80.470 and .480 [industrial and commercial NPDES requirements] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injunction] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties] §26.104 [enforcement] §26.106 [permits] §26.108 [inspections]
ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A.	§12.80.410 [illicit discharge prohibited]
iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4.	§12.80.410 [illicit discharge prohibited]; §12.80.420 [illicit connections prohibited]
iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4.	§12.80.410 [illicit discharge prohibited]; §12.80.440 [littering and other polluting prohibited]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows).	§12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.620 [nuisance abatement] §12.80.635 [violation penalty] §12.80.640 [penalties not exclusive] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injuncton] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties] §26.104 [enforcement] §26.106 [permits] §26.108 [inspections]
vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders.	Same as item v., above

California Regional Water Quality Control Board, Los Angeles Region

December 16, 2013

Page 8

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Copermittees.	California Government Code §6502 and §23004
viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation.	California Government Code §6502 and §23004
ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances, permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4.	§12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.80.620 [nuisance abatement] §12.80.635 [violation penalty] §12.80.640 [penalties not exclusive] §22.60.380 [enforcement.] §26.106 [permits] §26.108 [inspections]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations.	§12.80.450 [construction mitigation] §12.80.500 [good housekeeping practices] §12.80.510 [construction BMPs] §12.80.520 [industrial/commercial BMPs] §12.84.440 [LID standards] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections]
xi. Require that structural BMPs are properly operated and maintained.	§12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections]
xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4.	§12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections]

Order Part VI(A)(2)(b)(ii)

"Identification of the local administrative and legal procedures available to mandate compliance with applicable municipal ordinances identified in subsection (i) above and therefore with the conditions of this Order, and a statement as to whether enforcement actions can be completed administratively or whether they must be commenced and completed in the judicial system."

The local administrative and legal procedures available to mandate compliance with the above ordinances are specified in those ordinances, particularly in:

§12.80.550 Enforcement—Director's powers and duties.

§12.80.600 Notice to correct violations—Director may take action.

§12.80.610 Violation a public nuisance.

§12.80.620 Nuisance abatement—Director to perform work when—Costs.

§12.80.630 Violation—Penalty.

§12.80.635 Administrative fines.

§12.80.640 Penalties not exclusive.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Title 26, §103 Violations And Penalties

Title 26, §104 Organization And Enforcement

Title 26, §105 Appeals Boards

Title 26, §106 Permits

Title 22 PLANNING AND ZONING, Part 6 ENFORCEMENT
PROCEDURES, including:

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

The County attempts to first resolve each enforcement action administratively. However, the above cited ordinances also provide the County with the authority to pursue such actions in the judicial system as necessary.

Very truly yours,

JOHN F. KRATTLI
County Counsel

By



JUDITH A. FRIES
Principal Deputy County Counsel
Public Works Division

JAF:jjj



COUNTY OF LOS ANGELES
OFFICE OF THE COUNTY COUNSEL

648 KENNETH HAHN HALL OF ADMINISTRATION
500 WEST TEMPLE STREET
LOS ANGELES, CALIFORNIA 90012-2713

JOHN F. KRATTLI
County Counsel

December 16, 2013

TELEPHONE
(213) 974-1923
FACSIMILE
(213) 687-7337
TDD
(213) 633-0901

Mr. Samuel Unger, P.E., Executive Officer
California Regional Water Quality Control Board – Los Angeles Region
320 West 4th Street, Suite 200
Los Angeles, CA 90013-2343

Attention: Mr. Ivar Ridgeway

**Re: Certification By Legal Counsel For Los Angeles County Flood
Control District's Annual Report**

Dear Mr. Unger:

Pursuant to the requirements of Part VI(A)(2)(b) of Order No. R4-2012-0175 (the "Order"), the Office of the County Counsel of the County of Los Angeles makes the following certification in support of the Annual Report of the Los Angeles County Flood Control District ("LACFCD"):

Certification Pursuant To Order Part VI(A)(2)(b)

"Each Permittee must submit a statement certified by its chief legal counsel that the Permittee has the legal authority within its jurisdiction to implement and enforce the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and this Order."

LACFCD has the legal authority within its jurisdiction to implement and enforce each of the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order.

Order Part VI(A)(2)(b)(i)

"Citation of applicable municipal ordinances or other appropriate legal authorities and their relationship to the requirements of 40 CFR §122.26(d)(2)(i)(A-F) and this Order"

Citations Of Applicable Ordinances Or Other Legal Authorities

Although many portions of State law, the Charter of the County of Los Angeles, the Los Angeles County Code and LACFCD's Flood Control District Code ("Code") are potentially applicable to the implementation and enforcement of these requirements, the primary applicable laws and ordinances are as follows:

Los Angeles County Code, Title 12, Chapter 12.80 STORMWATER AND RUNOFF POLLUTION CONTROL, including:

§12.80.010 - §12.80.360 Definitions

§12.80.370 Short title.

§12.80.380 Purpose and intent.

§12.80.390 Applicability of this chapter.

§12.80.400 Standards, guidelines and criteria.

§12.80.410 Illicit discharges prohibited.

§12.80.420 Installation or use of illicit connections prohibited.

§12.80.430 Removal of illicit connection from the storm drain system.

§12.80.440 Littering and other discharge of polluting or damaging substances prohibited.

§12.80.450 Stormwater and runoff pollution mitigation for construction activity.

§12.80.460 Prohibited discharges from industrial or commercial activity.

§12.80.470 Industrial/commercial facility sources required to obtain a NPDES permit.

§12.80.480 Public facility sources required to obtain a NPDES permit.

§12.80.490 Notification of uncontrolled discharges required.

§12.80.500 Good housekeeping provisions.

§12.80.510 Best management practices for construction activity.

- §12.80.520 Best management practices for industrial and commercial facilities.
- §12.80.530 Installation of structural BMPs.
- §12.80.540 BMPs to be consistent with environmental goals.
- §12.80.550 Enforcement—Director's powers and duties.
- §12.80.560 Identification for inspectors and maintenance personnel.
- §12.80.570 Obstructing access to facilities prohibited.
- §12.80.580 Inspection to ascertain compliance—Access required.
- §12.80.590 Interference with inspector prohibited.
- §12.80.600 Notice to correct violations—Director may take action.
- §12.80.610 Violation a public nuisance.
- §12.80.620 Nuisance abatement—Director to perform work when—Costs.
- §12.80.630 Violation—Penalty.
- §12.80.635 Administrative fines.
- §12.80.640 Penalties not exclusive.
- §12.80.650 Conflicts with other code sections.
- §12.80.660 Severability.
- §12.80.700 Purpose.
- §12.80.710 Applicability.
- §12.80.720 Registration required.
- §12.80.730 Exempt facilities.
- §12.80.740 Certificate of inspection—Issuance by the director.
- §12.80.750 Certificate of inspection—Suspension or revocation.

§12.80.760 Certificate of inspection—Termination.

§12.80.770 Service fees.

§12.80.780 Fee schedule.

§12.80.790 Credit for overlapping inspection programs.

§12.80.800 Annual review of fees.

Los Angeles County Code, Title 12, Chapter 12.84 LOW IMPACT
DEVELOPMENT STANDARDS, including:

§12.84.410 Purpose.

§12.84.420 Definitions.

§12.84.430 Applicability.

§12.84.440 Low Impact Development Standards.

§12.84.445 Hydromodification Control.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Los Angeles County Code, Title 22 PLANNING AND ZONING, Part 6
ENFORCEMENT PROCEDURES, including:

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

Los Angeles County Code, Title 26 BUILDING CODE, including:

§26.103 Violations And Penalties

§26.104 Organization And Enforcement

§26.105 Appeals Boards

§26.106 Permits

§26.107 Fees

§26.108 Inspections

LACFCD Code Chapter 21 - STORMWATER AND RUNOFF
POLLUTION CONTROL including:

§21.01 Purpose and Intent

§21.03 Definitions

§21.05 Standards, Guidelines, and Criteria

§21.07 Prohibited Discharges

§21.09 Installation or Use of Illicit Connections Prohibited

§21.11 Littering Prohibited

§21.13 Evidence of Compliance With Permit Requirements for Industrial
or Commercial Activity

§21.15 Notification of Uncontrolled Discharges Required

§21.17 Requirement to Monitor and Analyze

§21.19 Conflicts With Other Code Sections

§21.21 Severability

§21.23 Violation a Public Nuisance

California Government Code §6502

California Government Code §23004

California Water Code §8100 *et. seq.*

Relationship Of Applicable Ordinances Or Other Legal Authorities To
The Requirements of 40 CFR §122.26(d)(2)(i)(A-F) And The Order

Although, depending upon the particular issue, there may be multiple ways in which particular sections of the County of Los Angeles' ordinances, LACFCD's ordinances, and statutes relate to the requirements contained in 40 CFR §122.26(d)(2)(i)(A-F) and the Order, the table below indicates the basic relationship with Part VI(A)(2)(a) of the Order:

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited]; §12.80.450 [construction] §12.80.460 [industrial and commercial] §12.80.470 and .480 [industrial and commercial NPDES requirements] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injunction] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§26.104 [enforcement] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited] LACFCD Code: §21.07 Prohibited Discharges
iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited]; §12.80.420 [illicit connections prohibited] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.23 Violation a Public Nuisance

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4.	Los Angeles County Code: §12.80.410 [illicit discharge prohibited]; §12.80.440 [littering and other polluting prohibited] LACFCD Code: §19.07 Interference With or Placing Obstructions, Refuse, Contaminating Substances, or Invasive Species in Facilities Prohibited §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows).	Los Angeles County Code: §12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.620 [nuisance abatement] §12.80.635 [violation penalty]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§12.80.640 [penalties not exclusive] §12.84.440 [LID standards] §12.84.445 [hydromodification control] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.340 [violations] §22.60.350 [public nuisance] §22.60.360 [infractions] §22.60.370 [injunction] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.103 [violations and penalties] §26.104 [enforcement] §26.106 [permits] §26.108 [inspections] LACFCD Code: §19.11 Violation a Public Nuisance §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§21.19 Conflicts With Other Code Sections §21.23 Violation a Public Nuisance
vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders.	Same as item v., above
vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Copermittees.	California Government Code §6502 California Government Code §23004
viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation.	California Government Code §6502 California Government Code §23004
ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances, permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4.	Los Angeles County Code: §12.80.490 [notification of uncontrolled discharge] §12.80.570 [obstructing access to facilities] §12.80.580 [compliance inspection] §12.80.610 [violation a nuisance] §12.80.620 [nuisance abatement] §12.80.635 [violation penalty] §12.80.640 [penalties not exclusive] §22.60.380 [enforcement.] §26.106 [permits] §26.108 [inspections]

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations.	Los Angeles County Code: §12.80.450 [construction mitigation] §12.80.500 [good housekeeping practices] §12.80.510 [construction BMPs] §12.80.520 [industrial/commercial BMPs] §12.84.440 [LID standards] §12.84.450 [LID Plan Review] §22.60.330 [general prohibitions] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance
xi. Require that structural BMPs are properly operated and maintained.	Los Angeles County Code: §12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze

Order Part VI(A)(2)(a) Items	Primary Applicable Ordinance/Statute
	§21.23 Violation a Public Nuisance
xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4.	Los Angeles County Code: §12.80.530 [installation of structural BMPs] §22.60.380 [enforcement.] §22.60.390 [zoning enforcement order] §26.106 [permits] §26.108 [inspections] LACFCD Code: §21.05 Standards, Guidelines, and Criteria §21.07 Prohibited Discharges §21.09 Installation or Use of Illicit Connections Prohibited §21.11 Littering Prohibited §21.13 Evidence of Compliance With Permit Requirements for Industrial or Commercial Activity §21.15 Notification of Uncontrolled Discharges Required §21.17 Requirement to Monitor and Analyze §21.23 Violation a Public Nuisance

Order Part VI(A)(2)(b)(ii)

"Identification of the local administrative and legal procedures available to mandate compliance with applicable municipal ordinances identified in subsection (i) above and therefore with the conditions of this Order, and a statement as to whether enforcement actions can be completed administratively or whether they must be commenced and completed in the judicial system."

The local administrative and legal procedures available to mandate compliance with the above ordinances are specified in those ordinances, particularly in:

Los Angeles County Code:

§12.80.550 Enforcement—Director's powers and duties.

§12.80.600 Notice to correct violations—Director may take action.

§12.80.610 Violation a public nuisance.

§12.80.620 Nuisance abatement—Director to perform work when—Costs.

§12.80.630 Violation—Penalty.

§12.80.635 Administrative fines.

§12.80.640 Penalties not exclusive.

§12.84.450 LID Plan Review.

§12.84.460 Additional Requirements.

Title 26, §103 Violations And Penalties

Title 26, §104 Organization And Enforcement

Title 26, §105 Appeals Boards

Title 26, §106 Permits

§22.60.330 General prohibitions.

§22.60.340 Violations.

§22.60.350 Public nuisance.

§22.60.360 Infractions.

§22.60.370 Injunction.

§22.60.380 Enforcement.

§22.60.390 Zoning enforcement order and noncompliance fee.

LACFCD Code:

§21.05 Standards, Guidelines, and Criteria

§21.07 Prohibited Discharges

§21.09 Installation or Use of Illicit Connections Prohibited

§21.11 Littering Prohibited

§21.13 Evidence of Compliance With Permit Requirements for Industrial
or Commercial Activity

§21.15 Notification of Uncontrolled Discharges Required

§21.17 Requirement to Monitor and Analyze

§21.23 Violation a Public Nuisance

LACFCD attempts to first resolve each enforcement action
administratively. However, the above cited ordinances also provide LACFCD
with the authority to pursue such actions in the judicial system as necessary.

Very truly yours,

JOHN F. KRATTLI
County Counsel

By 

JUDITH A. FRIES
Principal Deputy County Counsel
Public Works Division

JAF:jjj



City of El Segundo

November 18, 2014

Elected Officials:

Suzanne Fuentes,
Mayor
Carl Jacobson
Mayor Pro Tem
Dave Atkinson,
Council Member
Marie Fellhauer,
Council Member
Michael Dugan,
Council Member
Tracy Weaver,
City Clerk

Appointed Officials:

Greg Carpenter,
City Manager
Mark D. Hensley,
City Attorney
Crista Binder,
City Treasurer

Department Directors:

Deborah Cullen,
Finance
Martha Dijkstra,
Human Resources
Kevin Smith,
Fire Chief
Debra Brighton,
Library Services
Sam Lee,
Planning and
Building Safety
Mitch Tavera,
Police Chief
Stephanie Katsouleas,
Public Works
Meredith Petit,
Recreation & Parks

www.elsegundo.org

Mr. Sam Unger, Executive Officer
California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200
Los Angeles, CA 90013-1105

RE: Legal Authority Certification for the City of El Segundo to Implement
and Enforce the Requirements of LARWQCB Order R4-2012-0175

Dear Mr. Unger:

The City of El Segundo submits this statement in its capacity as a co-permittee under LARWQCB Order R4-2012-0175 (NPDES No. CAS004001) (the "MS4 Permit"), in accordance with Part VI.A.2 of the MS4 Permit.

I am the City Attorney of the City of El Segundo, California. In that capacity, I state that it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit, consistent with the requirements set forth in the regulations implementing the Clean Water Act (40 CFR § 122.26(d)(2)(i)(A-F)), and to the extent permitted by state and federal law and subject to the limitations on municipal action under the California and United States Constitutions.

The primary source of the City's authority is Article 11, § 7 of the California Constitution. The City also has authority under California Water Code § 13002 to adopt and enforce regulations conditioning, restricting and limiting activities which might degrade the quality of waters of the State. In accordance with these laws, the City adopted El Segundo Municipal Code ("ESMC") Chapters 5-4 and 5-7 which include the City's regulations enabling it to implement the MS4 Permit. As the City transitions to the new EWMP requirements, these regulations may be amended to implement the new programs. Nevertheless, the City has already the legal authority as required under Part VI.A.2 of the MS4 Permit.


California law also authorizes the City to require the use of control measures to prevent or reduce the discharge of pollutants and ensure that such control measures are properly operated and maintained. The City's regulatory authority is supplemented by the California Environmental Quality Act ("CEQA") process by allowing the City to impose enforceable mitigation measures on development projects. As a general law city and municipal corporation, the City may enter into contracts that enable it to carry out its necessary functions including, without limitation, the ability to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

Pursuant to ESMC Chapters 1-2, 1-2A, and § 5-4-11, the City's regulations may be enforced administratively, civilly and criminally. The ESMC also provides various procedures to modify and/or revoke city-issued permits for unlawful and/or environmentally disruptive activity.

Consequently, it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit. Please do not hesitate to contact me should you have any questions or need any additional information

Very truly yours,
Mark D. Hensley, City Attorney

By:


Karl H. Berger
Assistant City Attorney

CITY OF HAWTHORNE



4455 West 126th Street • Hawthorne, California 90250-4482

Department of Public Works, Engineering Division

Office (310) 349-2980 Fax (310) 978-9862

Mr. Sam Unger, Executive Officer
California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200
Los Angeles, CA 90013-1105

December 1, 2014

RE: Legal Authority Certification for the City of Hawthorne

The City, by and through its legal counsel, hereby submits the following certification, pursuant to Part VI.A.2 of Order No. R4-2012-0175, issued by the Regional Water Quality Control Board — Los Angeles Region (“RWQCB”), adopted on December 28, 2012 and entitled “Waste Discharge Requirements for Municipal Separate Storm Sewer System (MS4) Discharges within the Coastal Watersheds of Los Angeles County, except those Discharges Originating from the City of Long Beach (MS4)” [NPDES No. CAS004001] (the “2012 NPDES Permit”). Part VI.A.2 of the 2012 NPDES Permit requires the City, as a Permittee, to submit a new or updated statement by its legal counsel that the Permittee has obtained all necessary legal authority to comply with the Permit.

The City, as a general law city, has broad general police powers under the Constitution of the State of California to enact legislation for health and public welfare of the community to the extent not preempted by federal or state law. In addition to the provisions of the municipal Code, which provide various enforcement and nuisance abatement powers, the City has adopted specific stormwater ordinances for the purpose of ensuring that it has adequate legal authority to implement and enforce its stormwater control program and to implement the programs prescribed by the 2012 and preceding NPDES Permits. The City has the authority under the Constitution and statutes of the State of California to enact and enforce these ordinances, and these ordinances were duly enacted. These ordinances contain specific enforcement provisions under the generally applicable enforcement provisions of the Municipal Code.

Based on its prior adoption of comprehensive stormwater ordinances, which have been and continue to be amended as and when required by applicable NPDES permits and RWQCB orders, as well as other parts of its Municipal Code, the City previously submitted statements to the RWQCB confirming that it has all necessary legal authority to control discharges to and from those portions of the Municipal Separate Storm Sewer System (MS4) over which the City has jurisdiction through adoption of ordinances and/or municipal code modifications,

regulations and other legal documents. The purpose of this letter is to provide the RWQCB with an updated statement confirming the City's compliance with Part VI.A.2 of the 2012 NPDES Permit.

In our opinion, as of the date of this letter, the City has adequate legal authority, as envisioned by the 2012 NPDES Permit, the Clean Water Act and applicable regulations promulgated thereunder, specifically, 40 CFR 22.26(d)(2)(i)(A-F), to implement the requirements of the 2012 NPDES Permit by the mandated dates, and to enforce such additional requirements after they have been implemented, consistent with the requirements set forth in the U.S. Environmental Protection Agency's regulations and to the extent permitted by State and Federal law, subject to the limitations on municipal action under the California and United States Constitutions, and that the City has obtained the necessary legal authority to control and prohibit discharges of pollutants into the Municipal Separate Storm Sewer System, as required by the 2012 NPDES Permit.

Should you have any questions regarding the City's legal authority, please feel free to call me at 310-349-2960 or E-Mail me at rmiyahira@cityofhawthorne.org.

Sincerely,



Russell Miyahira
City Attorney

cc: Arnold Shadbehr, P.E.
John L. Hunter & Associates

JENKINS & HOGIN, LLP
A LAW PARTNERSHIP

MICHAEL JENKINS
CHRISTI HOGIN
JOHN C. COTTI
GREGG W. KETTLES
TARQUIN PREZIOSI
LAUREN LANGER
TREVOR RUSIN
SHAHIEDAH COATES
NATALIE C. KARPELES

MANHATTAN TOWERS
1230 ROSECRANS AVENUE, SUITE 110
MANHATTAN BEACH, CALIFORNIA 90266
(310) 643-8448 • FAX (310) 643-8441
WWW.LOCALGOVLAW.COM

WRITER'S EMAIL ADDRESS:
CHOGIN@LOCALGOVLAW.COM

December 8, 2014

Mr. Sam Unger, Executive Officer
California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200
Los Angeles, CA 90013-1105

RE: Legal Authority Certification for the City of Lomita to Implement and Enforce the
Requirements of LARWQCB Order R4-2012-0175

Dear Mr. Unger:

The City of Lomita submits this statement in its capacity as a co-permittee under LARWQCB Order R4-2012-0175 (NPDES No. CAS004001) (the "MS4 Permit"), in accordance with Part VI.A.2 of the Order.

I am the City Attorney of the City of Lomita, California. In that capacity, I state that it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit, consistent with the requirements set forth in the regulations implementing the Clean Water Act, 40 CFR § 122.26(d)(2)(i)(A-F), and to the extent permitted by state and federal law and subject to the limitations on municipal action under the California and United States Constitutions.

The primary source of the City's authority is Article 11, § 7 of the California Constitution. The City also has authority under § 13002 of the California Water Code to adopt and enforce ordinances conditioning, restricting and limiting activities which might degrade the quality of waters of the State. Pursuant to Article 11, § 7 of the California Constitution and § 13002 of the California Water Code, the City adopted Chapters 5-8 and 5-9 of the Lomita Municipal Code ("LMC"), which contains the City's regulations enabling it to impose the legal requirements of the MS4 Permit (see attached analysis of legal authority). Thus, the City has the legal authority as required under Part VI.A.2 of the MS4 Permit.

Article 11, § 7 also provides the City the authority to require the use of control measures to prevent or reduce the discharge of pollutants and ensure that such control measures are properly

JENKINS & HOGIN, LLP

December 8, 2014


Page 2

operated and maintained. The City's environmental requirements are also implemented in part through the application of the California Environmental Quality Act ("CEQA") process to proposed projects, as enforceable mitigation measures. The City, as a municipal corporation, has authority to enter into contracts that enable it to carry out its necessary functions, including the power to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

Pursuant to LMC Chapters 1-2 Penalty Provisions, 5-8 Stormwater and Runoff Pollution Control Storm Drains and 5-9 Standard Urban Stormwater Mitigation Plan Implementation, the City's regulations may be enforced administratively through a notice to correct violations, civilly as a public nuisance and criminally. The LMC also provides various procedures to modify and/or revoke city-issued permits for unlawful and/or environmentally disruptive activity.

Consequently, it is my opinion that the City has adequate legal authority to implement and enforce the requirements in the MS4 Permit. Please do not hesitate to contact me should you have any questions or need any additional information

Very truly yours,



Christi Hogin
City Attorney

Enclosure

Lomita Statement of Legal Authority

- A. The following list shows the relationship of the Lomita Municipal Code¹ and other legal authorities to the MS4 permit requirements under Part VI.A.2 of the Permit:

- i. Control the contribution of pollutants to its MS4 from storm water discharges associated with industrial and construction activity and control the quality of storm water discharged from industrial and construction sites. This requirement applies both to industrial and construction sites with coverage under an NPDES permit, as well as to those sites that do not have coverage under an NPDES permit.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC Chapter 5-9 Standard Urban Stormwater Mitigation Plan Implementation; LCC 12.80.450 Stormwater and Runoff Pollution Mitigation for Construction Activity; LCC 12.80.460 Prohibited Discharges from Industrial and Commercial Activity; LCC 12.80.470 Industrial/Commercial Facility Sources Required to Obtain NPDES Permit

- ii. Prohibit all non-storm water discharges through the MS4 to receiving waters not otherwise authorized or conditionally exempt pursuant to Part III.A.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LCC 12.80.410 Illicit Discharges Prohibited

- iii. Prohibit and eliminate illicit discharges and illicit connections to the MS4.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LCC 12.80.410 Illicit Discharges Prohibited; LCC 12.80.420 Installation or Use of Illicit Connection to Stormdrain Prohibited; LCC 12.80.430 Removal of Illicit Connection from Stormdrain System

- iv. Control the discharge of spills, dumping, or disposal of materials other than storm water to its MS4.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LCC 12.80.440 Littering and Other Discharge of

¹ LMC 5-8-02 adopts by reference Chapter 12.80 of Title 12 of the Los Angeles County Code. All references to LCC are from this Chapter 12.80.

Polluting or Damaging Substances Prohibited

- v. Require compliance with conditions in Permittee ordinances, permits, contracts or orders (i.e., hold dischargers to its MS4 accountable for their contributions of pollutants and flows).

LMC Chapter 1-2 Penalty Provisions; LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC Chapter 5-9 Standard Urban Stormwater Mitigation Plan Implementation; Part 4 of LCC Chapter 12.80 Runoff Management Requirements and Part 5 of LCC Chapter 12.80 Violations and Enforcement

- vi. Utilize enforcement mechanisms to require compliance with applicable ordinances, permits, contracts, or orders.

LMC Chapter 1-2 Penalty Provisions; LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-200 Violations; Part 5 of LCC Chapter 12.80 Violations and Enforcement

- vii. Control the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements among Co-permittees.

In addition to the provisions of LMC Chapter 5-8, which control the contribution of pollutants, the City, as a municipal corporation, has authority to enter into contracts that enable it to carry out its necessary functions, including the power to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

- viii. Control of the contribution of pollutants from one portion of the shared MS4 to another portion of the MS4 through interagency agreements with other owners of the MS4 such as the State of California Department of Transportation.

In addition to the provisions of LMC Chapter 5-8, which control the contribution of pollutants, the City, as a municipal corporation, has authority to enter into contracts that enable it to carry out its necessary functions, including the power to enter into interagency agreements to control the contribution of pollutants from one portion of the shared MS4 to another.

- ix. Carry out all inspections, surveillance, and monitoring procedures necessary to determine compliance and noncompliance with applicable municipal ordinances,

permits, contracts and orders, and with the provisions of this Order, including the prohibition of non-storm water discharges into the MS4 and receiving waters. This means the Permittee must have authority to enter, monitor, inspect, take measurements, review and copy records, and require regular reports from entities discharging into its MS4.

LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-210 Inspections; LCC 12.80.580 Inspection to Ascertain Compliance—Access Required

- x. Require the use of control measures to prevent or reduce the discharge of pollutants to achieve water quality standards/receiving water limitations.

Article 11, § 7 of the California Constitution; California Public Resources Code § 21000 et seq. (CEQA); LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-06 Best Management Practices; Part 4 of LCC Chapter 12.80 Runoff Management Requirements; LMC Title 11 Zoning

- xi. Require that structural BMPs are properly operated and maintained.

Article 11, § 7 of the California Constitution; California Public Resources Code § 21000 et seq. (CEQA); LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-060 Best Management Practices; LMC 5-9-110 Maintenance of Best Management Practices; LMC 5-9-120 Design Standards for Best Management Practices; Part 4 of LCC Chapter 12.80 Runoff Management Requirements; LMC Title 11 Zoning

- xii. Require documentation on the operation and maintenance of structural BMPs and their effectiveness in reducing the discharge of pollutants to the MS4.

California Public Resources Code § 21000 et seq. (CEQA); LMC Chapter 1-2 Penalty Provisions; LMC 5-8-02 Adoption of Los Angeles County Stormwater and Runoff Pollution Ordinance; LMC 5-9-200 Violations; Part 5 of LCC Chapter 12.80 Violations and Enforcement

B. Procedures available to mandate compliance with applicable municipal ordinances under LMC Chapters 1-2 Penalty Provisions, 5-8 Stormwater and Runoff Pollution Control and 5-9 Standard Urban Stormwater Mitigation Plan Implementation and LCC Chapter 12.80:

1. Criminal Citation (judicial)

JENKINS & HOGIN, LLP

December 8, 2014

Page 6

2. Administrative Notice of Violation (administrative)
3. Civil Nuisance Abatement (judicial)
4. Permit Revocation/Modification (administrative)
5. All other criminal and civil remedies available by law

Attachment W
Notice of Intent

CITY OF LOS ANGELES
CALIFORNIA



ANTONIO R. VILLARAIGOSA
MAYOR

BUREAU OF SANITATION

ENRIQUE C. ZALDIVAR
DIRECTOR

TRACI J. MINAMIDE
CHIEF OPERATING OFFICER

VAROUJ S. ABKIAN
ADEL H. HAGEKHALIL
ALEXANDER E. HELOU
ASSISTANT DIRECTORS

NEIL M. GUGLIELMO
ACTING CHIEF FINANCIAL OFFICER

WATERSHED PROTECTION DIVISION
1149 SOUTH BROADWAY, 10TH FLOOR
LOS ANGELES, CA 90015
TEL: (213) 485-0587
FAX: (213) 485-3939

**BOARD OF
PUBLIC WORKS**

COMMISSIONERS

CAPRI W. MADDOX
PRESIDENT

VALERIE LYNNE SHAW
VICE PRESIDENT

STEVEN T. NUTTER
PRESIDENT PRO TEMPORE

WARREN T. FURUTANI
COMMISSIONER

JERILYN LÓPEZ-MENDOZA
COMMISSIONER

June 27, 2013

Samuel Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
320 West Fourth Street, Suite 200
Los Angeles, California 90013

Attention: Renee Purdy

Dear Mr. Unger:

**SUBMITTAL OF NOTICE OF INTENT FOR DEVELOPMENT OF ENHANCED
WATERSHED MANAGEMENT PROGRAM AND COORDINATED INTEGRATED
MONITORING PROGRAM FOR THE DOMINGUEZ CHANNEL WATERSHED
MANAGEMENT AREA GROUP**

Please find attached the Notice of Intent (NOI) for the development of an Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP) for the Dominguez Channel Watershed Management Area Group (DCWMA Group). The participating permittees of the DCWMA Group have mutually agreed to a collaborative approach in meeting the requirements of the new MS4 Permit (Order No. R4-2012-0175). Please note that the DCWMA Group does not have all MS4 permittees in the Dominguez Channel watershed participating as some have opted to develop their own strategy in complying with the MS4 Permit. The City of Los Angeles, as lead agency for the DCWMA Group, has prepared this Notice of Intent on behalf of itself, the County of Los Angeles and Los Angeles County Flood Control District, and the Cities of El Segundo, Hawthorne, and Inglewood. All agencies have reviewed and approved this NOI for submission to your Board, and we appreciate the collaboration by the participating MS4 co-permittees in the preparation of the NOI materials.

The attached document satisfies the requirements for submitting the NOI as provided by Part VI.C.4.b of the MS4 Permit and the CIMP notification requirements as provided by Attachment E Section IV.C.1. We look forward to continuing the process of plan developments for the DCWMA Group with the Technical Advisory Committee, the Los Angeles Regional Water Quality Control Board, and other watershed stakeholders.



Mr. Samuel Unger, Executive Officer

June 27, 2013

Page 2

Should you have any questions about this submittal, please contact me at Shahram.Kharaghani@lacity.org or phone (213) 485-0587 or your staff may contact Alfredo Magallanes at Alfredo.Magallanes@lacity.org or phone (213) 485-3958.

Sincerely


SHAHRAM KHARAGHANI, Ph.D., PE, BCEE
Program Manager

SK:AM

WPDCR9046

Attachment

cc: Renee Purdy, California Regional Water Quality Control Board, Los Angeles Region
Ivar Ridgeway, California Regional Water Quality Control Board, Los Angeles Region
Enrique Zaldivar, City of Los Angeles, Bureau of Sanitation
Adel Hagekhalil, City of Los Angeles, Bureau of Sanitation
Gary Hildebrand, County of Los Angeles, Department of Public Works
Jolene Guererro, County of Los Angeles, Department of Public Works
Lifan Xu, City of El Segundo
Doug Krauss, City of Hawthorne
Lauren Amimoto, City of Inglewood

NOTICE OF INTENT

Enhanced Watershed Management Program and Coordinated Integrated Monitoring Program

Submitted by the:

Dominguez Channel Watershed Management Area Group

City of Los Angeles

County of Los Angeles

Los Angeles County Flood Control District

City of El Segundo

City of Hawthorne

City of Inglewood

June 28, 2013

1. Introduction

The Dominguez Channel Watershed Management Area (WMA) includes the drainage area of the Dominguez Channel, Machado Lake, and the Los Angeles/Long Beach (LA/LB) Harbors watersheds. The Dominguez Channel WMA is an important industrial, commercial, and residential area with unique and important historical and environmental resources, encompassing approximately 133 square miles (including the water area of the LA/LB Harbors). The entire WMA is comprised of the Cities of Gardena, Hawthorne, Lawndale, and Lomita, and portions of the Cities of Carson, Compton, El Segundo, Inglewood, Los Angeles, Long Beach, Manhattan Beach, Palos Verdes Estates, Redondo Beach, Rolling Hills Estates, Rolling Hills, Rancho Palos Verdes, Torrance, and the unincorporated areas of the County of Los Angeles; however, not all of these jurisdictions have agreed to participate in the development of this Enhanced Watershed Management Program. The Cities of El Segundo, Hawthorne, Inglewood, and Los Angeles, the County of Los Angeles, and the Los Angeles County Flood Control District (LACFCD), collectively the Dominguez Channel Watershed Management Area Group (Dominguez Channel WMA Group), respectfully submit this Notification of Intent (NOI) to develop an Enhanced Watershed Management Plan (EWMP) for the Dominguez Channel WMA per Part VI.C.4.b.i of Order No. R4-2012-0175 (MS4 Permit). Additionally, this NOI includes a statement of the Dominguez Channel WMA Group's intent to follow a Coordinated Integrated Monitoring Program (CIMP) approach.

The 303(d) List has identified water bodies in the Dominguez Channel WMA as impaired by several pollutants. Accordingly, the California Regional Water Quality Control Board, Los Angeles Region (LARWQCB) and the U.S. Environmental Protection Agency (USEPA) have adopted and/or established several total maximum daily loads (TMDLs) for the Dominguez Channel WMA. The Dominguez Channel WMA Group proposes the development of an EWMP specifically for the Dominguez Channel WMA as the most effective approach to utilize opportunities to retain and reuse runoff and to address the unique challenges of the watershed. While the Dominguez Channel WMA Group does not include all jurisdictions within the Dominguez Channel WMA, it does include all drainage infrastructure operated and maintained by the LACFCD within the boundaries shown in Attachment 1. This figure also delineates the areas of the Dominguez Channel WMA that will be covered under this proposed EWMP and CIMP.

It should be noted that the participating cities of El Segundo, Hawthorne, and Inglewood are not listed for all the TMDLs in the Dominguez Channel WMA, in particular those for the Machado Lake Watershed. Consequently, the EWMP and CIMP will be developed with approaches applicable to those TMDLs impacting these cities and not associated with those impacting the Machado Lake Watershed.

The City of Los Angeles will be the lead agency for developing the EWMP and CIMP. Development of the Work Plan, CIMP, and EWMP Plan will be a collaborative process between all agencies in the Dominguez Channel WMA Group, coordinated with the Technical Advisory Committee as well as with watershed stakeholders.

The following sections:

- a) Satisfy the EWMP requirements for NOI submittal as provided by Section VI.C.4.b of the MS4 Permit;
- b) Satisfy the CIMP notification requirements as provided by Attachment E Section IV.C.1.; and
- c) Provide the LARWQCB with additional information on the approach that the Dominguez Channel WMA Group intends to follow for EWMP development.

2. Notification of Intent (Section VI.C.4.b.i and Attachment E Section IV.C.1.)

With this NOI, the Dominguez Channel WMA Group hereby notifies the LARWQCB of their intention to collaboratively develop an EWMP for their portion of the Dominguez Channel WMA. This EWMP will only cover the areas under jurisdiction of the participating MS4 Permittees. The Dominguez Channel WMA Group intends to submit a Work Plan 18 months after the effective date of the MS4 Permit (June 28, 2014) and a draft EWMP Plan due date of 30 months after the effective date of the MS4 Permit (June 28, 2015).

Additionally, with this NOI, the Dominguez Channel WMA Group notifies the LARWQCB of their intention to collaboratively develop a CIMP for their portion of the Dominguez Channel WMA. This CIMP will only cover the areas under jurisdiction of the participating MS4 Permittees. The Dominguez Channel WMA Group intends to submit a draft CIMP due date of 18 months after the effective date of the MS4 Permit (June 28, 2014).

3. Interim and Final TDML Compliance Deadlines (Section VI.C.4.b.ii)

Table 1 lists the TMDLs that have been specifically developed for the Dominguez Channel WMA, which includes the Dominguez Channel, Machado Lake, and the LA/LB Harbors watersheds. Interim TMDL allocation deadlines for the Dominguez Channel WMA occurring prior to the anticipated approval date of the EWMP (April 28, 2016) are included in Table 2.

The participating cities of El Segundo, Hawthorne, and Inglewood are not listed for all the TMDLs in the Dominguez Channel WMA, in particular those for the Machado Lake Watershed. Consequently the El Segundo, Hawthorne, and Inglewood will meet interim and final TMDL compliance deadlines as assigned.

The watershed control measures that will be implemented to meet the requirements of the interim and final trash water quality based effluent limits (WQBELs) and all other final WQBELs are described in more detail in Section 12 of this NOI submittal.

Table 1. TMDLs Applicable to the Dominguez Channel WMA

TMDL	LARWQCB Resolution Number	Effective Date	EPA Approval Date
<u>LA/LB Harbors Watershed</u>			
Los Angeles Harbor Bacteria TMDL (Inner Cabrillo Beach and Main Ship Channel)	2004-011	03/10/2005	03/01/2005
<u>Machado Lake Watershed</u>			
Machado Lake Trash TMDL	2007-006	03/06/2008	02/27/2008
Machado Lake Nutrient TMDL	2008-006	03/11/2009	03/11/2009
Machado Lake Pesticides and PCBs TMDL	R10-008	03/20/2012	03/20/2012
<u>Dominguez Channel Watershed</u>			
Dominguez Channel and Greater Los Angeles and Long Beach Harbor Water Toxic Pollutants TMDL	R11-008	03/23/2012	03/22/2012

Table 2. Interim and Final Trash TMDL Compliance Deadlines Prior to EWMP Approval

TMDL	Milestone	Interim/Final	Deadline
Machado Lake Trash TMDL	20% reduction of baseline load	Interim	03/06/2012
	40% reduction of baseline load	Interim	03/06/2013
	60% reduction of baseline load	Interim	03/06/2014
	80% reduction of baseline load	Interim	03/06/2015
	100% reduction of baseline load	Final	03/06/2016

4. Geographical Scope (Section VI.C.4.b.iii.(1))

The Dominguez Channel WMA is approximately 133 square miles (including the water area of the LA/LB Harbors) and is comprised of the Cities of Gardena, Hawthorne, Lawndale, and Lomita, and portions of the Cities of Carson, Compton, El Segundo, Inglewood, Los Angeles, Long Beach, Manhattan Beach, Palos Verdes Estates, Redondo Beach, Rolling Hills Estates, Rolling Hills, Rancho Palos Verdes, Torrance, and the unincorporated areas of the County of Los Angeles. Not all MS4 Permittees in the Dominguez Channel WMA have agreed to participate in the development of this EWMP. Therefore, this Dominguez Channel WMA EWMP shall only cover the areas under jurisdiction of participating MS4 Permittees within the WMA: the Cities of El Segundo, Hawthorne, Inglewood, and

Los Angeles, and the County of Los Angeles. Attachment 1 provides a map of the watershed boundaries and the delineations of the land areas of the MS4 Permittees within the Dominguez Channel WMA.

The Dominguez Channel WMA covers a total of approximately 120 square miles of land and is located in the southern portion of the Los Angeles Basin. Approximately 72 square miles of the watershed drains directly to the 15.7-mile long Dominguez Channel which begins in the City of Hawthorne and discharges into the east basin of the Los Angeles Harbor. The remaining approximately 48 square miles includes areas tributary to Machado Lake, as well as areas directly draining to the LA/LB Harbors.

This Dominguez Channel WMA EWMP shall only address approximately 36,410 acres, or 47.45% of the total 133-square-mile WMA. The areas covered by this Dominguez Channel WMA EWMP which the MS4 Permittees in the Dominguez Channel WMA have jurisdiction over is summarized in Table 3. Additionally, the Dominguez Channel WMA EWMP will cover the drainage infrastructure operated and maintained by the LACFCD within the boundaries shown in Attachment 1. The Dominguez Channel WMA Group does not have jurisdiction over the land that is owned by the State of California (i.e., California Department of Fish and Wildlife, the State Lands Commission, and Caltrans) and the US Government.

Table 3. Dominguez Channel WMA Group Land Area Distribution

Agency	Area in Machado Lake Watershed (acres)	Area in Dominguez Channel Watershed (acres)	Area in LA/LB Harbors Watershed (acres)	Total Area in EWMP (acres)	Total EWMP Percentage
City of Los Angeles	1,998.42	5,986.66	11,258.12	19,243.20	52.85%
County of Los Angeles	1,250.87	6,755.77	134.23	8,140.87	22.36%
LACFCD	NA	NA	NA	NA	NA
City of El Segundo	0.00	1,252.18	0.00	1,252.18	3.44%
City of Inglewood	0.00	3,884.27	0.00	3,884.27	10.67%
City of Hawthorne	0.00	3,891.91	0.00	3,891.91	10.69%

5. Plan Concept (Section VI.C.4.b.iii.(1))

Based on available information, the Dominguez Channel WMA Group believes that opportunities exist within the agencies' collective jurisdictional areas for collaboration on multi-benefit projects that will meet the intent of the EWMP approach. The Dominguez Channel WMA Group will collectively develop a program with strategies for compliance to meet water quality objectives within the Dominguez Channel WMA. These implementation and compliance strategies will be based on a multi-pollutant approach that maximizes the retention and use of urban runoff as a resource for recharging aquifers, irrigation, and other uses through distributed and regional BMPs. The Dominguez Channel WMA EWMP will enhance existing watershed water quality plans, re-evaluate the existing watershed control measures, identify regional projects to maximize opportunities for retaining all non-stormwater runoff as well as stormwater runoff from the 85th percentile, 24-hour storm event, and identify watershed control measures for those areas in the watershed that cannot be addressed by a regional project.

In order to meet the requirements of the MS4 Permit, the Dominguez Channel WMA Group will develop the following documents:

- A Work Plan for submittal to the LARWQCB by June 28, 2014. The Work Plan will meet the requirements of the MS4 Permit and will provide an update of the progress of the Dominguez Channel WMA Group and outline future development.

- A CIMP for submittal to the LARWQCB by June 28, 2014. The CIMP will address all TMDL monitoring requirements applicable to the Dominguez Channel WMA and all five monitoring elements of the MS4 Permit Monitoring and Reporting Program (MRP).
- An EWMP Plan for draft submittal to the LARWQCB by June 28, 2015 and final submittal by January 28, 2016. Using the information developed for the Work Plan, the EWMP will meet the requirements of the MS4 Permit.

6. Cost Estimate (Section VI.C.4.b.iii.(2))

The Dominguez Channel WMA Group collaboratively prepared a scope of work and cost estimate for developing the Work Plan, the CIMP, and the EWMP for the portion of the Dominguez Channel WMA covered in this EWMP. It is estimated that the cost for the development of the plans is approximately \$1.5 million. This estimate assumes that the CIMP and EWMP will, in part, be based on existing TMDL Monitoring and Implementation Plans. In addition, the Dominguez Channel WMA Group will contribute several hundred thousands of dollars in in-kind services and contract administration costs.

7. Memorandum of Agreement (Section VI.C.4.b.iii.(3))

Attachment 2 includes the final draft of the Memoranda of Agreement between the City of Los Angeles, as the lead agency, and the other participating agencies in the Dominguez Channel WMA Group. All agencies have committed to the execution of these agreements as indicated by the signed letters of intent (Attachment 3). The agreements will be executed before December 28, 2013.

8. Interim Milestones and Deadlines for Plan Development (Section VI.C.4.b.iii.(4))

Table 4 summarizes the expected project timeline for developing the Work Plan, CIMP, and EWMP Plan based on the scope of work agreed to by the Dominguez Channel WMA Group. Both interim milestones and final deadlines are noted in the proposed schedule. In addition to the monthly agency coordination meetings and coordination meetings with the Technical Advisory Committee, the schedule in Table 4 assumes one workshop with local watershed stakeholders for each plan (Work Plan, CIMP, and EWMP). Technical memoranda summarizing information and approaches to support the group's development of the Work Plan, CIMP, and EWMP will be utilized as interim milestones. It is expected that the draft technical memos will not be finalized; rather the information presented in the memos will be revised based on comments and presented in the final Work Plan, CIMP, and EWMP.

Table 4. Proposed Interim Milestones and Deadlines for Plan Development

Deliverable	Milestones and Deadlines
Work Plan	
Draft Technical Memos • Identification of water quality priorities • Existing and future watershed control measures, identification of potential regional projects • Reasonable assurance analysis approach • BMP selection approaches	March 2014
Draft Work Plan	April 2014
Final Work Plan Submitted to the LARWQCB	June 2014
Coordinated Integrated Monitoring Plan	
Draft Technical Memos • Outfall and receiving water monitoring approach • Monitoring sites selection • New development and redevelopment effectiveness tracking	March 2014
Draft CIMP	April 2014
Final Draft CIMP Submitted to the LARWQCB	June 2014

Enhanced Watershed Management Program

Draft Technical Memos • Approach to USEPA TMDLs, 303(d) listings, other exceedances of RWLs • Final selection of regional projects • Feasibility analyses of regional projects, customization of MCMs, identification of other BMPs • Project schedules and cost estimates	April 2015
Draft EWMP	May 2015
Final Draft EWMP Submitted to the LARWQCB	June 2015

9. Structural BMP (Section VI.C.4.b.iii.(5))

In accordance with Section VI.C.4.b.iii.(5), the Dominguez Channel WMA Group is committing to implement one structural BMP project that provides meaningful water quality improvement within 30 months of the effective date (June 28, 2015) of the MS4 Permit. To fulfill this requirement, the City of Los Angeles plans to construct the Phase IV - TRASH TMDL Implementation project. More information on this project can be found in Attachment 4.

10. LID Ordinance (Sections VI.C.4.b.iii.(6) and VI.C.4.c.iv.(1))

Table 5 summarizes the Dominguez Channel WMA Group's Low Impact Development (LID) ordinance status. As presented in Table 5, greater than 50% of the land area included in the geographical scope of the Dominguez Channel WMA EWMP is currently addressed by an LID ordinance.

Table 5. Dominguez Channel WMA Group EWMP Area Percentage Addressed by LID Ordinances

Agency	Percent of EWMP Area	Status LID Ordinance SEE NOTE BELOW
City of Los Angeles	52.85%	Revising Ordinance
County of Los Angeles	22.36%	Draft Ordinance
LACFCD	NA	NA
City of El Segundo	3.44%	In Development
City of Inglewood	10.67%	In Development
City of Hawthorne	10.69%	In Development

Note:

1. **Revising Ordinance.** The City of Los Angeles LID Ordinance became effective on May 12, 2012. The City is currently amending sections of the LID Ordinance, as well as its Stormwater and Urban Runoff Pollution Control Ordinance (L.A.M.C. Chapter VI, Article 4.4) to meet all the MS4 Permit requirements.
2. **Draft Ordinance.** Permittee has completed or will complete by June 28, 2013 the development of a draft LID Ordinance that is in compliance with the MS4 Permit for its portion of the watershed.
3. **In Development.** Permittee initiated development of an LID Ordinance that is in compliance with the requirements of the MS4 Permit for its portion of the watershed.

11. Green Street Policies (Sections VI.C.4.b.iii.(6) and VI.C.4.c.iv.(2))

Table 6 summarizes the Dominguez Channel WMA Group's green street policy status. As presented in Table 6, greater than 50% of the land area included in the geographical scope of the Dominguez Channel WMA EMWP is currently addressed by green streets policies.

Table 6. Dominguez Channel WMA Group EWMP Area Percentage Addressed by Green Street Policies

Agency	Percent of EWMP Area	Status Green Street Policies SEE NOTE BELOW
City of Los Angeles	52.85%	In Effect
County of Los Angeles	22.36%	Draft Policy

LACFCD	NA	NA
City of El Segundo	3.44%	In Development
City of Inglewood	10.67%	In Development
City of Hawthorne	10.69%	In Development

Note:

1. **In Effect.** Permittee has adopted a Green Street Policy that is in compliance with the requirements of the MS4 Permit for its portion of the watershed.
2. **Draft Policy.** Permittee has completed or will complete by June 28, 2013 the development of a draft Green Street Policy that is in compliance with the MS4 Permit for its portion of the watershed.
3. **In Development.** Permittee initiated development of a Green Street Policy that is in compliance with the requirements of the MS4 Permit for its portion of the watershed.

12. Implementation of Watershed Control Measures during Plan Development (Section VI.C.4.b.ii)


The Dominguez Channel WMA Group has developed TMDL implementation plans incorporating structural and institutional watershed control measures for a multi-pollutant and multi-benefit approach, as well as the timelines for implementation, to meet the water quality limitations of the various TMDLs. Table 7 summarizes the TMDL implementation plans that have been developed to date. Agency-specific programs and the status of implementation and compliance are provided in Attachment 5.

The Dominguez Channel WMA Group will continue their efforts to implement the actions of the TMDL implementation plans concurrently with the development of the Dominguez Channel WMA EWMP. TMDL interim milestones (see Table 2) will be met through the continued implementation efforts as outlined in the implementation plans.

Table 7. Implementation Plans for Dominguez Channel WMA TMDLs

Implementation Plan	Agency(ies)	Plan Status
Port of Los Angeles Los Angeles Harbor Bacteria TMDL Main Ship Channel Implementation Work Plan	City of Los Angeles, County of Los Angeles	Final Plan submitted 09/7/2007
Machado Lake Water Quality Management Plan - Nutrient TMDL	City of Los Angeles	Final plan approved RB 02/14/2011
Machado Lake Water Quality Management Plan - Toxic TMDL	City of Los Angeles	Final plan to be submitted 09/20/2013
Multi-pollutant TMDL Implementation Plan for the County of Los Angeles Unincorporated Area of the Machado Lake Watershed	County of Los Angeles	Final plan submitted 9/12/2011 Conditional Approval of Nutrients Portion by LARWQCB on 9/12/2012

Attachment 1 – Dominguez Channel WMA Group Map



1 0.5 0 1 Miles

Dominguez Channel Watershed Management Area Group



ENRIQUE C. ZALDIVAR
DIRECTOR

BUREAU OF SANITATION

SHAHRAM KHARAGHANI
PROGRAM MANAGER

DCWAgencies_
EWMP_WMA

DRAWN BY:
NH

CHECKED BY:

DATE
6/18/13

DATE REVISED
6/21/13

This map shall not be copied or reproduced, all or any part thereof, whether for distribution or resale, without the proper written permission of the Dept. of Public Works, City of Los Angeles
Thomas Bros Data reproduce with permission granted by THOMAS BROS MAP



Attachment 2 – Draft Memorandum of Agreement

MEMORANDUM OF UNDERSTANDING
BETWEEN
THE CITY OF LOS ANGELES, THE CITY OF EL SEGUNDO, THE CITY OF
HAWTHORNE, THE CITY OF INGLEWOOD, LOS ANGELES COUNTY FLOOD
CONTROL DISTRICT, AND THE COUNTY OF LOS ANGELES

REGARDING THE ADMINISTRATION AND COST SHARING FOR DEVELOPMENT OF
THE ENHANCED WATERSHED MANAGEMENT PROGRAM AND THE COORDINATED
INTEGRATED MONITORING PROGRAM FOR THE DOMINGUEZ CHANNEL
WATERSHED

This Memorandum of Understanding (MOU) is made and entered into as of the date of the last signature set forth below by and between: the City of Los Angeles, a municipal corporation; the City of El Segundo, a municipal corporation; the City of Hawthorne, a municipal corporation; the City of Inglewood, a municipal corporation; the Los Angeles County Flood Control District (LACFCD), a political subdivision of the State of California; and the County of Los Angeles, a political subdivision of the State of California. Collectively, these entities shall be known herein as “Parties” or individually as “Party.”

WITNESSETH

WHEREAS, the Regional Water Quality Control Board, Los Angeles Region (“Regional Board”) adopted National Pollutant Discharge Elimination System Municipal Separate Storm Sewer System Permit Order No. R4-2012-0175 (“MS4 Permit”); and

WHEREAS, the MS4 Permit became effective on December 28, 2012 and requires that the LACFCD, County of Los Angeles, and 84 of the 88 cities (excluding Avalon, Long Beach, Palmdale, and Lancaster) within the County of Los Angeles comply with the prescribed elements of the MS4 Permit; and

WHEREAS, the MS4 Permit identified the Parties as the MS4 permittees that are responsible for compliance with the MS4 Permit requirements pertaining to the Dominguez Channel Watershed Management Area; and

WHEREAS, the Parties have agreed to collaborate on the development of an Enhanced Watershed Management Program (EWMP) for the Dominguez Channel Watershed Management Area to comply with certain elements of the MS4 Permit; and

WHEREAS, the Parties agree that each shall assume full and independent responsibility for ensuring its own compliance with the MS4 Permit despite the collaborative approach of the MOU; and

WHEREAS, the development of an EWMP includes the preparation of a Work Plan, a draft and final Coordinated Integrated Monitoring Plan (“CIMP”), and a draft and final EWMP Plan, collectively referred to herein as “Plans”; and

WHEREAS, the Parties collaboratively prepared a final Scope of Work and Request for Proposal to obtain a Consultant for preparing the Plans that will satisfy the requirements of the MS4 Permit; and

WHEREAS, the Parties have determined that hiring a Consultant to prepare and deliver the Plans will be beneficial to the Parties and they desire to participate and will provide funding in accordance with the cost allocation on Exhibit A; and

WHEREAS, the Parties have agreed that the total cost for developing the Plans shall not exceed \$1,520,982.77 including the project administration and management cost but excluding 10% contingency; and

WHEREAS, the Parties have agreed to retain the City of Los Angeles to coordinate the services of a Consultant to develop the Plans, the Parties have agreed to share in the cost and pay the City of Los Angeles for these consultant services as provided by Exhibit A of this MOU, and the City of Los Angeles has agreed to act on behalf of all Parties in the preparation of the Plans and the coordination of the consultant services;

NOW, THEREFORE, in consideration of the mutual benefits to be derived by the Parties, and of the promises contained in this MOU, the Parties agree as follows:

Section 1. Recitals: The recitals set forth above are fully incorporated into this MOU.

Section 2. Purpose: The purpose of this MOU is to cooperatively fund the preparation and submittal of the Plans to the Regional Board.

Section 3. Cooperation: The Parties shall fully cooperate with one another to attain the purpose of this MOU.

Section 4. Voluntary: This MOU is voluntarily entered into for the purpose of preparing and submitting the Plans to the Regional Board.

Section 5. Term: This MOU shall become effective on the last date of execution by the Parties or December 28, 2013, whichever comes first, and shall remain and continue to remain in effect until June 30, 2016. If a Party does not execute this MOU by December 28, 2013, that Party shall be excluded from this MOU and this MOU shall become effective on December 28, 2013 by execution by the remaining Parties.

Section 6. Assessment for Proportional Cost: The Parties agree to pay the City of Los Angeles for preparation and delivery of the Plans in the amounts shown in Table (4) of Exhibit A, based

on the total costs shown in Tables (1) and (2) and the cost allocation formula shown in Table (3) of Exhibit A, attached hereto and made part of this MOU by this reference. The City of Los Angeles will invoice the Parties in two installments upon execution of this MOU as shown in Table (4) of Exhibit A, based on the allocated costs for developing the Plans by the Consultant and the project administration and management costs at a percentage of 5% of the allocated costs for development of the Plans. At the end of each fiscal year, the City of Los Angeles will provide the Agencies with a statement with the actual expenditures. Unexpended funds at the termination of this MOU will be returned to the Parties in accordance with the cost allocation formula set forth in Table (3) of Exhibit A.

Section 7. City of Los Angeles agrees:

- a. To solicit proposals for, award and administer a Consultant contract for the preparation and delivery of the Plans. The City of Los Angeles will be compensated for the administration and management of the Consultant contract as described in Exhibit A.
- b. To utilize the funds deposited by the Parties only for the administration of the Consultant contract, project management, and the preparation and completion of the Plans.
- c. To provide the Parties with an electronic copy of the technical memos, draft Plans and completed Plans within 7 business days of receipt from the Consultant.
- d. To invoice the Parties in the amounts and according to the schedule shown in Table (4) of Exhibit A.
- e. To provide an accounting within 90 days after at the termination of the MOU or within 90 after the early termination of the MOU pursuant to Section 11. The City of Los Angeles shall return the unused portion of all funds deposited with the City of Los Angeles in accordance with the cost allocation formula set forth in Table 3 in Exhibit A.

Section 8. The Parties further agree:

- a. To make a full faith effort to cooperate with one another to achieve the purposes of this MOU by providing information about project opportunities, reviewing deliverables in a timely manner, informing administration and council.
- b. To fund the cost of the preparation and delivery of the Plans and to pay the City of Los Angeles for the preparation and delivery of the Plans based on the cost allocation shown in Exhibit A. This includes the costs incurred by the City of Los Angeles for administering the Consultant services between awarding the Consultant contract and the execution of this MOU.

- c. To grant access rights and entry to the City of Los Angeles and the Consultant during the terms of this MOU to the Parties' facilities (i.e. storm drains, channels, catch basins, properties, etc.) ("Facilities") to achieve the purposes of this MOU. Prior to exercising said right of entry, the City of Los Angeles or their Consultant shall provide written notice to the Parties at least 72 hours in advance. For the purposes of this provision, written notice shall include notice delivered via e-mail that has been delivered to the Parties' representatives identified in Exhibit B.

Section 9. Invoice and Payment

- a. Payment: The Parties shall pay the City of Los Angeles their proportional share of the cost for the preparation and delivery of the Plans and project administration and management as shown in Table 4 of Exhibit A. Payments are due within sixty (60) days of receiving the invoice from the City of Los Angeles.
- b. Invoice: The City of Los Angeles will invoice Parties in two installments in the amounts shown in Table 4 of Exhibit A. The first invoice will be sent upon execution of this MOU or in January 2014, whichever comes first. The second invoice will be sent in July 2014.
- c. Contingency: The City of Los Angeles will notify the Parties if actual expenditures are anticipated to exceed the cost estimates contained in Exhibits A and obtain approval of such expenditures from all Parties. Upon approval, the Parties agree to reimburse the City of Los Angeles for their proportional share of these additional expenditures at an amount not to exceed 10% of the original cost estimate as shown in Exhibit A. This 10% contingency will not be invoiced, unless actual expenditures exceed the original cost estimate. Expenditures that exceed the 10% contingency will require an amendment of this MOU.

Section 10. Indemnification

- a. Each Party shall indemnify, defend, and hold harmless each other Party, including its special districts, elected and appointed officers, employees, and agents, from and against any and all liability, including but not limited to demands, claims, actions, fees, costs, and expenses (including attorney and expert witness fees), arising from or connected with the respective acts of each Party arising from or related to this MOU; provided, however, that no party shall indemnify another party for that party's own negligence or willful misconduct.
- b. In light of the provisions of Section 895.2 of the Government Code of the State of California imposing certain tort liability jointly upon public entities solely by reason of such entities being parties to an agreement (as defined in Section 895 of said Code), each of the Parties hereto, pursuant to the authorization contained in Section

895.4 and 895.6 of said Code, shall assume the full liability imposed upon it or any of its officers, agents, or employees, by law for injury caused by any act or omission occurring in the performance of this MOU to the same extent that such liability would be imposed in the absence of Section 895.2 of said Code.

- c. To achieve the above stated purpose, each Party indemnifies, defends, and holds harmless each other Party for any liability, cost, or expense that may be imposed upon such other Party solely by virtue of said Section 895.2. The provisions of Section 2778 of the California Civil Code are made a part hereof as if incorporated herein.

Section 11. Termination

- a. This MOU may be terminated upon the express written agreement of all Parties. If this MOU is terminated, all Parties must agree on the equitable redistribution of remaining funds deposited, if there are any, or payment of invoices due at the time of termination. Completed work shall be owned by all Parties. Rights to uncompleted work by the Consultant still under contract will be held by the Party or Parties who fund the completion of such work.
- b. If a Party fails to comply with any of the terms or conditions of this MOU, that Party shall forfeit its rights to the work completed through this MOU.

Section 12. General Provisions

- a) Notices. Any notices, bills, invoices, or reports relating to this MOU, and any request, demand, statement or other communication required or permitted hereunder shall be in writing and shall be delivered to the Representative of the Party at the address set forth in Exhibit B. Parties shall promptly notify each other of any change of contact information, including personnel changes, provided in Exhibit B. Written notice shall include notice delivered via email or fax. A notice shall be deemed to have been received on (a) the date of delivery, if delivered by hand during regular business hours, or by confirmed facsimile or by email; or (b) on the third (3) business day following mailing by registered or certified mail (return receipt requested) to the addresses set forth in Exhibit B.
- b) Administration. For the purpose of this MOU, the parties hereby designate as their respective Party Representatives the persons named in Exhibit B. The designated Party Representatives, or their respective designees, shall administer the terms and conditions of this MOU on behalf of their respective Party. Each of the persons signing below on behalf of a Party represents and warrants that they are authorized to sign this MOU on behalf of such Party.
- c) Relationship of Parties. The Parties are and shall remain at all times as to each other, wholly independent entities. No Party to this MOU shall have power to incur any

debt, obligation, or liability on behalf of another Party unless expressly provided to the contrary by this MOU. No employee, agent, or officer of a Party shall be deemed for any purpose whatsoever to be an agent, employee or officer of another Party.

- d) Binding Effect. This MOU shall be binding upon and inure to the benefit of each Party to this MOU and their respective heirs, administrators, representatives, successors and assigns.
- e) Amendment. The terms and provisions of this MOU may not be amended, modified or waived, except by an instrument in writing signed by all the Parties. This section applies to, but is not limited to, amendments proposed to address regulatory changes in the MS4 permit, modifications to the Scope of Work, or changes in the number of Parties to this MOU. For the City of Los Angeles, the Director of Bureau of Sanitation or his/her designee is authorized to execute such amendments.
- f) Waiver. Waiver by any Party to this MOU of any term, condition, or covenant of this MOU shall not constitute a waiver of any other term, condition, or covenant. Waiver by any Party to any breach of the provisions of this MOU shall not constitute a waiver of any other provision, nor a waiver of any subsequent breach or violation of any provision of this MOU.
- g) Law to Govern; Venue. This MOU shall be interpreted, construed and governed according to the laws of the State of California. In the event of litigation between the Parties, venue in the state trial courts shall lie exclusively in the County of Los Angeles.
- h) No Presumption in Drafting. The Parties to this MOU agree that the general rule that an MOU is to be interpreted against the Party drafting it, or causing it to be prepared shall not apply.
- i) Entire Agreement. This MOU constitutes the entire agreement of the Parties with respect to the subject matter hereof and supersedes all prior or contemporaneous agreements, whether written or oral, with respect thereto.
- j) Severability. If any term, provision, condition or covenant of this MOU is declared or determined by any court or competent jurisdiction to be invalid, void, or unenforceable, the remaining provisions of this MOU shall not be affected thereby and this MOU shall be read and constructed without the invalid, void, or unenforceable provision(s).
- k) Counterparts. This MOU may be executed in any number of counterparts, each of which shall be an original, but all of which taken together shall constitute but one and the same instrument, provided, however, that such counterparts shall have been delivered to all Parties to this MOU.

- l) All Parties have been represented by counsel in the preparation and negotiation of this MOU. Accordingly, this MOU shall be construed according to its fair language.

IN WITNESS WHEREOF, the Parties hereto have caused this MOU to be executed by their duly authorized representatives and affixed as of the date of signature of the Parties:

CITY OF LOS ANGELES

Date: _____

By: _____
Capri W. Maddox, President
Board of Public Works

ATTEST:

By: _____
June Lagmay
City Clerk

APPROVED AS TO FORM:

Carmen Trutanich
City Attorney

By: _____
John A. Carvalho
Deputy City Attorney

CITY OF EL SEGUNDO

Greg Carpenter
City Manager

ATTEST:

Tracy Weaver,

City Clerk

APPROVED AS TO FORM:
MARK D. HENSLEY,
City Attorney

By: _____
Karl H. Berger,
Assistant City Attorney

CITY OF HAWTHORNE

**MICHAELGOODSON,
City Manager
City of Hawthorne, California**

CITY OF INGLEWOOD

Date: _____

By: _____

Roosevelt F. Dorn
Mayor

ATTEST:

By: _____

Yvonne Horton
City Clerk

APPROVED AS TO FORM:

By: _____

Cal Saunders
City Attorney

LOS ANGELES COUNTY FLOOD CONTROL DISTRICT

By _____
Chief Engineer

APPROVED AS TO FORM:

John F. Krattli
County Counsel

By _____
Deputy

Date

COUNTY OF LOS ANGELES

By _____
GAIL FARBER

Date

APPROVED AS TO FORM:

John F. Krattli
County Counsel

By _____
Deputy

Date

EXHIBIT A

Table 1. Estimated Consultant Contract Cost

Item		Total Cost
Contract Cost	(a)	\$ 1,448,555.00
City of Los Angeles Contract Management Fee (5%)	(a) X 5% = (b)	\$ 72,427.75
SUB-TOTAL COST	(a)+(b)=(c)	\$1,520,982.75
LAFCD Allocation (10%) ¹	(c) x 10% = (d)	\$152,098.28
TOTAL COST TO BE DISTRIBUTED	(c)-(d)=(e)	\$1,368,884.50

Note:

1. The Los Angeles Flood Control District (LAFCD) has committed to contributing 10% of the Total Cost, including contract management fee, as their allocation in the development of the plans.

Table 2. Distribution of Estimated Total Cost

Agency	Acres ^{1,2}	Percent of Area ³	Distributed Total Cost ⁴
City of Los Angeles	19,243.20	52.85%	\$723,426.54
County of Los Angeles (LAC)	8,140.87	22.36%	\$306,046.88
City of Hawthorne	3,891.91	10.69%	\$146,311.99
City of Inglewood	3,884.27	10.67%	\$146,024.78
City of El Segundo	1,252.18	3.44%	\$47,074.30
TOTAL	36,412.43	100%	\$1,368,884.50

Note:

1. The areas owned by Caltrans, State Parks, and U.S. Government have been excluded from the total area of the Dominguez Channel watershed.
2. Area (acres) determined by GIS analysis as shown in EXHIBIT C
3. Percent Area = Agency Area / Total Area
4. Total Cost = \$1,368,884.50 X Agency Percent of Area

Table 3. Cost Allocation Formula

<i>Distributed Total Cost = Total Cost X Agency Percent of Area</i>

Table 4. City of Los Angeles Invoicing Schedule and Invoice Amounts to Parties

Agency	Invoice Schedule		Distributed Total Cost (a)+(b)=(c)	Contingency (10%) ¹ (c)x0.1=(d)	TOTAL COST INCLUDING CONTINGENCY (c)+(d)=(e)
	Jan. 2014 (a)	Jan. 2015 (b)			
City of Los Angeles	\$361,713.26	\$361,713.27	\$723,426.53	\$72,342.65	\$ 795,769.19
LAFCD	\$76,049.14	\$76,049.14	\$152,098.28	\$15,209.83	\$167,308.11
County of Los Angeles (LAC)	\$153,023.44	\$153,023.44	\$306,046.88	\$22,907.26	\$251,979.84
City of Hawthorne	\$73,155.99	\$73,156.00	\$146,311.99	\$14,631.20	\$160,943.19
City of Inglewood	\$73,012.38	\$73,012.39	\$146,024.78	\$14,602.48	\$160,627.26
City of El Segundo	\$23,537.15	\$23,537.15	\$47,074.30	\$4,707.43	\$51,781.73
TOTAL			\$1,520,982.75	\$152,098.27	\$1,673,081.02

Note:


1. Contingency is 10% of the total invoice amount. Contingency will not be invoiced unless there is a need for its expenditure as agreed by all Parties.

EXHIBIT B

DOMINGUEZ CHANNEL WATERSHED WMP/CIMP GROUP Responsible Agencies Representatives

Agency Address	Agency Contact
City of Los Angeles Department of Public Works Bureau of Sanitation, Watershed Protection Division 1149 S. Broadway Los Angeles, CA 90015	Shahram Kharaghani E-mail: Shahram.Kharaghani@Lacity.org Phone: (213) 485-0587 Fax: (213) 485-3939
County of Los Angeles Department of Public Works Watershed Management Division, 11 th Floor 900 South Fremont Avenue Alhambra, CA 91803-1331	Angela George E-mail: AGEORGE@dpw.lacounty.gov Phone: (626) 458-4304 Fax: (626) 457-1526
Los Angeles County Flood Control District Department of Public Works Watershed Management Division, 11 th Floor 900 South Fremont Avenue Alhambra, CA 91803-1331	Gary Hildebrand E-mail: GHILDEB@dpw.lacounty.gov Phone: (626) 458-4300 Fax: (626) 457-1526
City of El Segundo 350 Main Street El Segundo, CA 90245-3895	LiFan Xu E-mail: lxu@elsegundo.org Phone: (310) 524-2368
City of Hawthorne 4455 West 126 th Street Hawthorne, CA 90250-4482	Doug Krauss E-mail: dkrauss@cityofhawthorne.org Phone: (310) 524-2368
City of Inglewood 1 W. Manchester Blvd, 3 rd Floor Inglewood, Ca 90301-1750	Lauren Amimoto E-mail: lamimoto@cityofinglewood.org Phone: (310) 412-5192 FAX: (310) 412-5552

EXHIBIT C
DOMINGUEZ CHANNEL WATERSHED MAP



Attachment 3 – Letters of Intent

CITY OF LOS ANGELES
CALIFORNIA



ANTONIO R. VILLARAIGOSA
MAYOR

BUREAU OF SANITATION

ENRIQUE C. ZALDIVAR
DIRECTOR

TRACI J. MINAMIDE
CHIEF OPERATING OFFICER

VAROUJ S. ABKIAN
ADEL H. HAGEKHALIL
ALEXANDER E. HELOU
ASSISTANT DIRECTORS

NEIL M. GUGLIELMO
ACTING CHIEF FINANCIAL OFFICER

WATERSHED PROTECTION DIVISION
1149 SOUTH BROADWAY, 10TH FLOOR
LOS ANGELES, CA 90015
TEL: (213) 485-0587
FAX: (213) 485-3939

**BOARD OF
PUBLIC WORKS**

COMMISSIONERS

CAPRI W. MADDOX
PRESIDENT

VALERIE LYNNE SHAW
VICE PRESIDENT

STEVEN T. NUTTER
PRESIDENT PRO TEMPORE

WARREN T. FURUTANI
COMMISSIONER

JERILYN LÓPEZ-MENDOZA
COMMISSIONER

June 20, 2013

Samuel Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
320 West Fourth Street, Suite 200
Los Angeles, California 90013

Attention: Renee Purdy

Dear Mr. Unger:

**CITY OF LOS ANGELES COMMITMENT TO PARTICIPATE IN AND SHARE THE COST FOR
DEVELOPMENT OF ENHANCED WATERSHED MANAGEMENT PROGRAM AND
COORDINATED INTEGRATED MONITORING PROGRAM FOR THE DOMINGUEZ CHANNEL
WATERSHED**

The City of Los Angeles submits this letter of intent with our commitment to participate in and share the cost for the development of an Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP) for the Dominguez Channel watershed as outlined in the Notice of Intent submitted by the City of Los Angeles to meet the requirements of Part VI.C.4.b of the MS4 Permit (Order No. R4-2012-0175) and the CIMP notification requirements specified in Attachment E Section IV.C.1.

The Dominguez Channel Watershed Group consists of the following MS4 Permittees: the City of Los Angeles (lead agency for EWMP and CIMP development), the County of Los Angeles, Los Angeles County Flood Control District, the City of El Segundo, the City of Inglewood, and the City of Hawthorne. The final draft agreement to fund program development by the Dominguez Channel Watershed Group has been included in the Notice of Intent and the City of Los Angeles is committed to execute this agreement prior to December 28, 2013.

Should you have any questions regarding this correspondence, please contact me at shahram.kharaghani@lacity.org or phone (213) 485-0587 or your staff may contact Alfredo Magallanes at alfredo.magallanes@lacity.org or phone (213) 485-3958.

Sincerely,

SHAHRAM KHARAGHANI, Ph.D., P.E., BCEE
Program Manager

SK:AM:MC
WPDCR 9039

AN EQUAL EMPLOYMENT OPPORTUNITY - AFFIRMATIVE ACTION EMPLOYER

Mr. Sam Unger, Executive Officer

City of Los Angeles Letter of Intent for Dominguez Channel Watershed

June 20, 2013

Page 2

cc: Renee Purdy, California Regional Water Quality Control Board, Los Angeles Region
Ivar Ridgeway, California Regional Water Quality Control Board, Los Angeles Region
Enrique Zaldivar, City of Los Angeles, Bureau of Sanitation
Adel Hagekhalil, City of Los Angeles, Bureau of Sanitation
Gary Hildebrand, County of Los Angeles
Lifan Xu, City of El Segundo
Doug Krauss, City of Hawthorne
Lauren Amimoto, City of Inglewood



City of El Segundo

Public Works Department Stephanie Katsouleas, Director

June 4, 2013

Elected Officials:

Bill Fisher,
Mayor
Carl Jacobson,
Mayor Pro Tem
Suzanne Fuentes,
Council Member
Dave Atkinson,
Council Member
Marie Felthauer,
Council Member
Tracy Weaver,
City Clerk
Crista Binder,
City Treasurer

Appointed Officials:

Greg Carpenter,
City Manager
Mark D. Hensley,
City Attorney

Department Directors:

Deborah Cullen,
Finance/Human Resources
Kevin Smith,
Fire Chief
Debra Brighton,
Library Services
Sam Lee,
Planning and
Building Safety
Mitch Tavera,
Police Chief
Stephanie Katsouleas,
Public Works
Robert Cummings,
Recreation & Parks

www.elsegundo.org

Samuel Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
320 West Fourth Street, Suite 200
Los Angeles, California 90013

LETTER OF INTENT PLEDGING COMMITMENT IN THE DEVELOPMENT OF AN ENHANCED WATERSHED MANAGEMENT PROGRAM AND COORDINATED INTEGRATED MONITORING PROGRAM IN COLLABORATION WITH THE DOMINGUEZ CHANNEL WATERSHED GROUP

Dear Mr. Unger;

The City of El Segundo, with this letter, pledges to cooperate with the Dominguez Channel Watershed Group (Group) in the development of an Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP) in accordance with the new MS4 Permit by Order No. R4-2012-0175 for submission to your Board. The Dominguez Channel Watershed Group includes the following agencies: the City of Los Angeles, the County of Los Angeles, Los Angeles County Flood Control District, and the Cities of El Segundo, Hawthorne, and Inglewood.

The City of El Segundo further pledges to share in the cost of developing both the Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP). A cost sharing formula was agreed by all participating members of the Group as to the equitable distribution of costs.

Should you have any questions, please contact me at (310)524-2356 or via email to skatsouleas@elsegundo.org, or Lifan Xu, of my staff, at (310)524-2368 or via email to lxu@elsegundo.org.

Sincerely

Stephanie Katsouleas
Director of Public Works

Cc: Greg Carpenter, City Manager
Lifan Xu, Principal Civil Engineer

Cc:

Renee Purdy, California Regional Water Quality Control Board, Los Angeles Region
Ivar Ridgeway, California Regional Water Quality Control Board, Los Angeles

Region

Shahram Kharaghani, City of Los Angeles, Department of Public Works

Enrique Zaldivar, City of Los Angeles, Bureau of Sanitation

Adel Hagekhalil, City of Los Angeles, Bureau of Sanitation

Gary Hildebrand, County of Los Angeles, Department of Public Works

Doug Krauss, City of Hawthorne

Lauren Amimoto, City of Inglewood

CITY OF HAWTHORNE



4455 West 126th Street • Hawthorne, California 90250-4482

Department of Public Works, Engineering Division
Office: (310) 349-2980 / Fax: (310) 978-9862

June 6, 2013

Samuel Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
320 West Fourth Street, Suite 200
Los Angeles, California 90013
Attention: Renee Purdy

**LETTER OF INTENT PLEDGING COMMITMENT IN THE DEVELOPMENT
OF AN ENHANCED WATERSHED MANAGEMENT PROGRAM AND
COORDINATED INTEGRATED MONITORING PROGRAM IN
COLLABORATION WITH THE DOMINGUEZ CHANNEL WATERSHED
GROUP**

Dear Mr. Unger,

The City of Hawthorne, with this letter, pledges to collaborate with Dominguez Channel Watershed Group (Group) in the development of an Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP) in accordance with the new MS4 Permit by Order No., R4-2012-0175 for submission to your Board. The Dominguez Channel Watershed Group includes only the following agencies: the City of Los Angeles, the County of Los Angeles, Los Angeles County Flood Control District, the City of El Segundo, the City of Hawthorne, and the City of Inglewood.

The City of Hawthorne further pledges to cost share the development cost of both the Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP). A cost sharing formula has been agreed by all participating of the Group as to the equitable distribution of costs.

Should you have any questions, please contact me at ashadbehr@cityofhawthorne.org and 310-349-2985, or Doug Krauss of my staff at dkrauss@cityofhawthorne.org and 310-349-2987.

ARNOLD SHADBEHR, P.E.
Director of Public Works / City Engineer

Inglewood



California

Public Works Department

ONE MANCHESTER BOULEVARD / INGLEWOOD, CA. 90301 / P.O. BOX 6500 / INGLEWOOD, CA. 90312

Telephone (310) 412-5333 / Fax (310) 412-5552

www.cityofinglewood.org

LOUIS A. ATWELL, P.E.
PUBLIC WORKS DIRECTOR

June 11, 2013

Samuel Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
320 West Fourth Street, Suite 200
Los Angeles, California 90013

Attention: Renee Purdy

**CITY OF INGLEWOOD'S LETTER OF INTENT PLEDGING COMMITMENT IN THE
DEVELOPMENT OF AN ENHANCED WATERSHED MANAGEMENT PROGRAM
AND COORDINATED INTEGRATED MONITORING PROGRAM IN
COLLABORATION WITH THE DOMINGUEZ CHANNEL WATERSHED GROUP**

Dear Mr. Unger;

The City of Inglewood (City), with this letter, pledges to collaborate with the Dominguez Channel Watershed Group (Group) in the development of an Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP) in accordance with the new MS4 Permit by Order No. R4-2012-0175 for submission to your Board. The Dominguez Channel Watershed Group includes only the following agencies: the City of Los Angeles, the County of Los Angeles, Los Angeles County Flood Control District, the City of El Segundo, the City of Hawthorne, and the City of Inglewood

The City of Inglewood further pledges to cost share the development cost of both the Enhanced Watershed Management Program (EWMP) and Coordinated Integrated Monitoring Program (CIMP). A cost sharing formula has been agreed by all participating members of the Group as to the equitable distribution of costs.

Should you have any questions, please contact Lauren Amimoto, Senior Administrative Analyst at (310) 412-5192 or at lamimoto@cityofinglewood.org

Sincerely

A handwritten signature in black ink, appearing to read 'LA Atwell', written over a horizontal line.

Louis A. Atwell, PE
Director of Public Works

cc:

Renee Purdy, California Regional Water Quality Control Board, Los Angeles Region
Ivar Ridgeway, California Regional Water Quality Control Board, Los Angeles Region
Enrique Zaldivar, City of Los Angeles, Bureau of Sanitation
Adel Hagekhalil, City of Los Angeles, Bureau of Sanitation
Gary Hildebrand, County of Los Angeles, Department of Public Works
Lifan Xu, City of El Segundo
Doug Krauss, City of Hawthorne
Lauren Amimoto, City of Inglewood



GAIL FARBER, Director

COUNTY OF LOS ANGELES

DEPARTMENT OF PUBLIC WORKS

"To Enrich Lives Through Effective and Caring Service"

900 SOUTH FREMONT AVENUE
ALHAMBRA, CALIFORNIA 91803-1331
Telephone: (626) 458-5100
<http://dpw.lacounty.gov>

ADDRESS ALL CORRESPONDENCE TO:
P.O. BOX 1460
ALHAMBRA, CALIFORNIA 91802-1460

June 24, 2013

IN REPLY PLEASE

REFER TO FILE: **WM-7**

Mr. Samuel Unger, P.E.
Executive Officer
California Regional Water Quality
Control Board – Los Angeles Region
320 West 4th Street, Suite 200
Los Angeles, CA 90013

Attention Ms. Renee Purdy

Dear Mr. Unger:

**LETTER OF INTENT – LOS ANGELES COUNTY FLOOD CONTROL DISTRICT
DOMINGUEZ CHANNEL WATERSHED MANAGEMENT GROUP
ENHANCED WATERSHED MANAGEMENT PROGRAM
AND COORDINATED INTEGRATED MONITORING PROGRAM**


The Los Angeles County Flood Control District (LACFCD) submits this Letter of Intent to participate in and share the cost of the development of an Enhanced Watershed Management Program (EWMP) and a Coordinated Integrated Monitoring Program (CIMP) with the Dominguez Channel Watershed Management Area Group. This Letter of Intent serves to satisfy the EWMP notification requirements of Section VI.C.4.b.iii(3) of Order No. R4-2012-0175 (Municipal Separate Storm Sewer System Permit) and the CIMP requirements of Section IV.C.1 of Attachment E of the Municipal Separate Storm Sewer System Permit.

The Dominguez Channel Watershed Management Area Group consists of the following agencies: City of Los Angeles as the coordinating agency for EWMP and CIMP development, County of Los Angeles, LACFCD, and cities of El Segundo, Hawthorne, and Inglewood. The Dominguez Channel Watershed Management Area Group has included a final draft Memorandum of Understanding as Attachment 2 of the Notice of Intent. The LACFCD intends to submit a final Memorandum of Understanding to the County of Los Angeles Board of Supervisors (which is the LACFCD's governing body) for approval prior to December 28, 2013.

Mr. Samuel Unger
June 24, 2013
Page 2

If you have any questions, please contact Ms. Terri Grant at (626) 458-4309 or tgrant@dpw.lacounty.gov.

Very truly yours,



for

GAIL FARBER

Chief Engineer of the Los Angeles County Flood Control District

WJ:jht

P:\wmpub\Secretarial\2013 Documents\Letter\LOI - Dominguez Channel LACFCD.doc\C13215

cc: City of El Segundo
City of Hawthorne
City of Inglewood
City of Los Angeles



GAIL FARBER, Director

COUNTY OF LOS ANGELES

DEPARTMENT OF PUBLIC WORKS

"To Enrich Lives Through Effective and Caring Service"

900 SOUTH FREMONT AVENUE
ALHAMBRA, CALIFORNIA 91803-1331
Telephone: (626) 458-5100
<http://dpw.lacounty.gov>

ADDRESS ALL CORRESPONDENCE TO:
P.O. BOX 1460
ALHAMBRA, CALIFORNIA 91802-1460

IN REPLY PLEASE

REFER TO FILE: **WM-7**

June 24, 2013

Mr. Samuel Unger, P.E.
Executive Officer
California Regional Water Quality
Control Board – Los Angeles Region
320 West 4th Street, Suite 200
Los Angeles, CA 90013

Attention Ms. Renee Purdy

Dear Mr. Unger:

**LETTER OF INTENT – COUNTY OF LOS ANGELES
DOMINGUEZ CHANNEL WATERSHED MANAGEMENT AREA
ENHANCED WATERSHED MANAGEMENT PROGRAM
AND COORDINATED INTEGRATED MONITORING PROGRAM**


The County of Los Angeles (County) submits this Letter of Intent to participate in and share the cost of the development of an Enhanced Watershed Management Program (EWMP) and a Coordinated Integrated Monitoring Program (CIMP) with the Dominguez Channel Watershed Management Area Group. This Letter of Intent serves to satisfy the EWMP notification requirements of Section VI.C.4.b.iii(3) of Order No. R4-2012-0175 (Municipal Separate Storm Sewer System Permit) and the CIMP requirements of Section IV.C.1 of Attachment E of the Municipal Separate Storm Sewer System Permit.

The Dominguez Channel Watershed Management Area Group consists of the following agencies: City of Los Angeles as the coordinating agency for EWMP and CIMP development, County, Los Angeles County Flood Control District, and cities of El Segundo, Hawthorne, and Inglewood. The Dominguez Channel Watershed Management Area Group has included a final draft Memorandum of Understanding as Attachment 2 of the Notice of Intent. The County intends to submit a final Memorandum of Understanding to its Board of Supervisors for approval prior to December 28, 2013.

Mr. Samuel Unger
June 24, 2013
Page 2

If you have any questions, please contact Ms. Angela George at (626) 458-4325 or ageorge@dpw.lacounty.gov.

Very truly yours,



GF GAIL FARBER
Director of Public Works

WJ:jht

P:\wmpub\Secretarial\2013 Documents\Letter\LOI - Dominguez Channel County.doc\C13216

cc: City of El Segundo
City of Hawthorne
City of Inglewood
City of Los Angeles

Attachment 4 – Structural BMP Fact Sheet

PHASE IV - TRASH TMDL IMPLEMENTATION

Santa Monica Bay Debris & Plastic Pellet TMDL / Machado Lake Trash TMDL / Dominguez Channel Watershed

MS4 Trash Requirements

March 2013

FACT SHEET



REGULATORY BACKGROUND

Santa Monica Bay Debris & Pellet TMDL

Effective: March 20, 2012

1st Compliance Milestone: March 2016

Final Compliance: March 2020

Machado Lake Trash TMDL

Effective: March 6, 2008

1st Compliance Milestone: March 2012

Final Compliance: March 2016

Dominguez Channel Watershed MS4 Trash Requirements

Effective: December 28, 2012

Final Compliance: December 28, 2016

PROJECT DESCRIPTION

ENVIRONMENTAL BENEFITS

Trash in waterways causes significant water quality problems. Small and large floatables can inhibit the growth of aquatic vegetation, decreasing spawning areas and habitats for fish and other living organisms. Wildlife living in the rivers and riparian areas can be harmed by ingesting or becoming entangled in floating trash. By preventing trash and debris from entering the storm drain system and eventually into the Santa Monica Bay, Machado Lake, and Dominguez Channel watersheds, this project will improve the water quality and protect the aquatic life and habitat.

DESCRIPTION OF BMP

This project primarily proposes the installation of catch basin (CB) opening screen covers and inserts in those structures found in the Santa Monica Bay, Machado Lake, and Dominguez Channel watersheds of the City. The CB opening screen covers are coarse screens that are installed in the CB openings and prevent trash from entering the City storm drain system. Each CB opening screen cover has a self-opening device activated by a predetermined street gutter flow to disengage its locking mechanism. The CB inserts are perforated screens that are installed inside the CB in front of the outlet pipe of the catch basin.



Watershed Protection Division
Bureau of Sanitation

PROJECT SCHEDULE AND COST

SCHEDULE

With the approval of this project, WPD will establish a new procurement and installation contract through the advertisement, bid and award process of the Board of Public Works. Installation of CB covers may begin as early as the Summer of 2013. No construction permits, land acquisition, or NEPA/CEQA documents are required for this project. The Project Schedule is shown below. The subsequent Table shows number of CBs to be retrofitted with a BMP by Council District throughout the project duration. The contract duration is 3 years.

Project Schedule

	2013	2014	2015	2016
Construction				
Post-Construction				

COST

To ensure compliance with the upcoming trash reduction milestones, WPD requests \$6.2 million of Prop O funds for the retrofit of approximately 4,400 catch basins in the Santa Monica Bay, Machado Lake, and Dominguez Channel watersheds with trash BMPs.

Distribution of Catch Basin Retrofits

Element	Catch Basin Distribution
Santa Monica Bay Debris and Plastic Pellet TMDL (Council District 11)	988
Machado Lake Trash TMDL (Council District 15)	277
Dominguez Channel Watershed MS4 Trash Requirements (Council District 15)	3,151
TOTAL	4,416

The total cost of \$6,160,000 dollars for this project is being requested from Prop O funds, which includes administration, design and construction management, construction, and installation costs of approximately 4,400 catch basin trash BMPs. This project is not projected to result in any increase in operation and maintenance of the City storm drain system; the Wastewater Collection System Division of the Bureau of Sanitation currently provides the regular maintenance of the City catch basins.

Project Cost Distribution

Element	Required Funding Amount
Administration Cost	\$10,000
Planning/Design/Bid and Award	\$28,000
Construction Management	\$308,000
Construction	\$5,814,000
TOTAL	\$6,160,000

Department of Public Works
City of Los Angeles

Attachment 5 – Specific Actions and Status of Compliance by EWMP Agencies for Compliance with Interim and Final Milestones of the Machado Lake Trash TMDL

EWMP agency	Implementation status Machado Lake Trash TMDL
City of Los Angeles	As of February 2013, the City had attained the 40% compliance milestone of the Trash TMDL. The City will fully comply with the 100% compliance milestone by the use of full and partial capture devices in the remaining catch basins as well through institutional measures.
County of Los Angeles	Within the area of the Machado Lake watershed covered by the Dominguez Channel WMA, the County of Los Angeles has retrofitted 89% of catch basins with full capture devices. The remaining catch basins will be retrofitted by 2016 to meet the 100% milestone.
LACFCD	NA

Attachment X
TMDL Compliance Schedules

PAGE INTENTIONALLY LEFT BLANK

Dominguez Channel Watershed Management Area Compliance Schedule		
Milestone	Date	Receiving Water Quality Objectives
Dominguez Channel		
Constituents Addressed in a TMDL		
Metals (Total Copper (Wet), Total Lead (Wet), Total Zinc (Wet)) and Toxicity		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs for wet weather metals and toxicity	3/23/2032	Total Recoverable Metals Freshwater Targets: Copper (Wet) ² = 9.7 ug/L; Lead (Wet) ² = 42.7 ug/L; Zinc (Wet) ² = 69.6 ug/L Toxicity = 1.0 Tuc
Constituents on the 2010 303(d) list, but not Addressed in a TMDL		
Indicator Bacteria		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data and Determine if TMDL Development is Necessary	3/23/2017	
Develop TMDL	3/23/2020	
Meet Water Quality Objectives (Dry)	3/23/2030	Single Sample Limits: <i>E. coli</i> = 235/100 mL
Meet Water Quality Objectives (Wet)	3/23/2040	Single Sample Limits: <i>E. coli</i> = 235/100 mL
Ammonia		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data to support recommended delisting	3/23/2017	Dry = 30-day average pH and temperature dependent ³ water quality objective for Ammonia as N Wet = One-hour average pH and temperature dependent ³ water quality objective for Ammonia as N
Diazinon		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data to support recommended delisting	3/23/2017	Dry (chronic) = 0.05 ug/L; Wet (acute) = 0.08 ug/L
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
Metals (Total Copper (Dry), Total Lead (Dry), Total Zinc (Dry), Total Cadmium, Chromium (Dry), Mercury, Thallium (Dry))		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Water Quality Objectives	3/23/2032	Total Recoverable Metals Freshwater Targets: Copper (Dry) ⁴ = 19.71 ug/L; Lead (Dry) ⁴ = 9.70 ug/L; Zinc (Dry) ⁴ = 251.58 ug/L; Cadmium (Dry) ⁴ = 4.90 ug/L; Cadmium (Wet) ⁴ = 2.07 ug/L Chromium (Dry) = 11 ug/L; Mercury 0.051 ug/L; Thallium (Dry) = 6.3 ug/L
Cyanide		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data	3/23/2017	Cyanide (Wet) = 22 ug/L; Cyanide (Dry) = 5.2 ug/L
Bis(2-Ethylhexel) phthalate		
Conduct Monitoring through CIMP to confirm exceedances	Ongoing	
Evaluate Monitoring Data	3/23/2017	1.8 ug/L
pH		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data	3/23/2017	6.5 < pH < 8.5
Dissolved Oxygen		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data	3/23/2017	Dissolved Oxygen > 5mg/L

(1) Baseline will be identified during the Reasonable Assurance Analysis Process.

(2) Acute total recoverable metals freshwater targets shown using the site specific conversion factors listed in the Dominguez Channel Toxics TMDL. Factors utilize a hardness of 50 mg/L. Dissolved metals CTR criteria at the equivilant hardness are as follows: Copper (Wet) = 6.99 ug/L; Lead (Wet) = 30.14 ug/L; Zinc (Wet) = 65.13 ug/L.

(3) Ambient pH and temperture measurements will be taken at the time of sampling to determine the applicable receiving water quality target.

(4) A hardness of 50 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 240 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

(5) The Dominguez Channel Estuary Water Quality Objectives are assuming saltwater conditions.

(6) A hardness of 205 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 570 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

Milestone	Date	Receiving Water Quality Objectives
Torrance Lateral		
Constituents Addressed in a TMDL		
Metals (Total Copper (Wet), Total Lead (Wet), Total Zinc (Wet))		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs for wet weather metals and toxicity	3/23/2032	Total Recoverable Metals Freshwater Targets: Copper (Wet) ² = 9.7 ug/L; Lead (Wet) ² = 42.7 ug/L; Zinc (Wet) ² = 69.6 ug/L
Constituents on the 2010 303(d) list, but not Addressed in a TMDL		
Coliform Bacteria		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data and Determine if TMDL Development is Necessary	3/23/2017	
Develop TMDL	3/23/2020	
Meet Water Quality Objectives (Dry)	3/23/2030	Single Sample Limits: <i>E. coli</i> = 235/100 mL
Meet Water Quality Objectives (Wet)	3/23/2040	Single Sample Limits: <i>E. coli</i> = 235/100 mL
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
Metals (Total Copper (Dry), Total Lead (Dry), Total Zinc (Dry), Total Cadmium)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Water Quality Objectives	3/23/2032	Total Recoverable Metals Freshwater Targets: Copper (Dry) ⁴ = 19.71 ug/L; Lead (Dry) ⁴ = 9.70 ug/L; Zinc (Dry) ⁴ = 251.58 ug/L; Cadmium (Dry) ⁴ = 4.90 ug/L; Cadmium (Wet) ⁴ = 2.07 ug/L
Sediment-Bond Historical Organics (DDT, PCBs)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Water Quality Objectives	3/23/2032	Total DDT (ERL) = 1.58 ug/kg; Total DDT (ERM) = 46.1 ug/kg; Total PCBs (ERL) = 22.7 ug/kg; Total PCBs (ERM) = 180 ug/kg
Cyanide		
Conduct Monitoring through CIMP to confirm exceedances	Ongoing	
Evaluate Monitoring Data	3/23/2017	Cyanide (Dry) = 5.2 ug/L; Cyanide (Wet) = 22 ug/L
Ammonia (Dry)		
Conduct Monitoring through CIMP to confirm exceedances	Ongoing	
Evaluate Monitoring Data	3/23/2017	
Meet Water Quality Objectives (Dry)	3/23/2027	30-day average pH and temperature dependent ³ water quality objective for Ammonia as N
Meet Water Quality Objectives (Wet)	3/23/2037	One-hour average pH and temperature dependent ³ water quality objective for Ammonia as N
pH		
Conduct Monitoring through the CIMP	Ongoing	
Evaluate Monitoring Data	3/23/2017	6.5 < pH < 8.5

(1) Baseline will be identified during the Reasonable Assurance Analysis Process.

(2) Acute total recoverable metals freshwater targets shown using the site specific conversion factors listed in the Dominguez Channel Toxics TMDL. Factors utilize a hardness of 50 mg/L. Dissolved metals CTR criteria at the equivilant hardness are as follows: Copper (Wet) = 6.99 ug/L; Lead (Wet) = 30.14 ug/L; Zinc (Wet) = 65.13 ug/L.

(3) Ambient pH and temperture measurements will be taken at the time of sampling to determine the applicable receiving water quality target.

(4) A hardness of 50 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 240 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

(5) The Dominguez Channel Estuary Water Quality Objectives are assuming saltwater conditions.

(6) A hardness of 205 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 570 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

Milestone	Date	Receiving Water Quality Objectives
Dominguez Channel Estuary ⁵		
Constituents Addressed in a TMDL		
Metals (Copper, Lead, Zinc, and Cadmium (sediment)), Historical Organics (DDT, PCBs, Chlordane, Dieldrin), Current Organics (PAHs), Sediment Toxicity, Benthic Community Effects		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs for wet weather metals and toxicity	3/23/2032	Receiving Water Targets: Copper (ERL) = 34 mg/kg; Lead (ERL) = 46.7 mg/kg; Zinc (ERL) = 150 mg/kg; Cadmium (ERL) = 1.2 mg/kg; Total DDT (ERL) = 1.58 ug/kg; Total PCBs (ERL) = 22.7 ug/kg; Chlordane (ERL) = 0.5 mg/kg; Dieldrin (ERL) = 0.02 ug/kg; Total PAHs (ERL) = 4,022 ug/kg
Constituents on the 2010 303(d) list, but not Addressed in a TMDL		
Coliform Bacteria		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data and Determine if TMDL Development is Necessary	3/23/2017	
Develop TMDL	3/23/2020	
Meet Water Quality Objectives (Dry)	3/23/2030	Single Sample Limits: Total coliform = 10,000/100 mL; Fecal coliform = 400/100 mL; Enterococcus = 104/100 mL
Meet Water Quality Objectives (Wet)	3/23/2040	Single Sample Limits: Total coliform = 10,000/100 mL; Fecal coliform = 400/100 mL; Enterococcus = 104/100 mL
Ammonia		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data to support recommended delisting	3/23/2017	Dry = Unionized Ammonia-N (Dry) = 0.0287 mg/L Wet = Unionized Ammonia-N (Wet) = 0.192 mg/L
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
Metals (Sediment - Arsenic, Chromium, Mercury, Silver; Dissolved - Silver, Nickel, Mercury, Thallium)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Water Quality Objectives	3/23/2032	Arsenic (ERL) = 8.2 mg/kg; Chromium (ERL) = 81 mg/kg; Mercury (ERL) = 0.15 mg/kg; Silver (ERL)= 1.0 mg/kg Silver = 1.9 ug/L; Nickel (Wet) = 74 ug/L; Nickel (Dry) = 8.2 ug/L; Mercury = 0.051 ug/L; Thallium = 6.3 ug/L

(1) Baseline will be identified during the Reasonable Assurance Analysis Process.

(2) Acute total recoverable metals freshwater targets shown using the site specific conversion factors listed in the Dominguez Channel Toxics TMDL. Factors utilize a hardness of 50 mg/L. Dissolved metals CTR criteria at the equivilant hardness are as follows: Copper (Wet) = 6.99 ug/L; Lead (Wet) = 30.14 ug/L; Zinc (Wet) = 65.13 ug/L.

(3) Ambient pH and temperture measurements will be taken at the time of sampling to determine the applicable receiving water quality target.

(4) A hardness of 50 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 240 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

(5) The Dominguez Channel Estuary Water Quality Objectives are assuming saltwater conditions.

(6) A hardness of 205 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 570 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

Milestone	Date	Receiving Water Quality Objectives
Machado Lake		
Constituents Addressed in a TMDL		
Trash		
Achieve 20% Reduction from Baseline WLA through Installation of Full Capture Systems or Other Measures	3/6/2012	20% reduction from baseline
Achieve 40% Reduction from Baseline WLA through Installation of Full Capture Systems or Other Measures	3/6/2013	40% reduction from baseline
Achieve 60% Reduction from Baseline WLA through Installation of Full Capture Systems or Other Measures	3/6/2014	60% reduction from baseline
Achieve 80% Reduction from Baseline WLA through Installation of Full Capture Systems or Other Measures	3/6/2015	80% reduction from baseline
Achieve 100% Reduction from Baseline WLA through Installation of Full Capture Systems or Other Measures	3/6/2016	100% reduction from baseline
Nutrients (Total Phosphorus, Total Nitrogen, Dissolved Oxygen, Chlorophyll-a, Ammonia)		
LARWQCB approval of Nutrient LWQMP	2/14/2011	
Meet 5-year Interim WLAs and LAs for Total Phosphorus and Total Nitrogen	3/11/2014	Total Phosphorus = 1.25 mg/L; Total Nitrogen = 2.45
Complete and Submit Optional Special Studies	3/11/2015	
TMDL Reconsideration by Regional Board (based on Optional Studies)	9/11/2016	
Meet Final WLAs and LAs for Total Phosphorus and Total Nitrogen	9/11/2018	Receiving Water Targets: Total Phosphorus = 0.1 mg/L; Total Nitrogen = 1.00; Ammonia (acute) = 5.95 mg/L; Ammonia (chronic) = 2.15 mg/L; Dissolved Oxygen = 5 mg/L; Chlorophyll a = 20 ug/L
Pesticides and PCBs (PCBs, DDT, Chlordane, Dieldrin)		
Submit MRP and QAPP (LACFCD)	9/20/2012	
Executive approval of MRP and QAPP	TBD	
Conduct Phase I Monitoring	2 year monitoring period beginning 60 days from the date of MRP and QAPP	
Conduct Phase II Monitoring	Conducted following Phase I Monitoring (for 5 year period)	
Submit Draft Implementation Plan to attain WLAs	6 months from the completion of Phase I Monitoring	
Submit Final Implementation Plan to attain WLAs	1 year from the completion of Phase I Monitoring	
Amend Machado Lake Nutrient LWQMP, MRP and QAPP (City of LA) to include Pesticides and PCBs	9/20/2014	
Begin Implementation of LWQMP	60 days from LWQMP approval	
Meet Final WLAs and LAs for Pesticides and PCBs	9/30/2019	Receiving Water Targets: Total PCBs = 0.00017 ug/L; 4,4' DDT = 0.00059 ug/L; 4,4' DDE = 0.00059 ug/L; 4,4' DDD = 0.00084 ug/L; Chlordane = 0.00059 ug/L; Dieldrin = 0.00014 ug/L
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
E. coli		
Conduct Monitoring under CIMP		Single Sample Limits: E. coli = 235/100mL
pH		
Conduct general chemistry monitoring under the CIMP for Phase I of Machado Lake Pesticides and PCBs TMDL		6.5 < pH < 8.5
Conduct general chemistry monitoring under the CIMP for Phase II of Machado Lake Pesticides and PCBs TMDL		6.5 < pH < 8.5

- (1) Baseline will be identified during the Reasonable Assurance Analysis Process.
- (2) Acute total recoverable metals freshwater targets shown using the site specific conversion factors listed in the Dominguez Channel Toxics TMDL. Factors utilize a hardness of 50 mg/L. Dissolved metals CTR criteria at the equivalant hardness are as follows: Copper (Wet) = 6.99 ug/L; Lead (Wet) = 30.14 ug/L; Zinc (Wet) = 65.13 ug/L.
- (3) Ambient pH and temperture measurements will be taken at the time of sampling to determine the applicable receiving water quality target.
- (4) A hardness of 50 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 240 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.
- (5) The Dominguez Channel Estuary Water Quality Objectives are assuming saltwater conditions.
- (6) A hardness of 205 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 570 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

Milestone	Date	Receiving Water Quality Objectives
Wilmington Drain		
Constituents on the 2010 303(d) list, but not Addressed in a TMDL		
Coliform Bacteria		
Conduct Monitoring through CIMP	Ongoing	
Evaluate Monitoring Data		
Develop TMDL	2014	
Meet Water Quality Objectives (Dry)	2024	Single Sample Limits: E. coli = 235/100 mL
Meet Water Quality Objectives (Wet)	2034	Single Sample Limits: E. coli = 235/100 mL
Metals (Total Copper and Total Lead)		
Conduct Monitoring through CIMP		
Evaluate Monitoring Data to support recommended delisting	3/23/2017	Total Recoverable Metals: Copper (Dry) ⁶ = 41.28 ug/L; Lead (Dry) ⁶ = 29.17 ug/L; Copper (Wet) ⁶ = 27.53 ug/L; Lead (Wet) ⁶ = 203.61 ug/L
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
Total Nitrogen		
Conduct Monitoring through the Machado Lake Nutrient TMDL requirements (LACFCD)		Total Nitrogen = 1.0 mg/L
Sediment-Bond Historical Organics (DDT, Chlordane, Dieldrin, PCBs)		
Conduct monitoring under Phase I of Machado Lake Pesticides and PCBs TMDL	2 year monitoring period beginning 60 days from the date of MRP approval	
Conduct monitoring under Phase II of Machado Lake Pesticides and PCBs TMDL	Conducted following Phase I Monitoring (for 5 year period)	Total PCBs = 0.00017 ug/L; 4,4' DDT = 0.00059 ug/L; 4,4' DDE = 0.00059 ug/L; 4,4' DDD = 0.00084 ug/L; Chlordane = 0.00059 ug/L; Dieldrin = 0.00014 ug/L

- (1) Baseline will be identified during the Reasonable Assurance Analysis Process.
- (2) Acute total recoverable metals freshwater targets shown using the site specific conversion factors listed in the Dominguez Channel Toxics TMDL. Factors utilize a hardness of 50 mg/L. Dissolved metals CTR criteria at the equivalant hardness are as follows: Copper (Wet) = 6.99 ug/L; Lead (Wet) = 30.14 ug/L; Zinc (Wet) = 65.13 ug/L.
- (3) Ambient pH and temperture measurements will be taken at the time of sampling to determine the applicable receiving water quality target.
- (4) A hardness of 50 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 240 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.
- (5) The Dominguez Channel Estuary Water Quality Objectives are assuming saltwater conditions.
- (6) A hardness of 205 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 570 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.

Dominguez Channel Watershed Management Area Compliance Schedule		
Los Angeles Harbor Waters		
Milestone	Date	Receiving Water Quality Objectives
Consolidated Slip		
Constituents Addressed in a TMDL		
Metals (Sediment - Cadmium, Chromium, Copper, Lead, Zinc, Mercury), Historical Organics (DDT, PCBs, Chlordane, Dieldrin, Toxaphene), Current Organics (PAHs), Sediment Toxicity, Benthic Community Effects		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs	3/23/2032	Receiving Water Targets: Cadmium (ERL) = 1.2 mg/kg; Chromium (ERL) = 81 mg/kg; Copper (ERL) = 34 mg/kg; Lead (ERL) = 46.7 mg/kg; Zinc (ERL) = 150 mg/kg; Mercury (ERL) = 0.15 mg/kg; Total DDT (ERL) = 1.58 ug/kg; Total PCBs (ERL) = 22.7 ug/kg; Chlordane (ERL) = 0.5 ug/kg; Dieldrin (ERL) = 0.02 ug/kg; Toxaphene (ERL) = 0.10 ug/kg; Total PAHs (ERL) = 4,022 ug/kg
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
Metals (Sediment - Silver, Arsenic, Nickel)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Water Quality Objectives	3/23/2032	Silver (ERL) = 1.0 mg/kg; Arsenic (ERL) = 8.2 mg/kg; Nickel (ERL) = 20.9 mg/kg
Fish Harbor		
Constituents Addressed in a TMDL		
Metals (Sediment - Copper, Lead, Zinc, Mercury), Historical Organics (DDT, PCBs, Chlordane), Current Organics (PAHs), Sediment Toxicity		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs	3/23/2032	Receiving Water Targets: Copper (ERL) = 34 mg/kg; Lead (ERL) = 46.7 mg/kg; Zinc (ERL) = 150 mg/kg; Mercury (ERL) = 0.15 mg/kg; Total DDT (ERL) = 1.58 ug/kg; Total PCBs (ERL) = 22.7 ug/kg; Chlordane (ERL) = 0.5 ug/kg; Total PAHs (ERL) = 4,022 ug/kg
Inner Cabrillo Beach		
Constituents Addressed in a TMDL		
Indicator Bacteria		
Initial compliance deadline through Los Angeles Harbor Bacteria TMDL for Cabrillo Beach	3/10/2010	Single Sample Limits: Total coliform = 10,000/100 mL; Fecal coliform = 400/100 mL; Enterococcus = 104/100 mL
Time Schedule Order requested	12/24/2012	
Meet Interim number of allowable exceedance days of WQBELs and Receiving Water Limitations for total coliform, fecal coliform, and enterococcus	2/6/2013	Single Sample Summer Dry Weather = 23 days/year; Single Sample Winter Dry Weather = 18 days/year; Geometric Mean Year round = 79 days/year
Investigate and institute additional non-structural BMPs and simple structural BMPs	7/31/2014	
Assess effectiveness of non-structural BMPs and simple structural BMPs	12/31/2014	
Assess feasibility of diversion of identified storm drains impacting Station CB01 and construct feasible storm drain modifications	12/31/2014	
Continue Monitoring through the CIMP	Ongoing	
Achieve final RWLs for total coliform, fecal coliform, and enterococcus	12/28/2017	Single Sample Limits: Total coliform = 10,000/100 mL; Fecal coliform = 400/100 mL; Enterococcus = 104/100 mL
Historical Organics (DDT, PCBs)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	100% reduction from baseline
Meet Final WLAs and LAs	3/23/2032	Receiving Water Targets: Total DDT (ERL) = 1.58 ug/kg; Total PCBs (ERL) = 22.7 ug/kg
Cabrillo Marina		
Constituents Addressed in a TMDL		
Historical Organics (DDT, PCBs), Current Organics (PAHs)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs	3/23/2032	Receiving Water Targets: Total DDT (ERL) = 1.58 ug/kg; Total PCBs (ERL) = 22.7 ug/kg; Total PAHs (ERL) = 4,022 ug/kg
Los Angeles / Long Beach Inner Harbor		
Constituents Addressed in a TMDL		
Indicator Bacteria		
Expected Compliance through Los Angeles Harbor Bacteria TMDL for Main Ship Channel	3/10/2010	Single Sample Limits: Total coliform = 10,000/100 mL; Fecal coliform =
Conduct Monitoring through the CIMP	Ongoing	
Metals (Sediment - Copper, Zinc), Historical Organics (DDT, PCBs), Current Organics (PAHs), Benthic Community Effects, Sediment Toxicity		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs	3/23/2032	Receiving Water Targets: Copper (ERL) = 34 mg/kg; Zinc (ERL) = 150 mg/kg; Total DDT (ERL) = 1.58 ug/kg; Total PCBs (ERL) = 22.7 ug/kg; Total PAHs (ERL) = 4,022 ug/kg
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
Metals (Total Copper, Total Silver)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Water Quality Objectives	3/23/2032	Total Recoverable Copper (Wet) = 5.8 ug/L; Dissolved Copper (Dry) = 3.1 ug/L; Total Recoverable Silver = 2.24 ug/L
Los Angeles / Long Beach Outer Harbor		
Constituents Addressed in a TMDL		
Historical Organics (DDT, PCBs, Sediment Toxicity)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Final WLAs and LAs	3/23/2032	Receiving Water Targets: Total DDT (ERL) = 1.58 ug/kg; Total PCBs (ERL) = 22.7 ug/kg
Constituents Exceeding Water Quality Objectives, but not on the 2010 303(d) List		
Metals (Sediment - Cadmium, Copper, Nickel, Mercury; Dissolved - Copper, Silver)		
Complete Implementation of Dominguez Channel Toxics TMDL Phase I	3/23/2017	25% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase II	3/23/2027	75% reduction from baseline ¹
Complete Implementation of Dominguez Channel Toxics TMDL Phase III	3/23/2032	Attain Receiving Water Targets
Meet Water Quality Objectives	3/23/2032	Cadmium (ERL) = 1.2 mg/kg; Copper (ERL) = 34 mg/kg; Nickel (ERL) = 20.9 mg/kg; Mercury (ERL) = 0.15 mg/kg Copper (Wet) = 4.8 ug/L; Copper (Dry) = 3.1 ug/L; Silver = 1.9 ug/L

Dominguez Channel Watershed Management Area Compliance Schedule

- (1) Baseline will be identified during the Reasonable Assurance Analysis Process.
- (2) Acute total recoverable metals freshwater targets shown using the site specific conversion factors listed in the Dominguez Channel Toxics TMDL. Factors utilize a hardness of 50 mg/L. Dissolved metals CTR criteria at the equivalant hardness are as follows: Copper (Wet) = 6.99 ug/L; Lead (Wet) = 30.14 ug/L; Zinc (Wet) = 65.13 ug/L.
- (3) Ambient pH and temperture measurements will be taken at the time of sampling to determine the applicable receiving water quality target.
- (4) A hardness of 50 mg/L was assumed for wet weather hardness-dependent metals and a hardness of 240 mg/L was assumed for dry weather hardness dependent metals. Site-Specific conversion factors were not available.
- (5) The Dominguez Channel Estuary Water Quality Objectives are assuming saltwater conditions.

Attachment Y

RAA Modeling

MEMORANDUM

To: Dominguez Channel Watershed Management Group (Alfredo Magallanes/City of Los Angeles; Bill Johnson/Los Angeles County; Doug Krauss/City of Hawthorne; Loren Amimoto/City of Inglewood; Lifan Xu/City of El Segundo; Andrew Jirik/Port of Los Angeles)

From: Team Dominguez (Ben Willardson, Vik Bapna, Tsou Jaw, Ali Zahraei, Katie Harrel/CWE, Richard Haimann/HDR)

Date: March 13, 2015

Subject: **Task F.4.3.4 – Reasonable Assurance Analysis Modeling**

Contents

1. Introduction.....	2
2. Modeling Software Used for RAA.....	3
3. Dry-Weather Modeling Approach	4
4. Wet-Weather Modeling Approach.....	5
5. LSPC Calibration.....	6
5.1 Hydrologic Calibration	6
5.1.1 Water Budget Parameter Calibration	7
5.2 Water Quality Calibration.....	9
5.2.1 Total Suspended Sediment Parameter Calibration	9
5.2.2 Metal Parameter Calibration	11
5.2.3 Fecal Coliform Parameter Calibration	14
5.2.4 Total Nitrogen and Total Phosphorus Parameter Calibration.....	16
5.2.5 Relationships for Other Constituents of Concern	18
6. LSPC Validation	19
7. Baseline Simulation.....	23
13. References	27

1. Introduction

In response to the Los Angeles County National Pollutant Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System (MS4) Permit (Permit), Order No. R4-2012-0175 the Dominguez Channel Watershed Management Group (DC WMG) is in the process of developing an Enhanced Watershed Management Program (EWMP). As specified in Part VI.C.1.g of the MS4 Permit, an EWMP comprehensively evaluates the opportunities within the participating jurisdictions for collaborations on multi-benefit regional projects that, wherever feasible, retain all non-stormwater and stormwater runoff from the 85th percentile, 24-hour storm event from the tributary watershed. These projects are also referred to as regional EWMP projects. Based on the MS4 Permit, areas that drain to regional EWMP projects are considered in compliance with all water quality standards, while all other areas have to be modeled in a Reasonable Assurance Analysis (RAA) to demonstrate compliance. Control measures,

inclusive of distributed Best Management Practices (BMPs) such as green streets, modified Minimum Control Measures (MCMs), and regional BMP projects, will be included in the RAA to demonstrate that compliance criterion are satisfied.

This Technical Memorandum (TM) explains the methodology of the RAA for the DC WMG EWMP as summarized below. The methodology used for conducting the RAA is based on the DC WMG EWMP Work Plan (2014). The RAA developed for the DC WMG is in conformance with the RAA Guidelines developed by the Regional Water Quality Control Board (RWQCB or Regional Board).

- The Watershed Management Modeling System (WMMS) developed by the Los Angeles County Flood Control District (LACFCD) was calibrated with flow and water quality data specific to the DC WMG and then used to estimate the current pollutant loads and provide an initial evaluation of the types and quantities of control measures needed to achieve MS4 Permit objectives.
- The Load Simulation Program in C++ (LSPC) software was used to estimate the pollutant load reductions expected from different control measure implementation scenarios through a calibration process. This step is part of an iterative process that helps determine the required implementation levels at various target time periods to demonstrate compliance with MS4 Permit objectives.

Additionally, this TM discusses in detail the calibration process associated with stormwater flow through the system and the corresponding water quality.

The purpose of the RAA is to demonstrate that the implementation scenarios proposed in the EWMP will meet the MS4 Permit effluent and receiving water limits for priority pollutants of concern within the DC WMG. This is done by demonstrating load reductions for the 85th percentile 24-hour storm and the 90th percentile load. Load reductions are used instead of concentrations. This is necessary for two reasons: first, the entire watershed (Dominguez Channel Watershed Management Area [DC WMA]) is not participating as part of the DC WMG and the approaches they are taking may be different than the DC WMG; second, capture and infiltration systems will reduce the loads delivered, but may not change concentrations of flows that reach the regulated water bodies. Total loads in the water bodies will be tied to contributions from all entities within the watershed. For these reasons, load reductions are considered a better metric for analysis.

2. Modeling Software Used for RAA

The RAA for the DC WMG was conducted using the BMP modeling system WMMS. WMMS is a regional model developed by the LACFCD and is comprised of two main components: LSPC and the Regional Optimization system. LSPC was developed from the Hydrologic Simulation Program - FORTRAN (HSPF) used for simulating hydrology, sediment, and general water quality. The model generates runoff based on rainfall, snow, and groundwater inputs, determines pollutant loading and transport based on point source data, aerial deposition, and non-point source loadings, determines chemical and transport interactions within stream reaches, and can provide water quality data based on the interactions for specified locations. WMMS and the LSPC modeling component are included in the list of approved watershed models for conducting a RAA outlined in Part VI.C.5.b.iv.(5) of the MS4 Permit.

Additional information regarding WMMS and LSPCS is available from the Los Angeles County Department of Public Works (LACDPW) (2008, 2010a, 2010b, 2010c, 2011, 2013). Information pertaining to the LSPC engine is available from the United States Environmental Protection Agency (USEPA, 2003). The documents can be found on the WMMS homepage (<http://dpw.lacounty.gov/wmd/wmms/>) where it can also be downloaded.

3. Dry-Weather Modeling Approach

The approach to the dry-weather portion of the DC WMG RAA is to evaluate the volume and sediment reduction potential provided by proposed regional and distributed BMP projects to determine how much of the dry-weather flows would be addressed. This approach does not include the use of a model due to data set limitations and significant spatial variation throughout the DC WMG in terms of anticipated dry-weather flows. Dry-weather flows were evaluated using measured flow rates where available, otherwise estimates of daily yields were used. Estimated daily yields are derived from local dry-weather flow monitoring data within the region and is summarized in **Table 3-1**. Flows captured through regional BMP implementation were subtracted from the total assumed non-stormwater flows to quantify pollutant load reductions which are based on the ratio of total flow reduction. The simplest case is 100 percent capture which prevents all flows from reaching receiving waters, thus there is no load and the load reduction is equal to 100 percent.

Table 3-1 Average Monthly Dry-Weather Flow in DC WMG		
Month	Average Flow (cfs)	Average Flow / Acre
January	5.54	0.00026
February	6.71	0.00032
March	6.95	0.00033
April	7.50	0.00035
May	5.40	0.00025
June	8.61	0.00041
July	6.45	0.00030
August	5.20	0.00024
September	4.74	0.00022
October	5.68	0.00027
November	4.30	0.00020
December	4.71	0.00022

4. Wet-Weather Modeling Approach

The proposed wet-weather RAA approach provides the most efficient and cost effective methods for determining MCM and BMP implementation to meet Water Quality Objectives (WQOs) and incorporate DC WMG agency preferences regarding exceedance risk tolerance, pollutant prioritization, and structural BMP implementation scenarios, while considering stakeholder input through a transparent process. The process allowed for feedback to develop a plan which maximizes benefits and minimizes implementation costs.

The wet-weather RAA approach involves the determination of both the existing pollutant loads (baseline) and target load reductions as a percentage of the total load. WMMS efficiently provides optimized load reduction targets, recommended distributed BMPs, and cost estimates, however, limited guidance on BMP placement is provided and the model does not optimize bacteria or trash Total Maximum Daily Load (TMDL) compliance as required by the MS4 Permit.

Once the baseline conditions are determined, watershed control measures must be implemented over time to meet target Waste Load Allocations (WLAs). The selected control measures, such as regional BMP projects, distributed BMPs (green streets), and MCMs, are then modeled at various stages within the implementation time frame to determine the quantity, location, and timing of BMP implementation to meet the interim and final WLAs applicable to the DC WMG. Targets for the RAA are based on interim time steps throughout the MS4 Permit time frame, which were presented in the DC WMG EWMP Work Plan (2014) and are summarized below:

- March 10, 2010 (Final WLAs Los Angeles Inner Harbor Bacteria TMDL)
- March 6, 2016 (Final WLAs Machado Lake Trash TMDL)
- September 11, 2018 (WLAs Machado Lake Nutrients TMDL)
- September 30, 2019 (Wet-Weather WLAs Machado Lake Pesticides and PCBs TMDL)
- September 30, 2025 (Internal Date for Construction Schedule Evaluation)
- March 23, 2032 (Wet-Weather Freshwater WQBEL Dominguez Channel and Greater Los Angeles and Long Beach Harbor Waters Toxic Pollutants TMDL)

Demonstrating compliance through the RAA is an iterative process. The model includes different BMP scenarios at the compliance time steps and different approaches to BMP implementation are modeled to

determine the most cost effective approach. The iterative process involves model calibration, model validation, baseline simulation, determination of the limiting pollutant, evaluation of required volume and load reductions, and control measure implementation, all of which are further detailed in this TM.

5. LSPC Calibration

Calibration refers to the adjustment or fine-tuning of modeling parameters to reproduce observations on the basis of field monitoring data. The goal of the LSPC model calibration was to obtain physically realistic model predictions by selecting parameter values that reflect the unique characteristics of the DC WMA. Spatial and temporal aspects were evaluated through the calibration process. Model calibration and validation were necessary to demonstrate the calibrated model properly assessed all the model parameters and modeling conditions that can affect model results for hydrologic and water quality analyses. The Regional Board provided acceptable model calibration criteria in Table 3.0 of the RAA Guidelines. The hydrology (flow) from the DC WMG was calibrated along with the water quality parameters described in the following subsections.

5.1 Hydrologic Calibration

The hydrologic calibration effort resulted in parameter values that produced the best overall agreement between simulated and observed stream flow volumes and timing throughout the calibration period. The time interval used for the calibration period began October 1, 2004 and ended September 30, 2012 due to the limited water quality data from the closest Mass Emission Station (MES). Rainfall data was taken from three LACFCD recording rain gauges and one National Climatic Data Center (NCDC) rain gauge near the area upstream of the mass emission station that was used for calibration. Three other NCDC weather stations were used to provide both rainfall and air temperature. Air temperature is used to derive pan evapotranspiration (PET) values for use in evaluating the impact of climate on soil moisture and plant uptake conditions in the model. Calibration included a time series comparison of daily and monthly values. Composite comparisons were also made to evaluate average monthly stream flow values over the period of record.

The basis for distributing hydrologic and water quality parameters is provided by the current land use coverage of the entire watershed. Land unit representation should be sensitive to the features of the landscape that most affect hydrology and pollutant transport, including land use (impervious assumptions), soils, and slope. Although most of the DC WMA is comprised of relatively flat terrain, slope factors must also be taken into consideration. The combination of land use, soil hydrologic group, and slope were used to define the 21 hydrologic response units (HRUs) used in LSPC. Nine of the HRUs are considered impervious for which most of the hydrologic parameters are not relevant, and the other 12 are predominately pervious types such as vacant or vegetated open space. Mixed land use areas were divided into impervious area and pervious areas based on acceptable regional values. For example, a commercial development is considered to be 90 percent impervious. The Commercial HRU is 100 percent impervious, but the other 10 percent of a commercial parcel is added to the "Urban_Grass_Irrigated" HRU.

As part of the iterative calibration approach, default parameter values were modified and input to the LSPC model. The results were compared with observed values obtained from MES S28. MES S28 was used for both the hydrology and water quality calibrations and is located at the Artesia Boulevard Bridge, approximately 1.3 miles upstream from the transitions between Dominguez Channel and the Dominguez Channel Estuary. Statistical analysis was conducted to measure the difference between observed and modeled values. The analysis applied a linear bias as the general error percentage and added root mean square and coefficient of correlation evaluations to examine statistical variations. **Figure 5-1** illustrates

the linear bias relationship from the statistical analysis. The objective was to achieve model results within the defined range specified in Table 3.0 of the RAA Guidelines.




Figure 5-1 Linear Bias Evaluation for Flow Calibration at MES S28

5.1.1 Water Budget Parameter Calibration

The model set-up for the DC WMG RAA has 24 individual modeling parameters for the water budget (PWAT), three of which were selected as calibration parameters. **Table 5-1** summarizes the calibration parameters including their default values (def) and calibration values (cal) used in the model runs associated. The calibrated values are italicized in the table indicating values that differ from the default values. The table also identifies whether each HRU is pervious (p) or impervious (imp). The definitions for the calibrated parameters are as follows:

- lzn – lower zone nominal storage (inches)
- deepfr – fraction of groundwater inflow which will enter deep (inactive) groundwater and be lost
- cepsc – interception storage capacity (inches)

Table 5-1 LSPC Calibrated Water Budget Parameter Values								
LUID	HRU	p/imp	lzn		deepfr		cepcc	
			def	cal	def	cal	def	cal
1	HD_SF_Residential	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
2	LD_SF_Res_Moderate	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
3	LD_SF_Res_Steep	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
4	MF_Res	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
5	Commercial	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
6	Institutional	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
7	Industrial	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
8	Transportation	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
9	Secondary_Roads	imp	0	0	0.0	0.00	0.05	<i>0.2</i>
10	Urban_Grass_Irrigated	p	7	<i>15</i>	0.5	<i>0.95</i>	0.10	<i>0.2</i>
11	Urban_Grass_NonIrrigated	p	7	<i>15</i>	0.5	<i>0.95</i>	0.10	<i>0.2</i>
12	Agriculture_Moderate_B	p	7	<i>15</i>	0.5	<i>0.95</i>	0.10	<i>0.2</i>
13	Agriculture_Moderate_D	p	7	<i>15</i>	0.5	<i>0.95</i>	0.10	<i>0.2</i>

Table 5-1 LSPC Calibrated Water Budget Parameter Values								
LUID	HRU	p/imp	lzn		deepfr		cepssc	
			def	cal	def	cal	def	cal
14	Vacant_Moderate_B	p	7	15	0.5	0.95	0.15	0.2
15	Vacant_Moderate_D	p	7	15	0.5	0.95	0.15	0.2
16	Vacant_Steep_A	p	7	15	0.5	0.95	0.20	0.2
17	Vacant_Steep_B	p	7	15	0.5	0.95	0.20	0.2
18	Vacant_Steep_C	p	7	15	0.5	0.95	0.20	0.2
19	Vacant_Steep_D	p	7	15	0.5	0.95	0.20	0.2
20	Water	p	7	15	0.0	0.95	0.00	0.2
21	Water_Reuse	p	7	15	0.5	0.95	0.10	0.2

HD = High Density, HRU = Hydrologic Response Unit, LD = Low Density, LUID = Land Use Identification, MF = Multi Family, SF = Single Family

Table 3.1 in the RAA Guidelines identifies the acceptable "Range of Initial Values" for the model parameters based on the USEPA Basins Technical Note 6 (EPA BTN #6). The "Range of Initial Values" specified are as follows and the calibrated values used for the DC WMA are within the acceptable range:

- lzn: 2.0 – 15.0
- deepfr: 0.0 – 0.50
- cepssc: 0.01 – 0.40

The modified lzn and cepssc values are within the range specified in the RAA Guidelines, while the deepfr parameter is beyond the range specified in EPA BTN #6. The rationale for using a higher fraction of infiltration to deep groundwater is related to the urban setting of the DC WMA and the configuration of the storm drain network. The calibration section of the DC WMA is nearly completely developed with a high fraction of impervious surfaces which prevent a large fraction of water from infiltrating. The drainage system is comprised of streets, storm drains of reinforced concrete or metal pipe, and concrete lined channels, i.e., Dominguez Channel and the tributary lateral channels. The asphalt and concrete lined nature of the system allows virtually no connection between interflow/groundwater and the surface water bodies/receiving waters. This also explains the high value used for the lzn parameter because there is little opportunity for lower zone water storage to migrate via interflow to receiving waters. The higher the lzn value, the lower the probability that this water will flow to receiving waters. The water either runs off during the storm or infiltrates and is lost to evapotranspiration or groundwater aquifers without flowing to water bodies.

As a confirmation that model parameters modified in the calibration effort provide output results that are in agreement with observed values within the specified range noted in the RAA Guidelines, a statistical analysis to determine linear bias was performed to find the percent difference between simulated and observed values. Linear bias is a measure of the difference in the sum of all simulated output results and the sum of all observed values divided by the sum of all simulated output results.

$$\text{Linear Bias (percent)} = \frac{\sum \text{LSPC Output} - \sum \text{Recorded Values}}{\sum \text{Recorded Values}} \times 100$$

Table 3.0 of the RAA Guidelines states that percent differences between 15 and 25 percent are considered fair, differences between ten and 15 percent are considered good, and differences less than ten percent are considered very good for the hydrology/flow model parameters. **Table 5-2** presents the

results from the statistical analysis performed based on the calibrated and recorded values for the water budget parameters. The daily and monthly differences are less than ten percent which demonstrates a very good correlation between observed flow rates and modeled flow rates.

Table 5-2 Water Budget Parameter Statistics			
Parameter	Root Mean Square (RMSE)	Linear Bias	Coefficient of Correlation (C.C.)
Water Budget - Daily	83.33	0.012	0.35
Water Budget - Monthly	12.26	0.014	0.89

5.2 Water Quality Calibration

The LACFCD operates the Los Angeles County Monitoring Program to provide technical data and information to support effective watershed stormwater quality management programs in Los Angeles County which includes MES S28 as previously mentioned. MES are equipped with automated water samplers and stage recorders that collect both composite and grab samples during storm events. The subwatershed tributary to MES S28 is comprised of 42 subbasins within the greater DC WMA. Although MES S28 is located in the upper half of the DC WMA, the subwatershed land use and hydrological characteristics are representative of the entire DC WMA with regard to water quality constituent composition and concentrations. As more water quality data is collected through the Coordinated Integrated Monitoring Program (CIMP), validation and fine tuning of the water quality parameters may be possible. The data collected at MES S28 is collected as an event mean concentration (EMC), which is done by either collecting one sample throughout the event or combining multiple samples collected throughout time into a combined sample for lab analysis. Event pollutographs have not been collected at MES S28, where the collected (observed) sample concentrations are averaged over the length of the rain event or a single grab sample is collected. The model is run on a daily basis and the simulated daily values are averaged over the time frame of the observed rain event. For example, an observed rain event may last two to three days and the observed EMC is derived from the number of samples collected (at the particular location) and mixed together and averaged over the length of event. The simulated results are taken from the same time period and averaged to derive a simulated EMC.

The model used for the DC WMG RAA was calibrated based on the following water quality calibration parameters. Each is further discussed in the following subsections:

- Total Suspended Solids (TSS)
- Metal parameters – copper, lead, and zinc
- Fecal coliform
- Total nitrogen and total phosphorus

5.2.1 Total Suspended Sediment Parameter Calibration

The model set-up for the DC WMG RAA has 18 individual modeling parameters for the sediment group (SED), five of which were selected as calibration parameters. **Table 5-3** summarizes the calibration parameters including their default values (def) and calibration values (cal) used in the model runs. The calibrated values are italicized in the table indicating values that differ from the default values. The definitions for the calibrated parameters are as follows:

- kser – coefficient in the detached sediment washoff equation
- accsdp – rate at which solids accumulate on the land surface
- sed_suro – constant surface trace sediment concentration
- sed_ifwo – constant interflow trace sediment concentration

- sed_agwo – constant groundwater trace sediment concentration

Table 5-3 LSPC Calibrated Sediment Parameters										
LUID	kser		accsdps		sed_suro		sed_ifwo		sed_agwo	
	def	cal	def	cal	def	cal	def	cal	def	cal
1	0.035	1	0.001	0.0007	0	75	0	75	0	75
2	0.030	1	0.001	0.0007	0	75	0	75	0	75
3	0.030	1	0.001	0.0007	0	75	0	75	0	75
4	0.035	1	0.001	0.0007	0	75	0	75	0	75
5	0.070	1	0.001	0.0007	0	75	0	75	0	75
6	0.065	1	0.001	0.0007	0	75	0	75	0	75
7	0.065	1	0.001	0.0007	0	75	0	75	0	75
8	0.085	1	0.001	0.0007	0	75	0	75	0	75
9	0.085	1	0.001	0.0007	0	75	0	75	0	75
10	0.001	1	0.000	0.0000	0	75	0	75	0	75
11	0.100	1	0.000	0.0000	0	75	0	75	0	75
12	0.100	1	0.000	0.0000	0	75	0	75	0	75
13	0.100	1	0.000	0.0000	0	75	0	75	0	75
14	0.100	1	0.000	0.0000	0	75	0	75	0	75
15	0.100	1	0.000	0.0000	0	75	0	75	0	75
16	0.150	1	0.000	0.0000	0	75	0	75	0	75
17	0.150	1	0.000	0.0000	0	75	0	75	0	75
18	0.150	1	0.000	0.0000	0	75	0	75	0	75
19	0.150	1	0.000	0.0000	0	75	0	75	0	75
20	0.000	1	0.000	0.0000	0	75	0	75	0	75
21	0.100	1	0.000	0.0000	0	75	0	75	0	75

LUID = Land Use Identification (defined in **Table 5-1**)

Sediment concentration parameters (sed_suro, sed_ifwo, sed_agwo) provide the model with the capability to match baseflow observations. These variables have no range specified in the RAA Guidelines. The coefficient for detachment, kser, is a primary parameter in calibrating sediment loading rates which is a measure of the build-up of surface sediment between rain events. This is a calibration parameter with a typical calibration range between 0.5 and 5. The rate of solids accumulation, accsdps, is the primary source of solids from impervious areas with a range on impervious surfaces from 0.0 to 2.

Table 3.0 of the RAA Guidelines states that percent differences between 30 and 45 percent are considered fair, differences between 20 and 30 percent are considered good, and differences less than 20 percent are considered very good for sediment model parameters. **Table 5-4** and **Figure 5-2** summarize the statistical data associated with the calibrated model (SIM) as compared to the recorded values (OBS) for TSS. The RAA Guidelines specify that the model calibration criteria for the simulated results for the sediment falls into the very good ranking with a percent difference less than twenty percent.

Table 5-4 Sediment Parameter Statistics			
Parameter	Root Mean Square (RMSE)	Linear Bias	Coefficient of Correlation (C.C.)
TSS	159.25	-0.0016	0.49




Figure 5-2 Sediment Calibration Statistics at MES S28

5.2.2 Metal Parameter Calibration

The LSPC model for general water quality parameters (GQUAL) uses three priority metal pollutants, copper, lead, and zinc. This section discusses the parameter calibration for the three metal pollutants while the following subsections cover the remaining general water quality parameters. The model set-up for the DC WMG RAA has 12 individual modeling parameters for each of the general water quality parameters, one of which was selected as a calibration parameter. **Table 5-3** summarizes the calibration parameters including their default values (def) and calibration values (cal) used in the model runs. The calibrated values are italicized in the table indicating values that differ than the default values. The definitions for the calibrated parameters are as follows:

- potfw – washoff potency factor

Table 5-5 LSPC Calibrated Metals Parameters						
LUID	Copper		Lead		Zinc	
	potfw		potfw		potfw	
	def	cal	def	cal	def	cal
1	0.800	<i>1.072</i>	0.800	<i>0.313</i>	7.50	<i>4.484</i>
2	0.600	<i>0.804</i>	0.200	<i>0.078</i>	1.20	<i>0.717</i>
3	0.600	<i>0.804</i>	0.200	<i>0.078</i>	1.20	<i>0.717</i>
4	0.800	<i>1.072</i>	0.800	<i>0.313</i>	7.50	<i>4.484</i>
5	1.140	<i>1.528</i>	1.000	<i>0.391</i>	10.20	<i>6.098</i>

Table 5-5 LSPC Calibrated Metals Parameters						
LUID	Copper		Lead		Zinc	
	potfw		potfw		potfw	
	def	cal	def	cal	def	cal
6	0.400	0.536	0.180	0.070	5.08	3.037
7	0.400	0.536	0.180	0.070	5.08	3.037
8	0.800	1.072	0.800	0.313	7.50	4.484
9	0.800	1.072	0.800	0.313	7.50	4.484
10	0.600	0.804	0.200	0.078	1.20	0.717
11	0.600	0.804	0.200	0.078	1.20	0.717
12	0.300	0.402	0.100	0.039	2.50	1.495
13	0.300	0.402	0.100	0.039	2.50	1.495
14	0.012	0.016	0.002	0.001	0.05	0.030
15	0.012	0.016	0.002	0.001	0.05	0.030
16	0.012	0.016	0.002	0.001	0.05	0.030
17	0.012	0.016	0.002	0.001	0.05	0.030
18	0.012	0.016	0.002	0.001	0.05	0.030
19	0.012	0.016	0.002	0.001	0.05	0.030
20	0.000	0.000	0.000	0.000	0.00	0.000
21	0.600	0.804	0.200	0.078	1.20	0.717

LUID = Land Use Identification (defined in **Table 5-1**)

The default value of potfw for each land use was modified by assuming a linear build-up/washoff relationship of the metal of interest and adjusting the input parameter accordingly to achieve the best agreement of simulated and observed values. **Table 5-6**, **Figure 5-3**, **Figure 5-4**, and **Figure 5-5** summarize the statistical data associated with the calibrated model (SIM) as compared to the recorded values (OBS) for copper, lead, and zinc. The RAA Guidelines do not specify the modal calibration criteria for metals, but it can be assumed the calibration would fall into very good as the percent differences are less than ten percent.

Table 5-6 Metal Parameter Statistics			
Parameter	Root Mean Square (RMSE)	Linear Bias	Coefficient of Correlation (C.C.)
Copper	93.76	8.32E-05	0.54
Lead	23.02	1E-03	0.61
Zinc	360.40	-6E-06	0.62




Figure 5-3 Copper Calibration Statistics at MES S28




Figure 5-4 Lead Calibration Statistics at MES S28




Figure 5-5 Zinc Calibration Statistics at MES S28

5.2.3 Fecal Coliform Parameter Calibration

The LSPC model for general water quality parameter (GQUAL) uses total fecal coliform as the indicator bacteria. Although the indicator used in more recent tests is fecal coliform, the historic data was collected using total fecal coliform as the bacteria sample criteria. The model set-up for the DC WMG RAA has 12 individual modeling parameters for each of the general water quality parameters, two of which were selected as calibration parameters. **Table 5-7** summarizes the calibration parameters including their default values (def) and calibration values (cal) used in the model runs. The calibrated values are italicized in the table. The parameter definitions are as follows:

- soqc – surface outflow
- ioqc – inflow concentrations

Table 5-7 LSPC Calibrated Fecal Coliform Parameter Values				
LUID	soqc		ioqc	
	def	cal	def	cal
1	6,600	<i>1,550,000</i>	6,600	<i>1,550,000</i>
2	19,000	<i>1,550,000</i>	19,000	<i>1,550,000</i>
3	19,000	<i>1,550,000</i>	19,000	<i>1,550,000</i>
4	6,600	<i>1,700,000</i>	6,600	<i>1,700,000</i>
5	40,000	<i>1,740,000</i>	40,000	<i>1,740,000</i>
6	2,300	<i>173,000</i>	2,300	<i>173,000</i>
7	2,300	<i>911,000</i>	2,300	<i>911,000</i>
8	1,000	<i>419,000</i>	1,000	<i>419,000</i>
9	1,000	<i>419,000</i>	1,000	<i>419,000</i>
10	3,500	<i>6,310</i>	3,500	<i>6,310</i>
11	3,500	<i>6,310</i>	3,500	<i>6,310</i>

Table 5-7 LSPC Calibrated Fecal Coliform Parameter Values

LUID	soqc		ioqc	
	def	cal	def	cal
12	91,000	60,300	91,000	60,300
13	91,000	60,300	91,000	60,300
14	1,000	6,310	1,000	6,310
15	1,000	6,310	1,000	6,310
16	1,000	6,310	1,000	6,310
17	1,000	6,310	1,000	6,310
18	1,000	6,310	1,000	6,310
19	1,000	6,310	1,000	6,310
20	0	0	0	0
21	3,500	3,500	3,500	3,500

LUID = Land Use Identification (defined in **Table 5-1**)

The default values for both soqc and ioqc are identical for each LUID and were calibrated with identical values. **Table 5-8** and **Figure 5-6** summarize the statistical data associated with the calibrated model (SIM) as compared to the recorded values (OBS) for fecal coliform. The RAA Guidelines do not specify the modal calibration criteria for bacteria, but it can be assumed the calibration would fall into very good as the percent difference is less than ten percent.

Table 5-8 Fecal Coliform Parameter Statistics

Parameter	Root Mean Square (RMSE)	Linear Bias	Coefficient of Correlation (C.C.)
Fecal Coliform	595,054	-0.04	0.49




Figure 5-6 Fecal Coliform Calibration Statistics at MES S28

5.2.4 Total Nitrogen and Total Phosphorus Parameter Calibration

The LSPC model for general water quality parameter (GQUAL) uses total nitrogen and total phosphorous to assess the nutrient related impairments. The model set-up for the DC WMG RAA has 12 individual modeling parameters for each of the general water quality parameters, four of which were selected as calibration parameters. **Table 5-9** and **Table 5-10** summarize the calibration parameters including their default values (def) and calibration values (cal) used in the model runs. The calibrated values are italicized in the table. The parameter definitions are as follows:

- potfw – washoff potency factor
- potfs – scour potency factor
- soqc – surface outflow
- ioqc – inflow concentrations

LUID	potfw		potfs		soqc		ioqc	
	def	cal	def	cal	def	cal	def	cal
1	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
2	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
3	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
4	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
5	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
6	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
7	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
8	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
9	0	<i>72.9725</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
10	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
11	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
12	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
13	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
14	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
15	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
16	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
17	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
18	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
19	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
20	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>
21	0	<i>21.7046</i>	0	<i>0.1292</i>	2	<i>0</i>	2	<i>0</i>

LUID = Land Use Identification (defined in **Table 5-1**)

Table 5-10 LSPC Calibrated Total Phosphorus Parameters								
LUID	potfw		potfs		soqc		ioqc	
	def	cal	def	cal	def	cal	def	cal
1	0.01	72.97	0.01	0.1291	1.90	0.01	1.90	0
2	0.01	72.97	0.01	0.1291	1.08	0.01	1.08	0
3	0.01	72.97	0.01	0.1291	1.08	0.01	1.08	0
4	0.01	72.97	0.01	0.1291	1.90	0.01	1.90	0
5	0.01	72.97	0.01	0.1291	3.00	0.01	3.00	0
6	0.01	72.97	0.01	0.1291	1.26	0.01	1.26	0
7	0.01	72.97	0.01	0.1291	1.26	0.01	1.26	0
8	0.01	72.97	0.01	0.1291	1.00	0.01	1.00	0
9	0.01	72.97	0.01	0.1291	1.00	0.01	1.00	0
10	0.01	21.70	0.01	0.1291	1.08	0.00	1.08	0
11	0.01	21.70	0.01	0.1291	1.08	0.00	1.08	0
12	0.01	21.70	0.01	0.1291	1.76	0.00	1.76	0
13	0.01	21.70	0.01	0.1291	1.76	0.00	1.76	0
14	0.01	21.70	0.01	0.1291	1.00	0.00	1.00	0
15	0.01	21.70	0.01	0.1291	1.00	0.00	1.00	0
16	0.01	21.70	0.01	0.1291	1.00	0.00	1.00	0
17	0.01	21.70	0.01	0.1291	1.00	0.00	1.00	0
18	0.01	21.70	0.01	0.1291	1.00	0.00	1.00	0
19	0.01	21.70	0.01	0.1291	1.00	0.00	1.00	0
20	0.01	21.70	0.01	0.1291	0.00	0.00	0.00	0
21	0.01	21.70	0.01	0.1291	1.00	0.00	1.00	0

LUID = Land Use Identification (defined in **Table 5-1**)

The surface outflow quality concentrations for total nitrogen and total phosphorus were modified for impervious surfaces and were kept to zero for the interflow parameters. **Table 5-11**, **Figure 5-7**, and **Figure 5-8** summarize the statistical data associated with the calibrated model (SIM) as compared to the recorded values (OBS) for total nitrogen and total phosphorus. The RAA Guidelines do not specify the modal calibration criteria for these pollutants, but it can be assumed the calibration would rank very good for total nitrogen as the percent differences are less than ten percent and very good for total phosphorus as the percent differences are less than ten.

Table 5-11 Total Nitrogen and Total Phosphorus Parameter Statistics			
Parameter	Root Mean Square (RMSE)	Linear Bias	Coefficient of Correlation (C.C.)
Total Nitrogen	6.06	0.03	0.28
Total Phosphorus	0.57	-0.02	0.24




Figure 5-7 Total Nitrogen Calibration Statistics at MES S28




Figure 5-8 Total Phosphorus Calibration Statistics at MES S28

5.2.5 Relationships for Other Constituents of Concern

As discussed above, the model parameters for the major pollutants with current TMDLs have been developed using LSPC. Other relationships for pollutants of concern were evaluated to see if relationships could be found with the other constituents analyzed. The constituents evaluated include: oil and grease, pH, cadmium, arsenic, and dissolved oxygen. No relationships were found with strong correlation to the other water quality constituents. However, these constituents have lower concentrations in the flows in Dominguez Channel. It is assumed that by capturing the limiting pollutants described in **Section** Error! Reference source not found., these other constituents will be accounted for. Legacy pollutants such as DDT and organophosphates had too many non-detects to establish any type of relationship and are expected to be associated mainly with sediments already deposited in the estuary or

with Superfund sites already under mitigation operations. The analyses of these other pollutants of concern are provided in **Attachment A**.

6. LSPC Validation

After the model was calibrated it was validated. During the calibration effort, hydrology, sediment, and general water quality parameters were varied to develop a best fit of HRU/EMC responses. The validation effort evaluated responses at tributary stations (TS) where the record is not long enough to be used for calibration, but may be used to evaluate performance of the model by comparing simulated model results with the observed record at each TS. The tributary stations are located at the following locations, all within LACFCD facilities:

- TS 19: Reinforced concrete rectangular channel at Figueroa Street, south of Del Amo Boulevard
- TS 20: Del Amo Channel - reinforced concrete trapezoidal channel at Avalon Boulevard
- TS 21: Reinforced concrete rectangular channel near 173rd Street and Merit Avenue
- TS 22: Hollypark Drain - reinforced concrete rectangular channel at 135th Street
- TS 23: Yukon Lateral - reinforced concrete rectangular channel at Crenshaw Boulevard
- TS 24: Dominguez Channel - reinforced concrete box near 116th Street and Isis Avenue

The validation effort used simulated model results of the general water quality constituents – TSS, copper, lead, zinc, fecal coliform, total nitrogen, and total phosphorus, and compared them to the observed records at TS19 - 24. **Figure 6-1** shows the location of Tributary Stations and MES - S28 used in calibration and validation. The value of the constituents is based on EMCs.

Table 6-1 through **Table 6-7** summarize the observed (OBS) versus simulated (SIM) constituent concentrations used for model validation. For illustration purposes, the water quality constituent will be examined on an annual mean basis in the following tables. The complete set of the validation results are included in **Attachment B**.

Validation of the baseline condition at the various temporary stations has bias numbers that reflect the lack of long term records and the potential issue of the EMC of observed samples not being representative of the event pollutograph during collection. It is expected that as more data is collected through CIMP efforts, the calibration of the model may be refined for areas tributary to the TS locations.




Figure 6-1 Monitoring Stations for Calibration and Validation

Table 6-1 Annual Mean Concentration - TSS (mg/L)							
TS #	Water Year						Bias
	2008		2009		2010		
	OBS	SIM	OBS	SIM	OBS	SIM	
19	200	88	147	91	101	142	-28.35%
20	109	82	175	88	102	95	-31.35%
21	180	82	183	88	373	99	-63.45%
22	125	85	202	95	154	117	-38.25%
23	47	82	78	80	87	105	25.94%
24	65	80	114	78	40	96	15.98%

Table 6-2 Annual Mean Concentration - Copper (µg/L)							
TS #	Water Year						Bias
	2008		2009		2010		
	OBS	SIM	OBS	SIM	OBS	SIM	
19	50.82	46.66	28.66	41.66	77.50	92.58	7.38%
20	45.72	51.65	41.11	43.78	180.00	141.07	4.70%
21	54.10	49.00	39.25	41.28	136.00	102.39	-17.47%
22	35.38	50.59	26.15	51.25	92.43	98.28	44.03%
23	28.36	61.47	35.79	42.27	101.25	132.21	73.01%
24	68.23	61.45	121.61	45.03	72.88	73.61	-33.96%

Table 6-3 Annual Mean Concentration - Lead (µg/L)							
TS #	Water Year						Bias
	2008		2009		2010		
	OBS	SIM	OBS	SIM	OBS	SIM	
19	20.18	8.38	11.97	7.84	16.32	29.40	-5.89%
20	5.42	9.48	9.53	7.81	23.33	25.39	11.45%
21	27.83	8.59	19.07	7.02	30.93	15.44	-60.11%
22	9.51	9.53	11.02	10.63	34.93	19.30	-28.82%
23	7.35	12.75	12.45	8.71	22.16	21.46	2.32%
24	9.30	12.44	16.51	9.23	10.84	17.07	5.69%

Table 6-4 Annual Mean Concentration - Zinc (µg/L)							
TS #	Water Year						Bias
	2008		2009		2010		
	OBS	SIM	OBS	SIM	OBS	SIM	
19	308.28	169.00	172.84	147.62	309.91	253.83	-27.89%
20	118.46	180.06	174.51	148.41	262.90	288.94	11.07%
21	346.45	172.94	272.00	141.26	340.29	272.80	-38.77%
22	143.70	170.07	121.26	185.70	262.91	281.13	20.65%
23	122.72	213.31	167.56	146.00	264.41	303.57	19.50%
24	263.43	210.40	600.00	155.40	265.51	192.10	-50.58%

Table 6-5 Annual Mean Concentration – Fecal Coliform (MPN/100 mL)							
TS #	Water Year						Bias
	2008		2009		2010		
	OBS	SIM	OBS	SIM	OBS	SIM	
19	129,978	710,015	198,188	809,375	207,214	1,222,387	4.10
20	16,182	518,065	63,563	578,962	130,757	873,616	9.05
21	29,819	655,259	178,213	723,640	2,353,000	1,101,086	0.10
22	16,145	279,573	52,190	459,325	95,133	703,465	8.30
23	22,341	286,298	71,163	449,882	611,067	551,333	1.19
24	4,217	297,585	38,160	559,261	46,617	471,424	15.50

Table 6-6 Annual Mean Concentration – Total Nitrogen (mg/L)							
TS #	Water Year						Bias
	2008		2009		2010		
	OBS	SIM	OBS	SIM	OBS	SIM	
19	3.16	2.33	2.23	2.38	2.97	4.87	-4.91%
20	2.38	2.48	2.82	1.80	4.94	5.13	-7.99%
21	3.78	2.53	4.36	2.47	5.40	5.89	-23.55%
22	124.90	85.35	201.63	94.92	153.88	117.43	-35.56%
23	1.85	2.91	2.74	3.14	6.91	5.48	9.89%
24	3.91	2.46	5.69	1.77	3.45	2.57	-47.71%

Table 6-7 Annual Mean Concentration – Total Phosphorus (mg/L)							
TS #	Water Year						Bias
	2008		2009		2010		
	OBS	SIM	OBS	SIM	OBS	SIM	
19	0.54	0.24	0.36	0.18	0.33	0.42	-36.80%
20	0.32	0.21	0.39	0.16	0.18	0.44	-19.46%
21	0.60	0.21	0.55	0.16	0.33	0.44	-51.25%
22	0.46	0.46	0.42	0.42	0.25	0.59	-22.74%
23	0.32	0.27	0.43	0.15	0.36	0.42	-27.38%
24	0.44	0.23	0.63	0.16	0.20	0.26	-53.77%

7. Baseline Simulation

A baseline analysis was performed as part of the DC WMG RAA which represents the current watershed condition with the currently implemented stormwater programs. Stormwater runoff was simulated based on the time series record of rainfall between October 2002 and September 2012. This period represents the most recent 10 years of record as required by the MS4 Permit. The water quality constituent mass loading is determined by multiplying the stormwater runoff volume by the water quality constituent concentration. As part of the baseline analysis, the industrial permitted and other permitted facilities were identified. These facilities are modeled as compliant, as they are covered under a stormwater permit and not regulated by the jurisdiction in which they are located. These facilities are illustrated and listed in Attachments L and M of the DC WMG EWMP Work Plan (2014).

The baseline hydrology and simulated constituent loading serves as the basis for compliance. Watershed control measures, including structural and non-structural BMPs, will be implemented over time to meet the required load reductions. The load reductions represent the difference between the baseline conditions and the water quality objectives. The 85th percentile, 24-hour rainfall event baseline simulation is based on the LACFCD 85th percentile rainfall isohyets and unit hyetograph, consistent with the Standard Urban Stormwater Mitigation Plan (SUSMP) and Low Impact Development (LID) methods used within the County. The loads for this event are generated by the model. The volume of runoff for capture under this criterion is determined from the LSPC output to be 1,523 acre-feet.

The 90th percentile load baseline is determined from the 2002-2012 water years based on the loads generated before any BMPs are implemented. **Table 7-1** summarizes the results of the LSPC simulation of the load analysis. The table demonstrates that the 90th percentile load exceeds the WQO for all constituents with associated TMDLs. The objective loads are the final target for the simulated constituents.

Table 7-1 90th Percentile Baseline Load Analysis				
Constituent	Storm Event	P₉₀ Load (kg)	Objective Load (kg)	Objective Conc.
Copper	12/6/2010	55.09	2.43	9.7 µg/L
Lead	2/3/2008	11.55	78.28	42.7 µg/L
Zinc	12/18/2007	206.19	73.15	69.6 µg/L
Fecal Coliform	2/20/2004	1.83E+16 MPN	4.24E+12 MPN	400 MPN/100mL
Nitrogen	2/3/2008	4,178.56	1,833.15	1.0 mg/L
Phosphorus	2/1/2004	373.33	41.80	0.1 mg/L

Table 7-2 summarizes the results of the LSPC simulation for the water years beginning the first day of October and ending the final day of September from 2002 to 2012. The table compares the six major water quality constituents with adopted TMDLs and identifies the annual load and corresponding volume for each year analyzed. The average annual loads are also provided for the simulation period.

DRAFT

PAGE INTENTIONALLY BLANK

DRAFT

Start	End	Volume (ac-ft)	TSS (kg)	Copper (kg)	Lead (kg)	Zinc (kg)	Fecal Coliform (MPN)	Total Nitrogen (kg)	Total Phosphorus (kg)
10/1/02	9/30/03	28,176	5,751,624	1,652	357	6,609	5.26E+17	128,488	11,645
10/1/03	9/30/04	16,124	3,186,236	1,069	246	4,678	2.67E+17	92,126	8,072
10/1/04	9/30/05	63,052	10,135,667	2,479	460	8,099	1.07E+18	170,289	17,009
10/1/05	9/30/06	17,258	4,077,368	1,471	340	6,492	2.75E+17	127,412	11,065
10/1/06	9/30/07	4,260	2,013,598	923	207	4,141	5.85E+16	83,243	7,144
10/1/07	9/30/08	26,364	4,259,504	1,142	253	4,743	4.75E+17	94,214	8,525
10/1/08	9/30/09	16,176	3,189,703	1,029	238	4,507	2.68E+17	88,229	7,730
10/1/09	9/30/10	32,110	6,605,300	1,953	386	6,935	5.79E+17	140,018	13,301
10/1/10	9/30/11	40,607	7,036,469	1,978	399	7,317	7.06E+17	148,667	14,002
10/1/11	9/30/12	12,367	3,638,359	1,435	337	6,342	1.93E+17	122,404	10,543
Average Annual:		25,649	4,989,383	1,513	322	5,986	4.42E+17	119,509	10,904

13. References

City of San Diego. June 2010. City of San Diego Targeted Aggressive Street Sweeping Pilot Study Effectiveness Assessment.

Dominguez Channel Watershed Management Group (DC WMG). 2014. Enhanced Watershed Management Program Work Plan. Submitted to the Los Angeles Regional Water Quality Control Board June 2014.

Geosyntec. 2008a. A User's Guide for the Structural BMP Prioritization and Analysis Tool (SBPAT v1.0). December 2008. Prepared for Heal the Bay, City of Los Angeles, and County of Los Angeles Department of Public Works by Geosyntec.

Geosyntec. 2008b. A User's Guide for the Structural BMP Prioritization and Analysis Tool (SBPAT v1.0) Technical Appendices. December 2008. Prepared for Heal the Bay, City of Los Angeles, and County of Los Angeles Department of Public Works by Geosyntec.

Jonathan E. Jones, Jane Clary, Eric Strecker, Marcus Quigley, and Jeff Moeller. Stormwater Journal March-April 2012. BMP Effectiveness for Nutrients, Bacteria, Solids, Metals, and Runoff Volume

Los Angeles County Department of Public Works (LACDPW). 2006. Los Angeles County-Wide Structural BMP Prioritization Methodology: A Guidance Manual for Strategic Storm Water Quality Project Planning. 2006. Prepared for County of Los Angeles Department of Public Works, City of Los Angeles, and Heal the Bay by Geosyntec.

Los Angeles County Department of Public Works (LACDPW). 2010a. Los Angeles County Watershed Model Configuration and Calibration – Part I: Hydrology. August 6, 2010. Submitted to Los Angeles County Department of Public Works by Tetra Tech.

Los Angeles County Department of Public Works (LACDPW). 2010b. Los Angeles County Watershed Model Configuration and Calibration – Part II: Water Quality. August 6, 2010. Submitted to Los Angeles County Department of Public Works by Tetra Tech.

Los Angeles County Department of Public Works (LACDPW). 2010c. The Los Angeles County Watershed Management Modeling System Loading Simulation Program in C++ User's Manual. October 1, 2010. Submitted to Los Angeles County Department of Public Works by Tetra Tech.

Los Angeles County Department of Public Works (LACDPW). 2011. Phase II Report: Development of the Framework for Watershed Scale Optimization Modeling. June 30, 2011. Submitted to Los Angeles County Department of Public Works by Tetra Tech.

Los Angeles County Department of Public Works (LACDPW). 2013. The Los Angeles County Watershed Management Modeling System Regional Optimization User's Manual. March 19, 2013. Submitted to Los Angeles County Department of Public Works by Tetra Tech.

Los Angeles Regional Water Quality Control Board (LARWQCB). 2007. 2006 CWA Section 303(d) List of Water Quality Limited Segments Requiring TMDLs. June 28, 2007. http://www.usbr.gov/lc/soical/reports/brineconcentrate/3Regs_part2.pdf

Los Angeles Regional Water Quality Control Board (LARWQCB). 2013. General Required Information for Required Information for the Reasonable Assurance Analysis for Each Water Body-Combination Addressed by the Watershed Management Program. November 6, 2013.

Los Angeles Regional Water Quality Control Board (LARWQCB). 2010. Dominguez Channel and Greater Los Angeles and Long Beach Harbor Waters Toxic Pollutants Total Maximum Daily Loads Draft. December 2010.

Los Angeles River Upper Reach 2 Watershed Management Area (LAR UR2 WMA). 2014. Watershed Management Plan DRAFT. Submitted June 26, 2014 to the Los Angeles Regional Water Quality Control Board.


Stein, Eric D. and Ackerman, Drew. April 2007. Journal of the American Water Resources Association, Vol. 43, No. 2. Dry Weather Water Quality Loading in Arid, Urban Watershed of the Los Angeles Basin, California, USA.

Team Dominguez. October 2014. Task F.4.2.2 – Preliminary List of Regional Projects. Submitted to the Dominguez Channel Watershed Management Group October 20, 2014.


USEPA, 2003. The LSPC Watershed Modeling System User's Manual. November 2003. Developed for the USEPA by Tetra Tech.

Attachment A
Relationships for Other
Constituents of Concern


TSS vs. pH (2002-13) - Data: S28




pH vs. Copper(2002-13)




pH vs. Lead(2002-13)




pH vs. Zinc(2002-13)




TSS vs. Oil and Grease (2002-13)




Oil and Grease vs. Total Lead(2002-13)




Oil and Grease vs. Total Zinc(2002-13)




Oil and Grease vs. Total Copper(2002-13)




Fecal Coliform vs. E. Coli (2012-13)




E. Coli vs. Ammonia




TSS vs. Arsenic (2012-13)




TSS vs. Cadmium (2012-13)




TSS vs. Total Coliform (2002-13)




TSS vs. Fecal Coliform(2002-13)




TSS vs. Total Copper(2002-13)




TSS vs. Total Lead(2002-13)




TSS vs. Total Zinc(2002-13)



EMC (S28) TSS(Obs) vs. Stream Obs




EMC (TS 19-24) TSS (Obs) vs.Stream Sim




Attachment B
Validation Data Sets


TSS Validation - Station TS19




TSS Validation - Station TS20




TSS Validation - Station TS21




TSS Validation - Station TS22




TSS Validation - Station TS23




TSS Validation - Station TS24




Copper Validation - Station TS19




Copper Validation - Station TS20




Copper Validation - Station TS21




Copper Validation - Station TS22




Copper Validation - Station TS23




Copper Validation - Station TS24




Lead Validation - Station TS19




Lead Validation - Station TS20




Lead Validation - Station TS21




Lead Validation - Station TS22




Lead Validation - Station TS23




Lead Validation - Station TS24




Zinc Validation - Station TS19




Zinc Validation - Station TS20




Zinc Validation - Station TS21




Zinc Validation - Station TS22




Zinc Validation - Station TS23




Zinc Validation - Station TS24




Fecal Coliform Validation - Station TS19




Fecal Coliform Validation - Station TS20




Fecal Coliform Validation - Station TS21




Fecal Coliform Validation - Station TS22




Fecal Coliform Validation - Station TS23




Fecal Coliform Validation - Station TS24




Total Nitrogen Validation - Station TS19




Total Nitrogen Validation - Station TS20




Total Nitrogen Validation - Station TS21




Total Nitrogen Validation - Station TS22




Total Nitrogen Validation - Station TS23




Total Nitrogen Validation - Station TS24




Total Phosphorus Validation - Station TS19




Total Phosphorus Validation - Station TS20




Total Phosphorus Validation - Station TS21




Total Phosphorus Validation - Station TS22



Total Phosphorus Validation - Station TS23



Total Phosphorus Validation - Station TS24



Attachment Z
Load Reduction Summaries

Copper Load Reductions based on Control Measure Implementation				
Control Measure Implementation	Copper Load Reduction (kg)			
	2017 Metal (25 %)	2023 Metal (75 %)	2027 Metal (90 %)	2032 Metal (100 %)
Enhanced MCMs	1.57	4.71	6.28	7.85
New and Re-Development	1.77	7.05	10.54	14.93
Green Streets	35.94	96.09	113.67	123.24
Regional BMPs				
Darby Park	-	0.06	0.06	0.06
El Segundo	-	0.45	0.45	0.45
Ramona Park	-	0.74	0.74	0.74
Jim Thorpe Park	-	1.11	1.11	1.11
Hawthorne Memorial Park	-	0.01	0.01	0.01
Chester Washington Golf Course	-	0.12	0.12	0.12
Harbor City Park	-	4.80	4.80	4.80
Wilmington Recreation Center	-	0.89	0.89	0.89
Averill Park	-	2.84	2.84	2.84
Target Load Reduction:	39.26	117.78	141.34	157.04
Total Load Reduction:	39.28	118.87	141.51	157.04
Percent of Final Target:	25%	76%	90%	100%

Lead Load Reductions based on Control Measure Implementation				
Control Measure Implementation	Lead Load Reduction (kg)			
	2017 Metal (25 %)	2023 Metal (75 %)	2027 Metal (90 %)	2032 Metal (100 %)
Enhanced MCMs	0.37	1.12	1.49	1.86
New and Re-Development	0.31	1.22	1.82	2.58
Green Streets	8.61	23.1	27.71	30.3
Regional BMPs				
Darby Park	-	0.17	0.17	0.17
El Segundo	-	0.14	0.14	0.14
Ramona Park	-	0.05	0.05	0.05
Jim Thorpe Park	-	0.11	0.11	0.11
Hawthorne Memorial Park	-	0.1	0.1	0.1
Chester Washington Golf Course	-	0.4	0.4	0.4
Harbor City Park	-	1.26	1.26	1.26
Wilmington Recreation Center	-	0.2	0.2	0.2
Averill Park	-	0.01	0.01	0.01
Target Load Reduction:	9.29	27.88	33.46	37.18
Total Load Reduction:	9.29	27.88	33.46	37.18
Percent of Final Target:	25%	75%	90%	100%

Zinc Load Reductions based on Control Measure Implementation				
Control Measure Implementation	Zinc Load Reduction (kg)			
	2017 Metal (25%)	2023 Metal (75%)	2027 Metal (90%)	2032 Metal (100%)
Enhanced MCMs	6.21	18.62	24.83	31.03
New and Re-Development	12.83	51.23	76.59	108.52
Green Streets	136.13	324.93	386.47	410.59
Regional BMPs				
Darby Park	-	5.01	5.01	5.01
El Segundo	-	0.55	0.55	0.55
Ramona Park	-	0.60	0.60	0.60
Jim Thorpe Park	-	1.05	1.05	1.05
Hawthorne Memorial Park	-	10.10	10.10	10.10
Chester Washington Golf Course	-	48.04	48.04	48.04
Harbor City Park	-	0.10	0.10	0.10
Wilmington Recreation Center	-	0.20	0.20	0.20
Averill Park	-	5.07	5.07	5.07
Target Load Reduction:	155.17	465.50	558.60	620.86
Total Load Reduction:	155.17	465.50	558.60	620.86
Percent of Final Target:	25%	75%	90%	100%

Fecal Coliform Load Reductions based on Control Measure Implementation					
Control Measure Implementation	Fecal Coliform Load Reduction (MPN)				
	2017	2018	2023	2027	2032
Enhanced MCMs					
New and Re-Development					
Green Streets					
Regional BMPs					
Darby Park					
El Segundo					
Ramona Park					
Jim Thorpe Park					
Hawthorne Memorial Park					
Chester Washington Golf Course					
Harbor City Park					
Wilmington Recreation Center					
Averill Park					
Target Load Reduction:	-	-	-	-	-
Total Load Reduction:					
Percent of Final Target:		-			

Nitrogen Load Reductions based on Control Measure Implementation		
Control Measure Implementation	Total Nitrogen Load Reduction ¹ (kg)	
	2017	2018 Nutrient (100 %)
Enhanced MCMs	12.77	25.55
New and Re-Development	6.42	7.83
Green Streets	619.50	1244.04
Regional BMPs		
Harbor City Park	-	-
Target Load Reduction:	638.71	1277.42
Total Load Reduction:	638.71	1277.42
Percent of Final Target:	50%	100%

¹ Only applicable to the area draining to Machado Lake.

Phosphorus Load Reductions based on Control Measure Implementation		
Control Measure Implementation	Total Phosphorus Load Reduction ¹ (kg)	
	2017	2018 Nutrient (100 %)
Enhanced MCMs		
New and Re-Development		
Green Streets		
Regional BMPs		
Harbor City Park	-	-
Target Load Reduction:		
Total Load Reduction:		
Percent of Final Target:		

¹ Only applicable to the area draining to Machado Lake.