

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

2021.08.26_CrenshawCrossings_CalEEMod**Los Angeles-South Coast County, Winter****1.0 Project Characteristics****1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	502.00	Space	4.52	200,800.00	0
High Turnover (Sit Down Restaurant)	15.53	1000sqft	0.36	15,527.00	0
Apartments Mid Rise	401.00	Dwelling Unit	3.40	339,116.00	1147
Regional Shopping Center	3.19	1000sqft	0.07	3,192.00	0
Supermarket	22.28	1000sqft	0.51	22,277.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	11			Operational Year	2023
Utility Company	Los Angeles Department of Water & Power				
CO2 Intensity (lb/MW hr)	1227.89	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

Project Characteristics -

Land Use - See SWAPE comment regarding parking and all land uses.

Construction Phase - See SWAPE comment on Unsubstantiated Changes to Individual Construction Phase Lengths.

Off-road Equipment - Consistent with the IS's model.

Off-road Equipment - Consistent with the IS's model.

Off-road Equipment - Consistent with the IS's model.

Off-road Equipment - Consistent with the IS's model.

Off-road Equipment - Consistent with the IS's model.

Off-road Equipment - Consistent in the IS

Trips and VMT - Consistent with the IS's model.

Demolition - Consistent with the IS's model.

Grading - Consistent with the IS's model.

Vehicle Trips - Trip rates altered to be consistent with the total number of daily trips in the IS's model.

Woodstoves - See SWAPE comment on Unsubstantiated Changes to Gas Fireplace Values.

Construction Off-road Equipment Mitigation - Consistent with the IS's model.

Mobile Land Use Mitigation - Consistent with the IS/MND's model.

Table Name	Column Name	Default Value	New Value
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	12.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	16.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 1
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 1
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 4 Final

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

tblConstEquipMitigation	Tier	No Change	Tier 1
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 1
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 2
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	20.00	34.00
tblConstructionPhase	NumDays	230.00	389.00
tblConstructionPhase	NumDays	20.00	34.00
tblConstructionPhase	NumDays	20.00	34.00
tblConstructionPhase	NumDays	20.00	34.00
tblConstructionPhase	PhaseEndDate	5/6/2022	3/3/2023
tblConstructionPhase	PhaseEndDate	3/11/2022	11/29/2022
tblConstructionPhase	PhaseEndDate	3/26/2021	4/15/2021
tblConstructionPhase	PhaseEndDate	4/23/2021	6/2/2021
tblConstructionPhase	PhaseEndDate	4/8/2022	1/16/2023
tblConstructionPhase	PhaseStartDate	4/9/2022	1/17/2023
tblConstructionPhase	PhaseStartDate	4/24/2021	6/3/2021
tblConstructionPhase	PhaseStartDate	3/27/2021	4/16/2021
tblConstructionPhase	PhaseStartDate	3/12/2022	11/30/2022
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberGas	340.85	360.90
tblFireplaces	NumberNoFireplace	40.10	0.00
tblFireplaces	NumberWood	20.05	0.00
tblGrading	MaterialExported	0.00	34,000.00
tblGrading	MaterialImported	0.00	6,500.00
tblLandUse	LandUseSquareFeet	15,530.00	15,527.00

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

tblLandUse	LandUseSquareFeet	401,000.00	339,116.00
tblLandUse	LandUseSquareFeet	3,190.00	3,192.00
tblLandUse	LandUseSquareFeet	22,280.00	22,277.00
tblLandUse	LotAcreage	10.55	3.40
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	UsageHours	8.00	6.00
tblOffRoadEquipment	UsageHours	7.00	6.00
tblTripsAndVMT	HaulingTripLength	20.00	86.20
tblTripsAndVMT	HaulingTripLength	20.00	86.20
tblTripsAndVMT	WorkerTripNumber	43.00	40.00
tblTripsAndVMT	WorkerTripNumber	60.00	50.00
tblVehicleTrips	ST_TR	6.39	3.02
tblVehicleTrips	ST_TR	158.37	0.00
tblVehicleTrips	ST_TR	49.97	1,209.44
tblVehicleTrips	ST_TR	177.59	0.00
tblVehicleTrips	SU_TR	5.86	3.02
tblVehicleTrips	SU_TR	131.84	0.00
tblVehicleTrips	SU_TR	25.24	1,209.44

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

tblVehicleTrips	SU_TR	166.44	0.00
tblVehicleTrips	WD_TR	6.65	3.02
tblVehicleTrips	WD_TR	127.15	0.00
tblVehicleTrips	WD_TR	42.70	1,209.44
tblVehicleTrips	WD_TR	102.24	0.00
tblWoodstoves	NumberCatalytic	20.05	0.00
tblWoodstoves	NumberNoncatalytic	20.05	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	7.9292	146.0836	63.0213	0.4162	16.5030	2.6554	18.9458	5.9892	2.5570	8.2548	0.0000	44,409.9882	44,409.9882	4.1398	0.0000	44,513.4833
2022	7.3162	52.4601	61.3387	0.1493	4.8619	2.2833	7.1452	1.3013	2.2011	3.5024	0.0000	14,486.2313	14,486.2313	1.7668	0.0000	14,530.4009
2023	75.7504	30.8369	39.3901	0.0661	0.8719	1.6646	2.2235	0.2312	1.5616	1.7098	0.0000	6,324.9399	6,324.9399	1.4719	0.0000	6,361.7370
Maximum	75.7504	146.0836	63.0213	0.4162	16.5030	2.6554	18.9458	5.9892	2.5570	8.2548	0.0000	44,409.9882	44,409.9882	4.1398	0.0000	44,513.4833

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	6.3032	153.1330	76.4801	0.4162	16.5030	2.4904	18.6158	5.9892	2.4869	8.0629	0.0000	44,409.9882	44,409.9882	4.1398	0.0000	44,513.4833
2022	4.9036	67.4567	75.2058	0.1493	4.8619	2.4769	7.3389	1.3013	2.4736	3.7750	0.0000	14,486.2313	14,486.2313	1.7668	0.0000	14,530.4009
2023	75.6182	39.9513	45.7778	0.0661	0.8719	1.7486	2.3075	0.2312	1.7199	1.8682	0.0000	6,324.9399	6,324.9399	1.4719	0.0000	6,361.7370
Maximum	75.6182	153.1330	76.4801	0.4162	16.5030	2.4904	18.6158	5.9892	2.4869	8.0629	0.0000	44,409.9882	44,409.9882	4.1398	0.0000	44,513.4833

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	4.58	-13.58	-20.59	0.00	0.00	-1.71	0.18	0.00	-5.71	-1.78	0.00	0.00	0.00	0.00	0.00	0.00

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	10.0007	6.3686	35.6933	0.0400		0.6674	0.6674		0.6674	0.6674	0.0000	7,702.2765	7,702.2765	0.2041	0.1401	7,749.1325
Energy	0.2298	2.0290	1.3176	0.0125		0.1587	0.1587		0.1587	0.1587		2,506.3309	2,506.3309	0.0480	0.0460	2,521.2248
Mobile	7.0703	29.9968	83.9710	0.3061	26.5436	0.2394	26.7830	7.1032	0.2227	7.3259		31,206.3228	31,206.3228	1.6068		31,246.4924
Total	17.3007	38.3944	120.9820	0.3586	26.5436	1.0655	27.6091	7.1032	1.0488	8.1520	0.0000	41,414.9303	41,414.9303	1.8589	0.1861	41,516.8497

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	10.0007	6.3686	35.6933	0.0400		0.6674	0.6674		0.6674	0.6674	0.0000	7,702.2765	7,702.2765	0.2041	0.1401	7,749.1325
Energy	0.2298	2.0290	1.3176	0.0125		0.1587	0.1587		0.1587	0.1587		2,506.3309	2,506.3309	0.0480	0.0460	2,521.2248
Mobile	6.4191	26.4909	67.9662	0.2360	20.0168	0.1877	20.2046	5.3566	0.1746	5.5312		24,070.1861	24,070.1861	1.2879		24,102.3840
Total	16.6496	34.8886	104.9772	0.2885	20.0168	1.0139	21.0307	5.3566	1.0007	6.3573	0.0000	34,278.7936	34,278.7936	1.5400	0.1861	34,372.7413

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	3.76	9.13	13.23	19.55	24.59	4.85	23.83	24.59	4.58	22.02	0.00	17.23	17.23	17.15	0.00	17.21

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	3/1/2021	4/15/2021	5	34	
2	Grading	Grading	4/16/2021	6/2/2021	5	34	
3	Building Construction	Building Construction	6/3/2021	11/29/2022	5	389	
4	Paving	Paving	11/30/2022	1/16/2023	5	34	
5	Architectural Coating	Architectural Coating	1/17/2023	3/3/2023	5	34	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 34

Acres of Paving: 4.52

Residential Indoor: 686,710; Residential Outdoor: 228,903; Non-Residential Indoor: 61,494; Non-Residential Outdoor: 20,498; Striped Parking Area: 12,048 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Air Compressors	1	8.00	78	0.48
Demolition	Bore/Drill Rigs	2	6.00	221	0.50
Demolition	Concrete/Industrial Saws	2	8.00	81	0.73
Demolition	Crushing/Proc. Equipment	1	6.00	85	0.78
Demolition	Excavators	1	8.00	158	0.38

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

Demolition	Generator Sets	1	6.00	84	0.74
Demolition	Other Construction Equipment	2	6.00	172	0.42
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Grading	Dumpers/Tenders	2	6.00	16	0.38
Grading	Excavators	4	8.00	158	0.38
Grading	Graders	2	8.00	187	0.41
Grading	Plate Compactors	2	6.00	8	0.43
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Skid Steer Loaders	2	6.00	65	0.37
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Grading	Trenchers	2	6.00	78	0.50
Building Construction	Air Compressors	8	7.00	78	0.48
Building Construction	Bore/Drill Rigs	2	6.00	221	0.50
Building Construction	Cement and Mortar Mixers	12	6.00	9	0.56
Building Construction	Cranes	2	7.00	231	0.29
Building Construction	Forklifts	4	8.00	89	0.20
Building Construction	Generator Sets	2	8.00	84	0.74
Building Construction	Other General Industrial Equipment	2	6.00	88	0.34
Building Construction	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Air Compressors	2	6.00	78	0.48
Paving	Cement and Mortar Mixers	4	6.00	9	0.56
Paving	Concrete/Industrial Saws	2	6.00	81	0.73
Paving	Forklifts	2	6.00	89	0.20
Paving	Other General Industrial Equipment	2	6.00	88	0.34

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

Paving	Paving Equipment	2	6.00	132	0.36
Paving	Surfacing Equipment	1	6.00	263	0.30
Paving	Sweepers/Scrubbers	1	6.00	64	0.46
Paving	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Paving	Trenchers	2	6.00	78	0.50
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	11	28.00	0.00	1,829.00	14.70	6.90	86.20	LD_Mix	HDT_Mix	HHDT
Grading	17	40.00	0.00	4,004.00	14.70	6.90	86.20	LD_Mix	HDT_Mix	HHDT
Building Construction	35	388.00	82.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	24	50.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	78.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					11.6436	0.0000	11.6436	1.7629	0.0000	1.7629			0.0000			0.0000
Off-Road	4.0063	37.3378	32.2928	0.0638		1.8716	1.8716		1.7822	1.7822		6,119.6913	6,119.6913	1.3148		6,152.5617
Total	4.0063	37.3378	32.2928	0.0638	11.6436	1.8716	13.5152	1.7629	1.7822	3.5451		6,119.6913	6,119.6913	1.3148		6,152.5617

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.6616	46.9950	12.6793	0.1613	4.0503	0.1852	4.2354	1.1099	0.1772	1.2871		17,510.7055	17,510.7055	1.0652		17,537.3355
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1335	0.0913	1.0311	3.0100e-003	0.3130	2.5300e-003	0.3155	0.0830	2.3300e-003	0.0853		300.2303	300.2303	8.8300e-003		300.4512
Total	1.7951	47.0863	13.7105	0.1643	4.3632	0.1877	4.5509	1.1929	0.1795	1.3724		17,810.9358	17,810.9358	1.0740		17,837.7867

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					11.6436	0.0000	11.6436	1.7629	0.0000	1.7629			0.0000			0.0000
Off-Road	2.3028	47.3494	43.0682	0.0638		1.8513	1.8513		1.8300	1.8300	0.0000	6,119.6913	6,119.6913	1.3148		6,152.5617
Total	2.3028	47.3494	43.0682	0.0638	11.6436	1.8513	13.4948	1.7629	1.8300	3.5929	0.0000	6,119.6913	6,119.6913	1.3148		6,152.5617

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.6616	46.9950	12.6793	0.1613	4.0503	0.1852	4.2354	1.1099	0.1772	1.2871		17,510.7055	17,510.7055	1.0652		17,537.3355
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1335	0.0913	1.0311	3.0100e-003	0.3130	2.5300e-003	0.3155	0.0830	2.3300e-003	0.0853		300.2303	300.2303	8.8300e-003		300.4512
Total	1.7951	47.0863	13.7105	0.1643	4.3632	0.1877	4.5509	1.1929	0.1795	1.3724		17,810.9358	17,810.9358	1.0740		17,837.7867

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.3 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.1892	0.0000	7.1892	3.4409	0.0000	3.4409			0.0000			0.0000
Off-Road	4.1009	43.0730	31.8662	0.0587		2.0338	2.0338		1.8744	1.8744		5,647.0993	5,647.0993	1.7953		5,691.9813
Total	4.1009	43.0730	31.8662	0.0587	7.1892	2.0338	9.2229	3.4409	1.8744	5.3152		5,647.0993	5,647.0993	1.7953		5,691.9813

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	3.6375	102.8802	27.7573	0.3532	8.8667	0.4054	9.2721	2.4298	0.3879	2.8176		38,333.9885	38,333.9885	2.3319		38,392.2861
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1907	0.1305	1.4730	4.3000e-003	0.4471	3.6100e-003	0.4507	0.1186	3.3300e-003	0.1219		428.9004	428.9004	0.0126		429.2160
Total	3.8283	103.0106	29.2303	0.3575	9.3138	0.4090	9.7228	2.5484	0.3912	2.9395		38,762.8889	38,762.8889	2.3445		38,821.5021

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.3 Grading - 2021**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.1892	0.0000	7.1892	3.4409	0.0000	3.4409			0.0000			0.0000
Off-Road	2.4749	50.1224	41.5901	0.0587		1.7038	1.7038		1.6825	1.6825	0.0000	5,647.099 3	5,647.099 3	1.7953		5,691.981 2
Total	2.4749	50.1224	41.5901	0.0587	7.1892	1.7038	8.8930	3.4409	1.6825	5.1234	0.0000	5,647.099 3	5,647.099 3	1.7953		5,691.981 2

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	3.6375	102.8802	27.7573	0.3532	8.8667	0.4054	9.2721	2.4298	0.3879	2.8176		38,333.98 85	38,333.98 85	2.3319		38,392.28 61
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1907	0.1305	1.4730	4.3000e-003	0.4471	3.6100e-003	0.4507	0.1186	3.3300e-003	0.1219		428.9004	428.9004	0.0126		429.2160
Total	3.8283	103.0106	29.2303	0.3575	9.3138	0.4090	9.7228	2.5484	0.3912	2.9395		38,762.88 89	38,762.88 89	2.3445		38,821.50 21

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.4 Building Construction - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	5.8169	48.9289	46.4306	0.0887		2.6036	2.6036		2.5086	2.5086		8,296.4293	8,296.4293	1.5346		8,334.7938
Total	5.8169	48.9289	46.4306	0.0887		2.6036	2.6036		2.5086	2.5086		8,296.4293	8,296.4293	1.5346		8,334.7938

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2617	7.9449	2.3023	0.0205	0.5250	0.0168	0.5418	0.1512	0.0161	0.1672		2,192.2333	2,192.2333	0.1415		2,195.7714
Worker	1.8501	1.2655	14.2883	0.0418	4.3369	0.0350	4.3720	1.1502	0.0323	1.1825		4,160.3342	4,160.3342	0.1224		4,163.3948
Total	2.1117	9.2103	16.5906	0.0623	4.8619	0.0518	4.9138	1.3013	0.0484	1.3497		6,352.5675	6,352.5675	0.2639		6,359.1662

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.4 Building Construction - 2021**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.9462	58.8094	59.8895	0.0887		2.4385	2.4385		2.4385	2.4385	0.0000	8,296.4293	8,296.4293	1.5346		8,334.7938
Total	2.9462	58.8094	59.8895	0.0887		2.4385	2.4385		2.4385	2.4385	0.0000	8,296.4293	8,296.4293	1.5346		8,334.7938

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2617	7.9449	2.3023	0.0205	0.5250	0.0168	0.5418	0.1512	0.0161	0.1672		2,192.2333	2,192.2333	0.1415		2,195.7714
Worker	1.8501	1.2655	14.2883	0.0418	4.3369	0.0350	4.3720	1.1502	0.0323	1.1825		4,160.3342	4,160.3342	0.1224		4,163.3948
Total	2.1117	9.2103	16.5906	0.0623	4.8619	0.0518	4.9138	1.3013	0.0484	1.3497		6,352.5675	6,352.5675	0.2639		6,359.1662

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.4 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	5.3330	43.7668	45.9994	0.0887		2.2346	2.2346		2.1558	2.1558		8,299.3455	8,299.3455	1.5197		8,337.3381
Total	5.3330	43.7668	45.9994	0.0887		2.2346	2.2346		2.1558	2.1558		8,299.3455	8,299.3455	1.5197		8,337.3381

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2456	7.5505	2.1793	0.0203	0.5250	0.0147	0.5397	0.1512	0.0141	0.1652		2,172.7563	2,172.7563	0.1366		2,176.1701
Worker	1.7376	1.1428	13.1600	0.0403	4.3369	0.0340	4.3709	1.1502	0.0313	1.1814		4,014.1295	4,014.1295	0.1105		4,016.8927
Total	1.9833	8.6933	15.3394	0.0606	4.8619	0.0487	4.9106	1.3013	0.0453	1.3467		6,186.8858	6,186.8858	0.2471		6,193.0628

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.4 Building Construction - 2022**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.9203	58.7634	59.8665	0.0887		2.4283	2.4283		2.4283	2.4283	0.0000	8,299.3455	8,299.3455	1.5197		8,337.3381
Total	2.9203	58.7634	59.8665	0.0887		2.4283	2.4283		2.4283	2.4283	0.0000	8,299.3455	8,299.3455	1.5197		8,337.3381

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2456	7.5505	2.1793	0.0203	0.5250	0.0147	0.5397	0.1512	0.0141	0.1652		2,172.7563	2,172.7563	0.1366		2,176.1701
Worker	1.7376	1.1428	13.1600	0.0403	4.3369	0.0340	4.3709	1.1502	0.0313	1.1814		4,014.1295	4,014.1295	0.1105		4,016.8927
Total	1.9833	8.6933	15.3394	0.0606	4.8619	0.0487	4.9106	1.3013	0.0453	1.3467		6,186.8858	6,186.8858	0.2471		6,193.0628

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.5 Paving - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.6500	33.0548	37.8955	0.0611		1.8643	1.8643		1.7496	1.7496		5,825.928 3	5,825.928 3	1.4665		5,862.591 2
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	3.6500	33.0548	37.8955	0.0611		1.8643	1.8643		1.7496	1.7496		5,825.928 3	5,825.928 3	1.4665		5,862.591 2

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.2239	0.1473	1.6959	5.1900e-003	0.5589	4.3700e-003	0.5633	0.1482	4.0300e-003	0.1523		517.2847	517.2847	0.0142		517.6408
Total	0.2239	0.1473	1.6959	5.1900e-003	0.5589	4.3700e-003	0.5633	0.1482	4.0300e-003	0.1523		517.2847	517.2847	0.0142		517.6408

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.5 Paving - 2022**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.3677	40.4818	44.2367	0.0611		1.7884	1.7884		1.7566	1.7566	0.0000	5,825.928 3	5,825.928 3	1.4665		5,862.591 2
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	2.3677	40.4818	44.2367	0.0611		1.7884	1.7884		1.7566	1.7566	0.0000	5,825.928 3	5,825.928 3	1.4665		5,862.591 2

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.2239	0.1473	1.6959	5.1900e-003	0.5589	4.3700e-003	0.5633	0.1482	4.0300e-003	0.1523		517.2847	517.2847	0.0142		517.6408
Total	0.2239	0.1473	1.6959	5.1900e-003	0.5589	4.3700e-003	0.5633	0.1482	4.0300e-003	0.1523		517.2847	517.2847	0.0142		517.6408

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.5 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.4257	30.7037	37.8313	0.0611		1.6603	1.6603		1.5577	1.5577		5,826.5796	5,826.5796	1.4591		5,863.0561
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	3.4257	30.7037	37.8313	0.0611		1.6603	1.6603		1.5577	1.5577		5,826.5796	5,826.5796	1.4591		5,863.0561

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.2110	0.1332	1.5588	5.0000e-003	0.5589	4.2500e-003	0.5631	0.1482	3.9100e-003	0.1521		498.3603	498.3603	0.0128		498.6809
Total	0.2110	0.1332	1.5588	5.0000e-003	0.5589	4.2500e-003	0.5631	0.1482	3.9100e-003	0.1521		498.3603	498.3603	0.0128		498.6809

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.5 Paving - 2023**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.3126	39.8181	44.2189	0.0611		1.7444	1.7444		1.7160	1.7160	0.0000	5,826.5796	5,826.5796	1.4591		5,863.0561
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	2.3126	39.8181	44.2189	0.0611		1.7444	1.7444		1.7160	1.7160	0.0000	5,826.5796	5,826.5796	1.4591		5,863.0561

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.2110	0.1332	1.5588	5.0000e-003	0.5589	4.2500e-003	0.5631	0.1482	3.9100e-003	0.1521		498.3603	498.3603	0.0128		498.6809
Total	0.2110	0.1332	1.5588	5.0000e-003	0.5589	4.2500e-003	0.5631	0.1482	3.9100e-003	0.1521		498.3603	498.3603	0.0128		498.6809

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.6 Architectural Coating - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	75.2297					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
Total	75.4213	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.3291	0.2078	2.4318	7.8000e-003	0.8719	6.6300e-003	0.8785	0.2312	6.1100e-003	0.2373		777.4421	777.4421	0.0200		777.9422
Total	0.3291	0.2078	2.4318	7.8000e-003	0.8719	6.6300e-003	0.8785	0.2312	6.1100e-003	0.2373		777.4421	777.4421	0.0200		777.9422

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

3.6 Architectural Coating - 2023**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	75.2297					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.0594	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690
Total	75.2891	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.3291	0.2078	2.4318	7.8000e-003	0.8719	6.6300e-003	0.8785	0.2312	6.1100e-003	0.2373		777.4421	777.4421	0.0200		777.9422
Total	0.3291	0.2078	2.4318	7.8000e-003	0.8719	6.6300e-003	0.8785	0.2312	6.1100e-003	0.2373		777.4421	777.4421	0.0200		777.9422

4.0 Operational Detail - Mobile

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

4.1 Mitigation Measures Mobile

Increase Transit Accessibility

Integrate Below Market Rate Housing

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	6.4191	26.4909	67.9662	0.2360	20.0168	0.1877	20.2046	5.3566	0.1746	5.5312		24,070.1861	24,070.1861	1.2879		24,102.3840
Unmitigated	7.0703	29.9968	83.9710	0.3061	26.5436	0.2394	26.7830	7.1032	0.2227	7.3259		31,206.3228	31,206.3228	1.6068		31,246.4924

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	1,211.02	1,211.02	1211.02	4,138,239	3,120,688
Enclosed Parking with Elevator	0.00	0.00	0.00		
High Turnover (Sit Down Restaurant)	0.00	0.00	0.00		
Regional Shopping Center	3,858.11	3,858.11	3858.11	8,344,498	6,292,669
Supermarket	0.00	0.00	0.00		
Total	5,069.13	5,069.13	5,069.13	12,482,737	9,413,357

4.3 Trip Type Information

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Enclosed Parking with Elevator	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11
Supermarket	16.60	8.40	6.90	6.50	74.50	19.00	34	30	36

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.545842	0.044768	0.205288	0.119317	0.015350	0.006227	0.020460	0.031333	0.002546	0.002133	0.005184	0.000692	0.000862
Enclosed Parking with Elevator	0.545842	0.044768	0.205288	0.119317	0.015350	0.006227	0.020460	0.031333	0.002546	0.002133	0.005184	0.000692	0.000862
High Turnover (Sit Down Restaurant)	0.545842	0.044768	0.205288	0.119317	0.015350	0.006227	0.020460	0.031333	0.002546	0.002133	0.005184	0.000692	0.000862
Regional Shopping Center	0.545842	0.044768	0.205288	0.119317	0.015350	0.006227	0.020460	0.031333	0.002546	0.002133	0.005184	0.000692	0.000862
Supermarket	0.545842	0.044768	0.205288	0.119317	0.015350	0.006227	0.020460	0.031333	0.002546	0.002133	0.005184	0.000692	0.000862

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.2298	2.0290	1.3176	0.0125		0.1587	0.1587		0.1587	0.1587		2,506.3309	2,506.3309	0.0480	0.0460	2,521.2248
NaturalGas Unmitigated	0.2298	2.0290	1.3176	0.0125		0.1587	0.1587		0.1587	0.1587		2,506.3309	2,506.3309	0.0480	0.0460	2,521.2248

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	10126	0.1092	0.9332	0.3971	5.9600e-003		0.0755	0.0755		0.0755	0.0755		1,191.2951	1,191.2951	0.0228	0.0218	1,198.3743
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	9816.47	0.1059	0.9624	0.8084	5.7700e-003		0.0731	0.0731		0.0731	0.0731		1,154.8785	1,154.8785	0.0221	0.0212	1,161.7414
Regional Shopping Center	14.3421	1.5000e-004	1.4100e-003	1.1800e-003	1.0000e-005		1.1000e-004	1.1000e-004		1.1000e-004	1.1000e-004		1.6873	1.6873	3.0000e-005	3.0000e-005	1.6973
Supermarket	1347	0.0145	0.1321	0.1109	7.9000e-004		0.0100	0.0100		0.0100	0.0100		158.4701	158.4701	3.0400e-003	2.9100e-003	159.4118
Total		0.2297	2.0291	1.3176	0.0125		0.1587	0.1587		0.1587	0.1587		2,506.3309	2,506.3309	0.0480	0.0460	2,521.2248

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	10.126	0.1092	0.9332	0.3971	5.9600e-003		0.0755	0.0755		0.0755	0.0755		1,191.2951	1,191.2951	0.0228	0.0218	1,198.3743
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	9.81647	0.1059	0.9624	0.8084	5.7700e-003		0.0731	0.0731		0.0731	0.0731		1,154.8785	1,154.8785	0.0221	0.0212	1,161.7414
Regional Shopping Center	0.0143421	1.5000e-004	1.4100e-003	1.1800e-003	1.0000e-005		1.1000e-004	1.1000e-004		1.1000e-004	1.1000e-004		1.6873	1.6873	3.0000e-005	3.0000e-005	1.6973
Supermarket	1.347	0.0145	0.1321	0.1109	7.9000e-004		0.0100	0.0100		0.0100	0.0100		158.4701	158.4701	3.0400e-003	2.9100e-003	159.4118
Total		0.2297	2.0291	1.3176	0.0125		0.1587	0.1587		0.1587	0.1587		2,506.3309	2,506.3309	0.0480	0.0460	2,521.2248

6.0 Area Detail**6.1 Mitigation Measures Area**

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	10.0007	6.3686	35.6933	0.0400		0.6674	0.6674		0.6674	0.6674	0.0000	7,702.2765	7,702.2765	0.2041	0.1401	7,749.1325
Unmitigated	10.0007	6.3686	35.6933	0.0400		0.6674	0.6674		0.6674	0.6674	0.0000	7,702.2765	7,702.2765	0.2041	0.1401	7,749.1325

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.7008					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	7.5973					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.7006	5.9867	2.5475	0.0382		0.4840	0.4840		0.4840	0.4840	0.0000	7,642.5882	7,642.5882	0.1465	0.1401	7,688.0043
Landscaping	1.0020	0.3819	33.1458	1.7500e-003		0.1834	0.1834		0.1834	0.1834		59.6883	59.6883	0.0576		61.1282
Total	10.0007	6.3686	35.6934	0.0400		0.6674	0.6674		0.6674	0.6674	0.0000	7,702.2766	7,702.2766	0.2041	0.1401	7,749.1325

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.7008					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	7.5973					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.7006	5.9867	2.5475	0.0382		0.4840	0.4840		0.4840	0.4840	0.0000	7,642.588 2	7,642.588 2	0.1465	0.1401	7,688.004 3
Landscaping	1.0020	0.3819	33.1458	1.7500e-003		0.1834	0.1834		0.1834	0.1834		59.6883	59.6883	0.0576		61.1282
Total	10.0007	6.3686	35.6934	0.0400		0.6674	0.6674		0.6674	0.6674	0.0000	7,702.276 6	7,702.276 6	0.2041	0.1401	7,749.132 5

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

2021.08.26_CrenshawCrossings_CalEEMod - Los Angeles-South Coast County, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Attachment B

Construction		Total	
2021			
Annual Emissions (tons/year)	0.3533	Total DPM (lbs)	1787.372603
Daily Emissions (lbs/day)	1.935890411	Total DPM (g)	810752.2126
Construction Duration (days)	306	Total Construction Days	822
Total DPM (lbs)	592.3824658	Emission Rate (g/s)	0.011415701
Total DPM (g)	268704.6865	Release Height (meters)	3
Start Date	3/1/2021	Total Acreage	4.18
End Date	1/1/2022	Max Horizontal (meters)	183.93
Construction Days	306	Min Horizontal (meters)	91.97
		Initial Vertical Dimension (meters)	1.5
2022		Setting	Urban
Annual Emissions (tons/year)	0.5306	Population	3,967,000
Daily Emissions (lbs/day)	2.90739726	Start Date	3/1/2021
Construction Duration (days)	365	End Date	6/1/2023
Total DPM (lbs)	1061.2	Total Construction Days	822
Total DPM (g)	481360.32	Total Years of Construction	2.25
Start Date	1/1/2022	Total Years of Operation	27.75
End Date	1/1/2023		
Construction Days	365		
2023			
Annual Emissions (tons/year)	0.1617		
Daily Emissions (lbs/day)	0.886027397		
Construction Duration (days)	151		
Total DPM (lbs)	133.790137		
Total DPM (g)	60687.20614		
Start Date	1/1/2023		
End Date	6/1/2023		
Construction Days	151		

Operation	
Emission Rate	
Annual Emissions (tons/year)	0.0691
Daily Emissions (lbs/day)	0.378630137
Emission Rate (g/s)	0.001987808
Release Height (meters)	3
Total Acreage	4.18
Max Horizontal (meters)	183.93
Min Horizontal (meters)	91.97
Initial Vertical Dimension (meters)	1.5
Setting	Urban
Population	3,967,000
Total Pounds of DPM	
Total DPM (lbs)	138.2

*NOTE: This sheet is for air districts which use FAH only for ages 16 and up

Attachment C

Start date and time 08/31/21 09:34:38

AERSCREEN 21112

2021.08.31_Crenshaw_Crossings_AERSCREEN_Construction

2021.08.31_Crenshaw_Crossings_AERSCREEN_Construction

----- DATA ENTRY VALIDATION -----

METRIC

ENGLISH

** AREADATA **

Emission Rate:	0.0114 g/s	0.091 lb/hr
Area Height:	3.00 meters	9.84 feet
Area Source Length:	183.93 meters	603.44 feet
Area Source Width:	91.97 meters	301.74 feet
Vertical Dimension:	1.50 meters	4.92 feet
Model Mode:	URBAN	
Population:	3967000	
Dist to Ambient Air:	1.0 meters	3. feet

** BUILDING DATA **

No Building Downwash Parameters

** TERRAIN DATA **

No Terrain Elevations

Source Base Elevation: 0.0 meters 0.0 feet

Probe distance: 5000. meters 16404. feet

No flagpole receptors

No discrete receptors used

** FUMIGATION DATA **

No fumigation requested

** METEOROLOGY DATA **

Min/Max Temperature: 250.0 / 310.0 K -9.7 / 98.3 Deg F

Minimum Wind Speed: 0.5 m/s

Anemometer Height: 10.000 meters

Dominant Surface Profile: Urban

Dominant Climate Type: Average Moisture

Surface friction velocity (u^*): not adjusted

DEBUG OPTION ON

AERSCREEN output file:

2021.08.31_Crenshaw_Crossings_AERSCREEN_Construction.out

*** AERSCREEN Run is Ready to Begin

No terrain used, AERMAP will not be run

SURFACE CHARACTERISTICS & MAKEMET

Obtaining surface characteristics...

Using AERMET seasonal surface characteristics for Urban with Average Moisture

Season	Albedo	Bo	zo
Winter	0.35	1.50	1.000
Spring	0.14	1.00	1.000
Summer	0.16	2.00	1.000
Autumn	0.18	2.00	1.000

Creating met files aerscreen_01_01.sfc & aerscreen_01_01.pfl

Creating met files aerscreen_02_01.sfc & aerscreen_02_01.pfl

Creating met files aerscreen_03_01.sfc & aerscreen_03_01.pfl

Creating met files aerscreen_04_01.sfc & aerscreen_04_01.pfl

Buildings and/or terrain present or rectangular area source, skipping probe

FLOWSECTOR started 08/31/21 09:37:59

Running AERMOD

Processing Winter

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Spring

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Summer

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Autumn

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 30

***** WARNING MESSAGES *****

*** NONE ***

FLOWSECTOR ended 08/31/21 09:38:09

REFINE started 08/31/21 09:38:09

AERMOD Finishes Successfully for REFINE stage 3 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

REFINE ended 08/31/21 09:38:10

AERSCREEN Finished Successfully

With no errors or warnings

Check log file for details

Ending date and time 08/31/21 09:38:12

Concentration	Distance	Elevation	Diag	Season/Month	Zo sector	Date	H0	U*	W*	DT/DZ	ZICNV
ZIMCH M-O LEN	ZO BOWEN	ALBEDO	REF WS	HT	REF TA	HT					
0.14885E+02	1.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.16196E+02	25.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.17514E+02	50.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.18438E+02	75.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
* 0.19003E+02	93.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.18219E+02	100.00	0.00	20.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.11172E+02	125.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.82163E+01	150.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.65434E+01	175.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.53844E+01	200.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.45471E+01	225.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.39147E+01	250.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.34208E+01	275.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.30274E+01	300.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.27079E+01	325.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.24423E+01	350.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.22182E+01	375.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.20285E+01	400.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.18665E+01	425.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.17246E+01	450.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.16004E+01	475.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.14909E+01	500.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.13941E+01	525.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.13080E+01	550.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.12306E+01	575.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.11603E+01	600.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10969E+01			625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10394E+01			650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.98694E+00			675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.93902E+00			700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.89503E+00			725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.85436E+00			750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.81684E+00			775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.78212E+00			800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.74992E+00			825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.71977E+00			850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.69166E+00			875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.66543E+00			900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.64089E+00			925.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.61791E+00			950.01	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.59632E+00			975.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57602E+00			1000.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55688E+00			1025.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.53884E+00			1050.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52179E+00			1075.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50567E+00			1100.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49039E+00			1125.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47588E+00			1150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.46213E+00			1175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.44906E+00			1200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.43663E+00			1225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.42478E+00			1250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.41349E+00			1275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.40271E+00			1300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.39242E+00			1325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.38253E+00			1350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.37306E+00			1375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.36399E+00			1400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.35530E+00			1425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.34693E+00			1450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.33889E+00			1475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.33116E+00			1500.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.32373E+00			1525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.31658E+00			1550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.30971E+00			1575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.30309E+00			1600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.29671E+00			1625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.29056E+00			1650.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.28463E+00			1675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.27891E+00			1700.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.27446E+00			1725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.26910E+00			1750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.26392E+00			1775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.25891E+00			1800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.25406E+00			1825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.24937E+00			1850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.24482E+00			1875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.24042E+00			1900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.23615E+00			1925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.23201E+00			1950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22800E+00			1975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22410E+00			2000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22032E+00			2025.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21665E+00			2050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21308E+00			2075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20961E+00			2100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20624E+00			2125.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20297E+00			2150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19978E+00			2175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19667E+00			2200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19365E+00			2225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19072E+00			2250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18785E+00			2275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18506E+00			2300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18235E+00			2325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17969E+00			2350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17711E+00			2375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17459E+00			2400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17214E+00			2425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16974E+00			2450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16739E+00			2475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16511E+00			2500.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16287E+00			2525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16069E+00			2550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15856E+00			2575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15647E+00			2600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15443E+00			2625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15244E+00			2650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15049E+00			2675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14859E+00			2700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14673E+00			2725.00	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14490E+00			2750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14312E+00			2775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14137E+00			2800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13966E+00			2825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13799E+00			2850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13635E+00			2875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13474E+00			2900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13317E+00			2925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13162E+00			2950.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13011E+00			2975.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12863E+00			3000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12718E+00			3025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12575E+00			3050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12435E+00			3075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12298E+00			3100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12164E+00			3125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12032E+00			3150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11902E+00			3175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11775E+00			3200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11650E+00			3225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11528E+00			3250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11408E+00			3275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11290E+00			3300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11174E+00			3325.00	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11060E+00			3350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10948E+00			3375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10838E+00			3400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10729E+00			3425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10623E+00			3450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10519E+00			3475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10416E+00			3500.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10315E+00			3525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10216E+00			3550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10118E+00			3575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10022E+00			3600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.99276E-01			3625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.98346E-01			3650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.97432E-01			3675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.96532E-01			3700.00	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.95647E-01			3724.99	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.94775E-01			3750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.93917E-01			3775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.93072E-01			3800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.92241E-01			3825.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.91422E-01			3849.99	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.90616E-01			3875.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.89822E-01			3900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.89040E-01			3925.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.88270E-01			3950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.87511E-01			3975.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.86764E-01			4000.00	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.86027E-01			4025.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.85301E-01			4050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.84586E-01			4075.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.83881E-01			4100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.83186E-01			4125.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.82501E-01			4149.99	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.81826E-01			4175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.81160E-01			4200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.80504E-01			4225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.79857E-01			4250.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.79218E-01			4275.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.78589E-01			4300.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.77968E-01			4325.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.77355E-01			4350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.76751E-01			4375.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.76155E-01			4400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.75567E-01			4425.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.74987E-01			4450.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.74414E-01			4475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.73849E-01			4500.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.73292E-01			4525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.72741E-01			4550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.72198E-01			4575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.71662E-01			4600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.71132E-01			4625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.70609E-01			4650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

Start date and time 08/31/21 09:46:27

AERSCREEN 21112

2021.08.31_CRENSHAW_CROSSINGS_AERSCREEN_CONSTRUCTION

----- DATA ENTRY VALIDATION -----

METRIC

ENGLISH

** AREADATA **

Emission Rate: 0.199E-02 g/s 0.158E-01 lb/hr

Area Height: 3.00 meters 9.84 feet

Area Source Length: 183.93 meters 603.44 feet

Area Source Width: 91.97 meters 301.74 feet

Vertical Dimension: 1.50 meters 4.92 feet

Model Mode: URBAN

Population: 3967000

Dist to Ambient Air: 1.0 meters 3. feet

** BUILDING DATA **

No Building Downwash Parameters

**** TERRAIN DATA ****

No Terrain Elevations

Source Base Elevation: 0.0 meters 0.0 feet

Probe distance: 5000. meters 16404. feet

No flagpole receptors

No discrete receptors used

**** FUMIGATION DATA ****

No fumigation requested

**** METEOROLOGY DATA ****

Min/Max Temperature: 250.0 / 310.0 K -9.7 / 98.3 Deg F

Minimum Wind Speed: 0.5 m/s

Anemometer Height: 10.000 meters

Dominant Surface Profile: Urban

Dominant Climate Type: Average Moisture

Surface friction velocity (u^*): not adjusted

DEBUG OPTION ON

AERSCREEN output file:

2021.08.31_Crenshaw_Crossings_AERSCREEN_Operations.out

*** AERSCREEN Run is Ready to Begin

No terrain used, AERMAP will not be run

SURFACE CHARACTERISTICS & MAKEMET

Obtaining surface characteristics...

Using AERMET seasonal surface characteristics for Urban with Average Moisture

Season	Albedo	Bo	zo
Winter	0.35	1.50	1.000
Spring	0.14	1.00	1.000
Summer	0.16	2.00	1.000
Autumn	0.18	2.00	1.000

Creating met files aerscreen_01_01.sfc & aerscreen_01_01.pfl

Creating met files aerscreen_02_01.sfc & aerscreen_02_01.pfl

Creating met files aerscreen_03_01.sfc & aerscreen_03_01.pfl

Creating met files aerscreen_04_01.sfc & aerscreen_04_01.pfl

Buildings and/or terrain present or rectangular area source, skipping probe

FLOWSECTOR started 08/31/21 09:47:23

Running AERMOD

Processing Winter

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Spring

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Summer

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Autumn

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 30

***** WARNING MESSAGES *****

*** NONE ***

FLOWSECTOR ended 08/31/21 09:47:33

REFINE started 08/31/21 09:47:33

AERMOD Finishes Successfully for REFINE stage 3 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

REFINE ended 08/31/21 09:47:35

AERSCREEN Finished Successfully

With no errors or warnings

Check log file for details

Ending date and time 08/31/21 09:47:37

Concentration	Distance	Elevation	Diag	Season/Month	Zo sector	Date	H0	U*	W*	DT/DZ	ZICNV
ZIMCH M-O LEN	ZO BOWEN	ALBEDO	REF WS	HT	REF TA	HT					
0.25919E+01	1.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.28201E+01	25.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.30497E+01	50.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.32105E+01	75.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
* 0.33089E+01	93.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.31723E+01	100.00	0.00	20.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.19454E+01	125.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.14307E+01	150.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.11394E+01	175.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.93757E+00	200.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.79177E+00	225.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.68164E+00	250.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.59565E+00	275.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.52715E+00	300.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.47151E+00	325.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.42526E+00	350.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.38625E+00	375.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.35322E+00	400.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.32501E+00	425.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.30030E+00	450.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.27866E+00	475.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.25960E+00	500.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.24275E+00	525.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.22775E+00	550.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.21427E+00	575.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.20204E+00	600.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19100E+00			625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18098E+00			650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17185E+00			675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16351E+00			700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15585E+00			725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14877E+00			750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14223E+00			775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13619E+00			800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13058E+00			825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12533E+00			850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12044E+00			875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11587E+00			900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.11160E+00			925.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10759E+00			950.01	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10384E+00			975.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10030E+00			1000.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.96968E-01			1025.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.93826E-01			1050.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.90858E-01			1075.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.88050E-01			1100.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.85390E-01			1125.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.82863E-01			1150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.80469E-01			1175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.78194E-01			1200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.76028E-01			1225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.73966E-01			1250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.71999E-01			1275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.70123E-01			1300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.68330E-01			1325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.66608E-01			1350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.64959E-01			1375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.63380E-01			1400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.61867E-01			1425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.60410E-01			1450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.59009E-01			1475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57663E-01			1500.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.56369E-01			1525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55125E-01			1550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.53928E-01			1575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52775E-01			1600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.51665E-01			1625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50594E-01			1650.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49561E-01			1675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48565E-01			1700.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47791E-01			1725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.46858E-01			1750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.45956E-01			1775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.45083E-01			1800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.44239E-01			1825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.43421E-01			1850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.42630E-01			1875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.41863E-01			1900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.41120E-01			1925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.40399E-01			1950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.39700E-01			1975.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.39022E-01			2000.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.38364E-01			2025.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.37724E-01			2050.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.37103E-01			2075.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.36499E-01			2100.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.35912E-01			2125.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.35341E-01			2150.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.34786E-01			2175.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.34246E-01			2200.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.33720E-01			2225.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.33208E-01			2250.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.32710E-01			2275.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.32224E-01			2300.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.31751E-01			2325.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.31290E-01			2350.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.30840E-01			2375.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.30401E-01			2400.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.29973E-01			2425.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.29555E-01			2450.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.29148E-01			2475.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.28749E-01			2500.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.28360E-01			2525.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.27980E-01			2550.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.27609E-01			2575.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.27246E-01			2600.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.26891E-01			2625.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.26544E-01			2650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.26205E-01			2675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.25873E-01			2700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.25549E-01			2725.00	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.25231E-01			2750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.24921E-01			2775.00	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.24617E-01			2800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.24319E-01			2825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.24027E-01			2850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.23742E-01			2875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.23462E-01			2900.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.23188E-01			2925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22919E-01			2950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22656E-01			2975.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22398E-01			3000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22145E-01			3025.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21897E-01			3050.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21653E-01			3075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21414E-01			3100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21180E-01			3125.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20951E-01			3150.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20725E-01			3175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20504E-01			3200.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20287E-01			3225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20073E-01			3250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19864E-01			3275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19658E-01			3300.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19456E-01			3325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19258E-01			3350.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19063E-01			3375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18871E-01			3400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18683E-01			3425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18498E-01			3450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18316E-01			3475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18137E-01			3500.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17961E-01			3525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17788E-01			3550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17618E-01			3575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17451E-01			3600.00	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17286E-01			3625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17125E-01			3650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16965E-01			3675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16809E-01			3700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16655E-01			3725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16503E-01			3750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16353E-01			3775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16206E-01			3800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16061E-01			3825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15919E-01			3850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15779E-01			3875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15640E-01			3900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15504E-01			3925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15370E-01			3950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15238E-01			3975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15108E-01			4000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14980E-01			4025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14853E-01			4050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14729E-01			4075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14606E-01			4100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14485E-01			4125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14366E-01			4150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14248E-01			4175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14132E-01			4200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.14018E-01			4225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13905E-01			4250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13794E-01			4275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13684E-01			4300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13576E-01			4325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13470E-01			4350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13364E-01			4375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13261E-01			4400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13158E-01			4425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.13057E-01			4450.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12957E-01			4475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12859E-01			4500.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12762E-01			4525.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12666E-01			4550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12571E-01			4575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12478E-01			4600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12386E-01			4625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.12295E-01			4650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

file:///C:/Users/swinn/Downloads/2021.08.31 Crenshaw Crossings AERSCREEN Operations max conc distance.txt[9/3/2021 11:01:38 AM]

Attachment D

GHG CALCULATIONS: IS Modeling

Line (L)	Value	Unit
Total Emissions From Passenger and Light Duty Vehicles		
1	4,701.00	Mobile Emissions (MT CO ₂ e/year)
2	91.50%	Passenger and Light-Duty VMT Fleet Mix
3	4,301.32	Passenger and Light Duty Vehicle Emissions (MT CO ₂ e/year) [Calc: (L1*L2)]
4	25,980.21	Passenger and Light-Duty Vehicle Emissions (Total lbs CO ₂ e/day) [Calc: (L3 converted into lbs) / (365 days)]
5	1115	Service Population
6	23.30	Per Service Population Emissions (lbs CO ₂ e/day/SP) [Calc: (L4/L5)]
Daily VMT Per Capita From Passenger and Light Duty Vehicles		
7	11,389,146	Project Total VMT (CalEEMod Annual Output, Tbl. 4.2 Trip Summary)
8	91.21%	Passenger and Light-Duty VMT Fleet Mix (see L2)
9	10,388,575	VMT from Passenger & Light-Duty Vehicles
10	28,462	Daily VMT from Passenger & Light-Duty Vehicles [Calc: (L9/365)]
11	1115	Service Population
12	25.53	Daily VMT Per Capita [(Calc: L10/L11)]



Technical Consultation, Data Analysis and
Litigation Support for the Environment

2656 29th Street,
Suite 201
Santa Monica, CA
90405

(949) 887-9013
mhagemann@swape.com

Matthew F. Hagemann, P.G.,* C.Hg**

**Geologic and Hydrogeologic
Characterization, Investigation
and Remediation Strategies
Expert Testimony
Industrial Stormwater Compliance
CEQA Review**

Professional Certifications:

*Professional Geologist

**Certified Hydrogeologist

Education:

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984.

B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

Professional Certifications:

California Professional Geologist

California Certified Hydrogeologist

Professional Experience:

30 years of experience in environmental policy, contaminant assessment and remediation, stormwater compliance, and CEQA review. Spent nine years with the U.S. EPA in the Resource Conservation Recovery Act (RCRA) and

Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater. While with EPA, served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. Led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) and directed efforts to improve hydrogeologic characterization and water quality monitoring. For the past 15 years, as a founding partner with SWAPE, developed extensive client relationships and has managed complex projects that include consultations as an expert witness and a regulatory specialist, and managing projects ranging from industrial stormwater compliance to CEQA review of impacts from hazardous waste, air quality and greenhouse gas emissions.

Positions held include:

Government:

- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989–1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 – 2000);
- Geologist, U.S. Forest Service (1986 – 1998)

Educational:

- Geology Instructor, Golden West College, 2010 – 2014, 2017;
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 – 1998);
- Instructor, College of Marin, Department of Science (1990 – 1995);

Private Sector:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 – present);
- Senior Environmental Analyst, Komex H2O Science, Inc. (2000 -- 2003);
- Executive Director, Orange Coast Watch (2001 – 2004);
- Geologist, Dames & Moore (1984 – 1986).

Senior Regulatory and Litigation Support Analyst:

With SWAPE, responsibilities have included:

- Lead analyst and testifying expert, for both plaintiffs and defendants, in the review of over 300 environmental impact reports and negative declarations since 2003 under CEQA that identify significant issues with regard to

hazardous waste, water resources, water quality, air quality, greenhouse gas emissions, and geologic hazards.

- Recommending additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce exposure to hazards from toxins.
- Stormwater analysis, sampling and best management practice evaluation, for both government agencies and corporate clients, at more than 150 industrial facilities.
- Serving as expert witness for both plaintiffs and defendants in cases including contamination of groundwater, CERCLA compliance in assessment and remediation, and industrial stormwater contamination.
- Technical assistance and litigation support for vapor intrusion concerns, for both government agencies and corporate clients.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.

With Komex H2O Science Inc., duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.
- Lead author for a multi-volume remedial investigation report for an

operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.

- Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

Executive Director:

As Executive Director with Orange Coast Watch, an Orange County-based not-for-profit water-quality organization, led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

Hydrogeology:

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities included:

- Leading efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiating a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identifying emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. Used

analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities through designation under the Safe Drinking Water Act. Prepared geologic reports, conducted hearings, and responded to public comments from residents who were very concerned about the impact of designation.
- Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Served as a hydrogeologist with the RCRA Hazardous Waste program. Duties included:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
 - Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed the basis for significant enforcement actions that were developed in close coordination with U.S. EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.

- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nation-wide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

Policy:

Served as senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9. Activities included the following:

- Advising the Regional Administrator and senior management on emerging issues such as the potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking water supplies.
- Shaping EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, Oxygenates in Water: Critical Information and Research Needs.
- Improving the technical training of EPA's scientific and engineering staff.
- Earning an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific principles into the policy-making process.
- Establishing national protocol for the peer review of scientific documents.

Geology:

With the U.S. Forest Service, led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities included:

- Mapping geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinating research with community stakeholders who were concerned with natural resource protection.
- Characterizing the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large

hazardous waste site in eastern Oregon. Duties included the following:

- Supervising year-long effort for soil and groundwater sampling.
- Conducting aquifer tests.
 - Investigating active faults beneath sites proposed for hazardous waste disposal.

Teaching:

From 1990 to 1998, taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.
- Part time geology instructor at Golden West College in Huntington Beach, California from 2010 to 2014 and in 2017.

Invited Testimony, Reports, Papers and Presentations:

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S.EPA Region 9, San Francisco, California.

Hagemann, M.F., 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Colorado.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

Hagemann, M.F., 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells.

Presentation to the Ground Water and Environmental Law Conference, National

Groundwater Association.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal representatives, Parker, AZ.

Hagemann, M.F., 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

Hagemann, M.F., 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

Hagemann, M.F., 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

Hagemann, M.F., 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

Hagemann, M.F., 2002. An Estimate of the Cost to Address MTBE Contamination in

Groundwater(and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

Hagemann, M.F., 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

Hagemann, M.F., 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

Hagemann, M.F., 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

Hagemann, M.F., and VanMouwerik, M., 1999. Potential Water Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann, M.F.** 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

Hagemann, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

Hagemann, M.F., 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

Hagemann, M.F., and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

Hagemann, M.F., Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii. Hawaii Water Works Association Annual Meeting, Maui, October 1996.

Hagemann, M. F., Fukunaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

Hagemann, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

Hagemann, M.F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

Hagemann, M.F., 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPL-contaminated Groundwater. California Groundwater Resources Association Meeting.

Hagemann, M.F., 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examinations, 2009-2011.



Technical Consultation, Data Analysis and
Litigation Support for the Environment

SOIL WATER AIR PROTECTION ENTERPRISE

2656 29th Street, Suite 201
Santa Monica, California 90405
Attn: Paul Rosenfeld, Ph.D.
Mobil: (310) 795-2335
Office: (310) 452-5555
Fax: (310) 452-5550

Email: prosenfeld@swape.com

Paul Rosenfeld, Ph.D.

Principal Environmental Chemist

Chemical Fate and Transport & Air Dispersion Modeling

Risk Assessment & Remediation Specialist

Education

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on volatile organic compound filtration.

M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics.

B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

Professional Experience

Dr. Rosenfeld has over 25 years' experience conducting environmental investigations and risk assessments for evaluating impacts to human health, property, and ecological receptors. His expertise focuses on the fate and transport of environmental contaminants, human health risk, exposure assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from oil spills, landfills, boilers and incinerators, process stacks, storage tanks, confined animal feeding operations, industrial, military and agricultural sources, unconventional oil drilling operations, and locomotive and construction engines. His project experience ranges from monitoring and modeling of pollution sources to evaluating impacts of pollution on workers at industrial facilities and residents in surrounding communities. Dr. Rosenfeld has also successfully modeled exposure to contaminants distributed by water systems and via vapor intrusion.

Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing lead, heavy metals, mold, bacteria, particulate matter, petroleum hydrocarbons, chlorinated solvents, pesticides, radioactive waste, dioxins and furans, semi- and volatile organic compounds, PCBs, PAHs, creosote, perchlorate, asbestos, per- and poly-fluoroalkyl substances (PFOA/PFOS), unusual polymers, fuel oxygenates (MTBE), among other pollutants. Dr. Rosenfeld also has experience evaluating greenhouse gas emissions from various projects and is an expert on the assessment of odors from industrial and agricultural sites, as well as the evaluation of odor nuisance impacts and technologies for abatement of odorous emissions. As a principal scientist at SWAPE, Dr. Rosenfeld directs air dispersion modeling and exposure assessments. He has served as an expert witness and testified about pollution sources causing nuisance and/or personal injury at sites and has testified as an expert witness on numerous cases involving exposure to soil, water and air contaminants from industrial, railroad, agricultural, and military sources.

Professional History:

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner
 UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher)
 UCLA School of Public Health; 2003 to 2006; Adjunct Professor
 UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator
 UCLA Institute of the Environment, 2001-2002; Research Associate
 Komex H₂O Science, 2001 to 2003; Senior Remediation Scientist
 National Groundwater Association, 2002-2004; Lecturer
 San Diego State University, 1999-2001; Adjunct Professor
 Anteon Corp., San Diego, 2000-2001; Remediation Project Manager
 Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager
 Bechtel, San Diego, California, 1999 – 2000; Risk Assessor
 King County, Seattle, 1996 – 1999; Scientist
 James River Corp., Washington, 1995-96; Scientist
 Big Creek Lumber, Davenport, California, 1995; Scientist
 Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist
 Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Publications:

Remy, L.L., Clay T., Byers, V., **Rosenfeld P. E.** (2019) Hospital, Health, and Community Burden After Oil Refinery Fires, Richmond, California 2007 and 2012. *Environmental Health*. 18:48

Simons, R.A., Seo, Y. **Rosenfeld, P.**, (2015) Modeling the Effect of Refinery Emission On Residential Property Value. *Journal of Real Estate Research*. 27(3):321-342

Chen, J. A, Zapata A. R., Sutherland A. J., Molmen, D.R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.**, Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermol and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). *The Risks of Hazardous Waste*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2011). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry*, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld, P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld, P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2010). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2009). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry*. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution*, 123 (17), 319-327.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. J. Clark, **Rosenfeld, P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*. 105, 194-197.

Rosenfeld, P.E., J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

Rosenfeld, P. E., M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., **Rosenfeld, P.E.** (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities*. Boston Massachusetts: Elsevier Publishing

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*. 49(9),171-178.

Rosenfeld P. E., J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC) 2004*. New Orleans, October 2-6, 2004.

Rosenfeld, P.E., and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

Rosenfeld, P. E., Grey, M. A., Sellew, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

Rosenfeld, P.E., Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS-6), Sacramento, CA Publication #442-02-008.

Rosenfeld, P.E., and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

Rosenfeld, P.E., and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

Rosenfeld, P.E., and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

Rosenfeld, P.E., and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld**. (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. *Heritage Magazine of St. Kitts*, 3(2).

Rosenfeld, P. E. (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

Rosenfeld, P. E. (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

Rosenfeld, P. E. (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

Rosenfeld, P. E. (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

Presentations:

Rosenfeld, P.E., "The science for Perfluorinated Chemicals (PFAS): What makes remediation so hard?" Law Seminars International, (May 9-10, 2018) 800 Fifth Avenue, Suite 101 Seattle, WA.

Rosenfeld, P.E., Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. *44th Western Regional Meeting, American Chemical Society*. Lecture conducted from Santa Clara, CA.

Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Rosenfeld, P.E. (April 19-23, 2009). Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*, Lecture conducted from Tuscon, AZ.

Rosenfeld, P.E. (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States" Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*. Lecture conducted from Tuscon, AZ.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution*. Lecture conducted from Tallinn, Estonia.

Rosenfeld, P. E. (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. *The 23rd Annual International Conferences on Soils Sediment and Water*. Lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld P. E. (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.

Rosenfeld P. E. (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (August 21 – 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

Paul Rosenfeld Ph.D. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

Paul Rosenfeld Ph.D. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

Paul Rosenfeld Ph.D. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

Paul Rosenfeld Ph.D. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

Paul Rosenfeld Ph.D. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. *2005 National Groundwater Association Ground Water And Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. *2005 National Groundwater Association Ground Water and Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

Paul Rosenfeld, Ph.D. (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld, Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

Paul Rosenfeld, Ph.D. (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. *Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference* Orlando, FL.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants..* Lecture conducted from Hyatt Regency Phoenix Arizona.

Paul Rosenfeld, Ph.D. (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

Paul Rosenfeld, Ph.D. (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..

Rosenfeld, P.E. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conference*. Lecture conducted from Indianapolis, Maryland.

Rosenfeld. P.E. (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation*. Lecture conducted from Anaheim California.

Rosenfeld. P.E. (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest*. Lecture conducted from Ocean Shores, California.

Rosenfeld, P.E. (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell*. Lecture conducted from Seattle Washington.

Rosenfeld, P.E., C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest*. Lecture conducted from Lake Chelan, Washington.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

Teaching Experience:

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

Academic Grants Awarded:

California Integrated Waste Management Board. \$41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: \$10,000 grant awarded to San Diego State University. Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. \$100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. \$20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: \$10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: \$15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. \$500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993

Deposition and/or Trial Testimony:

In the Circuit Court of Cook County Illinois

Joseph Rafferty, Plaintiff vs. Consolidated Rail Corporation and National Railroad Passenger Corporation
d/b/a AMTRAK,
Case No.: No. 18-L-6845
Rosenfeld Deposition, 6-28-2021

In the United States District Court For the Northern District of Illinois

Theresa Romcoe, Plaintiff vs. Northeast Illinois Regional Commuter Railroad Corporation d/b/a METRA
Rail, Defendants
Case No.: No. 17-cv-8517
Rosenfeld Deposition, 5-25-2021

In the Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois

Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants
Case No.: No. 019-L-2295
Rosenfeld Deposition, 5-14-2021

In the Superior Court of the State of Arizona In and For the County of Maricopa

Mary Tryon et al., Plaintiff vs. The City of Phoenix,; Cox Cactus Farm, L.L.C., Utah Shelter Systems, Inc.
Case Number CV20127-094749
Rosenfeld Deposition: 5-7-2021

In the United States District Court for the Eastern District of Texas Beaumont Division

Robinson, Jeremy et al *Plaintiffs*, vs. CNA Insurance Company et al.
Case Number 1:17-cv-000508
Rosenfeld Deposition: 3-25-2021

In the Superior Court of the State of California, County of San Bernardino

Gary Garner, Personal Representative for the Estate of Melvin Garner vs. BNSF Railway Company.
Case No. 1720288
Rosenfeld Deposition 2-23-2021

In the Superior Court of the State of California, County of Los Angeles, Spring Street Courthouse

Benny M Rodriguez vs. Union Pacific Railroad, A Corporation, et al.
Case No. 18STCV01162
Rosenfeld Deposition 12-23-2020

In the Circuit Court of Jackson County, Missouri

Karen Cornwell, *Plaintiff*, vs. Marathon Petroleum, LP, *Defendant*.
Case No.: 1716-CV10006
Rosenfeld Deposition. 8-30-2019

In the United States District Court For The District of New Jersey
 Duarte et al, *Plaintiffs*, vs. United States Metals Refining Company et. al. *Defendant*.
 Case No.: 2:17-cv-01624-ES-SCM
 Rosenfeld Deposition. 6-7-2019

In the United States District Court of Southern District of Texas Galveston Division
 M/T Carla Maersk, *Plaintiffs*, vs. Conti 168., Schiffahrts-GMBH & Co. Bulker KG MS “Conti Perdido”
Defendant.
 Case No.: 3:15-CV-00106 consolidated with 3:15-CV-00237
 Rosenfeld Deposition. 5-9-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
 Carole-Taddeo-Bates et al., vs. Ifran Khan et al., Defendants
 Case No.: No. BC615636
 Rosenfeld Deposition, 1-26-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
 The San Gabriel Valley Council of Governments et al. vs El Adobe Apts. Inc. et al., Defendants
 Case No.: No. BC646857
 Rosenfeld Deposition, 10-6-2018; Trial 3-7-19

In United States District Court For The District of Colorado
 Bells et al. Plaintiff vs. The 3M Company et al., Defendants
 Case No.: 1:16-cv-02531-RBJ
 Rosenfeld Deposition, 3-15-2018 and 4-3-2018

In The District Court Of Regan County, Texas, 112th Judicial District
 Phillip Bales et al., Plaintiff vs. Dow Agrosiences, LLC, et al., Defendants
 Cause No.: 1923
 Rosenfeld Deposition, 11-17-2017

In The Superior Court of the State of California In And For The County Of Contra Costa
 Simons et al., Plaintiffs vs. Chevron Corporation, et al., Defendants
 Cause No C12-01481
 Rosenfeld Deposition, 11-20-2017

In The Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois
 Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants
 Case No.: No. 0i9-L-2295
 Rosenfeld Deposition, 8-23-2017

In United States District Court For The Southern District of Mississippi
 Guy Manuel vs. The BP Exploration et al., Defendants
 Case: No 1:19-cv-00315-RHW
 Rosenfeld Deposition, 4-22-2020

In The Superior Court of the State of California, For The County of Los Angeles
 Warrn Gilbert and Penny Gilbert, Plaintiff vs. BMW of North America LLC
 Case No.: LC102019 (c/w BC582154)
 Rosenfeld Deposition, 8-16-2017, Trail 8-28-2018

In the Northern District Court of Mississippi, Greenville Division
 Brenda J. Cooper, et al., *Plaintiffs*, vs. Meritor Inc., et al., *Defendants*
 Case Number: 4:16-cv-52-DMB-JVM
 Rosenfeld Deposition: July 2017

In The Superior Court of the State of Washington, County of Snohomish
Michael Davis and Julie Davis et al., Plaintiff vs. Cedar Grove Composting Inc., Defendants
Case No.: No. 13-2-03987-5
Rosenfeld Deposition, February 2017
Trial, March 2017

In The Superior Court of the State of California, County of Alameda
Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants
Case No.: RG14711115
Rosenfeld Deposition, September 2015

In The Iowa District Court In And For Poweshiek County
Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants
Case No.: LALA002187
Rosenfeld Deposition, August 2015

In The Circuit Court of Ohio County, West Virginia
Robert Andrews, et al. v. Antero, et al.
Civil Action NO. 14-C-30000
Rosenfeld Deposition, June 2015

In The Iowa District Court For Muscatine County
Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant
Case No 4980
Rosenfeld Deposition: May 2015

In the Circuit Court of the 17th Judicial Circuit, in and For Broward County, Florida
Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant.
Case Number CACE07030358 (26)
Rosenfeld Deposition: December 2014

In the County Court of Dallas County Texas
Lisa Parr et al, *Plaintiff*, vs. Aruba et al, *Defendant*.
Case Number cc-11-01650-E
Rosenfeld Deposition: March and September 2013
Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio
John Michael Abicht, et al., *Plaintiffs*, vs. Republic Services, Inc., et al., *Defendants*
Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987)
Rosenfeld Deposition: October 2012

In the United States District Court for the Middle District of Alabama, Northern Division
James K. Benefield, et al., *Plaintiffs*, vs. International Paper Company, *Defendant*.
Civil Action Number 2:09-cv-232-WHA-TFM
Rosenfeld Deposition: July 2010, June 2011

In the Circuit Court of Jefferson County Alabama
Jaeanette Moss Anthony, et al., *Plaintiffs*, vs. Drummond Company Inc., et al., *Defendants*
Civil Action No. CV 2008-2076
Rosenfeld Deposition: September 2010

In the United States District Court, Western District Lafayette Division
Ackle et al., *Plaintiffs*, vs. Citgo Petroleum Corporation, et al., *Defendants*.
Case Number 2:07CV1052
Rosenfeld Deposition: July 2009