

Conditions

BUREAU OF ENGINEERING - SPECIFIC CONDITIONS

1. That a 5-foot wide strip of land be dedicated along Adams Boulevard adjoining the tract to complete a 50-foot wide half right of-way in accordance with Avenue I standards of LA Mobility Plan.
2. That if this tract map is approved as “small lot subdivision” then, if necessary for street address purposes, all the common access to this subdivision be named on the final map satisfactory to the City Engineer.
3. That if this tract map is approved as small lot subdivision then the final map be labeled as “Small Lot Subdivision per Ordinance No. 185462” satisfactory to the City Engineer.
4. That all common access easements including the vehicular access and pedestrian access easement be part of the adjoining lots.
5. That, if necessary, public sanitary sewer easements be dedicated on the final map based on an alignment approved by the Central Engineering District Office.
6. That, if necessary, the owners of the property record an agreement satisfactory to the City Engineer that they will provide name signs for the common access driveways.
7. That the subdivider make a request to the Central District Office of the Bureau of Engineering to determine the capacity of existing sewers in this area.
8. That all pedestrian common access easements be shown on the final map.

Any questions regarding this report should be directed to Quyen Phan of the Permit Case Management Division, located at 201 North Figueroa Street, Suite 290, or by calling (213) 808-8604.

DEPARTMENT OF BUILDING AND SAFETY, GRADING DIVISION

9. Comply with any requirements with the Department of Building and Safety, Grading Division for recordation of the final map and issuance of any permit.

Grading Division approvals are conducted at 221 North Figueroa Street, 12th Floor suite 1200. The approval of this Tract Map shall not be construed as having been based upon a geological investigation such as will authorize the issuance of the building permit of the subject property. Such permits will be issued only at such time as the Department of Building and Safety has received such topographic maps and geological reports as it deems necessary to justify the issuance of such building permits.

Any questions regarding this report should be directed to Mr. Casey Lee Jensen of the Grading division, located at 221 North Figueroa Street, Suite 1200, or by calling (213) 482-0490.

DEPARTMENT OF BUILDING AND SAFETY, ZONING DIVISION

10. Obtain permits for the demolition or removal of all existing structures on the site. Accessory structures and uses are not permitted to remain on lots without a main structure or use. Provide copies of the demolition permits and signed inspection cards to show completion of the demolition work.
11. Provide a copy of affidavit AFF-49871. Show compliance with all the conditions/requirements of the above affidavit as applicable. Termination of above affidavit may be required after the Map has been recorded. Obtain approval from the Department, on the termination form, prior to recording.
12. Provide 2 parking spaces per small lot/unit. Revise the map or obtain City Planning approval to provide only 1 parking space for Proposed Lot 2.
13. Resubmit the map to provide and maintain a minimum 16 ft. (for 5 or more dwelling) common driveway access on the ground floor. No projections (or uses such as guest parking spaces) are allowed into the required common driveway access. Provide the minimum 16 ft. wide common driveway access (with a minimum 10 ft. open to the sky) or obtain approval from the City Planning Advisory Agency to allow for a reduced and/or projection into the common driveway access.
14. Show all street/alley dedications as required by Bureau of Engineering and provide net lot area after all dedication. "Area" requirements shall be re-checked as per net lot area after street dedication. Front yard and side yard requirements shall be required to comply with current code as measured from new property lines after dedication.
15. Dimension the reciprocal private easement for pedestrian and driveway egress and ingress, back up space, drainage, and utilities on the final map.

Notes:

The Proposed Project site is within the South Los Angeles Community Plan Implementation Overlay (CPIO). The Proposed Project is to show compliance to the CPIO per City Planning approval at the time of Plan Check.

The proposed building plans have not been checked for and shall comply with Building and Zoning Code requirements. With the exception of revised health or safety standards, the subdivider shall have a vested right to proceed with the proposed development in substantial compliance with the ordinances, policies, and standards in effect at the time the subdivision application was deemed complete. Plan check will be required before any construction, occupancy or change of use.

The proposed buildings may not comply with City of Los Angeles Building Code requirements concerning exterior wall, protection of openings and exit requirements with

respect to the proposed and existing property lines. Compliance shall be to the satisfaction of LADBS at the time of plan check.

If the proposed development does not comply with the current Zoning Code, all zoning violations shall be indicated on the Map.

Backup space for parking space with less than 26'-8" shall provide sufficient parking stall width and garage door opening width to comply with the current Zoning Code requirement. Comply with the above requirement at the time of Plan Check or obtain City Planning approval.

An appointment is required for the issuance of a clearance letter from the Department of Building and Safety. The applicant is asked to contact Laura Duong at (213) 482-0434 to schedule an appointment.

DEPARTMENT OF RECREATION AND PARKS

16. That the Park Fee paid to the Department of Recreation and Parks be calculated as a Subdivision (Quimby in-lieu) fee.

FIRE DEPARTMENT

17. Access for Fire Department apparatus and personnel to and into all structures shall be required.
18. Address identification. New and existing buildings shall have approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property.
19. One or more Knox Boxes will be required to be installed for LAFD access to project. Location and number to be determined by LAFD Field Inspector. (Refer to FPB Req #75).
20. The entrance or exit of all ground dwelling units shall not be more than 150 feet from the edge of a roadway of an improved street, access road, or designated fire lane.
21. No building or portion of a building shall be constructed more than 150 feet from the edge of a roadway of an improved street, access road, or designated fire lane.
22. The following recommendations of the Fire Department relative to fire safety shall be incorporated into the building plans, which includes the submittal of a plot plan for approval by the Fire Department either prior to the recordation of a final map or the approval of a building permit. The plot plan shall include the following minimum design features: fire lanes, where required, shall be a minimum of 20 feet in width; all structures must be within 300 feet of an approved fire hydrant, and entrances to any dwelling unit or guest room shall not be more than 150 feet in distance in horizontal travel from the edge of the roadway of an improved street or approved fire lane.

23. Site plans shall include all overhead utility lines adjacent to the site.
24. Any roof elevation changes in excess of 3 feet may require the installation of ships ladders.
25. Any required fire hydrants to be installed shall be fully operational and accepted by the Fire Department prior to any building construction.
26. Adequate off-site public and on-site private fire hydrants may be required. Their number and location to be determined after the Fire Department's review of the plot plan.
27. Smoke Vents may be required where roof access is not possible; location and number of vents to be determined at Plan Review.

The applicant is further advised that all subsequent contact regarding these conditions must be with the Hydrant and Access Unit. This would include clarification, verification of condition compliance and plans or building permit applications, etc., and shall be accomplished **BY APPOINTMENT ONLY**, in order to assure that you receive service with a minimum amount of waiting please call **(213) 482-6543**. You should advise any consultant representing you of this requirement as well.

DEPARTMENT OF CITY PLANNING-SITE SPECIFIC CONDITIONS

28. Prior to the recordation of the final map, the subdivider shall prepare and execute a Covenant and Agreement (Planning Department General Form CP-6770) in a manner satisfactory to the Planning Department, binding the subdivider and all successors to the following:
 - a. Limit the proposed development to a maximum of ten (10) small lot homes.
 - b. Provide a minimum of two off-street parking spaces per dwelling unit, (Note: One space may be a compact space. Tandem parking is allowable.).
 - c. That a solar access report shall be submitted to the satisfaction of the Advisory Agency prior to obtaining a grading permit.
 - d. That the subdivider consider the use of natural gas and/or solar energy and consult with the Department of Water and Power and Southern California Gas Company regarding feasible energy conservation measures.
 - e. That prior to issuance of a certificate of occupancy, a minimum 6-foot-high slumpstone or decorative masonry wall shall be constructed adjacent to neighboring residences, if no such wall already exists, except in required front yard.
 - f. Outdoor lighting shall be designed and installed with shielding, such that the light source cannot be seen from adjacent residential properties or the public right-of-way.

- g. A Maintenance Association shall be formed, composed of all property owners, to maintain all common areas such as trees, landscaping, community driveway, walkways, monthly service for private fire hydrant (if required), etc. Each owner and future property owners shall automatically become members of the association and shall be subject to a proportionate share of the maintenance. The Maintenance Association shall be recorded as a Covenant and Agreement to run with the land. The subdivider shall submit a copy of this Agreement, once recorded to the Planning Department for placement in the parcel file.
- h. Copies of all recorded Covenant and Agreement(s) for all reciprocal private easements shall be submitted to the Planning Department for placement in the parcel file.

Note to City Zoning Engineer and Plan Check. The Advisory Agency has approved the following variations from the Los Angeles Municipal Code as it applies to this subdivision and the proposed development on the site. Approved Variations as follows:

- (i) The project shall comply with the setbacks as indicated in the table below.

Lot	Setbacks			
	Front	Side	Side	Rear
1	6' (N)	6' (W)	3" (E)	3" (S)
2	6' (N)	3" (W)	3" (E)	3" (S)
3	6' (N)	3" (W)	3" (E)	15' (S)
4	6' (N)	3" (W)	7' (E)	3" (S)
5	6' (E)	3" (N)	3" (S)	7' (W)
6	6' (E)	3" (N)	3" (S)	7' (W)
7	6' (E)	3" (N)	15' (S)	7' (W)
8	5' (W)	3" (N)	3" (S)	8' (E)
9	5' (W)	3" (N)	3" (S)	8' (E)
10	5' (W)	3" (N)	29' 3" (S)	8' (E)

Minor deviations to the approved setbacks are allowed in the event that such deviations are necessary in order to accommodate other conditions of approval as required by other City agencies.

- (ii) Vehicular access will be via the Alley (south of Adams Boulevard) abutting the western edge of the site.

i. INDEMNIFICATION AND REIMBURSEMENT OF LITIGATION COSTS.

Applicant shall do all of the following:

- (i) Defend, indemnify and hold harmless the City from any and all actions against the City relating to or arising out of, in whole or in part, the City's processing and approval of this entitlement, including but not limited to, an action to attack, challenge, set aside, void or otherwise modify or annul the approval of the entitlement, the environmental review of the entitlement, or

- the approval of subsequent permit decisions, or to claim personal property damage, including from inverse condemnation or any other constitutional claim.
- (ii) Reimburse the City for any and all costs incurred in defense of an action related to or arising out of, in whole or in part, the City's processing and approval of the entitlement, including but not limited to payment of all court costs and attorney's fees, costs of any judgments or awards against the City (including an award of attorney's fees), damages, and/or settlement costs.
 - (iii) Submit an initial deposit for the City's litigation costs to the City within 10 days' notice of the City tendering defense to the Applicant and requesting a deposit. The initial deposit shall be in an amount set by the City Attorney's Office, in its sole discretion, based on the nature and scope of action, but in no event shall the initial deposit be less than \$50,000. The City's failure to notice or collect the deposit does not relieve the Applicant from responsibility to reimburse the City pursuant to the requirement in paragraph (ii).
 - (iv) Submit supplemental deposits upon notice by the City. Supplemental deposits may be required in an increased amount from the initial deposit if found necessary by the City to protect the City's interests. The City's failure to notice or collect the deposit does not relieve the Applicant from responsibility to reimburse the City pursuant to the requirement in paragraph (ii).
 - (v) If the City determines it necessary to protect the City's interest, execute an indemnity and reimbursement agreement with the City under terms consistent with the requirements of this condition.

The City shall notify the applicant within a reasonable period of time of its receipt of any action and the City shall cooperate in the defense. If the City fails to notify the applicant of any claim, action, or proceeding in a reasonable time, or if the City fails to reasonably cooperate in the defense, the applicant shall not thereafter be responsible to defend, indemnify or hold harmless the City.

The City shall have the sole right to choose its counsel, including the City Attorney's office or outside counsel. At its sole discretion, the City may participate at its own expense in the defense of any action, but such participation shall not relieve the applicant of any obligation imposed by this condition. In the event the Applicant fails to comply with this condition, in whole or in part, the City may withdraw its defense of the action, void its approval of the entitlement, or take any other action. The City retains the right to make all decisions with respect to its representations in any legal proceeding, including its inherent right to abandon or settle litigation.

For purposes of this condition, the following definitions apply:

"City" shall be defined to include the City, its agents, officers, boards, commissions, committees, employees, and volunteers.

"Action" shall be defined to include suits, proceedings (including those held under alternative dispute resolution procedures), claims, or lawsuits. Action includes actions, as defined herein, alleging failure to comply with

any federal, state or local law.

Nothing in the definitions included in this paragraph are intended to limit the rights of the City or the obligations of the Applicant otherwise created by this condition.

DEPARTMENT OF CITY PLANNING-STANDARD SMALL LOT CONDITIONS

SL-1. That approval of this tract constitutes approval of model home uses, including a sales office and off-street parking. If models are constructed under this tract approval, the following conditions shall apply:

1. Prior to recordation of the final map, the subdivider shall submit a plot plan for approval by the Division of Land Section of the Department of City Planning showing the location of the model dwellings, sales office and off-street parking. The sales office must be within one of the model buildings.
2. All other conditions applying to Model Dwellings under Section 12.22-A, 10 and 11 and Section 17.05-0 of the LAMC shall be fully complied with satisfactory to the Department of Building and Safety.

SL-2. Prior to obtaining any grading or building permits before the recordation of the final map, a landscape plan shall be prepared by a licensed landscape architect, to be submitted to and approved by the Advisory Agency in accordance with CP-6730. The landscape plan shall identify tree replacement on a 1:1 basis by a minimum of 24-inch box trees for the unavoidable loss of desirable trees on the site and shall include the following features. In the event the subdivider decides not to request a permit before the recordation of the final map, a covenant and agreement satisfactory to the Advisory Agency guaranteeing the submission of such plan before obtaining any permit shall be recorded.

BUREAU OF ENGINEERING - STANDARD CONDITIONS

- S-1 (a) That the sewerage facilities charge be deposited prior to recordation of the final map over all of the tract in conformance with Section 64.11.2 of the Municipal Code.
- (b) That survey boundary monuments be established in the field in a manner satisfactory to the City Engineer and located within the California Coordinate System prior to recordation of the final map. Any alternative measure approved by the City Engineer would require prior submission of complete field notes in support of the boundary survey.
- (c) That satisfactory arrangements be made with both the Water System and the Power System of the Department of Water and Power with respect to water mains, fire hydrants, service connections and public utility easements.
- (d) That any necessary sewer, street, drainage and street lighting easements be dedicated. In the event it is necessary to obtain off-site easements by separate instruments, records of the Bureau of Right-of-Way and Land shall verify that such easements have been obtained. The above requirements do not apply to

easements of off-site sewers to be provided by the City.

- (e) That drainage matters be taken care of satisfactory to the City Engineer.
- (f) That satisfactory street, sewer and drainage plans and profiles as required, together with a lot grading plan of the tract and any necessary topography of adjoining areas be submitted to the City Engineer.
- (g) That any required slope easements be dedicated by the final map.
- (h) That each lot in the tract comply with the width and area requirements of the Zoning Ordinance.
- (i) That 1-foot future streets and/or alleys be shown along the outside of incomplete public dedications and across the termini of all dedications abutting unsubdivided property. The 1-foot dedications on the map shall include a restriction against their use of access purposes until such time as they are accepted for public use.
- (j) That any 1-foot future street and/or alley adjoining the tract be dedicated for public use by the tract, or that a suitable resolution of acceptance be transmitted to the City Council with the final map.
- (k) That no public street grade exceeds 15%.
- (l) That any necessary additional street dedications be provided to comply with the Americans with Disabilities Act (ADA) of 2010.

S-2 That the following provisions be accomplished in conformity with the improvements constructed herein:

- (a) Survey monuments shall be placed and permanently referenced to the satisfaction of the City Engineer. A set of approved field notes shall be furnished, or such work shall be suitably guaranteed, except where the setting of boundary monuments requires that other procedures be followed.
- (b) Make satisfactory arrangements with the Department of Traffic with respect to street name, warning, regulatory and guide signs.
- (c) All grading done on private property outside the tract boundaries in connection with public improvements shall be performed within dedicated slope easements or by grants of satisfactory rights of entry by the affected property owners.
- (d) All improvements within public streets, private street, alleys and easements shall be constructed under permit in conformity with plans and specifications approved by the Bureau of Engineering.
- (e) Any required bonded sewer fees shall be paid prior to recordation of the final map.

S-3 That the following improvements be either constructed prior to recordation of the final map or that the construction be suitably guaranteed:

- (a) Construct the necessary on-site mainline and house connection sewers to serve the tract as determined satisfactory by the City Engineer.
- (b) Construct any necessary drainage facilities.
- (c) Install street lighting facilities to serve the tract as required by the Bureau of Street Lighting.

1. No street lighting improvements if no street widening per BOE improvement conditions. Otherwise relocate and update street light; one (1) on Adams Boulevard.

Notes:

The quantity of street lights identified may be modified slightly during the plan check process based on illumination calculations and equipment selection.

Conditions set: 1) in compliance with a Specific Plan, 2) by LADOT, or 3) by other legal instrument excluding the Bureau of Engineering conditions, requiring an improvement that will change the geometrics of the public roadway or driveway apron may require additional or the reconstruction of street lighting improvements as part of that condition.

- (d) Plant street trees and remove any existing trees within dedicated streets or proposed dedicated streets as required by the Urban Forestry Division of the Bureau of Street Services.
- (e) Repair or replace any off-grade or broken curb, gutter and sidewalk satisfactory to the City Engineer.
- (f) Construct access ramps for the handicapped as required by the City Engineer.
- (g) Close any unused driveways satisfactory to the City Engineer.
- (h) Construct any necessary additional street improvements to comply with the Americans with Disabilities Act (ADA) of 2010.
- (i) Improve Adams Boulevard being dedicated and adjoining the subdivision by the construction of the following.
 - (1) A concrete curb, a concrete gutter, and a full-width concrete sidewalk with tree wells.
 - (2) Suitable surfacing to join the existing pavement and to complete a 35-foot half roadway.
 - (3) Any necessary removal and reconstruction of existing improvements.
 - (4) The necessary transitions to join the existing improvement.

Notes: The Advisory Agency approval is the maximum number of units permitted under the parcel action. However the existing or proposed zoning may not permit this number of units. This vesting map does not constitute approval of any variations from the Los Angeles Municipal Code (LAMC), unless approved specifically for this project under separate conditions.

Any removal of the existing street trees shall require Board of Public Works approval.

Satisfactory arrangements shall be made with the Los Angeles Department of Water and Power, Power System, to pay for removal, relocation, replacement or adjustment of power facilities due to this development. The subdivider must make arrangements for the underground installation of all new utility lines in conformance with Section 17.05-N of the LAMC.

The final map must be recorded within 36 months of this approval, unless a time extension is granted before the end of such period.

The Advisory Agency hereby finds that this parcel conforms to the California Water Code, as required by the Subdivision Map Act.

The subdivider should consult the Department of Water and Power to obtain energy saving design features which can be incorporated into the final building plans for the subject development. As part of the Total Energy Management Program of the Department of Water and Power, this no-cost consultation service will be provided to the subdivider upon his request.