AA-2023-8121-PMLA-1A

Exhibit C

CEQA Clearance ENV-2023-8122-CE

C-1 Notice of Exemption & Justification

C-2 Biological Resources Reports

C-3 Supplemental Biologist Memorandum

C-4 Correspondence from Santa Monica Mountains Conservancy dated April 22, 2025.

AA-2023-8121-PMLA-1A

C-1

Notice of Exemption & Justification

COUNTY CLERK'S USE

CITY OF LOS ANGELES
OFFICE OF THE CITY CLERK
200 NORTH SPRING STREET, ROOM 395
LOS ANGELES, CALIFORNIA 90012

CALIFORNIA ENVIRONMENTAL QUALITY ACT

NOTICE OF EXEMPTION

(PRC Section 21152; CEQA Guidelines Section 15062)

Pursuant to Public Resources Code § 21152(b) and CEQA Guidelines § 15062, the notice should be posted with the County Clerk by mailing the form and posting fee payment to the following address: Los Angeles County Clerk/Recorder, Environmental Notices, P.O. Box 1208, Norwalk, CA 90650. Pursuant to Public Resources Code § 21167 (d), the posting of this notice starts a 35-day statute of limitations on court challenges to reliance on an exemption for the project. Failure to file this notice as provided above, results in the statute of limitations being extended to 180 days.

PARENT CASE NUMBER(S) / REQUESTED ENTITLEMENTS
AA-2023-8121-PMLA; Preliminary Parcel Map

LEAD CITY AGENCY	CASE NUMBER
City of Los Angeles (Department of City Planning)	ENV-2023-8122-CE
PROJECT TITLE	COUNCIL DISTRICT
1400 Vista Moraga Parcel Map	5 – Yaroslavsky

PROJECT LOCATION (Street Address and Cross Streets and/or Attached Map) ☐ Map attached.
1400 N Vista Moraga

PROJECT DESCRIPTION: ☐ Additional page(s) attached.
A Preliminary Parcel Map for the subdivision of one 143,359 square-foot lot into two new lots of 113,546 square feet and 29,812 square feet, to maintain one (1) existing single-family dwelling on Parcel A and up to one (1) new single-family dwelling on Parcel B, in the RE20-1-H-HCR zone.

NAME OF APPLICANT / OWNER:
Tony Natsis

CONTACT PERSON (If different from Applicant/Owner above)	(AREA CODE) TELEPHONE NUMBER | EXT.
Benjamin Eshaghian, Crest Real Estate	(323) 828-0522

EXEMPT STATUS: (Check all boxes, and include all exemptions, that apply and provide relevant citations.)

STATE CEQA STATUTE & GUIDELINES

☐ STATUTORY EXEMPTION(S)

Public Resources Code Section(s) _____

☒ CATEGORICAL EXEMPTION(S) (State CEQA Guidelines Sec. 15301-15333 / Class 1-Class 33)

CEQA Guideline Section(s) / Class(es) **Sections 15303 (Class 3) & 15332 (Class 32)**

☐ OTHER BASIS FOR EXEMPTION (E.g., CEQA Guidelines Section 15061(b)(3) or (b)(4) or Section 15378(b))

_____

JUSTIFICATION FOR PROJECT EXEMPTION: ☒ Additional page(s) attached

The Advisory Agency determined based on the whole of the administrative record, that the Project is exempt from CEQA pursuant to CEQA Guidelines Section 15332 (Class 32) and there is no substantial evidence demonstrating that an exception to a categorical exemption pursuant to CEQA Guidelines, Section 15300.2 applies; see additional pages attached.

☒ None of the exceptions in CEQA Guidelines Section 15300.2 to the categorical exemption(s) apply to the Project.
☐ The project is identified in one or more of the list of activities in the City of Los Angeles CEQA Guidelines as cited in the justification.

IF FILED BY APPLICANT, ATTACH CERTIFIED DOCUMENT ISSUED BY THE CITY PLANNING DEPARTMENT STATING THAT THE DEPARTMENT HAS FOUND THE PROJECT TO BE EXEMPT.
If different from the applicant, the identity of the person undertaking the project.

CITY STAFF USE ONLY:

CITY STAFF NAME AND SIGNATURE	STAFF TITLE
Jackson Olson	Planning Assistant
ENTITLEMENTS APPROVED	
Preliminary Parcel Map	

DISTRIBUTION: County Clerk, Agency Record
Rev. 9-17-2025

DEPARTMENT OF
CITY PLANNING

COMMISSION OFFICE
(213) 978-1300

CITY PLANNING COMMISSION

MONIQUE LAWSHE
PRESIDENT

CAROLINE CHOE
VICE-PRESIDENT

PRISCILLA CHAVEZ
MARTINA DIAZ
SARAH JOHNSON
PHYLLIS KLEIN
BRIAN ROSENSTEIN
JACOB SAITMAN
ELIZABETH ZAMORA

CITY OF LOS ANGELES
CALIFORNIA

KAREN BASS
MAYOR

EXECUTIVE OFFICES
200 N. SPRING STREET, ROOM 525
LOS ANGELES, CA 90012-4801
(213) 978-1271

VINCENT P. BERTONI, AICP
DIRECTOR

KEVIN J. KELLER, AICP
EXECUTIVE OFFICER

SHANA M.M. BONSTIN
DEPUTY DIRECTOR

HAYDEE URITA-LOPEZ
DEPUTY DIRECTOR

ARTHI L. VARMA, AICP
DEPUTY DIRECTOR

LISA M. WEBBER, AICP
DEPUTY DIRECTOR

JUSTIFICATION FOR PROJECT EXEMPTION
CASE NO. ENV-2023-8122 CE

1400 N Vista Moraga

Project Description

The Project is a preliminary parcel map for the subdivision of one 143,359 square-foot lot into two new lots of 113,546 square feet and 29,812 square feet in the RE20-1-H-HCR zone.

A Categorical Exemption, ENV-2023-8122-CE, has been prepared for the proposed project consistent, with the provisions of the California Environmental Quality Act and State CEQA Guidelines. The project proposes the subdivision of one 143,359 square-foot lot into two lots resulting in one 113,546 square-foot lot (Parcel A) and one 29,812 square-foot lot (Parcel B) in the RE20-1-H-HCR Zone.

CEQA Determination – Class 3 Categorical Exemption Applies

A project qualifies for a Class 3 Categorical Exemption if it involves the construction of limited numbers of new, small facilities or structures, including single-family residences and accessory structures such as garages, carports, patios, swimming pools, fences, game courts (including tennis courts accessory to residential developments), play areas, and retaining walls.

The proposed Project qualifies for the Class 3 Categorical Exemption because the accompanying division of land action (i.e. Parcel Map) would accommodate the future construction of a single-family residence and related ancillary structures.

CEQA Determination – Class 32 Categorical Exemption Applies

The project is eligible for a Class 32 Urban Infill Exemption as it involves an infill site that would accommodate future development of up to one (1) single-family home and related ancillary structures, and the site meets the following criteria:

(a) **The project is consistent with the applicable general plan designation and all applicable general plan policies as well as with the applicable zoning designation and regulations.**

The project site is located within the Bel Air – Beverly Crest Community Plan. It is designated for Very Low I Residential and Minimum Residential, consistent with the site's RE-20 zoning designation. The project site is also in the Hillside Construction Regulation District and Height District 1. The division of land proposed by the project will appropriately support future development that is consistent with the land use designation.

The project site, located at 1400 Vista Moraga, is a highly irregularly shaped lot. The width of future Parcel A is 349 feet, and the lot width of future Parcel B is 224 feet, as measured by the intersection of the midpoint of the front and rear lot frontages. As such, the project site is consistent with the 80-foot minimum lot width and size requirements for the RE20 Zone. The applicant proposes the subdivision of one 143,359 gross square-foot lot into two lots resulting in one 113,546 square-foot lot and one 29,812 square-foot lot in the RE20-1-H-HCR Zone. As such, the proposed subdivision is consistent with the lot width and size requirements set forth by the zoning code.

The proposed project is consistent with many General Plan goals, policies, and objectives. The Framework Element of the General Plan provides the following:

Objective 3.5. Ensure that the character and scale of stable single-family residential neighborhoods is maintained, allowing for infill development provided that it is compatible with and maintains the scale and character of existing development.

The proposed subdivision will accommodate up to one (1) additional single-family dwelling unit on a lot that is consistent with the size and width requirements of the zone. Future development of the parcel will be consistent with the existing Very Low I and Minimum Residential land use designations.

Additionally, the Bel Air Beverly Crest Community Plan, one of the Land Use Elements of the General Plan, provides the following:

Goal - Preservation and enhancement of the varied and distinctive residential character of the community.

The proposed project requests a division of land that preserves the existing hillside single-family development patterns of the area by creating a subdivision that is consistent with lot size requirements of the underlying land use designations and zone. Future single-family development will enhance the existing character of the large-scale single-family dwellings in the immediate area.

As such, the project is consistent with the applicable Bel Air – Beverly Crest Community Plan designation and policies as well as the applicable zoning designation and regulations.

(b) **The proposed development occurs within city limits on a project site of no more than five acres substantially surrounded by urban uses.**

The subject site is wholly within the City of Los Angeles, on a site that is approximately 3.29 acres (143,359 square feet). It is substantially surrounded by low density residential urban uses in and around the Bel Air Estates, as well as transportation infrastructure such as the I-405 Freeway.

(c) **The project site has no value as habitat for endangered, rare, or threatened species.**

The site is previously disturbed and surrounded by development and therefore is not, and has no value as, a habitat for endangered, rare or threatened species. The site is currently developed with a single-family dwelling, attached garage, detached pool house, and driveway. According to a Tree Survey prepared by Arbor Care, Inc. dated October 2023, there are no protected trees on the subject site nor any street trees public right-of-way. Furthermore, the project site does not adjoin any open space or wetlands that could support habitat for endangered, rare or threatened species. The Applicant submitted an Owner's Declaration of Biological Resources, dated December 10, 2024, stating the site does not contain any biological resources. The Applicant submitted a Biological Resources report, dated March 26, 2025, and prepared by England Ecology. The report found the proposed project would have "no adverse effect on biological resources" and further provided that based on direct observations "the site is not part of a potential wildlife movement corridor".

In a letter dated, April 22, 2025, the Santa Monica Mountains Conservancy (SMMC) advised that the property is located within the Eastern Santa Monica Mountains Natural Resources Protection Plan (December 13, 2021) area and that the southern portion of the project site is located within Habitat Block No. 89 of the Eastern Santa Monica Mountains Habitat Linkage Planning Map (August 21, 2023). The SMMC advised additional review is required to determine if any future or proposed development of Parcel B may impact wildlife movement. Although a portion of the site is within a mapped Habitat Block, existing site conditions, including prior disturbance, existing development, retaining walls, fencing, and other physical barriers, do not support habitat functions or wildlife movement on the property.

An updated Biological Resources Report prepared by England Ecology dated April 15, 2025, was submitted to the City on April 15, 2025. The SMMC did not have the opportunity to review the updated Report prior to the preparation of their comment letter; a copy of the updated Report was submitted to the SMMC on July 8, 2025. The updated Report analyzed the potential development of Parcel B with a single-family dwelling and perimeter fences that comply with the underlying zone. The updated Report provided that much of the site, including the proposed Parcel B is already developed with perimeter fencing. Furthermore, much of the surrounding area and adjacent lots are developed with residential structure, walls, fences, and physical barriers, as such, there is no evidence of a known wildlife movement corridor or impacts to any potential wildlife movement corridor. Subsequently, on October 30, 2025, an updated report was submitted to rectify inconsistencies in the recommendations and conclusions to corroborate the finding that the project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed.

As analyzed in the Biological Resources Report, the site does not contain or have value as habitat for endangered, rare or threatened species and will not have an impact on wildlife movement.

(d) **Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality.**

The scope of work is limited to the division of land insofar as no construction is proposed; therefore, there are no foreseeable effects to traffic, noise, air quality or water quality. However, the purpose of the proposed division of land is to accommodate future single-family development. Future development on the subject site will be subject to Regulatory Compliance Measures (RCMs), which require compliance with the City of Los Angeles Noise Ordinance, pollutant discharge, dewatering, storm water mitigations; and Best Management Practices for storm water runoff. More specifically, RCMs include but are not limited to:

- **Regulatory Compliance Measure RC-AQ-1 (Demolition, Grading and Construction Activities): Compliance with provisions of the SCAQMD District Rule 403.** The project shall comply with all applicable standards of the Southern California Air Quality Management District, including the following provisions of District Rule 403:
    - All unpaved demolition and construction areas shall be wetted at least twice daily during excavation and construction, and temporary dust covers shall be used to reduce dust emissions and meet SCAQMD District Rule 403. Wetting could reduce fugitive dust by as much as 50 percent.
    - The construction area shall be kept sufficiently dampened to control dust caused by grading and hauling, and at all times provide reasonable control of dust caused by wind.
    - All clearing, earth moving, or excavation activities shall be discontinued during periods of high winds (i.e., greater than 15 mph), so as to prevent excessive amounts of dust.
    - All dirt/soil loads shall be secured by trimming, watering or other appropriate means to prevent spillage and dust.
    - All dirt/soil materials transported off-site shall be either sufficiently watered or securely covered to prevent excessive amount of dust.
    - General contractors shall maintain and operate construction equipment so as to minimize exhaust emissions.
    - Trucks having no current hauling activity shall not idle but be turned off.
- **Regulatory Compliance Measure RC-NO-1 (Demolition, Grading, and Construction Activities):** The project shall comply with the City of Los Angeles Noise Ordinance and any subsequent ordinances, which prohibit the emission or creation of noise beyond certain levels at adjacent uses unless technically infeasible.
- **Regulatory Compliance Measure RC-GEO-1 (Seismic):** The design and construction of the project shall conform to the California Building Code seismic standards as approved by the Department of Building and Safety.
- **Regulatory Compliance Measure RC-HAZ-2: Explosion/Release (Methane Zone):** As the Project Site is within a methane zone, prior to the issuance of a building permit, the Site shall be independently analyzed by a qualified engineer, as defined in Ordinance No. 175,790 and Section 91.7102 of the LAMC, hired by the Project Applicant. The engineer shall investigate and design a methane mitigation system in compliance with the LADBS Methane Mitigation Standards for the appropriate Site Design Level which will prevent or retard potential methane gas seepage into the building. The Applicant shall implement the engineer's design recommendations subject to DOGGR, LADBS and LAFD plan review and approval.

These RCMs will ensure the project will not have significant impacts on noise, air quality, and water. Furthermore, the project does not exceed the threshold criteria established by LADOT for preparing a traffic study. Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality.

(e) **The site can be adequately served by all required utilities and public services.**

The project site will be adequately served by all public utilities and services because the proposed subdivision is consistent with the General Plan land use designation, and the site has existing development that is currently serviced by public utilities and services. The project site is served by the Los Angeles Police Department and Los Angeles Fire Department, Los Angeles Unified School District, and other public services. Additionally, the site is currently served by the Los Angeles Department of Water and Power, the Southern California Gas Company, and the Bureau of Sanitation. As such, the site can be adequately served by all required utilities and public services.

Therefore, the project meets all the Criteria for the Class 32 exemption.

Further, the Exceptions outlined in the State CEQA Guidelines Section 15300.2 do not apply to the project:

a. Location. The project is not located in a sensitive environment. Although the project is located within a hillside area and the Santa Monica Mountains Zone, as analyzed in the Biological Resources Report dated October 30, 2025, the subject site does not contain an officially mapped environmental resource or hazardous or critical concern. The proposed parcels are consistent with the scale and uses proximate to the area. The subject site is not located in a fault or flood zone, nor is it within a liquefaction area. Although the project is located within a landslide area, the project is subject to compliance with the requirements of the Building and Zoning Code that outline standards for residential construction in such areas.

b. Cumulative Impact. The proposed parcels are currently and will be consistent with the type of development permitted for the area zoned RE-20 and designated for Minimum Residential use. The proposed subdivision of one 143,359 gross square-foot lot into two lots resulting in one 113,546 square-foot lot and one 29,812 square-foot lot will not exceed thresholds identified for impacts to the area (i.e. traffic, noise, etc.) and will not result in significant cumulative impacts.

c. Significant Effect. The project will not have a significant effect on the environment due to unusual circumstances. Most adjacent lots are developed with single-family dwellings, and the subject site is of similar size and slope to nearby properties. The project site is located in a typical urbanized area of the Bel Air – Beverly Crest Community Plan, and the project would be consistent with the designated zoning and would adhere to all requirements of the LAMC, with the approval of Preliminary Parcel Map. The project is not unusual for the vicinity of the site and is similar in scope to other existing residential uses in the area. Furthermore, there is not a reasonable possibility that the project would have a significant effect on the environment due to unusual circumstances.

The subject site is located in a Very High Fire Hazard Severity Zone (VHFHSZ) and will comply with the specific requirements for landscaping and brush clearance. A VHFHSZ is not a mapped area that meets this exception as a wildfire is not an environmental resource. However, such areas are subject to existing emergency plans and regulations that govern development in fire hazards areas:

- Adopted emergency response plans and emergency evacuation plans applicable to the City of Los Angeles, include the City of Los Angeles Emergency Operations Plan and the Los Angeles County Operational Area Emergency Response Plan (OAERP). The OAERP defines responsibilities and provides guidance to agencies and jurisdictions within the County Operational Area on how to interface with the Operational Area Coordinator during emergencies and disasters. The City's Emergency Operations Plan and Annexes identify roles, responsibilities and required actions for various City departments, particularly LAFD and the LAPD. In addition to their emergency response plans, both the City and County also designate Disaster Routes, which are freeway, highway or arterial routes pre-identified for use during emergencies. Disaster routes are not the same as evacuation routes. The Evacuation Annex of the City's Emergency Operation Plan provides that "[p]rimary evacuation routes consist of the major interstates, highways, and primary arterials within the City and Los Angeles County." Disaster routes are used to bring emergency personnel, equipment, and supplies to impacted areas, while evacuation routes are used to move an affected population out of an impacted area. The closest County-designated primary (i.e. freeway) Disaster Route to the project site is the 405 Freeway (I-405).

- Hillside Development Construction Traffic Management Plan. Development in a hillside area are required to prepare a Construction Traffic Management Plan, subject to review and approval by the Department of Transportation (LADOT). A key feature of the construction management plan is ongoing coordination with the City and emergency service providers throughout the entire construction period to ensure adequate access is maintained to the project site and neighboring residences at all times. The construction management plan also requires the contractor to maintain access for land uses in proximity to the project site during construction, to minimize obstruction of through traffic lanes on surrounding public streets, and coordination of construction activity with related projects to further minimize construction traffic impacts. No new construction is proposed, the project is limited to a subdivision resulting in two parcels. Future development of Parcel B will be required to submit a construction traffic management plan to LADOT for review and approval.

- Fire, Building, and Zoning Code. Properties in VHFHSZs must comply with the requirements of Fire Code Section 57.322, which requires brush clearance within 200 feet of any structure. LAFD performs microenvironment weather analysis to check for irregular weather patterns and changes, which alerts LAFD to conditions such as windy days combined with low humidity. LAFD uses a Burning Index to determine when to call a Red Flag Day. A Red Flag Day is when the potential for a fast-moving brush fire is extremely high, when wind speeds are 25 mph or more and the humidity is 15 percent or less. On those days, illegally parked cars in VHFHSZ areas may be towed if their presence would prevent roadway access needed by LAFD. LAFD also has a significant air response ready to deploy, including water-dropping helicopters, and the mission of LAFD Air Operations includes brush fire suppression. LAFD also has access to additional helicopters, fixed-wing aircraft, bulldozers, and fire engines through mutual aid agreements with the state, County, and other cities in the region. In addition to attacking wildfires from the sky, LAFD also has ground resources such as fire engines and trucks.

- Chapter 33 of the City's Fire Code provides requirements designed to reduce risk of fire ignition during construction. These include, but are not limited to, prohibition of smoking except in areas approved by the LAFD, refueling of equipment in appropriate locations, preparation of a fire prevention program, and designation of fire watch personnel during occurrence of hazardous construction activities. The Fire Code (LAMC Section 57.4906.5.2) also requires the management of hazardous vegetation and fuel, as well as maintenance of defensible space in wildland-urban interface areas. The Fire Code also includes regulations

that address building materials and construction methods for construction in VHFHSZs, that are intended to reduce exterior wildfire exposure.

d. Scenic Highways: The project is not in the vicinity of a state scenic highway and will not damage scenic resources in a state scenic highway.

e. Waste Sites: The project site is not on a list compiled pursuant to Government Code Section 65962.5 related to hazardous waste sites.

f. Historical Resources: Per ZIMAS, SurveyLA, and/or Historic Places LA, the project site is not identified or eligible as a historical resource. The project will not cause a substantial adverse change in the significance of a historical resource.

The proposed project is determined to be categorically exempt and does not require mitigation or monitoring measures.

AA-2023-8121-PMLA-1A

C-2

Biological Resource Reports

- Report prepared by England Ecology, dated March 26, 2025
- Report prepared by England Ecology, dated April 15, 2025
- Report prepared by England Ecology, dated September 23, 2025
- Report prepared by England Ecology, dated October 30, 2025

marcus@mcengland.com
mcengland.com
englandecology
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Biological Resources Report

City of Los Angeles, Los Angeles County, California

Subject Property:

APN: 4368003021
1400 Vista Moraga
Los Angeles, California 90049

Prepared for:

Tony Natsis
Los Angeles, CA 90049

Prepared by:

Marcus C. England
England | Ecology
mcengland.com

March 26, 2025

Table of Contents

Executive Summary **1**

Project Overview **2**

Project Information 2

Project Location 2

Protected Areas 5

Existing Physical/Natural Site Features 6

Site History 8

1994 8

1979 8

1938 9

Fire History 9

Proposed Development 10

Characteristics of the Surrounding Area **11**

Applicable Regulations and Permits **13**

Federal 13

Federal Endangered Species Act 13

Migratory Bird Treaty Act 13

Bald and Golden Eagle Protection Act 14

Birds of Conservation Concern 14

State of California 14

California Endangered Species Act 14

Fully Protected Animals 15

Species of Special Concern 15

California Rare Plant Ranks 15

California Fish and Game Code Sections 3503, 3503.5, 3513 16

California Environmental Quality Act 16

City of Los Angeles 17

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance 17

Methods **18**

Definitions 18

Resource Status Designations Considered 18

Study Areas 18
Desktop Review 19
Databases 19
Site-Specific Reports 20
Field Survey 20
Occurrence Potential 20
Geospatial & Tabular Data Storage 22
Taxonomy & Nomenclature 22
Biological Site Conditions Assessment 23
Water Resources 23
Literature Review 23
Field Methodology 23
Data Analysis 23
General Conclusions 25
Vegetation Communities & Habitats 26
Literature Review 26
Field Methodology 26
Data Analysis 26
General Conclusions 33
Flora 34
Literature Review 34
Field Methodology 34
Data Analysis 34
General Conclusions 36
Fauna 37
Literature Review 37
Field Methodology 37
Data Analysis 37
General Conclusions 47
Conclusions and Recommendations 49

Figures

Figure 1. Project Location Map 2
Figure 2. Project Location Relative to Specific Plan Areas 4
Figure 3. Project Location Relative to the Public Land Survey System 4
Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads 4
Figure 5. Protected Areas in the California Protected Areas Database 5
Figure 6. Soils on the Project Site 6
Figure 7. Historic Aerial from 1994. Source: Google Earth. 8
Figure 8. Historic Aerial from 1979. Source: FrameFinder 8
Figure 9. Historic Aerial from 1938. Source: FrameFinder 9
Figure 10. Fire Perimeters Relative to the Project Site 9
Figure 11. Aerial View of Surrounding Area 11
Figure 12. National Hydrography Dataset and National Wetlands Inventory Data 24
Figure 12. Critical habitat for plants in a portion of the Regional Study Area 35
Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area 42
Figure 14. City of Los Angeles Wildlife Movement Connectivity Data 44

Tables

Table 1. Project Summary 2
Table 2. Survey Dates, Times, and Weather Conditions 20

Exhibits

Exhibit 1. Site Map 3
Exhibit 2. Terrain Map 7
Exhibit 3. Vegetation Communities & Land Cover 29

Appendices

Appendix A. Biological Reporting Standards Acknowledgement of Compliance
Appendix B. Report Contributors
Appendix C. Floral & Faunal Compendia
Appendix D. Desktop Review of Special Status Biological Resources
Appendix E. Photo Log
Appendix F. Reference Materials

Executive Summary

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concludes the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed.

Project Overview

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California (hereafter, "Project"). This report has been organized in a manner to be consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Project Information

This biological resources report is being prepared at the request of the Applicant, who states that this report format was requested by Los Angeles City Planning. **Table 1** (right) summarizes key Project information as required by CP-4073.

Project Name	1400 Vista Moraga
APN(s)	4368003021
Address(es)	1400 Vista Moraga, Los Angeles, California 90049
Applicant	Tony Natsis
Zoning	RE40-1-H-HCR (Residential)

Table 1. Project Summary

Project Location

The Project is proposed construction on approximately 3.3 acres of land located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California. It is not located within an existing approved Specific Plan Area. On the Public Land Survey System, the Project Site is located within the San Vicente Y Santa Monica Land Grant of the US Geological Survey's 7.5-minute *Beverly Hills* quadrangle.

The Project's location is shown to the right in **Figure 1.** A Site Map is provided as **Exhibit 1** on the next page. The Project's location relative to Specific Plan Areas, the Public Land Survey System, and US Geological Survey 7.5-Minute Quads is shown on the following page in **Figures 2, 3,** and **4.**



Figure 1. Project Location Map

Exhibit 1. Site Map

1400 Vista Moraga



Project Site Boundary

Reference Grid Overlay: 50 feet. Coordinate System: EPSG 3310.
Base Map: Google. Map Scale: 1:1104



Figure 2. Project Location Relative to Specific Plan Areas



Figure 3. Project Location Relative to the Public Land Survey System



Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads

Protected Areas

The nearest open space in the California Protected Areas Database (CPAD) is Getty View Park & Trailhead managed by the Mountains Recreation and Conservation Authority. It is located approximately 0.24 miles to the west. The nearest easement in the California Conservation Easement Database is located approximately 1.62 miles to the north. Protected areas in the CPAD are shown below in **Figure 5.**



Figure 5. Protected Areas in the California Protected Areas Database

Existing Physical/Natural Site Features

The Project Site is on a west-facing slope with elevations ranging from approximately 825 to 990 feet above mean sea level, with an elevation of approximately 915 feet above mean sea level at the center of the Project Site. Two soil types are present on the Project Site. The first is Urban land-Xerorthents, landscaped complex, 0 to 5 percent slopes[1]. The parent material of this soil type is human-transported material consisting mostly of colluvium and/or residuum weathered from sedimentary rock. The typical soil profile is loam to a depth of 52 inches. The second soil type is Topanga-Mipolomol-Sapwi association, 30 to 75 percent slopes. The parent material of this soil type is colluvium and/or residuum weathered from sandstone, shale, and slate. The typical soil profile is gravelly loam or gravelly clay loam to a depth of 18 inches. Photographs depicting the Project Site are provided in the **Photo Log** attached to this report as **Appendix E.** Soils on the Project Site and surrounding area are shown in **Figure 6.** There are no unique physical or natural site features that have unusual or exceptional biological value such as cliff faces, rock outcrops, bluffs, or stream banks. The Biological Study Area's terrain features are shown in **Exhibit 2.**



[1] https://websoilsurvey.sc.egov.usda.gov/app/

Figure 6. Soils on the Project Site

Exhibit 2. Terrain Map

1400 Vista Moraga



Site History

The City's CP-4073 reporting standards require a discussion of the Project Site's history, which is not information that is readily available, but can be assembled generally from historic aerial photos, such as those available on the UC Santa Barbara FrameFinder site[2] and Google Earth[3]. The images on the FrameFinder site are not georectified (making it difficult to place a Project Site boundary on them), but are useful for providing a general overview of land use history in the area. To that end, England|Ecology reviewed aerial photos from a series of years, three of which are provided below.

1994

This image from Google shows that the existing residence was present by 1994. Residences to the west of the Project Site appear to be under construction. The image referred to herein is provided as **Figure 7.**

Figure 7. Historic Aerial from 1994. Source: Google Earth.

1979

This image from FrameFinder shows that no residence was on the Project Site in that year. Development was present to the east, and it appears that the Project Site was largely cleared of shrubby vegetation. The image referred to herein is provided as **Figure 8.**

Figure 8. Historic Aerial from 1979. Source: FrameFinder

[2] https://mil.library.ucsb.edu/ap_indexes/FrameFinder/

[3] https://www.google.com/intl/en_us/earth/

1938

This image from FrameFinder shows no development was present on the Project Site and a large area around it. Vegetation appears to be mostly chaparral. The image referred to herein is provided as **Figure 9.**



Figure 9. Historic Aerial from 1938. Source: FrameFinder

Fire History

Fire perimeters relative to the Project Site are shown below in **Figure 10.** Based on these data[4] the Project Site last burned in the 1961 Bel Air Fire.



Figure 10. Fire Perimeters Relative to the Project Site

[4] https://www.fire.ca.gov/what-we-do/fire-resource-assessment-program

Proposed Development

This report has been prepared at the request of the Applicant for a proposed parcel split. No ground-disturbing activities are proposed at this time. The plan provided to England|Ecology during the preparation of this report is provided in **Appendix F.**

Characteristics of the Surrounding Area

The City's CP-4073 reporting standards require a discussion of landscape characteristics within 500 feet of the Project Site, the limits for which are shown below in **Figure 11.** A discussion of landscape aspects is provided thereafter.



Figure 11. Aerial View of Surrounding Area

- **Impermeable Surfaces:** Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. Based on field observations and current aerial photography, impermeable surfaces such roads, residences, and other structures occupy approximately 25% of the 500-foot radius, scattered throughout as various winding roads and houses.
- **Natural Vegetation:** Based on field observations and current aerial photography, natural vegetation communities are located at the southern and northern limits of the 500-foot radius.
- **Landscape Vegetation:** Based on field observations and current aerial photography, landscape vegetation such as maintained trees, shrubs, and forbs are the primary vegetation within the 500-foot radius.
- **Terrain:** Terrain within 500 feet is largely hilly. Aspect is variable.

- **Water Features:** There are no known water features within 500 feet of the Project Site.
- **General Anthropogenic Disturbance:** Based on field observations and current aerial photography, the area within 500 feet of the Project Site is residential in nature without any high traffic roads. As such, anthropogenic disturbance factors such as vehicle traffic, light, and noise are likely to be relatively low.
- **California Protected Areas Database:** There are no parks or other protected areas shown in the California Protected Areas Database within 500 feet of the Project Site.
- **California Conservation Easement Database:** There are no easements shown in the California Conservation Easement Database within 500 feet of the Project Site.

Applicable Regulations and Permits

The following summarizes regulations and other resource protection mechanisms that are known to be or potentially are applicable to biological resources on the Project Site. Key species status terms and their abbreviations, used later in this report, are in bold text.

Federal

Federal Endangered Species Act

The Federal Endangered Species Act (FESA) is the federal government's tool to protect rare and declining plant and wildlife species. It is implemented jointly by the US Fish and Wildlife Service (USFWS, terrestrial species) and the National Marine Fisheries Service. FESA protects species using the following status designations:

- An **endangered (FE)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as facing extinction throughout all or a significant portion of its geographic range.
- A **threatened (FT)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as likely to become endangered within the foreseeable future throughout all or a significant portion of its range.

A **proposed threatened (FPT)** or **proposed endangered (FPE)** species is one officially proposed for addition to the federal threatened or endangered species lists. A **candidate (FC)** species is one under review for listing, often due to the submittal of a petition by an outside entity.

"Take" of a federally endangered or threatened species or its habitat is prohibited by federal law without a special permit. The term "take", under FESA, means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in such conduct. "Harm" is defined to encompass "an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering" (50 CFR 17.3).

FESA also requires the USFWS to consider whether there are areas of habitat essential to conservation for each listed species. **Critical habitat (CH)** designations protect these areas, including habitat that is currently unoccupied but may be essential to the recovery of a species. An area is designated as critical habitat after the USFWS publishes a proposed Federal regulation in the Federal Register and then receives and considers public comments on the proposal. The final boundaries of critical habitat are officially designated when published in the Federal Register.

Migratory Bird Treaty Act

The Migratory Bird Treaty Act of 1918 (MBTA) is a federal law governing the taking, killing, possession, transportation, and importation of various birds, their eggs, parts, and nests. The take of any number of a bird species listed as protected on any one of four treaty lists is governed by the MBTA's regulation of taking migratory birds for educational, scientific, and recreational purposes and requiring harvest to be limited to levels that prevent over utilization. The MBTA also prohibits taking, possession, import, export, transport, selling, purchase, barter, or offering for sale, purchase or barter, certain bird species, their eggs, parts, and nests, except as authorized under a valid permit (50 CFR 21.11).

Bald and Golden Eagle Protection Act

The **Bald and Golden Eagle Protection Act (BGEPA)** (16 U.S.C. 668-668c), enacted in 1940, and amended several times since then, prohibits anyone, without a permit issued by the Secretary of the Interior, from "taking" eagles, including their parts, nests, or eggs. The Act provides criminal penalties for persons who "take, possess, sell, purchase, barter, offer to sell, purchase or barter, transport, export or import, at any time or any manner, any bald eagle ... [or any golden eagle], alive or dead, or any part, nest, or egg thereof." The Act defines "take" as "pursue, shoot, shoot at, poison, wound, kill, capture, trap, collect, molest or disturb." For purposes of the guidelines, "disturb" means: "to agitate or bother a bald or golden eagle to a degree that causes, or is likely to cause, based on the best scientific information available, 1) injury to an eagle, 2) a decrease in its productivity, by substantially interfering with normal breeding, feeding, or sheltering behavior, or 3) nest abandonment, by substantially interfering with normal breeding, feeding, or sheltering behavior." In addition to immediate impacts, this definition also covers impacts that result from human-induced alterations initiated around a previously used nest site during a time when eagles are not present, if, upon the eagle's return, such alterations agitate or bother an eagle to a degree that interferes with or interrupts normal breeding, feeding, or sheltering habits, and causes injury, death or nest abandonment.

Birds of Conservation Concern

The **Birds of Conservation Concern (BCC)** list "identifies the migratory and non-migratory bird species (beyond those already designated as federally threatened or endangered) that represent [the USFWS's] highest conservation priorities. The list is based on an assessment of several factors, including population abundance and trends, threats on breeding and nonbreeding grounds and size of breeding and nonbreeding ranges. Bird species considered for the BCC include: nongame birds gamebirds without hunting seasons subsistence-hunted nongame birds in Alaska ESA candidate, proposed, and recently delisted species.[5]"

State of California

California Endangered Species Act

The California Endangered Species Act (CESA) is the State of California's tool to protect rare and declining plant and wildlife species. Plant and animal species may be designated threatened or endangered under CESA after a formal listing process by the California Fish and Game Commission. Implementation of CESA is by the California Department of Fish and Wildlife (CDFW). CESA protects species using the following status designations:

- An **endangered (CE)** species is a species of plant or wildlife whose prospects of survival and reproduction are in immediate jeopardy.
- A **threatened (CT)** species is a species of plant or wildlife present in such small numbers throughout its range that it is considered likely to become an endangered species in the near future in the absence of special protection or management.

A **candidate (CC)** species is one formally under review for listing. Candidates species are protected from take by CESA during the review process.

[5] https://fws.gov/media/birds-conservation-concern-2021pdf

Fully Protected Animals

CDFW describes the **Fully Protected (FP)** animals list as "the State's initial effort in the 1960's to identify and provide additional protection to those animals that were rare or faced possible extinction. Lists were created for fish, amphibians, reptiles, birds and mammals. Fully Protected species may not be taken or possessed at any time and no licenses or permits may be issued for their take except for collecting these species for necessary scientific research, relocation of the bird species for the protection of livestock, or if they are a covered species whose conservation and management is provided for in a Natural Community Conservation Plan.[6]"

Species of Special Concern

Species of special concern (SSC) is an informal designation used by the CDFW for some declining wildlife species that are not officially listed as endangered, threatened, or rare. This designation does not provide legal protection, but signifies that these species are recognized as vulnerable by CDFW.

California Rare Plant Ranks

While not a government agency, the California Native Plant Society (CNPS) is a statewide resource conservation organization that has developed an inventory of California's special-status plant species that is highly regarded by the agencies and biologists. This inventory is a summary of information on the distribution, rarity, and endangerment of California's vascular plants. Rare or potentially rare plant species are ranked using the following system **(CRPR)**:

- **1A:** Plants Presumed Extirpated in California and Either Rare or Extinct Elsewhere.
- **1B:** Plants Rare, Threatened, or Endangered in California and Elsewhere
- **2A:** Plants Presumed Extirpated in California, But Common Elsewhere
- **2B:** Plants Rare, Threatened, or Endangered in California, But More Common Elsewhere
- **3:** Plants About Which More Information is Needed - A Review List
- **4:** Plants of Limited Distribution - A Watch List

After each rarity ranking, there is also a threat ranking:

- **0.1:** Seriously threatened in California (over 80% of occurrences threatened / high degree and immediacy of threat)
- **0.2:** Moderately threatened in California (20-80% occurrences threatened / moderate degree and immediacy of threat)
- **0.3:** Not very threatened in California (less than 20% of occurrences threatened / low degree and immediacy of threat or no current threats known)

[6] https://wildlife.ca.gov/Conservation/Fully-Protected

California Fish and Game Code Sections 3503, 3503.5, 3513

These California Fish and Game Code sections protect all birds, birds of prey, and all nongame birds, as well as their eggs and nests, for species that are not already listed as fully protected and that occur naturally within the state. Sections 3503 and 3503.5 of the CFGC stipulate the following regarding eggs and nests: Section 3503 states that it is unlawful to take, possess, or needlessly destroy the nest or eggs of any bird, except as otherwise provided by California Fish and Game Code or any regulation made pursuant thereto; and Section 3503.5 states that is it unlawful to take, possess, or destroy any birds in the orders Falconiformes or Strigiformes (birds-of-prey) or to take, possess, or destroy the nest or eggs of any such bird except as otherwise provided by CFGC or any regulation adopted pursuant thereto. Section 3513 states that it is unlawful to take or possess any migratory nongame bird as designated in the MBTA or any part of such migratory nongame bird except as provided by rules and regulations adopted by the Secretary of the Interior under provisions of the MBTA.

California Environmental Quality Act

Appendix G of the CEQA Guidelines is used by public agencies to determine whether a project may have a significant impact on biological resources. Under Appendix G (Section IV), a project may have a significant impact on biological resources if it would:

- Have a substantial adverse effect, either directly or through habitat modification, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations by the CDFW or USFWS.
- Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in the City or regional plans, policies, or regulations by the CDFW or USFWS.
- Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means.
- Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.
- Conflict with any local policies or ordinances protecting biological resources, such as tree preservation policy or ordinance (e.g., oak trees or California walnut woodlands).
- Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

In addition, Section 15065(a) of the CEQA Guidelines establishes that a significant impact may occur if "[t]he project has the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish and wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, [or] reduce the number or restrict the range of an endangered, rare or threatened species."

City of Los Angeles

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance

The Protected Tree and Shrub Relocation and Replacement Ordinance took effect in February 2021. As defined in Section 46.01 of the Los Angeles Municipal Code, “protected tree or shrub" means any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree, or any of the following Southern California indigenous shrub species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

- Protected Trees:
    - Oak tree including Valley Oak (*Quercus lobata*) and California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*).
    - Southern California Black Walnut (*Juglans californica*).
    - Western Sycamore (*Platanus racemosa*).
    - California Bay (*Umbellularia californica*).
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*).
    - Toyon (*Heteromeles arbutifolia*).

Sections 46.02 to 46.06 of the Los Angeles Municipal Code describe mitigation measures for tree impacts and penalties for violating the ordinance.

Methods

This report is informed by data from an expansive desktop review and a field survey, the methods for which are described below. From this section forward, the more biologically accurate terms *taxon* and *taxa* are used in place of the term *species* used in most regulations because of the fluid nature of modern taxonomy, with special status assignments often being made for subspecies and populations instead of entire species. The term *species* is only used where applicable to the discussion.

Definitions

Resource Status Designations Considered

A variety of agencies and respected non-profit organizations assess the conservation status of plant and wildlife taxa and habitats, however, not all are applicable to this report. The following special status designations were considered when determining special status taxa and habitats to be discussed:

- **Federal Status:** Taxa listed as **Endangered (FE)** or **Threatened (FT)**, as well as taxa **Proposed as Endangered (FPE)**, **Proposed as Threatened (FPT)**, **Proposed for Delisting (FPD)**, and **Candidates (FC)** for listing under the Federal Endangered Species Act. Bald and Golden Eagles protected by the **Bald and Golden Eagle Protection Act (BGEPA)** and **USFWS-listed Birds of Conservation Concern** are also included.
- **California Status:** Taxa listed as **Endangered (CE)** or **Threatened (CT)**, as well as taxa that are **Candidates for Endangered (CCE)** status, **Threatened (CCT)** status, or **Delisting (CCD)** under the California Endangered Species Act. Also considered are taxa listed as **Fully Protected (FP)** and **Species of Special Concern (SSC).**
- **CNPS Status:** California Rare Plant Ranks (CRPR) 1, 2, and 3.
- **NatureServe Element Ranks:** NatureServe element state ranks were only considered for taxa when other criteria did not apply. Taxa were included with ranks of **S1 (Critically Imperiled)**, **S2 (Imperiled)**, and **S3 (Vulnerable).**
- **Vegetation Communities:** All vegetation communities mapped by the CNDDB.
- **Protected Trees and Shrubs:** trees and shrubs protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance are discussed in the analysis of flora.

Study Areas

The following are the study areas referenced in the Biological Site Conditions Assessment:

- **Project Site:** The Project Site includes the 3.29 acres of land being considered for entitlements and directly surveyed for this report.
- **Biological Study Area:** The Biological Study Area includes the Project Site and a 200 foot buffer. For this Project, the Biological Study Area measures 16.18 acres in extent. Known or potentially-occurring biological resources were examined closely within the Biological Study Area, but may not have been directly surveyed because of access restrictions.

- **Regional Study Area:** The Regional Study Area is the area for which taxa and habitat records were pulled from most biological resource databases. It includes the 7.5-minute US Geological Survey quadrangle the Project Site is located in and all surrounding quadrangles: *Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys*, and *Venice*. The Regional Study Area is depicted in the **Desktop Review Report** provided as **Appendix D.**

Desktop Review

Databases

England|Ecology conducted a review of literature and data sources to characterize biological conditions and to compile records of special status biological resources that could potentially occur on the Project Site. The resources used for this analysis are described below.

- **Soils:** Soils on and in the vicinity of the Project Site were assessed using the Web Soil Survey tools provided by the US Department of Agriculture[7].
- **Water:** Potential water resources were examined using the US Geological Survey's National Hydrography Dataset[8] and the USFWS National Wetlands Inventory[9].
- **Vegetation Communities:** potentially-occurring sensitive vegetation community records were pulled from the California Natural Diversity Database (CNDDB)[10] for the Regional Study Area.
- **Flora and Fauna:** potentially-occurring special status plant and wildlife records were pulled from the following data sources:
    - Designated and proposed critical habitat layers from the US Fish & Wildlife Service[11]. Taxa were included if critical habitat was proposed or designated within the Regional Study Area.
    - CNDDB records from within the Regional Study Area.
    - The California Native Plant Society (CNPS) Rare Plant Inventory[12] records from within the Regional Study Area.
    - The USFWS-managed Information for Planning and Consultation (IPaC) database[13] for records returned when uploading the boundary of the Project Site.

[7] https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm

[8] https://www.usgs.gov/national-hydrography/national-hydrography-dataset

[9] https://www.fws.gov/program/national-wetlands-inventory/wetlands-mapper

[10] California Natural Diversity Database (CNDDB). March 12, 2025. State and Federally Listed Endangered, Threatened, and Rare Plants of California. California Department of Fish and Wildlife. Sacramento, CA.

11 https://ecos.fws.gov/ecp/report/critical-habitat

[12] https://rareplants.cnps.org

[13] https://ipac.ecosphere.fws.gov/

In addition, records were searched locally within eBird[14] and iNaturalist[15].

Site-Specific Reports

During the preparation of this report, England|Ecology was provided with the following report pertaining to biological resources on the Project Site, the data from which was incorporated into this report where applicable:

- **Arborist Report:** an arborist report was completed for this Project by Arbor Care, Inc. in October 2023[16]. Hereafter, this report will be referred to as the "Arborist Report".

This report is provided in **Appendix F.**

Field Survey

England|Ecology principal biologist Marcus C. England conducted a general biological survey on the Project Site of sufficient detail to document the presence/absence and condition of water resources, vegetation communities and habitats, and flora and fauna observed. This provided a baseline for understanding the potential for occurrence of special status biological resources.

The Project Site was easily covered on foot walking transects of convenience to examine biological resources. Where necessary, observations were made with Leica Noctivid 8x42 binoculars and documented with a Nikon D500 camera paired with a Sigma 150-600mm lens. All other observations were documented using various applications and functions on an iPhone 15 Pro, including the Solocator[17] app for photographic documentation of site conditions and the QField[18] app for collecting spatial (e.g., photo and resource locations) and non-spatial (e.g., floral and faunal lists) tabular data. After the survey was completed, data in QField was synchronized to a geospatial database using QGIS[19] 3.40.

Table 2. Survey Dates, Times, and Weather Conditions

Monday, March 17, 2025 0915-1015h (1 hours) Marcus C. England	56°F 13°C	60°F 16°C

Occurrence Potential

England|Ecology assessed the potential for occurrence of special status plant and wildlife taxa and habitats based on data provided by the desktop review and observations made during the field survey. For taxa for which field observations could not definitively determine occurrence, the following information was considered:

[14] https://ebird.org

[15] https://inaturalist.org

[16] Arbor Care, Inc. 2023. Tree Survey. 1400 N. Vista Moraga, Los Angeles, 90049. 9 pages.

[17] https://solocator.com/

[18] https://qfield.org/

[19] https://www.qgis.org/en/site/

- **Range:** The Regional Study Area—from which records were gathered—is a large area capturing many taxa that would not be expected to occur in the Biological Study Area. In general, range determinations were made as follows:
    - **Flora:** The range of the taxon is based on an export of point records of that taxon from Calflora[20] with each record provided a buffer of 10km. If the Biological Study Area was within that mapped range, it could be considered outside of range if the elevations in the Biological Study Area were more than ten percent outside of the known elevation range of the taxon. If alternative sources are used they are included in the notes.
    - **Fauna:** The range of the taxon was determined differently based on the taxonomic group:
        - **Invertebrates and Fish:** An export of records of that taxon from the Global Biodiversity Information Facility[21] with each record provided a buffer of 10km. If alternative sources are used they are included in the notes.
        - **Amphibians, Reptiles, Birds, and Mammals:** California Wildlife Habitat Relationships[22] range data from the California Department of Fish and Wildlife. If alternative sources are used they are included in the notes.
- **Habitat:** If the Biological Study Area was determined to be outside of the taxon's range, habitat was not assessed and is labeled "N/A". If the Biological Study Area was determined to be within the taxon's range, the quality of the habitats in the Biological Study Area to support any portion of that taxon's life cycle was assessed and labeled as "Low", "Medium", or "High". The rationale for that determination is provided in the Notes of the desktop review report.

These occurrence potential assignments are defined below:

- **Present:** Taxa or habitat/vegetation community is known to occur on the Project Site based on recent surveys, CNDDB (within 10 years), or other records.
- **High:** Taxa with known recent recorded occurrences/populations near the Project Site and highly suitable habitat occurs within the Project Site. Highly suitable habitat includes all necessary elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources).
- **Moderate:** Taxa with known recent recorded occurrences/populations near the Project Site; however, habitat within the Project Site has been moderately disturbed, fragmented, or is small in extent. Moderately suitable habitat includes several elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources). Furthermore, moderately suitable habitat may also be located at the edge of the taxon's range, or there are no reported occurrences nearby.

[20] https://www.calflora.org/

[21] https://gbif.org

[22] https://wildlife.ca.gov/Data/CWHR

- **Low:** Taxa with few known recent recorded occurrences/populations near the Project Site and habitat within the Project Site is highly disturbed or extremely limited. A low potential is assigned to annual or perennial plant taxa that may have been detectable during a focused survey in the appropriate blooming period but was not found; however, small populations or scattered individuals are still considered to have a low potential to occur. Additionally, taxa for which poor-quality habitat may support the taxon within the Project Site, but the reported extant range is far outside the Project Site and/or any species observations would anticipate being migratory (i.e., not likely to reproduce within the Project Site).

- **None:** Taxa or habitat/vegetation community are not expected to be present because focused surveys were conducted and the taxon or habitat/vegetation community was not detected, or the taxon was found in the desktop review, but suitable habitat (soil, vegetation, elevational range) was not found on the Project Site, or the Project Site is not within the known geographic range of the species.

The potential for bird species were further distinguished into those that may: 1) nest within or near the Project Site; 2) forage within or near the Project Site; and/or 3) occur on or near the Project Site only as transients during migratory flights or other dispersal events.

Geospatial & Tabular Data Storage

All GIS-based resource analysis was conducted in QGIS 3.40, with either local data copies stored in a GeoPackage database or using a web service provided by the organization housing the data. Data specific to the Project Site is stored in a statewide GeoPackage database file.

Taxonomy & Nomenclature

It is important within a given report to use a consistent taxonomy for clarity in communication, especially as the various sources used in the research for a report may not use the same taxonomy and nomenclature. The taxonomic database underpinning England|Ecology's work is updated monthly from NatureServe[23]. NatureServe's taxonomy includes an Element Code for each taxon. These same Element Codes are used by a variety of agencies and organizations, including the California Department of Fish and Wildlife in the CNDDB and the California Native Plant Society in their Rare Plant Inventory. The Element Code provides a basis for linking records from disparate data sources. In all cases in this report, the taxonomic order and nomenclature are NatureServe's[24], with the exception of the special status flora discussion which is linked to a monthly export of the Rare Plant Inventory. As such, while this report largely capitalizes common names consistent with the NatureServe taxonomy, tabular data exported for special status floral analysis does *not* use this convention, as it is not used by the California Native Plant Society.

[23] https://www.natureserve.org/classifying-biodiversity

[24] The author does not always agree with NatureServe's taxonomy (such as where it varies from that of the American Ornithological Society), but it provides a consistent basis for discussion across taxonomic groups.

Biological Site Conditions Assessment

This biological site conditions assessment describes the Project Site's biological resources based on the desktop review and field survey. The format of this section of the report is consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Water Resources

The following section discusses observed or potential water resources on and in the vicinity of the Project Site. A formal jurisdictional delineation was not conducted as part of data gathering for this report.

Literature Review

As described in the Methods section above, during the preparation of this report England|Ecology reviewed data from the National Hydrography Dataset and the National Wetlands Inventory. This review found the following:

- **National Hydrography Dataset:** The National Hydrography Dataset shows no flowlines within 500 feet, no area features within 500 feet, no water bodies within 500 feet, and no point features within 500 feet.
- **National Wetlands Inventory:** The National Wetlands Inventory shows no features within 500 feet.

These data are discussed in the Data Analysis section below and shown on **Figure 12.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Specific to water resources, while a formal jurisdictional delineation was not conducted, the entirety of the Project Site was searched for natural water resources. This included searching for ponded water, depressions that could hold ponded water, flowing water, stream channels or other indicators of ephemeral flowing water, and riparian plant species.

Data Analysis

Resource Presence/Absence

Per the National Hydrography Dataset, the Project Site is located within the Ballona Creek HU-12 drainage which is a subcomponent of the Ballona Creek HU-10 drainage. No hydrological features are mapped on the Project Site by the National Hydrography Dataset or the National Wetlands Inventory. No natural water features or indicators of the presence of ephemeral water features were observed on the Project Site during England|Ecology's survey.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.



Figure 12. National Hydrography Dataset and National Wetlands Inventory Data

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to surface water resources, such as siting the building footprint more than 100 feet away from the water body*. As no water bodies are present on or adjacent to the Project Site, no such considerations would be required of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects.

Direct Effects

CP-4073 states that direct effects *may occur if the project has surface water resources or other riparian habitat occurring in areas that will be disturbed either by development or used as construction staging areas*, further requiring to *provide acreage of water resources that will be impacted by the project*. As no natural water resources are present on or adjacent to the Project Site, no direct effects on water resources or other riparian habitat would occur as a result of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on water resources.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding or modifying human infrastructure that leads to hydrologic interruptions.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on water resources.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses of surface water resources and/or riparian habitat,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses of surface water resources or other riparian habitat.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on water resources within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to water resources. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of surface water resources or other riparian habitat.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on water resources.

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on water resources as no natural water features are present on the Project Site and no ground-disturbing activities are proposed.

Vegetation Communities & Habitats

The following section discusses vegetation communities and habitats in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

A review of the CNDDB determined a total of seven sensitive vegetation communities are mapped within the Regional Study Area. These are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Mapped vegetation had the potential to fall into two categories:

- **Natural Alliance:** native or non-native natural vegetation communities that are recognized by the Manual of California Vegetation[25], a classification system recognized by most agencies. Areas with heavy anthropogenic influence, such as seasonal ground disturbance from fuel modification, are tagged as "Disturbed". Most alliances provide some level of habitat for wildlife, though it can be minimal when disturbed or dominated by invasive plant species.

- **Land Cover:** areas of hardscape, water features, and landscaping that do not fall into the alliance classification scheme. This may include tree-dominated landscapes that do have an associated alliance (such as oak and *Eucalyptus* woodlands) but are not in a natural state, such as those found in heavily residential areas.

Data Analysis

Resource Presence/Absence

General Resource Analysis

England|Ecology mapped vegetation communities and land cover types on the Project Site and the 200-foot Biological Study Area based upon recent aerial photography and field observations. This resulted in the classification/mapping of six land cover types in the Biological Study Area. These are discussed below and shown on **Exhibit 3.** Summary boxes for each vegetation description are color-matched to their polygons in **Exhibit 3** for ease of reference. No natural alliances were present in the Biological Study Area.

[25] https://vegetation.cnps.org/



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 9.17 acres (56.6%)
Project Site Extent: 2.29 acres (69.57%)

Landscape - Tree & Shrub

Non-Alliance Land Cover

Project-Specific Discussion: The "tree & shrub" landscape type is a mix of taller vegetation dominated by non-native trees and typically set in a managed landscape environment. In some cases, native trees are included in this land cover type when part of landscaping and not a functional natural community. Habitat value of this land cover type varies significantly, however, urban environments with significant tall tree cover often harbor a large number of wildlife. This is particularly true of birds.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 1.54 acres (9.53%)
Project Site Extent: 0.25 acres (7.44%)

Landscape - Forb

Non-Alliance Land Cover

Project-Specific Discussion: The "forb" landscape type includes all managed but typically artificially-planted areas of vegetation that are shorter than shrubs. This land cover type includes lawns. These areas have some value for wildlife, as landscape flowers provide food for hummingbirds and butterflies, and lawns can provide foraging areas for some birds and small mammals. Their overall habitat value, however, is significantly lower than any natural habitat they may have replaced. This land cover type is also typically dominated by non-native and often invasive plant species.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 4.88 acres (30.12%)
Project Site Extent: 0.73 acres (22.3%)

Disturbed - Impermeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.16 acres (0.99%)
Project Site Extent: 0.02 acres (0.69%)

Artificial Water Feature

Non-Alliance Land Cover

Project-Specific Discussion: Artificial water features are man-made, typically small bodies of water. The majority of these are swimming pools, which generally have no practical wildlife value. In some cases, small ponds and large fountains may be mapped as this land cover type. These often do have wildlife value, particularly given Southern California's arid environment.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.38 acres (2.34%)
Not represented on Project Site.

Residential - Undifferentiated

Non-Alliance Land Cover

Project-Specific Discussion: Areas mapped as Residential-Undifferentiated were graded and under construction during the survey or were recently constructed and graded and under construction in the aerial photography used for mapping. When complete, these areas would be one of other land cover types such as Impermeable Surface or Landscaping.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.07 acres (0.41%)
Not represented on Project Site.

Disturbed - Permeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Permeable Surfaces are parts of the built environment, including compacted but unpaved areas devoid of vegetation, gravel, and unimproved roads. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat, though in some cases—such as unimproved roads—they may occur within habitat.

Exhibit 3. Vegetation Communities & Land Cover

1400 Vista Moraga



Special Status Resource Analysis

The seven sensitive vegetation communities mapped by the CNDDB as occurring within the Regional Study Area are shown below. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site. The accounts highlight determinations of their potential occurrence on the Project Site as well as their potential to be adversely affected by the Project based on field observations.



Potential Occurrence: None

Potential For Project to Effect: None

Southern Dune Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT21330CA
CNDDB Records:	1
Taxon Group:	Dune
Habitats:	Coastal dunes
Notes:	—

Potential Occurrence: None

Potential For Project to Effect: None

Riversidian Alluvial Fan Sage Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT32720CA
CNDDB Records:	1
Taxon Group:	Scrub
Habitats:	Coastal scrub
Notes:	—

Southern Coastal Salt Marsh

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT52120CA
CNDDB Records:	1
Taxon Group:	Marsh
Habitats:	Marsh & swamp; Wetland
Notes:	—



Southern Coast Live Oak Riparian Forest

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT61310CA
CNDDB Records:	9
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Cottonwood Willow Riparian Forest

Global Rank:	G3
State Rank:	S3.2
Taxon Code:	CTT61330CA
CNDDB Records:	1
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Sycamore Alder Riparian Woodland

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT62400CA
CNDDB Records:	20
Taxon Group:	Riparian
Habitats:	Riparian woodland
Notes:	—

California Walnut Woodland

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT71210CA
CNDDB Records:	9
Taxon Group:	Woodland
Habitats:	Cismontane woodland
Notes:	—

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* No native vegetation is

present on the Project Site, therefore, no avoidance measures would be required of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects.

Direct Effects

CP-4073 guidance only addresses direct effects on individual flora species, not vegetation communities or habitats. As no natural vegetation communities are present on or adjacent to the Project Site, no direct effects on such communities would occur as a result of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on vegetation communities.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on vegetation communities.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* For this section, however, we will replace special status species with native or natural vegetation communities. As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on vegetation communities within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of vegetation communities and habitats.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on vegetation communities.

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on vegetation communities as no natural vegetation communities are present on the Project Site and no ground-disturbing activities are proposed.

Flora

The following section discusses flora in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The floral literature review identified 46 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 118 occurrences of 38 floral taxa in the CNDDB for the Regional Study Area.
- **CNPS:** 64 floral taxa in the CNPS Rare Plant Inventory for the Regional Study Area.
- **IPaC:** Two floral taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** One floral taxon with proposed or designated critical habitat in the Regional Study Area.

All special status flora considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.** Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Plant taxa were identified and recorded along with their approximate abundance and condition in a geospatial database. Landscape plants were largely ignored unless they were native taxa maintained within landscaping, or if they were potentially of biological importance.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 13 floral taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C.** No special status floral taxa from the Desktop Review were detected. One taxon protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance was detected, outside of the area addressed by the Arborist Report (which only provided data on the proposed parcel to be split). The known or expected status of all special status flora analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 46 special status floral taxa analyzed for this report, 0 were determined to be Present, 0 were determined to have a High potential for occurrence, 0 were determined to have a Moderate potential for occurrence, 0 were determined to have a Low potential for occurrence, and 46 were determined to have no potential for occurrence. These data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential.

Critical Habitat

While critical habitat for a plant listed under the Federal Endangered Species Act has been designated within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 12.**



Figure 12. Critical habitat for plants in a portion of the Regional Study Area

Potential Protected Trees and Shrubs

The following summarizes the presence or absence of taxa that are potentially protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance:

- Protected Trees:
    - California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*): not present.
    - Southern California Black Walnut (*Juglans californica*): not present.
    - Western Sycamore (*Platanus racemosa*): present.
    - California Bay (*Umbellularia californica*): not present.
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*): not present.
    - Toyon (*Heteromeles arbutifolia*): not present.

The Arborist Report addressing the proposed parcel to be split is provided in **Appendix F.** As stated previously, the sycamore is not represented in the Arborist Report as it is outside of the area covered by that report.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required.

Direct Effects

CP-4073 states that direct effects *may occur if a flora species is identified within areas that will be disturbed either by development or used as construction staging areas*. The guidance further describes the particulars of analyzing direct effects on special status plants. As no special status flora are present on or adjacent to the Project Site, no direct effects on special status flora would occur as a result of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on flora.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on floral resources.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on flora within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of flora.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status plants.

General Conclusions

No special status plants are known to occur or expected to occur on the Project Site. The proposed Project will not have significant direct, indirect, or cumulative effects on special status plants as no special status plants are present on the Project Site and no ground-disturbing activities are proposed.

Fauna

The following section discusses fauna in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The faunal literature review identified 77 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 313 occurrences of 58 faunal taxa in the CNDDB for the Regional Study Area.
- **IPaC:** 24 faunal taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** Four faunal taxa with proposed or designated critical habitat in the Regional Study Area.

All special status fauna considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D**. Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2**. All wildlife species directly observed, heard (e.g., bird song), or for which sign was observed (e.g., gopher burrows, scat, etc.) were recorded in a geospatial database. While larger bird nests—such as those used by raptors and corvids—were searched for as they can be used across years, a time-intensive nesting bird survey was not conducted as the results would be irrelevant to the Project's timeline. The site was also assessed for potential bat roosting habitat, suitability for wildlife movement, and use by other wildlife taxa of importance where applicable.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 17 faunal taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C**. This list includes 0 amphibian, 0 reptile, 16 bird, and one mammal detections during fieldwork conducted on the Project Site. The most commonly observed taxa were Botta's Pocket Gopher (*Thomomys bottae*), Ruby-crowned Kinglet (*Corthylio calendula*), and Lesser Goldfinch (*Spinus psaltria*). A total of two special status faunal taxa were detected. The known or expected status of all special status fauna analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 77 special status faunal taxa analyzed for this report, two were determined to be Present, five were determined to have a High potential for occurrence, four were determined to have a Moderate potential for occurrence, six were determined to have a Low potential for occurrence, and 60 were determined to have no potential for occurrence. These

data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site (for taxa that are in the CNDDB). All data, including habitat descriptions, is directly from the CNDDB.

American Peregrine Falcon

Falco peregrinus anatum

Legal Status:	FD, CD, S3S4
Source(s):	CNDDB(2)
Taxon Code:	ABNKD06071
Natural History:	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.
Range Notes:	—
Habitat Suitability:	High. No suitable nesting habitat on or near the Project Site. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes:	This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Habitats:	Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



Western Screech-Owl

Megascops kennicottii

Legal Status:	BCC
Source(s):	IPaC
Taxon Code:	ABNSB01040
Natural History:	No CNDDB habitat description available
Range Notes:	—
Habitat Suitability:	High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes:	—
Habitats:	Potentially found in Landscape - Tree & Shrub



Allen's Hummingbird

Selasphorus sasin

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNUC51030
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.
Habitats: Potentially found in Landscape - Tree & Shrub



Nuttall's Woodpecker

Dryobates nuttallii

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNYF07020
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: Medium quality. EnglandlEcology disagrees. Present in nearly all wooded areas of Los Angeles.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Oak Titmouse

Baeolophus inornatus

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPAW01100
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Wrentit

Chamaea fasciata

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBJ26010
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



California Thrasher

Toxostoma redivivum

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBK06080
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Lawrence's Goldfinch

Spinus lawrencei

Legal Status: S4, BCC
Source(s): IPaC
Taxon Code: ABPBY06100
Natural History: NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandlEcology agrees.
Notes: Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.
Habitats: Potentially found in Landscape - Tree & Shrub



Pallid Bat

Antrozous pallidus

Legal Status: SSC, S3
Source(s): CNDDB(4)
Taxon Code: AMACC10010
Natural History: DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
Habitats: Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



San Diegan Legless Lizard

Anniella stebbinsi

Legal Status: SSC, S3
Source(s): CNDDB(36)
Taxon Code: ARACC01060
Natural History: GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



San Bernardino Ring-necked Snake

Diadophis punctatus modestus

Legal Status: S2?
Source(s): CNDDB(1)
Taxon Code: ARADB10015
Natural History: MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Critical Habitat

While critical habitat for wildlife listed under the Federal Endangered Species Act has been designated or proposed within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 13.**



Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area

Mountain Lion

Planning document CP-4074 requires consideration of the potential presence of Mountain Lion (*Puma concolor*). Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for mountain lion dens, including caves, large natural cavities within rocky areas, or vegetation thickets deemed appropriate for use by mountain lions based on size and other characteristics (e.g., proximity to human development, surrounding habitat). Habitat use should be based on two behavior categories: reproductive behavior (communication and denning), or non-reproductive behavior (moving and feeding), and any natural communities on the project site that are suitable for either behavior*: There was no habitat on the site suitable for Mountain Lions for reproductive or non-reproductive behavior. This is because of the following observed factors: existing development of the Project Site, surrounding human development, and lack of natural habitats.

- *Evidence of mountain lion presence (e.g., direct observation, tracks, scat, carcasses or bones of prey species) in the vicinity of identified suitable habitat*: No evidence of Mountain Lion presence was detected during the survey and none would be expected.

- *Habitat suitable for mule deer, including the presence of grasses and forbs, woodland vegetation (especially acorn mast), chaparral vegetation (especially chamise shrubs), and riparian vegetation*: While Mule Deer likely occur periodically, there is no natural habitat for Mule Deer on or near the Project Site.

- *Evidence of mule deer presence (e.g., direct observation, tracks, scat, carcasses)*: No evidence of Mule Deer presence was detected during the survey and none would be expected.

As Mountain Lion would not be expected to occur, the proposed Project would not have an adverse effect on Mountain Lions.

Bats

Planning document CP-4074 requires an assessment of bat habitat for day and night roosts. Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for bats, including trees (e.g., palm trees, large old trees with cavities, dead trees), cliff faces, rock outcroppings, structure overhangs (e.g., roof overhangs on houses and sheds), and bridges*: There are numerous palm trees, large old trees (though perhaps none with cavities, and structure overhangs.

- *Evidence of bat presence (e.g., direct observation (alive or dead), guano deposits, urine stains, vocalizations) in the vicinity of identified suitable habitat*: No evidence of bat presence was observed.

- *The proximity of suitable bat habitat to prime foraging areas, such as water sources (e.g., artificial lakes, reservoirs, pools, rivers, drainages, or storm channels)*: The nearest potential prime foraging area for bats is Stone Canyon Reservoir located approximately 1.3 miles to the northeast.

If bats are present, it would most likely be for aerial foraging during nighttime. Roosting, however, cannot be ruled out based on the survey data collected thus far.

Nesting Birds

Birds – including native species protected by the Migratory Bird Treaty Act and California Fish and Game Code – have the potential to nest in nearly any environment, including those heavily altered by anthropogenic activity. Planning document CP-4074 provides specific guidance for assessing the potential for nesting birds. Guidance language provided in CP-4074 is provided in italics:

- *Describe the methodology used to assess the project site for suitable nesting birds, with specific reference to long-term nesting species such as raptors (hawks, owls, falcons) and colonial waterbirds (e.g., herons and egrets). Please ensure that the entire vicinity of the subject property (e.g., out to 500') is evaluated, both for these long-term nests, as well as for their foraging habitat. If no nesting birds are found, summarize the negative survey results*: The entirety of the Project Site was directly surveyed as described in the *Methods* section of this report. To the extent feasible, larger trees out to 500 feet from the Project Site were assessed remotely using 8X42 Leica Noctivid binoculars, looking for visible evidence of larger platform nests. Raptors and corvids were also observed during the survey for behavioral indicators of nest location. The Project Site is not in a location where colonial waterbirds would be expected to nest. No raptor or corvid nests were detected during the survey.

- *Surveys should identify habitat suitable for nesting birds, including trees, shrubs, and structure overhangs (e.g., roof overhangs on houses and sheds)*: Nesting on the Project Site by smaller bird species would be expected during the nesting season. Potential nest locations include landscape shrubs and trees and existing structures on the Project Site.

- *Evidence of nesting birds (e.g., photos of nests with birds inside)*: No nesting birds were detected during the survey, however, a specific and time-intensive nesting bird survey, watching for behavioral indicators of nesting behavior, was not conducted.

Wildlife Movement

Wildlife movement corridors are important for maintaining population levels and genetic diversity. As such, effects on wildlife movement are an important consideration when discussing the natural resources of any area. At a small enough scale, any project or activity can potentially affect the movement of wildlife if any wildlife are present at all. In general, however, the term "wildlife movement corridor" means an area of habitat that is important for the movement of wildlife

between larger habitat areas or cores. For the proposed Project, England|Ecology considered the following relative to the importance of lands on the Project Site for wildlife movement:

- **The South Coast Missing Linkages Project:** The South Coast Missing Linkages Project[26] was a 2008 inter-agency effort to identify and conserve the highest-priority linkages in the South Coast Ecoregion. The nearest linkage to the Project Site is Santa Monica - Sierra Madre located approximately 12.05 miles to the west.

- **The California Essential Habitat Connectivity Project:** The California Essential Habitat Connectivity Project[27] was a 2010 project commissioned by the California Department of Fish and Wildlife and Caltrans which identified remaining blocks of contiguous natural habitat in California (i.e., natural landscape blocks) and modeled linkages between neighboring large natural landscape blocks. The nearest linkage to the Project Site is Castro Peak/Santa Monica Mtns - Pine Mountain/Sespe Condor located approximately 11.4 miles to the west.

Figure 14. City of Los Angeles Wildlife Movement Connectivity Data

- **City of Los Angeles Wildlife Connectivity:** The City of Los Angeles provides remotely-sensed habitat connectivity data[28] for assessing potential wildlife movement. The data is provided at a 30 meter resolution. The data shows most of the Biological Study Area as having restricted movement, with some small but disconnected patches suggesting movement could occur. A map depicting these data for the Biological Study Area is provided as **Figure 14.**

- **Direct Observations:** The Project Site is developed, is surrounded by other residential development, has surrounding walls and fencing, and has no natural vegetation communities. All of which would suggest the Project Site is not part of any potential wildlife movement corridor.

[26] http://www.scwildlands.org/

[27] https://wildlife.ca.gov/Science-Institute/Habitat-Connectivity

[28] https://geohub.lacity.org/maps/labos::citywide-wildlife-connectivity/about

Based on the above observations, lands on the Project Site would not be a component of an existing wildlife movement corridor nor would any new development on the Project Site be expected to significantly obstruct wildlife movement beyond existing conditions.

Protected Areas for Wildlife & Wildlife Movement Pathways

The Project Site may be located[29] within the Santa Monica Mountains East PAW as described in the *Protected Areas for Wildlife & Wildlife Movement Pathways* (PAWs) report prepared by ESA for Los Angeles City Planning in February 2021[30]. Relative to the criteria described for that PAW, the Project Site:

- Criterion 1: Supports Endangered & Threatened Plants/Wildlife: the PAWs report states that this PAW "Supports Endangered or Threatened wildlife species." While this is true in many preserved open space areas and areas nearby, there is no evidence that the Project Site supports endangered and threatened plants and/or wildlife. The habitats on-site are unlikely to do so as noted in the sensitive flora and fauna discussions above and in the attached **Desktop Review Report.**

- Criterion 2: Supports Unique/Restricted Distribution in Southern California: the PAWs report states that this PAW "Supports sensitive natural plant communities and special-status plant and wildlife species (e.g., CRPR plant species, SSC wildlife species)." The Project Site does not support natural plant communities, as noted previously in the **Vegetation Communities & Habitats** section of this report. As described in the **Flora** section of this report, as well as the attached **Desktop Review Report**, the Project Site would not be expected to harbor CRPR plant species. As described in the **Fauna** section of this report, as well as the attached **Desktop Review Report**, the Project Site has potential to harbor the following SSC wildlife species: Pallid Bat and San Diegan Legless Lizard.

- Criterion 3: Supports Unique/Restricted Distribution in Los Angeles: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

- Criterion 4: Supports Linkages/Constrained Linkages: the PAWs report states that this PAW "Supports Linkages/ Constrained Linkages". As noted earlier in this report in the Wildlife Movement section, the Project Site is not in a position to provide connectivity between habitat blocks.

- Criterion 5: Supports Breeding/Feeding/Resting/Migrating Grounds with Limited Availability in Southern California/ Los Angeles: the PAWs report states that this PAW "Supports a variety of bird species, and is important for preserving biodiversity." It is, indeed, the case the Project Site supports a variety of bird species as do most vegetated areas of Southern California. As described below in Potential Project Effects, the Project would not be expected to significant adverse effects on bird species.

- Criterion 6: Restoration Foreseeable: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

[29] Spatial data with these boundaries has not been made public. The only reference available are low resolution maps in the PAWs Report.

[30] ESA. 2021. Protected Areas for Wildlife & Wildlife Movement Pathways. Report prepared for Los Angeles City Planning. 354 pages.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to fauna, such as incorporating minimal landscape lighting and wildlife-friendly fencing*. The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required.

Direct Effects

CP-4073 states that direct effects *may occur if a fauna species is identified as nesting, foraging or otherwise occurring in areas that will be disturbed either by development or used as construction staging areas.* The guidance further describes the particulars of analyzing direct effects on special status wildlife, and states that direct effects *may also occur if the project may restrict or block the entrances/exits of a wildlife corridor*. The Project's potential to directly affect different categories of wildlife is discussed below:

- **Invertebrates:** No special status invertebrates are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status invertebrates.
- **Fish:** No special status fish are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status fish.
- **Amphibians:** No special status amphibians are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status amphibians.
- **Reptiles:** While two special status reptiles have moderate or higher potential to occur on the Project Site, one of these taxa is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[31]. The other has no formal legal status. No measures would be required of any Project to avoid significant adverse effects on special status reptiles.
- **Birds:** While special status birds are present or have a high potential for occurrence, those occurring and potentially occurring are: seven Birds of Conservation Concern, which are non-threatened and non-endangered taxa with an administrative designation that carries no formal legal status, and one delisted raptor for which no nesting habitat is present. The Project, however, is a proposed parcel split with no ground-disturbing effects.
- **Mammals (Except Bats):** No special status non-bat mammals are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status non-bat mammals.

[31] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

- **Bats:** While one special status bat has moderate or higher potential to occur on the Project Site, this taxon is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[32]. While bat roosts were not definitively documented, there are trees on the Project Site that are potentially suitable for bat roosting. The Project, however, is a proposed parcel split with no ground-disturbing effects.

- **Wildlife Movement:** As described previously in the section on **Wildlife Movement**, the Project Site is not important to wildlife movement or a component of a known or potential wildlife movement corridor. As such, no measures would be required of any Project to avoid significant adverse effects on wildlife movement.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding wildlife barriers (e.g., fencing) or modifying human infrastructure commonly utilized by wildlife (e.g., culverts)*. The proposed Project is a parcel split. As such, the proposed Project would not have adverse indirect effects on faunal resources.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *from cumulative losses in the local populations of a sensitive/special status species or in a general wildlife corridor,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species or general wildlife connectivity.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on habitats, species populations, and wildlife movement within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to these aspects of wildlife use of the local environment. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses habitat, species, or connectivity.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status fauna.

General Conclusions

The Project Site provides or has potential to provide habitat to the following special status faunal resources:

- Two fauna taxa determined to be Present: Allen's Hummingbird, and Wrentit;

- Five fauna taxa determined to a High potential for occurrence: American Peregrine Falcon, California Thrasher, Nuttall's Woodpecker, Oak Titmouse, and Western Screech-Owl;

- Four fauna taxa determined to have a Moderate potential for occurrence: Lawrence's Goldfinch, Pallid Bat, San Diegan Legless Lizard, and San Bernardino Ring-necked Snake;

[32] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

- Nesting birds protected by the Migratory Bird Treaty Act and California Fish and Game Code.

The proposed Project will not have significant direct, indirect, or cumulative effects on special status wildlife as no ground-disturbing activities are proposed.

Conclusions and Recommendations

This report discussed the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concluded the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed.

Appendix A. Biological Reporting Standards Acknowledgement of Compliance

APPLICATIONS

BIOLOGICAL REPORTING STANDARDS ACKNOWLEDGMENT

ACKNOWLEDGMENT OF COMPLIANCE

Biological report preparers must sign and include the following acknowledgment in the report:

I attest that I meet the requirements for a Qualified Biologist and California Department of Fish and Wildlife (CDFW) qualifications for botanical field surveyors, both as defined in the Biological Reporting Standards document (CP-4074).

I attest that the creation of the Biological Resources Report complied with all the following standardized requirements in the Biological Reporting Standards document (CP-4074), unless explicitly noted otherwise. Any deviations from the above standards have been detailed and justified in the Biological Resources Report.

Name of Lead Biologist Marcus C. England

Lead Biologist Signature **Date** Mar 26, 2025

Names of Additional Biologists N/A

Company Name & Contact Information

England|Ecology, LLC

1704 Winmar Drive

Los Angeles, CA 90065

Appendix B. Report Contributors

All fieldwork, report text, and maps were prepared by Marcus C. England whose resume follows.

Marcus C. England
Principal Biologist

Marcus C. England offers over two decades of experience, with expertise in avian biology, population ecology, project permitting, technical writing, and GIS and project experience in all industries.

marcus@mcengland.com
mcengland.com
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Summary

Marcus C. England is an experienced principal biologist with expertise in avian biology, population ecology, project permitting, technical writing, geographic information systems, and database management. He has led teams on large and complex projects in all industries across the western United States. He has a recovery permit to conduct surveys for California Gnatcatcher, Southwestern Willow Flycatcher, and Yellow-billed Cuckoo and has extensive experience conducting protocol surveys for Least Bell's Vireo, Burrowing Owl, Swainson's Hawk, and Desert Tortoise. England has a thorough knowledge of the California Environmental Quality Act (CEQA), National Environmental Policy Act (NEPA) and Federal Endangered Species Act (FESA) and how these state and federal policies, as well as local land use and environmental policies, apply to the project permitting process. England has written biological resources assessments and biological assessments for some of the largest development projects in the state of California, including projects in Sacramento, Kern, Ventura, Los Angeles, Orange, San Bernardino, Riverside, and San Diego counties and has successfully supported project permitting under an array of regional habitat conservation plans statewide. He has also written due diligence documents for large projects in northern California, Arizona, New Mexico and Nevada. He currently sits on the Science Advisor Panel for the Clark County (Nevada) Multiple Species Habitat Conservation Plan.

Employment History

Independent Consulting Biologist
dba England|Ecology (now England|Ecology, LLC)
Jan 2010 - Jun 2011, Oct 2016 - Mar 2020, Mar 2023 - Present — Los Angeles, CA

- Author proposals, respond to RFP needs for teaming partners
- Conduct all aspects of fieldwork, data management, report writing, mapping
- Business planning, marketing, relationship development

Director of Biological Resources
Bargas Environmental Consulting
Mar 2020 - Mar 2023 — Sacramento, CA

- Corporate leader, department head, and project manager
- Conduct all aspects of fieldwork, data management, report writing, mapping

Vice President
Bloom Biological
Jun 2011 - Oct 2016 — Santa Ana, CA

- Lead development of corporate business strategy, obtain new work contracts
- Manage staff and biological data, conduct fieldwork, author reports, mapping

Director of Biological Services
Natural Resource Consultants
Jun 2003 - Dec 2009 — Laguna Beach, CA
Write proposals, manage staff and biological data

- Conduct all aspects of fieldwork, data management, report writing, mapping
- Conduct fieldwork, author reports

Chief Ornithologist
Lamanai Field Research Center
Sep 1998 - Jun 2000 — Belize, Central America

- Develop and implement ecosystem-scale research on birds
- Manage volunteer biologists, lead birding tours, develop new tour clients

Permits

Recovery Permit TE-082233
US Fish and Wildlife Service
Jan 2005 - Present

- California Gnatcatcher, Southwestern Willow Flycatcher, Yellow-billed Cuckoo

Scientific Collecting Permit SC-11354
California Department of Fish & Wildlife
Jan 2010 - Present

Expertise

Field Biology
- Specialist in avian ecology and identification
- Sensitive species surveys including Desert Tortoise, California Gnatcatcher, Burrowing Owl, Least Bell's Vireo, Swainson's Hawk, Golden Eagle among many others
- Large-scale vegetation mapping projects and impact analysis
- CEQA, NEPA, FESA, NCCPs
- GPS and mobile field data collection systems

Geospatial
- Desktop software: ArcGIS, QGIS, GRASS
- Server and geodatabases: PostGIS, Spatialite
- Web mapping: Google Maps, OpenLayers

Project Management
- Array of projects in many industries
- Oversight of large multidisciplinary teams
- Reliably on time and within budget
- Collaborate with clients, agencies, other stakeholders

Office
- Operating systems: MacOS, Windows, Linux
- Mobile: iOS, iPadOS, Android
- Productivity Software: MS Office, Apple iWork
- Data Management: MS Access, Excel, Ninox, PowerApps, PostgreSQL
- Server: SharePoint, Plone, Linux

Education

B.Sc. in EEO Biology
The Ohio State University
Mar 1993 - Jun 1998

Management Development for Entrepreneurs
UCLA Anderson School of Management
Sep 2021 - Jan 2022

Certificate in Tropical Ornithology
Estación Biológica La Suerte, Costa Rica
Jun 1996 - Jul 1996

Below: *contemplating the upcoming day's work during implementation of a contract with the US Bureau of Land Management to survey Pygmy Rabbits in a remote area of northern Nevada in September 2017. England|Ecology led a three-person team that completed the work on time and under budget.*

Marcus C. England
Selected Project History

2017 to Present

Upper Westside Specific Plan | Upper Westside, LLC

- Apr 2019 - Apr 2022
- Sacramento County, California
- Swainson's Hawk, Giant Gartersnake
- PM, Surveyor, Author
- Biological Resources Assessment

As project manager and Director for Bargas, England conducted one year of Swainson's Hawk (SWHA) protocol surveys, managed SWHA and other species' survey efforts for two additional years, and authored a biological resources assessment addressing the potential effects of the proposed project on resources, including SWHA and Giant Gartersnake, within the context of the requirements of the Natomas Basin HCP and the Metro Air Park HCP, collectively addressing 22 covered plant and animal species.

Descanso Gardens Wildlife Management Plan | Descanso Gardens Guild

- Jan 2019 - Dec 2019
- Los Angeles County, California
- Special Status Species, Wildlife Habitats, Impacts
- PM, Surveyor, Author
- Wildlife Management Plan

This contract sought to provide solutions to some of the challenges of operating public gardens in a natural environment using guidance from nearby and similar facilities. The plan's goals were to increase the quality of native habitats for wildlife, minimize visitor-wildlife conflict, protect planted garden areas and facilities from wildlife damage, promote environmental research and education, and promote a regional habitat linkage. Fieldwork for the plan included 10 months of diurnal and nocturnal surveys as well as widespread camera trapping.

Harris Beach Management Unit Wildlife Assessment | Oregon Parks & Recreation

- Jan 2018 - Dec 2019
- Brookings, Oregon
- Colonial Waterbirds, Marine Mammals, Spotted Owl
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by OPRD to prepare a wildlife assessment report. Because of the size of the survey area, the field component lasted two weeks and included wildlife and habitat documentation (including remote camera trapping), hiking every trail available within the included parks, and camping with Harris Beach and Alfred A. Loeb state parks. Final deliverables included geospatial data and a report documenting what is known and not known about the wildlife and habitats of the park unit, with suggestions for future research and management priorities.

Smith Rock State Park Wildlife Assessment | Oregon Parks & Recreation

- Jan 2017 - Jun 2017
- Deschutes County, Oregon
- Special Status Species, Bald and Golden Eagles
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by the Oregon Parks & Recreation Department to prepare a wildlife assessment report for Smith Rock State Park located in central Oregon. The project required extensive pre-survey research; five field days on-site with over 30 miles of hiking, wildlife and habitat documentation (including remote camera trapping); and preparation of new geospatial data and an extensive report documenting what is known and not known about the wildlife and habitats of the park, with suggestions for future research and management priorities.

Owyhee Roads Fuelbreak Project | US Bureau of Land Management

- Jul 2017 - Oct 2017
- Humboldt County, Nevada
- Pygmy Rabbit
- PM, Surveyor
- Letter report, GIS data

England|Ecology was contracted by the US Bureau of Land Management (BLM) to conduct surveys for Pygmy Rabbit on 2,068 acres of BLM-managed lands. Two subcontractors were trained on survey methodology and identification of Pygmy Rabbit sign. The survey was completed over two weeks, involving 114 miles of transect walking per surveyor in often adverse weather conditions and over rough terrain. Final deliverables to the BLM included a report, photos, and geospatial data.

Below: *conducting fieldwork in May 2018 at Harris Beach State Park, Oregon under contract to the Oregon Parks & Recreation Department.*

2016 and Prior

High Speed Rail Project - Bakersfield to Palmdale

T.Y. Lin

- Jan 2015 - Oct 2016
- Los Angeles and Kern Counties, California
- Swainson's Hawk, Golden Eagle
- PM, Surveyor, Author, GIS
- Biological Resources Letter Report

Raptor Conservation Strategy

Mitsubishi Cement & US Forest Service

- Jan 2016 - Oct 2016
- San Bernardino National Forest, California
- Golden Eagle
- PM, Surveyor, Author
- Biological Resources Letter Report

Santa Clara River Riparian Surveys

Newhall Land

- Jan 2010 - Oct 2016
- Los Angeles and Ventura Counties, CA
- Least Bell's Vireo, Southwestern Willow Flycatcher
- PM, Surveyor, Author
- Biological Resources Letter Report

Montebello Hills Conservation & Development Project

Cook-Hill Properties

- Jan 2007 - Dec 2009
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment, Biological Assessment

Terranea Resort

Long Point Development

- Jan 2005 - Jul 2008
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment

Skyline Ranch

Pardee Homes

- Jul 2003 - Jul 2009
- Los Angeles County, California
- California Gnatcatcher, Vernal Pools, SEATAC
- PM, Surveyor, Author
- Biological Resources Assessment

See more at **mcengland.com/projects**



Appendix C. Floral & Faunal Compendia

Inserted after this cover page is a database-generated report summarizing floral and faunal observations.

Floral and Faunal Compendia

1400 Vista Moraga

This database-generated report summarizes the plant and wildlife taxa detected during the survey conducted on March 17, 2025 by England|Ecology. Documented during the survey was the presence of 13 plant taxa and 17 wildlife taxa, the latter including 0 amphibian, 0 reptile, 16 bird, and 1 mammal detections. Landscape plantings are not included unless of potential biological importance.

The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. All taxonomy and nomenclature follows NatureServe. The reference taxonomy from NatureServe was last updated in October 2024. This report was generated using QGIS 3.40.

Group	Common Name	Scientific Name	Abundance	Phenology	Global Rank	State Rank	Fed Status	State Status	CRPR	Notes
Dicots	Laurel Sumac	Malosma laurina	Uncommon	Vegetative	—	—	—	—	—	Young sprouts in landscape
Dicots	Brazilian Peppertree	Schinus terebinthifolius	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Spiny-leaf Sowthistle	Sonchus asper	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Castor-bean	Ricinus communis	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Black Medic	Medicago lupulina	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Rosemary	Rosmarinus officinalis	Common	Flowering	—	—	—	—	—	Landscape
Dicots	California Sycamore	Platanus racemosa	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Thymeleaf Speedwell	Veronica serpyllifolia	Common	Vegetative	—	—	—	—	—	—
Monocots	Golden Bamboo	Phyllostachys aurea	Common	Vegetative	—	—	—	—	—	—
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Eucalyptus sp.
Other	Other	Other	Common	Vegetative	—	—	—	—	—	Pinus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Quercus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Geranium rotundifolium

Fauna

Group	Common Name	Scientific Name	Count	Type	G Rank	S Rank	FESA	CESA	CDFW	Notes
Birds	Red-tailed Hawk	Buteo jamaicensis	1	Fly-over	G5	—	—	—	—	—
Birds	Mourning Dove	Zenaida macroura	2	Fly-over	G5	—	—	—	—	—
Birds	Allen's Hummingbird	Selasphorus sasin	—	Heard Only	G5	—	—	—	—	—
Birds	Black Phoebe	Sayornis nigricans	1	Observed	G5	—	—	—	—	—
Birds	American Crow	Corvus brachyrhynchos	2	Fly-over	G5	—	—	—	—	—
Birds	House Wren	Troglodytes aedon	1	Observed	G5	—	—	—	—	—
Birds	Ruby-crowned Kinglet	Corthylio calendula	—	Heard Only	G5	—	—	—	—	—
Birds	Wrentit	Chamaea fasciata	—	Heard Only	G5	—	—	—	—	—
Birds	Orange-crowned Warbler	Leiothlypis celata	—	Heard Only	G5	—	—	—	—	—
Birds	Yellow-rumped Warbler	Setophaga coronata	—	Heard Only	G5	—	—	—	—	—
Birds	California Towhee	Melozone crissalis	—	Heard Only	G4	—	—	—	—	—
Birds	Spotted Towhee	Pipilo maculatus	—	Heard Only	G5	—	—	—	—	—
Birds	Song Sparrow	Melospiza melodia	—	Heard Only	G5	—	—	—	—	—
Birds	Dark-eyed Junco	Junco hyemalis	2	Observed	G5	—	—	—	—	—
Birds	House Finch	Haemorhous mexicanus	4	Observed	G5	—	—	—	—	—
Birds	Lesser Goldfinch	Spinus psaltria	—	Heard Only	G5	—	—	—	—	—
Mammals	Botta's Pocket Gopher	Thomomys bottae	—	Sign	G5	—	—	—	—	—

Appendix D. Desktop Review of Special Status Biological Resources

Inserted after this cover page is a database-generated report summarizing the results of England|Ecology's desktop review of special status biological resources.

Desktop Review of Special Status Biological Resources

1400 Vista Moraga

This database-generated report summarizes the potential for occurrence of sensitive vegetation communities and special status flora and fauna based on known occurrences within a Regional Study Area that includes the Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys, and Venice USGS 7.5-minute quadrangles. A map of the Regional Study Area is provided below.

The desktop analysis resulted in 473 records from the California Department of Fish and Wildlife's California Natural Diversity Database (CNDDB), 64 records from the California Native Plant Society's Rare Plant Inventory, 5 records of critical habitat designated under the Federal Endangered Species Act, and 26 records from the US Fish & Wildlife Service's Information for Planning and Consultation (IPaC) database. This report was generated using QGIS 3.40.



Vegetation Communities

The section of the report summarizes the potential for occurrence on the Project Site of 7 sensitive vegetation communities documented within the CNDDB as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Group
A logical grouping of vegetation community types applied by the CNDDB.

Community
The vegetation community or wildlife habitat mapped by the CNDDB. Currently, the CNDDB uses Holland (1986) for communities, which is considered an out-of-date classification system not otherwise used by CDFW.

State Rank
A numbered sensitivity standard created by NatureServe and adopted by most state agencies, including CDFW. Most important are S1 (Critically Imperiled), S2 (Imperiled), and S3 (Vulnerable).

CNDDB
The number of CNDDB records for that vegetation community or habitat in the Regional Study Area.

Occurrence
The expectation that community could occur on the Project Site. This is usually either "Present" or "None" if a survey has been completed, as communities are observable.

Impact
The potential that implementation of the Project would impact that community.

Notes
Clarifying notes, if any are needed.



Group	Community	State Rank	CNDDB	Occurrence	Impact	Notes
Dune	Southern Dune Scrub	S1.1	1	None	None	—
Scrub	Riversidian Alluvial Fan Sage Scrub	S1.1	1	None	None	—
Marsh	Southern Coastal Salt Marsh	S2.1	1	None	None	—
Riparian	Southern Coast Live Oak Riparian Forest	S4	9	None	None	—
Riparian	Southern Cottonwood Willow Riparian Forest	S3.2	1	None	None	—
Riparian	Southern Sycamore Alder Riparian Woodland	S4	20	None	None	—
Woodland	California Walnut Woodland	S2.1	9	None	None	—

Flora

The section of the report summarizes the potential for occurrence on the Project Site of 46 special status flora taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. For special status plants, the taxonomy is consistent with that used by the California Native Plant Society (CNPS).

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CNPS (CNPS Rare Plant Inventory), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for plants includes its California Rare Plant Rank (CRPR) from CNPS, status - if any - under the federal and state Endangered Species Acts, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat and blooming period of the taxon directly from the CNPS database.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. "Range" includes the distribution of modern records (e.g., iNaturalist and Calflora) and elevation. Options are Yes or No.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Button-celery (Eryngium aristulatum var. parishii)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Coastal scrub, Valley and foothill grassland, Vernal pools (Mesic) from 65-2035ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 164 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Orcutt's Pincushion (Chaenactis glabriuscula var. orcuttiana)	CNDDB(5), CNPS	CRPR 1B.1, S1	Coastal bluff scrub (sandy), Coastal dunes from 0-330ft. Blooms Jan-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 83 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White Rabbit-tobacco (Pseudognaphalium leucocephalum)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland (Gravelly, Sandy) from 0-6890ft. Blooms (Jul)Aug-Nov(Dec).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 225 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Susana Tarplant (Deinandra minthornii)	CNDDB(2), CNPS	CRPR 1B.2, CR, S2	Chaparral, Coastal scrub (Rocky) from 920-2495ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 57 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Southern Tarplant (Centromadia parryi ssp. australis)	CNDDB(7), CNPS	CRPR 1B.1, S2	Marshes and swamps (margins), Valley and foothill grassland (vernally mesic), Vernal pools from 0-1575ft. Blooms May-Nov.	Yes	None	None	None	—
Coulter's Goldfields (Lasthenia glabrata ssp. coulteri)	CNDDB(5), CNPS	CRPR 1B.1, S2	Marshes and swamps (coastal salt), Playas, Vernal pools from 5-4005ft. Blooms Feb-Jun.	Yes	None	None	None	—
San Bernardino Aster (Symphyotrichum defoliatum)	CNDDB(2), CNPS	CRPR 1B.2, S2	Cismontane woodland, Coastal scrub, Lower montane coniferous forest, Marshes and swamps, Meadows and seeps, Valley and foothill grassland (vernally mesic) (Streambanks) from 5-6695ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 166 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Greata's Aster (Symphyotrichum greatae)	CNDDB(2), CNPS	CRPR 1B.3, S2	Broadleafed upland forest, Chaparral, Cismontane woodland, Lower montane coniferous forest, Riparian woodland (Mesic) from 985-6595ft. Blooms Jun-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 136 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nevin's Barberry (Berberis nevinii)	CNDDB(3), CNPS, IPaC	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub, Riparian scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2705ft. Blooms (Feb)Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 131 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Beach Spectaclepod (Dithyrea maritima)	CNDDB(4), CNPS	CRPR 1B.1, CT, S1	Coastal dunes, Coastal scrub (sandy) from 10-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 71 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Suffrutescent Wallflower (Erysimum suffrutescens)	CNPS	CRPR 4.2, S3	Chaparral (maritime), Coastal bluff scrub, Coastal dunes, Coastal scrub from 0-490ft. Blooms Jan-Jul(Aug).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 172 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Gambel's Water Cress (Nasturtium gambelii)	CNDDB(1), CNPS, IPaC	CRPR 1B.1, FE, CT, S1	Marshes and swamps (brackish, freshwater) from 15-1085ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 51 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Marsh Sandwort (Arenaria paludicola)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Marshes and swamps (brackish, freshwater) (Openings, Sandy) from 10-560ft. Blooms May-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 34 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coulter's Saltbush (Atriplex coulteri)	CNDDB(2), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Alkaline (sometimes), Clay (sometimes)) from 10-1510ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 100 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
South Coast Saltscale (Atriplex pacifica)	CNDDB(1), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Playas from 0-460ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 183 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Davidson's Saltscale (Atriplex serenana var. davidsonii)	CNDDB(2), CNPS	CRPR 1B.2, S1	Coastal bluff scrub, Coastal scrub (Alkaline) from 35-655ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 30 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Goosefoot (Chenopodium littoreum)	CNDDB(1), CNPS	CRPR 1B.2, S1	Coastal dunes from 35-100ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 55 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Lucky Morning-glory (Calystegia felix)	CNDDB(2), CNPS	CRPR 1B.1, S1	Meadows and seeps (sometimes alkaline), Riparian scrub (alluvial) (Alkaline (sometimes), Loam (sometimes)) from 100-705ft. Blooms Mar-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 26 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Blochman's Dudleya (Dudleya blochmaniae ssp. blochmaniae)	CNDDB(1), CNPS	CRPR 1B.1, S2	Chaparral, Coastal bluff scrub, Coastal scrub, Valley and foothill grassland (Clay (often), Rocky, Serpentine) from 15-1475ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 175 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Monica Dudleya (Dudleya cymosa ssp. ovatifolia)	CNDDB(1), CNPS	CRPR 1B.1, FT, S1	Chaparral, Coastal scrub (Rocky, Volcanic (sometimes)) from 490-5495ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 21 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Many-stemmed Dudleya (Dudleya multicaulis)	CNDDB(1), CNPS	CRPR 1B.2, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Clay (often)) from 50-2590ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 73 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Braunton's Milk-vetch (Astragalus brauntonii)	CNDDB(12), CNPS, CH	CRPR 1B.1, FE, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Burned areas (sometimes), Carbonate, Disturbed areas (sometimes), Sandstone (usually)) from 15-2100ft. Blooms Jan-Aug.	Yes	None	None	None	Potential critical habitat is located 4 miles to the southwest.
Ventura Marsh Milk-vetch (Astragalus pycnostachyus var. lanosissimus)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal dunes, Coastal scrub, Marshes and swamps (edges, coastal salt, brackish) from 5-115ft. Blooms (Jun)Aug-Oct.	Yes	N/A	None	None	Project Site is outside of elevation range of taxon. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Dunes Milk-vetch (Astragalus tener var. titi)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal bluff scrub (sandy), Coastal dunes, Coastal prairie (mesic) (Mesic (often), Vernally Mesic (often)) from 5-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 22 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nuttall's Scrub Oak (Quercus dumosa)	CNDDB(2), CNPS	CRPR 1B.1, S3	Chaparral, Closed-cone coniferous forest, Coastal scrub (Clay, Loam, Sandy) from 50-1310ft. Blooms Feb-Apr(May-Aug).	Yes	None	None	None	—
San Gabriel Oak (Quercus durata var. gabrielensis)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland from 1475-3280ft. Blooms Apr-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 295 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mud Nama (Nama stenocarpa)	CNDDB(1), CNPS	CRPR 2B.2, S1S2	Marshes and swamps (lake margins, riverbanks) from 15-1640ft. Blooms Jan-Jul.	Yes	None	None	None	—
South Coast Branching Phacelia (Phacelia ramosissima var. austrolitoralis)	CNPS	CRPR 3.2, S3	Chaparral, Coastal dunes, Coastal scrub, Marshes and swamps (coastal salt) (Rocky (sometimes), Sandy) from 15-985ft. Blooms Mar-Aug.	Yes	None	None	None	—

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Brand's Star Phacelia (Phacelia stellaris)	CNDDB(2), CNPS	CRPR 1B.1, S1	Coastal dunes, Coastal scrub from 5-1310ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 68 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Fragrant Pitcher Sage (Lepechinia fragrans)	CNPS	CRPR 4.2, S3	Chaparral from 65-4300ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 187 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White-veined Monardella (Monardella hypoleuca ssp. hypoleuca)	CNDDB(2), CNPS	CRPR 1B.3, S3	Chaparral, Cismontane woodland from 165-5005ft. Blooms (Apr)May-Aug(Sep-Dec).	Yes	None	None	None	—
Davidson's Bushmallow (Malacothamnus davidsonii)	CNPS	CRPR 1B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland from 605-3740ft. Blooms Jun-Jan.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 500 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Spring Checkerbloom (Sidalcea neomexicana)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Coastal scrub, Lower montane coniferous forest, Mojavean desert scrub, Playas (Alkaline, Mesic) from 50-5020ft. Blooms Mar-Jun.	Yes	None	None	None	—
Lewis' Evening-primrose (Camissoniopsis lewisii)	CNPS	CRPR 3, S4	Cismontane woodland, Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Clay (sometimes), Sandy (sometimes)) from 0-985ft. Blooms Mar-May(Jun).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 212 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
San Fernando Valley Spineflower (Chorizanthe parryi var. fernandina)	CNDDB(4), CNPS	CRPR 1B.1, CE, S1	Coastal scrub (sandy), Valley and foothill grassland from 490-4005ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 64 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Spineflower (Mucronea californica)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland, Coastal dunes, Coastal scrub, Valley and foothill grassland (Sandy) from 0-4595ft. Blooms Mar-Jul(Aug).	Yes	None	None	None	—
Slender-horned Spineflower (Dodecahema leptoceras)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub (alluvial fans) (Sandy) from 655-2495ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 81 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Spreading Navarretia (Navarretia fossalis)	CNDDB(1), CNPS	CRPR 1B.1, FT, S2	Chenopod scrub, Marshes and swamps (shallow freshwater), Playas, Vernal pools from 100-2150ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 87 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Prostrate Vernal Pool Navarretia (Navarretia prostrata)	CNDDB(4), CNPS	CRPR 1B.2, S2	Coastal scrub, Meadows and seeps, Valley and foothill grassland (alkaline), Vernal pools (Mesic) from 10-3970ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 79 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mesa Horkelia (Horkelia cuneata var. puberula)	CNDDB(7), CNPS	CRPR 1B.1, S1	Chaparral (maritime), Cismontane woodland, Coastal scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2660ft. Blooms Feb-Jul(Sep).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 155 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Marsh Bird's-beak (Chloropyron maritimum ssp. maritimum)	CNDDB(2), CNPS	CRPR 1B.2, FE, CE, S1	Coastal dunes, Marshes and swamps (coastal salt) from 0-100ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 27 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sanford's Arrowhead (Sagittaria sanfordii)	CNDDB(1), CNPS	CRPR 1B.2, S3	Marshes and swamps (shallow freshwater) from 0-2135ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 72 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Slender Mariposa-lily (Calochortus clavatus var. gracilis)	CNDDB(3), CNPS	CRPR 1B.2, S2S3	Chaparral, Coastal scrub, Valley and foothill grassland from 1050-3280ft. Blooms Mar-Jun(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 114 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Vernal Barley (Hordeum intercedens)	CNPS	CRPR 3.2, S3S4	Coastal dunes, Coastal scrub, Valley and foothill grassland (depressions, saline flats), Vernal pools from 15-3280ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 434 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Orcutt Grass (Orcuttia californica)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Vernal pools from 50-2165ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 153 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sonoran Maiden Fern (Pelazoneuron puberulum var. sonorense)	CNDDB(1), CNPS	CRPR 2B.2, S2	Meadows and seeps (seeps, streams) from 165-2000ft. Blooms Jan-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 44 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Invertebrates

The section of the report summarizes the potential for occurrence on the Project Site of 20 special status invertebrate taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Riverside Fairy Shrimp (Streptocephalus woottoni)	CNDDB(3)	FE, S2	ENDEMIC TO WESTERN RIVERSIDE, ORANGE, AND SAN DIEGO COUNTIES IN AREAS OF TECTONIC SWALES/EARTH SLUMP BASINS IN GRASSLAND AND COASTAL SAGE SCRUB. INHABIT SEASONALLY ASTATIC POOLS FILLED BY WINTER/SPRING RAINS. HATCH IN WARM WATER LATER IN THE SEASON.	No	N/A	None	None	Range assessment based on 24 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Hairy-necked Tiger Beetle (Cicindela hirticollis gravida)	CNDDB(3)	S2	INHABITS AREAS ADJACENT TO NON-BRACKISH WATER ALONG THE COAST OF CALIFORNIA FROM SAN FRANCISCO BAY TO NORTHERN MEXICO. CLEAN, DRY, LIGHT-COLORED SAND IN THE UPPER ZONE. SUBTERRANEAN LARVAE PREFER MOIST SAND NOT AFFECTED BY WAVE ACTION.	Yes	None	None	None	—
Globose Dune Beetle (Coelus globosus)	CNDDB(4)	S1S2	INHABITANT OF COASTAL SAND DUNE HABITAT; ERRATICALLY DISTRIBUTED FROM TEN MILE CREEK IN MENDOCINO COUNTY SOUTH TO ENSENADA, MEXICO. INHABITS FOREDUNES AND SAND HUMMOCKS; IT BURROWS BENEATH THE SAND SURFACE AND IS MOST COMMON BENEATH DUNE VEGETATION.	No	N/A	None	None	Range assessment based on 300 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Lange's el Segundo Dune Weevil (Onychobaris langei)	CNDDB(1)	S1	KNOWN FROM EL SEGUNDO DUNES.	Yes	None	None	None	—
Dorothy's el Segundo Dune Weevil (Trigonoscuta dorothea dorothea)	CNDDB(2)	S1	COASTAL SAND DUNES IN LOS ANGELES COUNTY.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Only occurrences near Ballona and Bolsa Chica.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
El Segundo Flower-loving Fly (Rhaphiomidas terminatus terminatus)	CNDDB(1)	S1	PRESUMED EXTINCT BUT RECENTLY DISCOVERED ON MALAGA DUNES, LOS ANGELES COUNTY. PERCHED DUNES.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Previously thought extinct and recently rediscovered in coastal dunes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Belkin's Dune Tabanid Fly (Brennania belkini)	CNDDB(5)	S1S2	SAND OBLIGATE SPECIES KNOWN FROM COASTAL DUNES NEAR PLAYA DEL REY AND EL SEGUNDO SOUTH TO ENSENADA, MEXICO. ONE OF FEW TABANIDS NOT REQUIRING A BLOOD MEAL FOR SECCESSFUL EGG PRODUCTION; ADULTS TAKEN ON FLOWERS. LARVAE COLLECTED 50 CM BENEATH SURFACE OF SANDY SOIL; PRESUMABLY BURROWING PREDATORS WITH UNDETERMINED HOSTS, LIKELY BEETLE LARVAE. ADULT FLIGHT GENERALLY MAY - JULY.	No	N/A	None	None	Range assessment based on 11 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
American Bumble Bee (Bombus pensylvanicus)	CNDDB(103)	S2	LONG-TONGUED; FORAGES ON A WIDE VARIETY OF FLOWERS INCLUDING VETCHES (VICIA), CLOVERS (TRIFOLIUM), THISTLES (CIRSIUM), SUNFLOWERS (HELIANTHUS), ETC. NESTS ABOVE GROUND UNDER LONG GRASS OR UNDERGROUND. QUEENS OVERWINTER IN ROTTEN WOOD OR UNDERGROUND.	Yes	Low	Low	None	—
Crotch's Bumble Bee (Bombus crotchii)	CNDDB(17)	CCE, S2	COASTAL CALIFORNIA EAST TO THE SIERRA-CASCADE CREST AND SOUTH INTO MEXICO. FOOD PLANT GENERA INCLUDE ANTIRRHINUM, PHACELIA, CLARKIA, DENDROMECON, ESCHSCHOLZIA, AND ERIOGONUM.	Yes	Low	Low	None	—
Henne's Eucosman Moth (Pelochrista hennei)	CNDDB(1)	S1	COASTAL SAND DUNES WITH HOST PHACELIA RAMOSISSIMA. ORIGINALLY BELIEVED TO BE ENDEMIC TO THE EL SEGUNDO SAND DUNES OF LOS ANGELES COUNTY WHERE THE TYPE SPECIMEN WAS COLLECTED. ALSO COLLECTED FROM COASTAL SAN LUIS OBISPO COUNTY. LARVAL FOODPLANT IS PHACELIA RAMOSISSIMA VAR AUSTROLITORALIS; LARVAE CAN BE FOUND ON WOODY STEMS AND UPPER ROOT PARTS.	No	N/A	None	None	Range assessment based on 10 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Busk's Gall Moth (Eugnosta busckana)	CNDDB(4)	S2S3	COASTAL SOUTHERN CALIFORNIA. TINY MICRO-MOTH (1 CM) WITH LARVA FORMING GALLS ON HOST PLANT ENCELIA CALIFORNICA (CALIFORNIA BRITTLEBUSH). ADULT FLIGHT PERIOD IS DURING WINTER, GENERALLY FROM NOVEMBER TO FEBRUARY, AND HAVE BEEN REPORTED AT UV LIGHTS AND PORCH LIGHTS.	Yes	Low	Low	None	—
Wandering Skipper (Panoquina errans)	CNDDB(1)	S2	SOUTHERN CALIFORNIA COASTAL SALT MARSHES. REQUIRES MOIST SALTGRASS FOR LARVAL DEVELOPMENT.	Yes	None	None	None	—
El Segundo Blue (Euphilotes allyni)	CNDDB(2)	FE, S1	RESTRICTED TO REMNANT COASTAL DUNE HABITAT IN SOUTHERN CALIFORNIA. HOST PLANT IS ERIOGONUM PARVIFOLIUM; LARVAE FEED ONLY ON THE FLOWERS AND SEEDS; USED BY ADULTS AS MAJOR NECTAR SOURCE.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB occurrences. Only occurs near El Segundo.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Palos Verdes Blue (Glaucopsyche lygdamus palosverdesensis)	CNDDB(1)	FE, S1	RESTRICTED TO THE COOL, FOG-SHROUDED, SEAWARD SIDE OF PALOS VERDES HILLS, LOS ANGELES COUNTY. HOST PLANT IS ASTRAGALUS TRICHOPODUS VAR. LONCHUS (LOCOWEED).	No	N/A	None	None	Range assessment based on 48 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Monarch (Danaus plexippus pop. 1)	CNDDB(15), IPaC	FPT, S2	WINTER ROOST SITES EXTEND ALONG THE COAST FROM NORTHERN MENDOCINO TO BAJA CALIFORNIA, MEXICO. ROOSTS LOCATED IN WIND-PROTECTED TREE GROVES (EUCALYPTUS, MONTEREY PINE, CYPRESS), WITH NECTAR AND WATER SOURCES NEARBY.	No	N/A	None	None	Range based on coastal zone limits.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Santa Monica Shieldback Katydid (Aglaothorax longipennis)	CNDDB(1)	S1S2	OCCUR NOCTURNALLY IN CHAPARRAL AND CANYON STREAM BOTTOM VEGETATION, IN THE SANTA MONICA MTNS OF SOUTHERN CALIFORNIA. INHABIT INTRODUCED ICEPLANT AND NATIVE CHAPARRAL PLANTS.	Yes	Low	Low	None	—
Gertsch's Socalchemmis Spider (Socalchemmis gertschi)	CNDDB(2)	S1	KNOWN FROM ONLY 2 LOCALITIES IN LOS ANGELES COUNTY: BRENTWOOD (TYPE LOCALITY) AND TOPANGA CANYON.	Yes	Low	Low	None	—
Western Ridged Mussel (Gonidea angulata)	CNDDB(2)	S2	PRIMARILY CREEKS AND RIVERS AND LESS OFTEN LAKES. ORIGINALLY IN MOST OF STATE, NOW EXTIRPATED FROM CENTRAL AND SOUTHERN CALIFORNIA.	No	N/A	None	None	Originally found in most of state. Now extirpated from central and southern California.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Gabriel Chestnut (Glyptostoma gabrielense)	CNDDB(1)	S3	TERRESTRIAL.	No	N/A	None	None	Range assessment based on 285 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Mimic Tryonia (Tryonia imitator)	CNDDB(1)	S2	INHABITS COASTAL LAGOONS, ESTUARIES AND SALT MARSHES, FROM SONOMA COUNTY SOUTH TO SAN DIEGO COUNTY. FOUND ONLY IN PERMANENTLY SUBMERGED AREAS IN A VARIETY OF SEDIMENT TYPES; ABLE TO WITHSTAND A WIDE RANGE OF SALINITIES.	No	N/A	None	None	Range assessment based on 46 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Fish

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status fish taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Steelhead - Southern California Distinct Population Segment (Oncorhynchus mykiss pop. 10)	CNDDB(1), CH	FE, CCE, S1	FEDERAL LISTING REFERS TO POPULATIONS FROM SANTA MARIA RIVER SOUTH TO SOUTHERN EXTENT OF RANGE (SAN MATEO CREEK IN SAN DIEGO COUNTY). SOUTHERN STEELHEAD LIKELY HAVE GREATER PHYSIOLOGICAL TOLERANCES TO WARMER WATER AND MORE VARIABLE CONDITIONS.	No	N/A	None	None	Range assessment based on 405 GBIF records. Designated critical habitat (NMFS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tidewater Goby (Eucyclogobius newberryi)	CH	FE, SSC, S3	BRACKISH WATER HABITATS ALONG THE CALIFORNIA COAST FROM AGUA HEDIONDA LAGOON, SAN DIEGO COUNTY TO THE MOUTH OF THE SMITH RIVER. FOUND IN SHALLOW LAGOONS AND LOWER STREAM REACHES, THEY NEED FAIRLY STILL BUT NOT STAGNANT WATER AND HIGH OXYGEN LEVELS.	No	N/A	None	None	Range assessment based on 770 GBIF records. Designated critical habitat (USFWS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Amphibians

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status amphibian taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Arroyo Toad (Anaxyrus californicus)	CNDDB(1)	FE, SSC, S2	SEMI-ARID REGIONS NEAR WASHES OR INTERMITTENT STREAMS, INCLUDING VALLEY-FOOTHILL AND DESERT RIPARIAN, DESERT WASH, ETC. RIVERS WITH SANDY BANKS, WILLOWS, COTTONWOODS, AND SYCAMORES; LOOSE, GRAVELLY AREAS OF STREAMS IN DRIER PARTS OF RANGE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Spadefoot (Spea hammondii)	CNDDB(5), IPaC	FPT, SSC, S3S4	OCCURS PRIMARILY IN GRASSLAND HABITATS, BUT CAN BE FOUND IN VALLEY-FOOTHILL HARDWOOD WOODLANDS. VERNAL POOLS ARE ESSENTIAL FOR BREEDING AND EGG-LAYING.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predictive mapping shows potential low value habitat between residence and street above. There are no potential or known breeding areas near the Biological Study Area.

Reptiles

The section of the report summarizes the potential for occurrence on the Project Site of 9 special status reptile taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Green Sea Turtle (Chelonia mydas)	CH	FT, S1	MARINE. COMPLETELY HERBIVOROUS; NEEDS ADQUATE SUPPLY OF SEAGRASSES AND ALGAE.	No	N/A	None	None	Range based on Pacific Ocean.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southwestern Pond Turtle (Actinemys pallida)	CNDDB(4), IPaC	FPT, SSC, SNR	No CNDDB habitat description available	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
San Diegan Legless Lizard (Anniella stebbinsi)	CNDDB(36)	SSC, S3	GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site.
Blainville's Horned Lizard (Phrynosoma blainvillii)	CNDDB(7)	SSC, S4	FREQUENTS A WIDE VARIETY OF HABITATS, MOST COMMON IN LOWLANDS ALONG SANDY WASHES WITH SCATTERED LOW BUSHES. OPEN AREAS FOR SUNNING, BUSHES FOR COVER, PATCHES OF LOOSE SOIL FOR BURIAL, AND ABUNDANT SUPPLY OF ANTS AND OTHER INSECTS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found in open habitats with native ants, neither of which are present.
San Diegan Tiger Whiptail (Aspidoscelis tigris stejnegeri)	CNDDB(2)	SSC, S3	FOUND IN DESERTS AND SEMI-ARID AREAS WITH SPARSE VEGETATION AND OPEN AREAS. ALSO FOUND IN WOODLAND AND RIPARIAN AREAS. GROUND MAY BE FIRM SOIL, SANDY, OR ROCKY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
California Glossy Snake (Arizona elegans occidentalis)	CNDDB(1)	SSC, S2	PATCHILY DISTRIBUTED FROM THE EASTERN PORTION OF SAN FRANCISCO BAY, SOUTHERN SAN JOAQUIN VALLEY, AND THE COAST, TRANSVERSE, AND PENINSULAR RANGES, SOUTH TO BAJA CALIFORNIA. GENERALIST REPORTED FROM A RANGE OF SCRUB AND GRASSLAND HABITATS, OFTEN WITH LOOSE OR SANDY SOILS.	No	N/A	None	None	Subspecies range based on 175 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Bernardino Ring-necked Snake (Diadophis punctatus modestus)	CNDDB(1)	S2?	MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
South Coast Gartersnake (Thamnophis sirtalis pop. 1)	CNDDB(5)	SSC, S1S2	SOUTHERN CALIFORNIA COASTAL PLAIN FROM VENTURA COUNTY TO SAN DIEGO COUNTY, AND FROM SEA LEVEL TO ABOUT 850 M. MARSH AND UPLAND HABITATS NEAR PERMANENT WATER WITH GOOD STRIPS OF RIPARIAN VEGETATION.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
Two-striped Gartersnake (Thamnophis hammondii)	CNDDB(2)	SSC, S3S4	COASTAL CALIFORNIA FROM VICINITY OF SALINAS TO NORTHWEST BAJA CALIFORNIA. FROM SEA TO ABOUT 7,000 FT ELEVATION. HIGHLY AQUATIC, FOUND IN OR NEAR PERMANENT FRESH WATER. OFTEN ALONG STREAMS WITH ROCKY BEDS AND RIPARIAN GROWTH.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.

Birds

The section of the report summarizes the potential for occurrence on the Project Site of 32 special status bird taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Grebe (Aechmophorus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Clark's Grebe (Aechmophorus clarkii)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Brown Pelican (Pelecanus occidentalis californicus)	CNDDB(1)	FD, CD, S3	COLONIAL NESTER ON COASTAL ISLANDS JUST OUTSIDE THE SURF LINE. NESTS ON COASTAL ISLANDS OF SMALL TO MODERATE SIZE WHICH AFFORD IMMUNITY FROM ATTACK BY GROUND-DWELLING PREDATORS. ROOSTS COMMUNALLY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Northern Harrier (Circus hudsonius)	IPaC	SSC, S3, BCC	COASTAL SALT AND FRESHWATER MARSH. NEST AND FORAGE IN GRASSLANDS, FROM SALT GRASS IN DESERT SINK TO MOUNTAIN CIENAGAS. NESTS ON GROUND IN SHRUBBY VEGETATION, USUALLY AT MARSH EDGE; NEST BUILT OF A LARGE MOUND OF STICKS IN WET AREAS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. Prefers open habitats such as grasslands and marshes.
Swainson's Hawk (Buteo swainsoni)	CNDDB(4)	CT, S4	BREEDS IN GRASSLANDS WITH SCATTERED TREES, JUNIPER-SAGE FLATS, RIPARIAN AREAS, SAVANNAHS, AND AGRICULTURAL OR RANCH LANDS WITH GROVES OR LINES OF TREES. REQUIRES ADJACENT SUITABLE FORAGING AREAS SUCH AS GRASSLANDS, OR ALFALFA OR GRAIN FIELDS SUPPORTING RODENT POPULATIONS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Golden Eagle (Aquila chrysaetos)	IPaC	FP; WL, S3, BCC	ROLLING FOOTHILLS, MOUNTAIN AREAS, SAGE-JUNIPER FLATS, AND DESERT. CLIFF-WALLED CANYONS PROVIDE NESTING HABITAT IN MOST PARTS OF RANGE; ALSO, LARGE TREES IN OPEN AREAS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large tracts of undeveloped habitat away from anthropogenic disturbance.
American Peregrine Falcon (Falco peregrinus anatum)	CNDDB(2)	FD, CD, S3S4	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No suitable nesting habitat on or near the Project Site.This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Yellow Rail (Coturnicops noveboracensis)	CNDDB(2)	SSC, S2	SUMMER RESIDENT IN EASTERN SIERRA NEVADA IN MONO COUNTY. FRESHWATER MARSHLANDS.	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
California Black Rail (Laterallus jamaicensis coturniculus)	CNDDB(1)	CT, FP, S2	INHABITS FRESHWATER MARSHES, WET MEADOWS AND SHALLOW MARGINS OF SALTWATER MARSHES BORDERING LARGER BAYS. NEEDS WATER DEPTHS OF ABOUT 1 INCH THAT DO NOT FLUCTUATE DURING THE YEAR AND DENSE VEGETATION FOR NESTING HABITAT.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Snowy Plover (Charadrius nivosus nivosus)	CNDDB(2), CH, IPaC	FT, SSC, S3	SANDY BEACHES, SALT POND LEVEES AND SHORES OF LARGE ALKALI LAKES. NEEDS SANDY, GRAVELLY OR FRIABLE SOILS FOR NESTING.	Yes	None	None	None	Designated critical habitat (USFWS) is located 7.5 miles to the south. No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Gull (Larus californicus)	IPaC	WL, S4, BCC	LITTORAL WATERS, SANDY BEACHES, WATERS AND SHORELINES OF BAYS, TIDAL MUD-FLATS, MARSHES, LAKES, ETC. COLONIAL NESTER ON ISLETS IN LARGE INTERIOR LAKES, EITHER FRESH OR STRONGLY ALKALINE.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
Western Gull (Larus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
California Least Tern (Sternula antillarum browni)	CNDDB(3), IPaC	FE, CE, FP, S2	NESTS ALONG THE COAST FROM SAN FRANCISCO BAY SOUTH TO NORTHERN BAJA CALIFORNIA. COLONIAL BREEDER ON BARE OR SPARSELY VEGETATED, FLAT SUBSTRATES: SAND BEACHES, ALKALI FLATS, LAND FILLS, OR PAVED AREAS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Screech-Owl (Megascops kennicottii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Burrowing Owl (Athene cunicularia)	CNDDB(2)	CCE, SSC, S2	OPEN, DRY ANNUAL OR PERENNIAL GRASSLANDS, DESERTS, AND SCRUBLANDS CHARACTERIZED BY LOW-GROWING VEGETATION. SUBTERRANEAN NESTER, DEPENDENT UPON BURROWING MAMMALS, MOST NOTABLY, THE CALIFORNIA GROUND SQUIRREL.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Allen's Hummingbird (Selasphorus sasin)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Nuttall's Woodpecker (Dryobates nuttallii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Present in nearly all wooded areas of Los Angeles.
Olive-sided Flycatcher (Contopus cooperi)	IPaC	SSC, S3, BCC	NESTING HABITATS ARE MIXED CONIFER, MONTANE HARDWOOD-CONIFER, DOUGLAS-FIR, REDWOOD, RED FIR AND LODGEPOLE PINE. MOST NUMEROUS IN MONTANE CONIFER FORESTS WHERE TALL TREES OVERLOOK CANYONS, MEADOWS, LAKES OR OTHER OPEN TERRAIN.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Olive-sided Flycatcher, this species occurs locally (if fleetingly) during migration.
Southwestern Willow Flycatcher (Empidonax traillii extimus)	CNDDB(1)	FE, CE, S3	RIPARIAN WOODLANDS IN SOUTHERN CALIFORNIA.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Bank Swallow (Riparia riparia)	CNDDB(1)	CT, S3	COLONIAL NESTER; NESTS PRIMARILY IN RIPARIAN AND OTHER LOWLAND HABITATS WEST OF THE DESERT. REQUIRES VERTICAL BANKS/CLIFFS WITH FINE-TEXTURED/SANDY SOILS NEAR STREAMS, RIVERS, LAKES, OCEAN TO DIG NESTING HOLE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Oak Titmouse (Baeolophus inornatus)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Coastal California Gnatcatcher (Polioptila californica californica)	CNDDB(8), IPaC	FT, SSC, S2	OBLIGATE, PERMANENT RESIDENT OF COASTAL SAGE SCRUB BELOW 2500 FT IN SOUTHERN CALIFORNIA. LOW, COASTAL SAGE SCRUB IN ARID WASHES, ON MESAS AND SLOPES. NOT ALL AREAS CLASSIFIED AS COASTAL SAGE SCRUB ARE OCCUPIED.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Wrentit (Chamaea fasciata)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Thrasher (Toxostoma redivivum)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Least Bell's Vireo (Vireo bellii pusillus)	CNDDB(9)	FE, CE, S3	SUMMER RESIDENT OF SOUTHERN CALIFORNIA IN LOW RIPARIAN IN VICINITY OF WATER OR IN DRY RIVER BOTTOMS; BELOW 2000 FT. NESTS PLACED ALONG MARGINS OF BUSHES OR ON TWIGS PROJECTING INTO PATHWAYS, USUALLY WILLOW, BACCHARIS, MESQUITE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Saltmarsh Common Yellowthroat (Geothlypis trichas sinuosa)	IPaC	SSC, S3, BCC	RESIDENT OF THE SAN FRANCISCO BAY REGION, IN FRESH AND SALT WATER MARSHES. REQUIRES THICK, CONTINUOUS COVER DOWN TO WATER SURFACE FOR FORAGING; TALL GRASSES, TULE PATCHES, WILLOWS FOR NESTING.	No	N/A	None	None	Endemic to Bay Area. Some individuals rarely migrate south in winter to San Diego. Only found in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern California Rufous-crowned Sparrow (Aimophila ruficeps canescens)	CNDDB(1)	WL, S4	RESIDENT IN SOUTHERN CALIFORNIA COASTAL SAGE SCRUB AND SPARSE MIXED CHAPARRAL. FREQUENTS RELATIVELY STEEP, OFTEN ROCKY HILLSIDES WITH GRASS AND FORB PATCHES.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Prefers grasslands and scrublands.
Belding's Savannah Sparrow (Passerculus sandwichensis beldingi)	CNDDB(2), IPaC	CE, S3, BCC	INHABITS COASTAL SALT MARSHES, FROM SANTA BARBARA SOUTH THROUGH SAN DIEGO COUNTY. NESTS IN SALICORNIA ON AND ABOUT MARGINS OF TIDAL FLATS.	No	N/A	None	None	Subspecies range based on Coastal Zone limits as taxon only occurs in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Channel Island Song Sparrow (Melospiza melodia graminea)	IPaC	SSC, S1, BCC	CURRENTLY KNOWN FROM SAN MIGUEL AND SANTA ROSA ISLANDS; BELIEVED EXTIRPATED FROM SANTA BARBARA AND SAN CLEMENTE ISLANDS. NEED MODERATELY DENSE SCRUBBY VEGETATION FOR NESTING, A WATER SOURCE, AND EXPOSED GROUND FOR FORAGING. DENSE SHRUBS AND THICKETS OF GIANT COREOPSIS (C. GIGANTEA) AND/OR DENSE GRASSLANDS WITH SCATTERED SHRUBS. NESTS OFTEN LOCATED ON LEEWARD SIDE OF SHRUBS AVOIDING PREVAILING WINDS.	No	N/A	None	None	Only found on San Miguel, Santa Rosa, and Anacapa Islands.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tricolored Blackbird (Agelaius tricolor)	CNDDB(2)	CT, SSC, S2	HIGHLY COLONIAL SPECIES, MOST NUMEROUS IN CENTRAL VALLEY AND VICINITY. LARGELY ENDEMIC TO CALIFORNIA. REQUIRES OPEN WATER, PROTECTED NESTING SUBSTRATE, AND FORAGING AREA WITH INSECT PREY WITHIN A FEW KM OF THE COLONY.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Uses wetlands and adjacent open habitats in the summer. Found along wetlands and in agricultural areas in the winter.
Bullock's Oriole (Icterus bullockii)	IPaC	BCC	No CNDDB habitat description available	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Bullock's Oriole, this species occurs locally (if fleetingly) during migration.
Lawrence's Goldfinch (Spinus lawrencei)	IPaC	S4, BCC	NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.

Mammals

The section of the report summarizes the potential for occurrence on the Project Site of 12 special status mammal taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Salt Marsh Ornate Shrew (Sorex ornatus salicornicus)	CNDDB(1)	SSC, S1	COASTAL MARSHES IN LOS ANGELES, ORANGE AND VENTURA COUNTIES. REQUIRES DENSE VEGETATION AND WOODY DEBRIS FOR COVER.	No	N/A	None	None	Subspecies range based on 42 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Yellow Bat (Lasiurus xanthinus)	CNDDB(1)	SSC, S3	FOUND IN VALLEY FOOTHILL RIPARIAN, DESERT RIPARIAN, DESERT WASH, AND PALM OASIS HABITATS. ROOSTS IN TREES, PARTICULARLY PALMS. FORAGES OVER WATER AND AMONG TREES.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pallid Bat (Antrozous pallidus)	CNDDB(4)	SSC, S3	DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
California Bonneted Bat (Eumops perotis californicus)	CNDDB(8)	SSC, S3S4	MANY OPEN, SEMI-ARID TO ARID HABITATS, INCLUDING CONIFER AND DECIDUOUS WOODLANDS, COASTAL SCRUB, GRASSLANDS, CHAPARRAL, ETC. ROOSTS IN CREVICES IN CLIFF FACES, HIGH BUILDINGS, TREES AND TUNNELS.	Yes	Low	Low	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Pocketed Free-tailed Bat (Nyctinomops femorosaccus)	CNDDB(1)	SSC, S3	VARIETY OF ARID AREAS IN SOUTHERN CALIFORNIA; PINE-JUNIPER WOODLANDS, DESERT SCRUB, PALM OASIS, DESERT WASH, DESERT RIPARIAN, ETC. ROCKY AREAS WITH HIGH CLIFFS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Big Free-tailed Bat (Nyctinomops macrotis)	CNDDB(2)	SSC, S3	LOW-LYING ARID AREAS IN SOUTHERN CALIFORNIA. NEED HIGH CLIFFS OR ROCKY OUTCROPS FOR ROOSTING SITES. FEEDS PRINCIPALLY ON LARGE MOTHS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Los Angeles Pocket Mouse (Perognathus longimembris brevinasus)	CNDDB(1)	SSC, S1S2	LOWER ELEVATION GRASSLANDS AND COASTAL SAGE COMMUNITIES IN AND AROUND THE LOS ANGELES BASIN. OPEN GROUND WITH FINE, SANDY SOILS. MAY NOT DIG EXTENSIVE BURROWS, HIDING UNDER WEEDS AND DEAD LEAVES INSTEAD.	No	N/A	None	None	Subspecies range based on 311 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Pocket Mouse (Perognathus longimembris pacificus)	CNDDB(1)	FE, SSC, S2	INHABITS THE NARROW COASTAL PLAINS FROM THE MEXICAN BORDER NORTH TO EL SEGUNDO, LOS ANGELES COUNTY. SEEMS TO PREFER SOILS OF FINE ALLUVIAL SANDS NEAR THE OCEAN, BUT MUCH REMAINS TO BE LEARNED.	No	N/A	None	None	Subspecies range based on 360 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern Grasshopper Mouse (Onychomys torridus ramona)	CNDDB(1)	SSC, S3	DESERT AREAS, ESPECIALLY SCRUB HABITATS WITH FRIABLE SOILS FOR DIGGING. PREFERS LOW TO MODERATE SHRUB COVER. FEEDS ALMOST EXCLUSIVELY ON ARTHROPODS, ESPECIALLY SCORPIONS AND ORTHOPTERAN INSECTS.	No	N/A	None	None	Subspecies range based on 92 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Desert Woodrat (Neotoma lepida intermedia)	CNDDB(2)	SSC, S3S4	COASTAL SCRUB OF SOUTHERN CALIFORNIA FROM SAN DIEGO COUNTY TO SAN LUIS OBISPO COUNTY. MODERATE TO DENSE CANOPIES PREFERRED. THEY ARE PARTICULARLY ABUNDANT IN ROCK OUTCROPS, ROCKY CLIFFS, AND SLOPES.	No	N/A	None	None	Subspecies range based on 262 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Stephens' California Vole (Microtus californicus stephensi)	CNDDB(3)	SSC, S2	TIDAL MARSHES IN LOS ANGELES, ORANGE AND SOUTHERN VENTURA COUNTIES.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predicted habitat is for taxon as a whole, not subspecies which is only found in coastal marshes.
American Badger (Taxidea taxus)	CNDDB(1)	SSC, S3	MOST ABUNDANT IN DRIER OPEN STAGES OF MOST SHRUB, FOREST, AND HERBACEOUS HABITATS, WITH FRIABLE SOILS. NEEDS SUFFICIENT FOOD, FRIABLE SOILS AND OPEN, UNCULTIVATED GROUND. PREYS ON BURROWING RODENTS. DIGS BURROWS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large areas of undisturbed natural habitat. Also, does not occur near the area.

Critical Habitat

This page visually depicts the presence or absence of US Fish and Wildlife Service or National Marine Fisheries Service proposed or designated critical habitat in the Regional Study Area. If critical habitat is present in the Regional Study Area that taxon is included in the preceding pages and marked as having critical habitat. Critical habitat is also discussed in the main text of the report.



Appendix E. Photo Log

Inserted after this cover page is a database-generated photo log.

Photo Log

1400 Vista Moraga

This database-generated report presents a visual depiction of site conditions during the survey conducted on March 17, 2025 by England|Ecology. The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. The map below presents an overview of the photo locations in this report, with each photo shown on the ensuing pages. This report was generated using QGIS 3.40.



Photo Point 1642



Photo Direction
Southeast

Photo Description
View uphill toward residence from lower end of slope.

Photo Point 1643



Photo Direction
East

Photo Description
View across the backyard.

Photo Point 1644



Photo Direction
South

Photo Description
View upslope toward residence.

Photo Point 1652



Photo Direction
North

Photo Description
View up driveway toward residence from front gate.

Photo Point 1653





Photo Direction
Northwest

Photo Description
View of front yard.

Photo Point 1654





Photo Direction
Northeast

Photo Description
View of side yard.

Photo Point 1655





Photo Direction
North

Photo Description
Back yard.



Appendix F. Reference Materials

The following materials were provided to England|Ecology by the Applicant in order to assist with the completion of this report and are provided after this cover page:

- Site Plan
- Arborist Report

Tree Survey

For the compliance of the City of Los Angeles Planning

1400 N. Vista Moraga
Los Angeles, 90049

Prepared For: Niko Natsis
Tel: (310) 903-9022
Email: Nikonatsis@gmail.com

Prepared By: Michael Crane
Arbor Care, Inc.
1660 E. Mountain St.
Pasadena, CA 91104
Tel: (626) 737-4007
Email: info@arborcareinc.net

October 2023

Table of Contents

Survey Methods 1

Protected Tree Definitions 2

Tree Inventory Table 3

Topographic Survey Map with Tree Locations 5

Author's Certifications 6

Certification of Performance 7

SURVEY METHODS

All trees with trunks measuring four inches in diameter or larger have been identified by botanical and common names. Trunk diameters, which are measured at four feet above grade are listed, and those with an "M" next to the measurement indicates that the tree has multiple trunks originating from one root crown. If the tree is a multi-trunk, then the three largest trunk diameters are listed. Tree numbers correspond to the tree identification and location plotted on the topographic survey map. Tree numbers with an "os" next to them indicate that the trunk is located off-site, but the branches extend over or very close to the property line. Trees marked on the topographic survey map with an "X" indicate that a tree does not exist in the location of the tree icon.

The condition of each tree is given based on existing conditions using a scale of Excellent to Dead.

Excellent – A healthy, vigorous tree, reasonably free of signs and symptoms of disease, with good structural and form typical of the species.
Good – Tree with slight decline in vigor, small amount of twig dieback, or minor structural defects that can be corrected.
Fair – Tree with moderate vigor, moderate twig and small branch dieback, thinning of crown, poor leaf color, moderate structural defects that might be mitigated with regular care.
Poor – Tree in decline, epicormic growth, extensive dieback of medium to large branches, significant structural defects that cannot be abated.
Nearly Dead – Tree in severe decline, dieback of scaffold branches and/or trunk; most of foliage from epicormic shoots (secondary shoots that arise along the trunk and branches); extensive structural defects that cannot be abated.
Dead – Tree is completely non-viable

A determination was made on the protected status of each tree. The elements used to determine if a tree is protected are its species, trunk diameter and location on the property; and as defined in Ordinance #186873 of the City of Los Angeles Municipal Code. The property is not located in a Specific Plan area.

Protected Tree Definitions

City of Los Angeles Protected Trees and Shrubs

Ordinance #186873 - Protected Tree or Shrub- Any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree; or any of the following Southern California indigenous shrub species, which measure four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

Protected Trees:

(a) Oak tree including Valley Oak (Quercus lobata) and California Live Oak (Quercus agrifolia), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (Quercus dumosa).

(b) Southern California Black Walnut (Juglans californica var. californica)

(c) Western Sycamore (Platanus racemosa)

(d) California Bay (Umbellularia californica)

Protected Shrubs:

(a) Mexican Elderberry (Sambucus Mexicana

(b) Toyon (Heteromeles arbutifolia)

This definition shall not include any tree grown or held for sale by a licensed nursery, or trees planted or grown as a part of a tree planting program.

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077

Tree Key	Botanical Name	Common Name	Trunk Diameter	Condition	Tree Status
1	Jacaranda mimosifolia	Jacaranda	12"	Good	Non-Protected
2	Pinus halepensis	Aleppo Pine	14”	Good	Non-Protected
3	Pinus canariensis	Canary Island Pine	20"	Good	Non-Protected
4	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
5	Pinus halepensis	Aleppo Pine	6"	Good	Non-Protected
6	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
7	Pinus canariensis	Canary Island Pine	16"	Good	Non-Protected
8	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
9	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
10	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
11	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
12	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
13	Schinus molle	Pepper Tree	16"	Good	Non-Protected
14	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
15	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
16	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
17	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
18	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
19	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
20	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077 continued

Tree Key	Botanical Name	Common Name	Trunk Diameter or Height	Condition	Protected Tree
21	Pinus halepensis	Aleppo Pine	12"	Good	Non-Protected
22	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
23	Pinus halepensis	Aleppo Pine	20"	Good	Non-Protected
24	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
25	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
26	Pinus halepensis	Aleppo Pine	M2: 14", 14”	Good	Non-Protected
27	Eucalyptus globulus	Blue Gum	24"	Good	Non-Protected
28	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
29	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
30	Pinus canariensis	Canary Island Pine	5"	Good	Non-Protected
31	Malosma laurina	Laurel Sumac	M8: 4", 4” 2”	Good	Non-Protected
32	Malosma laurina	Laurel Sumac	M4: 6”, 6”, 2”	Good	Non-Protected
33	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
34	Malosma laurina	Laurel Sumac	M10: 3”, 3”, 3"	Good	Non-Protected
35	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 4”	Good	Non-Protected
36	Malosma laurina	Laurel Sumac	M5: 5”, 4’, 4”	Good	Non-Protected
37	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 3”	Good	Non-Protected
38	Malosma laurina	Laurel Sumac	M3: 6”, 2”, 2”	Good	Non-Protected


10 FOOT EASEMENT FOR PEDESTRIAN ACCESS AND DRAINAGE PURPOSES PER TRACT NO. 37150
FRONT PROPERTY LINE
PROPERTY LINE
Δ=72°14'37"
R=150.00'
N62°39'01"W
A.C.
DIRT
EUCALYPTUS
PINES
PINE
TREE
SCALE
983.85
984.65
985.23
984.99TC
984.33FL
985.78
985.74TC
985.05FL
986.35
986.31TC
985.72FL
986.90
986.88TC
986.31FL
987.56
987.68TC
986.77FL
988.14TC
987.30FL
988.36
988.46TC
987.50FL
988.60
985.02
984.96
983.95
981.85
976.82
975.62
974.68
971.26
962.75
961.20FL
962.16
954.70
949.22
953.24
941.51
938.77
937.31
936.07FL
934.16TG
939.62
938.21FL
937.22
933.36
971.23
964.37
963.44FL
964.30
949.77
987.35
987.62
986.79
985.74
986.25
987.75
985.45
965.21
962.97
962.99
961.69
961.02
960.29
958.98TG
960.32
960.1T
(980)
(970)
(960)
(950)
(940)

ISA QUALIFICATIONS

International Society of Arboriculture™
Tree Risk Assessment Qualification

Michael J Crane

Having successfully completed the requirements established by the Certification Board of the International Society of Arboriculture,™ the above named is hereby recognized as holding the ISA Tree Risk Assessment Qualification.

Chair, Certification Board
International Society of Arboriculture

Jim Skiera, Executive Director
International Society of Arboriculture

December 31, 2015
Expiration Date

The American Society of Consulting Arborists

in recognition of fulfillment of the requirements for Registered Consulting Arborist status

confers upon

Michael Crane, RCA #440

Registered Membership
January 18, 2006

President

ASCA AMERICAN SOCIETY of CONSULTING ARBORISTS

Executive Director



dpr DEPARTMENT OF PESTICIDE REGULATION
LICENSING/CERTIFICATION PROGRAM

AGRICULTURAL PEST CONTROL ADVISER LICENSE

DATE OF ISSUE
01/01/2013

VALID THROUGH
12/31/2014

PCA 75893
MICHAEL J CRANE
PO BOX 51122
PASADENA CA 91115

ABCDEFG

International Society of Arboriculture
Board-Certified Master Arborist

Michael J. Crane

Having successfully completed the requirements set by the Arborist Certification Board of the International Society of Arboriculture, the above named is hereby recognized as an ISA Board-Certified Master Arborist

ISA

Jim Skiera, Executive Director
International Society of Arboriculture

WE-6643B	Nov 9, 2008	Dec 31, 2012
Certification Number	Certified Since	Expiration Date

CERTIFICATION OF PERFORMANCE

I, Michael Crane, certify that:

- I have personally inspected the tree(s) and the property referred to in this report and have stated my findings accurately.
- I have no current or prospective interest in the vegetation or the property that is the subject of this report and have no personal interest or bias with respect to the parties involved.
- The analysis, opinions, and conclusions stated herein are my own and are based on current scientific procedures and facts.
- My analysis, opinions, and conclusions were developed and this report has been prepared according to commonly accepted arboricultural practices.
- No one provided significant professional assistance to me, except as indicated within the report.
- My compensation is not contingent upon the reporting of a predetermined conclusion that favors the cause of the client or any other party not upon the results of the assessment, the attainment of stipulated results, or the occurrence of any subsequent events.

I further certify that I am a member in good standing of the American Society of Consulting Arborists and the International Society of Arboriculture. I have been involved in the field of Horticulture in a full-time capacity for a period of more than 15 years.

Signed: _____

Registered Consulting Arborist #440; American Society of Consulting Arborist
Board Certified Master Arborist #WE 6643B; International Society of Arboriculture
Licensed California Agricultural Pest Control Adviser #AA08269

Date: October 18, 2023

marcus@mcengland.com
mcengland.com
englandecology
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Biological Resources Report

City of Los Angeles, Los Angeles County, California

Subject Property:

APN: 4368003021
1400 Vista Moraga
Los Angeles, California 90049

Prepared for:

Tony Natsis
Los Angeles, CA 90049

Prepared by:

Marcus C. England
England | Ecology
mcengland.com

April 15, 2025

Table of Contents

Executive Summary **1**

Project Overview **2**

Project Information 2

Project Location 2

Protected Areas 5

Existing Physical/Natural Site Features 6

Site History 8

1994 8

1979 8

1938 9

Fire History 9

Proposed Development 10

Characteristics of the Surrounding Area **11**

Applicable Regulations and Permits **13**

Federal 13

Federal Endangered Species Act 13

Migratory Bird Treaty Act 13

Bald and Golden Eagle Protection Act 14

Birds of Conservation Concern 14

State of California 14

California Endangered Species Act 14

Fully Protected Animals 15

Species of Special Concern 15

California Rare Plant Ranks 15

California Fish and Game Code Sections 3503, 3503.5, 3513 16

California Environmental Quality Act 16

City of Los Angeles 17

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance 17

Methods **18**

Definitions 18

Resource Status Designations Considered 18

Study Areas 18
Desktop Review 19
Databases 19
Site-Specific Reports 20
Field Survey 20
Occurrence Potential 20
Geospatial & Tabular Data Storage 22
Taxonomy & Nomenclature 22
Biological Site Conditions Assessment 23
Water Resources 23
Literature Review 23
Field Methodology 23
Data Analysis 23
General Conclusions 25
Vegetation Communities & Habitats 26
Literature Review 26
Field Methodology 26
Data Analysis 26
General Conclusions 34
Flora 35
Literature Review 35
Field Methodology 35
Data Analysis 35
General Conclusions 38
Fauna 39
Literature Review 39
Field Methodology 39
Data Analysis 39
General Conclusions 50
Conclusions and Recommendations 51

Figures

Figure 1. Project Location Map 2
Figure 2. Project Location Relative to Specific Plan Areas 4
Figure 3. Project Location Relative to the Public Land Survey System 4
Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads 4
Figure 5. Protected Areas in the California Protected Areas Database 5
Figure 6. Soils on the Project Site 6
Figure 7. Historic Aerial from 1994. Source: Google Earth. 8
Figure 8. Historic Aerial from 1979. Source: FrameFinder 8
Figure 9. Historic Aerial from 1938. Source: FrameFinder 9
Figure 10. Fire Perimeters Relative to the Project Site 9
Figure 11. Aerial View of Surrounding Area 11
Figure 12. National Hydrography Dataset and National Wetlands Inventory Data 24
Figure 12. Critical habitat for plants in a portion of the Regional Study Area 36
Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area 44
Figure 14. City of Los Angeles Wildlife Movement Connectivity Data 46

Tables

Table 1. Project Summary 2
Table 2. Survey Dates, Times, and Weather Conditions 20

Exhibits

Exhibit 1. Site Map 3
Exhibit 2. Terrain Map 7
Exhibit 3. Vegetation Communities & Land Cover 29

Appendices

Appendix A. Biological Reporting Standards Acknowledgement of Compliance
Appendix B. Report Contributors
Appendix C. Floral & Faunal Compendia
Appendix D. Desktop Review of Special Status Biological Resources
Appendix E. Photo Log
Appendix F. Reference Materials

Executive Summary

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concludes the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed. If development were proposed on the newly-created parcel, the Applicant will ensure the following measures are implemented:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.
- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[1].
- **Nesting Birds:** To comply with the Migratory Bird Treaty Act, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the Migratory Bird Treaty Act, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.
- **Bats:** If any potentially-suitable roost trees are to be removed as a result of the Project, these should be inspected prior to removal by a qualified biologist to ensure no roosts are present. If roosts are present, impacts to the roost should be avoided pending coordination with the appropriate agencies on how to proceed. The value of the Project Site as aerial foraging habitat would not be adversely affected by the proposed Project.

[1] https://www.cal-ipc.org/plants/inventory/

Project Overview

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California (hereafter, "Project"). This report has been organized in a manner to be consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Project Information

This biological resources report is being prepared at the request of the Applicant, who states that this report format was requested by Los Angeles City Planning. **Table 1** (right) summarizes key Project information as required by CP-4073.

Project Name	1400 Vista Moraga
APN(s)	4368003021
Address(es)	1400 Vista Moraga, Los Angeles, California 90049
Applicant	Tony Natsis
Zoning	RE40-1-H-HCR (Residential)

Table 1. Project Summary

Project Location

The Project is proposed on approximately 3.3 acres of land located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California. It is not located within an existing approved Specific Plan Area. On the Public Land Survey System, the Project Site is located within the San Vicente Y Santa Monica Land Grant of the US Geological Survey's 7.5-minute *Beverly Hills* quadrangle.

The Project's location is shown to the right in **Figure 1.** A Site Map is provided as **Exhibit 1** on the next page. The Project's location relative to Specific Plan Areas, the Public Land Survey System, and US Geological Survey 7.5-Minute Quads is shown on the following page in **Figures 2, 3,** and **4.**



Figure 1. Project Location Map

Exhibit 1. Site Map

1400 Vista Moraga



Project Site Boundary

Reference Grid Overlay: 50 feet. Coordinate System: EPSG 3310.
Base Map: Google. Map Scale: 1:1104



Figure 2. Project Location Relative to Specific Plan Areas



Figure 3. Project Location Relative to the Public Land Survey System



Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads

Protected Areas

The nearest open space in the California Protected Areas Database (CPAD) is Getty View Park & Trailhead managed by the Mountains Recreation and Conservation Authority. It is located approximately 0.24 miles to the west. The nearest easement in the California Conservation Easement Database is located approximately 1.62 miles to the north. Protected areas in the CPAD are shown below in **Figure 5.**



Figure 5. Protected Areas in the California Protected Areas Database

Existing Physical/Natural Site Features

The Project Site is on a west-facing slope with elevations ranging from approximately 825 to 990 feet above mean sea level, with an elevation of approximately 915 feet above mean sea level at the center of the Project Site. Two soil types are present on the Project Site. The first is Urban land-Xerorthents, landscaped complex, 0 to 5 percent slopes[2]. The parent material of this soil type is human-transported material consisting mostly of colluvium and/or residuum weathered from sedimentary rock. The typical soil profile is loam to a depth of 52 inches. The second soil type is Topanga-Mipolomol-Sapwi association, 30 to 75 percent slopes. The parent material of this soil type is colluvium and/or residuum weathered from sandstone, shale, and slate. The typical soil profile is gravelly loam or gravelly clay loam to a depth of 18 inches. Photographs depicting the Project Site are provided in the **Photo Log** attached to this report as **Appendix E.** Soils on the Project Site and surrounding area are shown in **Figure 6.** There are no unique physical or natural site features that have unusual or exceptional biological value such as cliff faces, rock outcrops, bluffs, or stream banks. The Biological Study Area's terrain features are shown in **Exhibit 2.**



[2] https://websoilsurvey.sc.egov.usda.gov/app/

Figure 6. Soils on the Project Site

Exhibit 2. Terrain Map

1400 Vista Moraga



Site History

The City's CP-4073 reporting standards require a discussion of the Project Site's history, which is not information that is readily available, but can be assembled generally from historic aerial photos, such as those available on the UC Santa Barbara FrameFinder site[3] and Google Earth[4]. The images on the FrameFinder site are not georectified (making it difficult to place a Project Site boundary on them), but are useful for providing a general overview of land use history in the area. To that end, England|Ecology reviewed aerial photos from a series of years, three of which are provided below.

1994

This image from Google shows that the existing residence was present by 1994. Residences to the west of the Project Site appear to be under construction. The image referred to herein is provided as **Figure 7.**

Figure 7. Historic Aerial from 1994. Source: Google Earth.

1979

This image from FrameFinder shows that no residence was on the Project Site in that year. Development was present to the east, and it appears that the Project Site was largely cleared of shrubby vegetation. The image referred to herein is provided as **Figure 8.**

Figure 8. Historic Aerial from 1979. Source: FrameFinder

[3] https://mil.library.ucsb.edu/ap_indexes/FrameFinder/

[4] https://www.google.com/intl/en_us/earth/

1938

This image from FrameFinder shows no development was present on the Project Site and a large area around it. Vegetation appears to be mostly chaparral. The image referred to herein is provided as **Figure 9.**



Figure 9. Historic Aerial from 1938. Source: FrameFinder

Fire History

Fire perimeters relative to the Project Site are shown below in **Figure 10.** Based on these data[5] the Project Site last burned in the 1961 Bel Air Fire.



Figure 10. Fire Perimeters Relative to the Project Site

[5] https://www.fire.ca.gov/what-we-do/fire-resource-assessment-program

Proposed Development

This report has been prepared at the request of the Applicant for a proposed parcel split. No ground-disturbing activities are proposed at this time. The plan provided to England|Ecology during the preparation of this report is provided in **Appendix F.** The City has requested that in addition to the proposed parcel split, this report analyze the potential effects of maximal development (which is not currently proposed) within the newly-created parcel. Where applicable, effects analysis considers a development area of 5,366.16 square feet and allowable fencing of 6 feet in the side and rear yards, and 3.5 feet in the front yard.

Characteristics of the Surrounding Area

The City's CP-4073 reporting standards require a discussion of landscape characteristics within 500 feet of the Project Site, the limits for which are shown below in **Figure 11.** A discussion of landscape aspects is provided thereafter.



Figure 11. Aerial View of Surrounding Area

- **Impermeable Surfaces:** Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. Based on field observations and current aerial photography, impermeable surfaces such roads, residences, and other structures occupy approximately 25% of the 500-foot radius, scattered throughout as various winding roads and houses.
- **Natural Vegetation:** Based on field observations and current aerial photography, natural vegetation communities are located at the southern and northern limits of the 500-foot radius.
- **Landscape Vegetation:** Based on field observations and current aerial photography, landscape vegetation such as maintained trees, shrubs, and forbs are the primary vegetation within the 500-foot radius.
- **Terrain:** Terrain within 500 feet is largely hilly. Aspect is variable.

- **Water Features:** There are no known water features within 500 feet of the Project Site.
- **General Anthropogenic Disturbance:** Based on field observations and current aerial photography, the area within 500 feet of the Project Site is residential in nature without any high traffic roads. As such, anthropogenic disturbance factors such as vehicle traffic, light, and noise are likely to be relatively low.
- **California Protected Areas Database:** There are no parks or other protected areas shown in the California Protected Areas Database within 500 feet of the Project Site.
- **California Conservation Easement Database:** There are no easements shown in the California Conservation Easement Database within 500 feet of the Project Site.

Applicable Regulations and Permits

The following summarizes regulations and other resource protection mechanisms that are known to be or potentially are applicable to biological resources on the Project Site. Key species status terms and their abbreviations, used later in this report, are in bold text.

Federal

Federal Endangered Species Act

The Federal Endangered Species Act (FESA) is the federal government's tool to protect rare and declining plant and wildlife species. It is implemented jointly by the US Fish and Wildlife Service (USFWS, terrestrial species) and the National Marine Fisheries Service. FESA protects species using the following status designations:

- An **endangered (FE)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as facing extinction throughout all or a significant portion of its geographic range.
- A **threatened (FT)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as likely to become endangered within the foreseeable future throughout all or a significant portion of its range.

A **proposed threatened (FPT)** or **proposed endangered (FPE)** species is one officially proposed for addition to the federal threatened or endangered species lists. A **candidate (FC)** species is one under review for listing, often due to the submittal of a petition by an outside entity.

"Take" of a federally endangered or threatened species or its habitat is prohibited by federal law without a special permit. The term "take", under FESA, means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in such conduct. "Harm" is defined to encompass "an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering" (50 CFR 17.3).

FESA also requires the USFWS to consider whether there are areas of habitat essential to conservation for each listed species. **Critical habitat (CH)** designations protect these areas, including habitat that is currently unoccupied but may be essential to the recovery of a species. An area is designated as critical habitat after the USFWS publishes a proposed Federal regulation in the Federal Register and then receives and considers public comments on the proposal. The final boundaries of critical habitat are officially designated when published in the Federal Register.

Migratory Bird Treaty Act

The Migratory Bird Treaty Act of 1918 (MBTA) is a federal law governing the taking, killing, possession, transportation, and importation of various birds, their eggs, parts, and nests. The take of any number of a bird species listed as protected on any one of four treaty lists is governed by the MBTA's regulation of taking migratory birds for educational, scientific, and recreational purposes and requiring harvest to be limited to levels that prevent over utilization. The MBTA also prohibits taking, possession, import, export, transport, selling, purchase, barter, or offering for sale, purchase or barter, certain bird species, their eggs, parts, and nests, except as authorized under a valid permit (50 CFR 21.11).

Bald and Golden Eagle Protection Act

The **Bald and Golden Eagle Protection Act (BGEPA)** (16 U.S.C. 668-668c), enacted in 1940, and amended several times since then, prohibits anyone, without a permit issued by the Secretary of the Interior, from "taking" eagles, including their parts, nests, or eggs. The Act provides criminal penalties for persons who "take, possess, sell, purchase, barter, offer to sell, purchase or barter, transport, export or import, at any time or any manner, any bald eagle ... [or any golden eagle], alive or dead, or any part, nest, or egg thereof." The Act defines "take" as "pursue, shoot, shoot at, poison, wound, kill, capture, trap, collect, molest or disturb." For purposes of the guidelines, "disturb" means: "to agitate or bother a bald or golden eagle to a degree that causes, or is likely to cause, based on the best scientific information available, 1) injury to an eagle, 2) a decrease in its productivity, by substantially interfering with normal breeding, feeding, or sheltering behavior, or 3) nest abandonment, by substantially interfering with normal breeding, feeding, or sheltering behavior." In addition to immediate impacts, this definition also covers impacts that result from human-induced alterations initiated around a previously used nest site during a time when eagles are not present, if, upon the eagle's return, such alterations agitate or bother an eagle to a degree that interferes with or interrupts normal breeding, feeding, or sheltering habits, and causes injury, death or nest abandonment.

Birds of Conservation Concern

The **Birds of Conservation Concern (BCC)** list "identifies the migratory and non-migratory bird species (beyond those already designated as federally threatened or endangered) that represent [the USFWS's] highest conservation priorities. The list is based on an assessment of several factors, including population abundance and trends, threats on breeding and nonbreeding grounds and size of breeding and nonbreeding ranges. Bird species considered for the BCC include: nongame birds gamebirds without hunting seasons subsistence-hunted nongame birds in Alaska ESA candidate, proposed, and recently delisted species.[6]"

State of California

California Endangered Species Act

The California Endangered Species Act (CESA) is the State of California's tool to protect rare and declining plant and wildlife species. Plant and animal species may be designated threatened or endangered under CESA after a formal listing process by the California Fish and Game Commission. Implementation of CESA is by the California Department of Fish and Wildlife (CDFW). CESA protects species using the following status designations:

- An **endangered (CE)** species is a species of plant or wildlife whose prospects of survival and reproduction are in immediate jeopardy.
- A **threatened (CT)** species is a species of plant or wildlife present in such small numbers throughout its range that it is considered likely to become an endangered species in the near future in the absence of special protection or management.

A **candidate (CC)** species is one formally under review for listing. Candidates species are protected from take by CESA during the review process.

[6] https://fws.gov/media/birds-conservation-concern-2021pdf

Fully Protected Animals

CDFW describes the **Fully Protected (FP)** animals list as "the State's initial effort in the 1960's to identify and provide additional protection to those animals that were rare or faced possible extinction. Lists were created for fish, amphibians, reptiles, birds and mammals. Fully Protected species may not be taken or possessed at any time and no licenses or permits may be issued for their take except for collecting these species for necessary scientific research, relocation of the bird species for the protection of livestock, or if they are a covered species whose conservation and management is provided for in a Natural Community Conservation Plan.[7]"

Species of Special Concern

Species of special concern (SSC) is an informal designation used by the CDFW for some declining wildlife species that are not officially listed as endangered, threatened, or rare. This designation does not provide legal protection, but signifies that these species are recognized as vulnerable by CDFW.

California Rare Plant Ranks

While not a government agency, the California Native Plant Society (CNPS) is a statewide resource conservation organization that has developed an inventory of California's special-status plant species that is highly regarded by the agencies and biologists. This inventory is a summary of information on the distribution, rarity, and endangerment of California's vascular plants. Rare or potentially rare plant species are ranked using the following system **(CRPR)**:

- **1A:** Plants Presumed Extirpated in California and Either Rare or Extinct Elsewhere.
- **1B:** Plants Rare, Threatened, or Endangered in California and Elsewhere
- **2A:** Plants Presumed Extirpated in California, But Common Elsewhere
- **2B:** Plants Rare, Threatened, or Endangered in California, But More Common Elsewhere
- **3:** Plants About Which More Information is Needed - A Review List
- **4:** Plants of Limited Distribution - A Watch List

After each rarity ranking, there is also a threat ranking:

- **0.1:** Seriously threatened in California (over 80% of occurrences threatened / high degree and immediacy of threat)
- **0.2:** Moderately threatened in California (20-80% occurrences threatened / moderate degree and immediacy of threat)
- **0.3:** Not very threatened in California (less than 20% of occurrences threatened / low degree and immediacy of threat or no current threats known)

[7] https://wildlife.ca.gov/Conservation/Fully-Protected

California Fish and Game Code Sections 3503, 3503.5, 3513

These California Fish and Game Code sections protect all birds, birds of prey, and all nongame birds, as well as their eggs and nests, for species that are not already listed as fully protected and that occur naturally within the state. Sections 3503 and 3503.5 of the CFGC stipulate the following regarding eggs and nests: Section 3503 states that it is unlawful to take, possess, or needlessly destroy the nest or eggs of any bird, except as otherwise provided by California Fish and Game Code or any regulation made pursuant thereto; and Section 3503.5 states that is it unlawful to take, possess, or destroy any birds in the orders Falconiformes or Strigiformes (birds-of-prey) or to take, possess, or destroy the nest or eggs of any such bird except as otherwise provided by CFGC or any regulation adopted pursuant thereto. Section 3513 states that it is unlawful to take or possess any migratory nongame bird as designated in the MBTA or any part of such migratory nongame bird except as provided by rules and regulations adopted by the Secretary of the Interior under provisions of the MBTA.

California Environmental Quality Act

Appendix G of the CEQA Guidelines is used by public agencies to determine whether a project may have a significant impact on biological resources. Under Appendix G (Section IV), a project may have a significant impact on biological resources if it would:

- Have a substantial adverse effect, either directly or through habitat modification, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations by the CDFW or USFWS.
- Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in the City or regional plans, policies, or regulations by the CDFW or USFWS.
- Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means.
- Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.
- Conflict with any local policies or ordinances protecting biological resources, such as tree preservation policy or ordinance (e.g., oak trees or California walnut woodlands).
- Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

In addition, Section 15065(a) of the CEQA Guidelines establishes that a significant impact may occur if "[t]he project has the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish and wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, [or] reduce the number or restrict the range of an endangered, rare or threatened species."

City of Los Angeles

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance

The Protected Tree and Shrub Relocation and Replacement Ordinance took effect in February 2021. As defined in Section 46.01 of the Los Angeles Municipal Code, “protected tree or shrub" means any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree, or any of the following Southern California indigenous shrub species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

- Protected Trees:
    - Oak tree including Valley Oak (*Quercus lobata*) and California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*).
    - Southern California Black Walnut (*Juglans californica*).
    - Western Sycamore (*Platanus racemosa*).
    - California Bay (*Umbellularia californica*).
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*).
    - Toyon (*Heteromeles arbutifolia*).

Sections 46.02 to 46.06 of the Los Angeles Municipal Code describe mitigation measures for tree impacts and penalties for violating the ordinance.

Methods

This report is informed by data from an expansive desktop review and a field survey, the methods for which are described below. From this section forward, the more biologically accurate terms *taxon* and *taxa* are used in place of the term *species* used in most regulations because of the fluid nature of modern taxonomy, with special status assignments often being made for subspecies and populations instead of entire species. The term *species* is only used where applicable to the discussion.

Definitions

Resource Status Designations Considered

A variety of agencies and respected non-profit organizations assess the conservation status of plant and wildlife taxa and habitats, however, not all are applicable to this report. The following special status designations were considered when determining special status taxa and habitats to be discussed:

- **Federal Status:** Taxa listed as **Endangered (FE)** or **Threatened (FT)**, as well as taxa **Proposed as Endangered (FPE)**, **Proposed as Threatened (FPT)**, **Proposed for Delisting (FPD)**, and **Candidates (FC)** for listing under the Federal Endangered Species Act. Bald and Golden Eagles protected by the **Bald and Golden Eagle Protection Act (BGEPA)** and **USFWS-listed Birds of Conservation Concern** are also included.
- **California Status:** Taxa listed as **Endangered (CE)** or **Threatened (CT)**, as well as taxa that are **Candidates for Endangered (CCE)** status, **Threatened (CCT)** status, or **Delisting (CCD)** under the California Endangered Species Act. Also considered are taxa listed as **Fully Protected (FP)** and **Species of Special Concern (SSC).**
- **CNPS Status:** California Rare Plant Ranks (CRPR) 1, 2, and 3.
- **NatureServe Element Ranks:** NatureServe element state ranks were only considered for taxa when other criteria did not apply. Taxa were included with ranks of **S1 (Critically Imperiled)**, **S2 (Imperiled)**, and **S3 (Vulnerable).**
- **Vegetation Communities:** All vegetation communities mapped by the CNDDB.
- **Protected Trees and Shrubs:** trees and shrubs protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance are discussed in the analysis of flora.

Study Areas

The following are the study areas referenced in the Biological Site Conditions Assessment:

- **Project Site:** The Project Site includes the 3.29 acres of land being considered for entitlements and directly surveyed for this report.
- **Biological Study Area:** The Biological Study Area includes the Project Site and a 200 foot buffer. For this Project, the Biological Study Area measures 16.18 acres in extent. Known or potentially-occurring biological resources were examined closely within the Biological Study Area, but may not have been directly surveyed because of access restrictions.

- **Regional Study Area:** The Regional Study Area is the area for which taxa and habitat records were pulled from most biological resource databases. It includes the 7.5-minute US Geological Survey quadrangle the Project Site is located in and all surrounding quadrangles: *Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys*, and *Venice*. The Regional Study Area is depicted in the **Desktop Review Report** provided as **Appendix D.**

Desktop Review

Databases

England|Ecology conducted a review of literature and data sources to characterize biological conditions and to compile records of special status biological resources that could potentially occur on the Project Site. The resources used for this analysis are described below.

- **Soils:** Soils on and in the vicinity of the Project Site were assessed using the Web Soil Survey tools provided by the US Department of Agriculture[8].
- **Water:** Potential water resources were examined using the US Geological Survey's National Hydrography Dataset[9] and the USFWS National Wetlands Inventory[10].
- **Vegetation Communities:** potentially-occurring sensitive vegetation community records were pulled from the California Natural Diversity Database (CNDDB)[11] for the Regional Study Area.
- **Flora and Fauna:** potentially-occurring special status plant and wildlife records were pulled from the following data sources:
  - Designated and proposed critical habitat layers from the US Fish & Wildlife Service[12]. Taxa were included if critical habitat was proposed or designated within the Regional Study Area.
  - CNDDB records from within the Regional Study Area.
  - The California Native Plant Society (CNPS) Rare Plant Inventory[13] records from within the Regional Study Area.
  - The USFWS-managed Information for Planning and Consultation (IPaC) database[14] for records returned when uploading the boundary of the Project Site.

---

[8] https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm

[9] https://www.usgs.gov/national-hydrography/national-hydrography-dataset

[10] https://www.fws.gov/program/national-wetlands-inventory/wetlands-mapper

[11] California Natural Diversity Database (CNDDB). March 12, 2025. State and Federally Listed Endangered, Threatened, and Rare Plants of California. California Department of Fish and Wildlife. Sacramento, CA.

12 https://ecos.fws.gov/ecp/report/critical-habitat

[13] https://rareplants.cnps.org

[14] https://ipac.ecosphere.fws.gov/

In addition, records were searched locally within eBird[15] and iNaturalist[16].

Site-Specific Reports

During the preparation of this report, England|Ecology was provided with the following report pertaining to biological resources on the Project Site, the data from which was incorporated into this report where applicable:

- **Arborist Report:** an arborist report was completed for this Project by Arbor Care, Inc. in October 2023[17]. Hereafter, this report will be referred to as the "Arborist Report".

This report is provided in **Appendix F.**

Field Survey

England|Ecology principal biologist Marcus C. England conducted a general biological survey on the Project Site of sufficient detail to document the presence/absence and condition of water resources, vegetation communities and habitats, and flora and fauna observed. This provided a baseline for understanding the potential for occurrence of special status biological resources.

The Project Site was easily covered on foot walking transects of convenience to examine biological resources. Where necessary, observations were made with Leica Noctivid 8x42 binoculars and documented with a Nikon D500 camera paired with a Sigma 150-600mm lens. All other observations were documented using various applications and functions on an iPhone 15 Pro, including the Solocator[18] app for photographic documentation of site conditions and the QField[19] app for collecting spatial (e.g., photo and resource locations) and non-spatial (e.g., floral and faunal lists) tabular data. After the survey was completed, data in QField was synchronized to a geospatial database using QGIS[20] 3.40.

Table 2. Survey Dates, Times, and Weather Conditions

Monday, March 17, 2025 0915-1015h (1 hours) Marcus C. England	56°F 13°C	60°F 16°C

Occurrence Potential

England|Ecology assessed the potential for occurrence of special status plant and wildlife taxa and habitats based on data provided by the desktop review and observations made during the field survey. For taxa for which field observations could not definitively determine occurrence, the following information was considered:

[15] https://ebird.org

[16] https://inaturalist.org

[17] Arbor Care, Inc. 2023. Tree Survey. 1400 N. Vista Moraga, Los Angeles, 90049. 9 pages.

[18] https://solocator.com/

[19] https://qfield.org/

[20] https://www.qgis.org/en/site/

- **Range:** The Regional Study Area—from which records were gathered—is a large area capturing many taxa that would not be expected to occur in the Biological Study Area. In general, range determinations were made as follows:
    - **Flora:** The range of the taxon is based on an export of point records of that taxon from Calflora[21] with each record provided a buffer of 10km. If the Biological Study Area was within that mapped range, it could be considered outside of range if the elevations in the Biological Study Area were more than ten percent outside of the known elevation range of the taxon. If alternative sources are used they are included in the notes.
    - **Fauna:** The range of the taxon was determined differently based on the taxonomic group:
        - **Invertebrates and Fish:** An export of records of that taxon from the Global Biodiversity Information Facility[22] with each record provided a buffer of 10km. If alternative sources are used they are included in the notes.
        - **Amphibians, Reptiles, Birds, and Mammals:** California Wildlife Habitat Relationships[23] range data from the California Department of Fish and Wildlife. If alternative sources are used they are included in the notes.
- **Habitat:** If the Biological Study Area was determined to be outside of the taxon's range, habitat was not assessed and is labeled "N/A". If the Biological Study Area was determined to be within the taxon's range, the quality of the habitats in the Biological Study Area to support any portion of that taxon's life cycle was assessed and labeled as "Low", "Medium", or "High". The rationale for that determination is provided in the Notes of the desktop review report.

These occurrence potential assignments are defined below:

- **Present:** Taxa or habitat/vegetation community is known to occur on the Project Site based on recent surveys, CNDDB (within 10 years), or other records.
- **High:** Taxa with known recent recorded occurrences/populations near the Project Site and highly suitable habitat occurs within the Project Site. Highly suitable habitat includes all necessary elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources).
- **Moderate:** Taxa with known recent recorded occurrences/populations near the Project Site; however, habitat within the Project Site has been moderately disturbed, fragmented, or is small in extent. Moderately suitable habitat includes several elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources). Furthermore, moderately suitable habitat may also be located at the edge of the taxon's range, or there are no reported occurrences nearby.

[21] https://www.calflora.org/

[22] https://gbif.org

[23] https://wildlife.ca.gov/Data/CWHR

- **Low:** Taxa with few known recent recorded occurrences/populations near the Project Site and habitat within the Project Site is highly disturbed or extremely limited. A low potential is assigned to annual or perennial plant taxa that may have been detectable during a focused survey in the appropriate blooming period but was not found; however, small populations or scattered individuals are still considered to have a low potential to occur. Additionally, taxa for which poor-quality habitat may support the taxon within the Project Site, but the reported extant range is far outside the Project Site and/or any species observations would anticipate being migratory (i.e., not likely to reproduce within the Project Site).

- **None:** Taxa or habitat/vegetation community are not expected to be present because focused surveys were conducted and the taxon or habitat/vegetation community was not detected, or the taxon was found in the desktop review, but suitable habitat (soil, vegetation, elevational range) was not found on the Project Site, or the Project Site is not within the known geographic range of the species.

The potential for bird species were further distinguished into those that may: 1) nest within or near the Project Site; 2) forage within or near the Project Site; and/or 3) occur on or near the Project Site only as transients during migratory flights or other dispersal events.

Geospatial & Tabular Data Storage

All GIS-based resource analysis was conducted in QGIS 3.40, with either local data copies stored in a GeoPackage database or using a web service provided by the organization housing the data. Data specific to the Project Site is stored in a statewide GeoPackage database file.

Taxonomy & Nomenclature

It is important within a given report to use a consistent taxonomy for clarity in communication, especially as the various sources used in the research for a report may not use the same taxonomy and nomenclature. The taxonomic database underpinning England|Ecology's work is updated monthly from NatureServe[24]. NatureServe's taxonomy includes an Element Code for each taxon. These same Element Codes are used by a variety of agencies and organizations, including the California Department of Fish and Wildlife in the CNDDB and the California Native Plant Society in their Rare Plant Inventory. The Element Code provides a basis for linking records from disparate data sources. In all cases in this report, the taxonomic order and nomenclature are NatureServe's[25], with the exception of the special status flora discussion which is linked to a monthly export of the Rare Plant Inventory. As such, while this report largely capitalizes common names consistent with the NatureServe taxonomy, tabular data exported for special status floral analysis does *not* use this convention, as it is not used by the California Native Plant Society.

[24] https://www.natureserve.org/classifying-biodiversity

[25] The author does not always agree with NatureServe's taxonomy (such as where it varies from that of the American Ornithological Society), but it provides a consistent basis for discussion across taxonomic groups.

Biological Site Conditions Assessment

This biological site conditions assessment describes the Project Site's biological resources based on the desktop review and field survey. The format of this section of the report is consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Water Resources

The following section discusses observed or potential water resources on and in the vicinity of the Project Site. A formal jurisdictional delineation was not conducted as part of data gathering for this report.

Literature Review

As described in the Methods section above, during the preparation of this report England|Ecology reviewed data from the National Hydrography Dataset and the National Wetlands Inventory. This review found the following:

- **National Hydrography Dataset:** The National Hydrography Dataset shows no flowlines within 500 feet, no area features within 500 feet, no water bodies within 500 feet, and no point features within 500 feet.
- **National Wetlands Inventory:** The National Wetlands Inventory shows no features within 500 feet.

These data are discussed in the Data Analysis section below and shown on **Figure 12.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Specific to water resources, while a formal jurisdictional delineation was not conducted, the entirety of the Project Site was searched for natural water resources. This included searching for ponded water, depressions that could hold ponded water, flowing water, stream channels or other indicators of ephemeral flowing water, and riparian plant species.

Data Analysis

Resource Presence/Absence

Per the National Hydrography Dataset, the Project Site is located within the Ballona Creek HU-12 drainage which is a subcomponent of the Ballona Creek HU-10 drainage. No hydrological features are mapped on the Project Site by the National Hydrography Dataset or the National Wetlands Inventory. No natural water features or indicators of the presence of ephemeral water features were observed on the Project Site during England|Ecology's survey.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.



Figure 12. National Hydrography Dataset and National Wetlands Inventory Data

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to surface water resources, such as siting the building footprint more than 100 feet away from the water body*. As no water bodies are present on or adjacent to the Project Site, no such considerations would be required of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects. If development were proposed on the newly-created parcel, no avoidance and minimization measures for water resources would be required.

Direct Effects

CP-4073 states that direct effects *may occur if the project has surface water resources or other riparian habitat occurring in areas that will be disturbed either by development or used as construction staging areas*, further requiring to *provide acreage of water resources that will be impacted by the project*. As no natural water resources are present on or adjacent to the Project Site, no direct effects on water resources or other riparian habitat would occur as a result of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on

water resources. If development were proposed on the newly-created parcel there would be no direct effects on water resources.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding or modifying human infrastructure that leads to hydrologic interruptions.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on water resources. If development were proposed on the newly-created parcel, such development would occur on an undeveloped site within an otherwise developed area. Construction would result in new impermeable surfaces that would alter the site's existing hydrological regime and adversely affect water quality. A **Water Resources** measure pertains to these indirect effects and is described below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses of surface water resources and/or riparian habitat,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses of surface water resources or other riparian habitat.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on water resources within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to water resources. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of surface water resources or other riparian habitat.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on water resources.

In order to avoid significant adverse effects on water resources the Applicant will ensure the following measure is implemented if development occurs on the newly-created parcel:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on water resources as no natural water features are present on the Project Site and no ground-disturbing activities are proposed. If development occurs on the newly-created parcel, potential adverse indirect effects on water resources will be avoided through implementation of a Water Resources measure describing compliance with the City-mandated Low Impact Development ordinance.

Vegetation Communities & Habitats

The following section discusses vegetation communities and habitats in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

A review of the CNDDB determined a total of seven sensitive vegetation communities are mapped within the Regional Study Area. These are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Mapped vegetation had the potential to fall into two categories:

- **Natural Alliance:** native or non-native natural vegetation communities that are recognized by the Manual of California Vegetation[26], a classification system recognized by most agencies. Areas with heavy anthropogenic influence, such as seasonal ground disturbance from fuel modification, are tagged as "Disturbed". Most alliances provide some level of habitat for wildlife, though it can be minimal when disturbed or dominated by invasive plant species.

- **Land Cover:** areas of hardscape, water features, and landscaping that do not fall into the alliance classification scheme. This may include tree-dominated landscapes that do have an associated alliance (such as oak and *Eucalyptus* woodlands) but are not in a natural state, such as those found in heavily residential areas.

Data Analysis

Resource Presence/Absence

General Resource Analysis

England|Ecology mapped vegetation communities and land cover types on the Project Site and the 200-foot Biological Study Area based upon recent aerial photography and field observations. This resulted in the classification/mapping of six land cover types in the Biological Study Area. These are discussed below and shown on **Exhibit 3.** Summary boxes for each vegetation description are color-matched to their polygons in **Exhibit 3** for ease of reference. No natural alliances were present in the Biological Study Area.

[26] https://vegetation.cnps.org/



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 9.17 acres (56.6%)
Project Site Extent: 2.29 acres (69.57%)

Landscape - Tree & Shrub

Non-Alliance Land Cover

Project-Specific Discussion: The "tree & shrub" landscape type is a mix of taller vegetation dominated by non-native trees and typically set in a managed landscape environment. In some cases, native trees are included in this land cover type when part of landscaping and not a functional natural community. Habitat value of this land cover type varies significantly, however, urban environments with significant tall tree cover often harbor a large number of wildlife. This is particularly true of birds.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 1.54 acres (9.53%)
Project Site Extent: 0.25 acres (7.44%)

Landscape - Forb

Non-Alliance Land Cover

Project-Specific Discussion: The "forb" landscape type includes all managed but typically artificially-planted areas of vegetation that are shorter than shrubs. This land cover type includes lawns. These areas have some value for wildlife, as landscape flowers provide food for hummingbirds and butterflies, and lawns can provide foraging areas for some birds and small mammals. Their overall habitat value, however, is significantly lower than any natural habitat they may have replaced. This land cover type is also typically dominated by non-native and often invasive plant species.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 4.88 acres (30.12%)
Project Site Extent: 0.73 acres (22.3%)

Disturbed - Impermeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.16 acres (0.99%)
Project Site Extent: 0.02 acres (0.69%)

Artificial Water Feature

Non-Alliance Land Cover

Project-Specific Discussion: Artificial water features are man-made, typically small bodies of water. The majority of these are swimming pools, which generally have no practical wildlife value. In some cases, small ponds and large fountains may be mapped as this land cover type. These often do have wildlife value, particularly given Southern California's arid environment.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.38 acres (2.34%)
Not represented on Project Site.

Residential - Undifferentiated

Non-Alliance Land Cover

Project-Specific Discussion: Areas mapped as Residential-Undifferentiated were graded and under construction during the survey or were recently constructed and graded and under construction in the aerial photography used for mapping. When complete, these areas would be one of other land cover types such as Impermeable Surface or Landscaping.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.07 acres (0.41%)
Not represented on Project Site.

Disturbed - Permeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Permeable Surfaces are parts of the built environment, including compacted but unpaved areas devoid of vegetation, gravel, and unimproved roads. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat, though in some cases—such as unimproved roads—they may occur within habitat.

Exhibit 3. Vegetation Communities & Land Cover

1400 Vista Moraga



Special Status Resource Analysis

The seven sensitive vegetation communities mapped by the CNDDB as occurring within the Regional Study Area are shown below. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site. The accounts highlight determinations of their potential occurrence on the Project Site as well as their potential to be adversely affected by the Project based on field observations.



Potential Occurrence: None

Potential For Project to Effect: None

Southern Dune Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT21330CA
CNDDB Records:	1
Taxon Group:	Dune
Habitats:	Coastal dunes
Notes:	—

Potential Occurrence: None

Potential For Project to Effect: None

Riversidian Alluvial Fan Sage Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT32720CA
CNDDB Records:	1
Taxon Group:	Scrub
Habitats:	Coastal scrub
Notes:	—

Southern Coastal Salt Marsh

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT52120CA
CNDDB Records:	1
Taxon Group:	Marsh
Habitats:	Marsh & swamp; Wetland
Notes:	—



Southern Coast Live Oak Riparian Forest

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT61310CA
CNDDB Records:	9
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Cottonwood Willow Riparian Forest

Global Rank:	G3
State Rank:	S3.2
Taxon Code:	CTT61330CA
CNDDB Records:	1
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Sycamore Alder Riparian Woodland

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT62400CA
CNDDB Records:	20
Taxon Group:	Riparian
Habitats:	Riparian woodland
Notes:	—

California Walnut Woodland

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT71210CA
CNDDB Records:	9
Taxon Group:	Woodland
Habitats:	Cismontane woodland
Notes:	—

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* No native vegetation is present on the Project Site, therefore, no avoidance measures would be required of any Project, including any

development that could be proposed on the newly-created parcel. The proposed Project, however, is a parcel split which would have no ground-disturbing effects.

Direct Effects

CP-4073 guidance only addresses direct effects on individual flora species, not vegetation communities or habitats. As no natural vegetation communities are present on or adjacent to the Project Site, no direct effects on such communities would occur as a result of any Project, including any development that could be proposed on the newly-created parcel, which at most could affect 5,366 square feet of Landscape - Tree & Shrub, which is predominantly comprised of non-native plants. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on vegetation communities.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on vegetation communities. If development were proposed on the newly-created parcel:

- **Brush clearance:** brush clearance for fuel modification requirements has the potential to adversely affect habitat values on adjacent undeveloped areas. The proposed Project is located within an area with extensive existing development and vegetation clearance and the scope of such an effect would not be significant relative to the existing condition.

- **Invasive species:** the introduction of new or significantly modified residential development into an area brings with it the potential of invasive species being planted within landscaping which could escape into surrounding undeveloped areas and diminish habitat values. With the exception of legal requirements controlling the sale of invasive plants at nurseries, little can be done to prevent the planting of invasives by residents long term. Relative to this specific Project, it is located within an area with extensive existing development and the scope of such an effect would not be significant relative to the existing condition. Nonetheless, an **Invasive Species** measure is provided below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* For this section, however, we will replace special status species with native or natural vegetation communities. As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on vegetation communities within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of vegetation communities and habitats.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on vegetation communities. In order to avoid significant adverse effects on vegetation communities the Applicant will ensure the following measure is implemented if development were to occur on the newly-created parcel:

- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[27].

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on vegetation communities as no natural vegetation communities are present on the Project Site and no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, potential adverse indirect effects on vegetation communities will be avoided through implementation of an Invasive Species measure requiring the avoidance of invasive plants in the landscape palette.

[27] https://www.cal-ipc.org/plants/inventory/

Flora

The following section discusses flora in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The floral literature review identified 46 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 118 occurrences of 38 floral taxa in the CNDDB for the Regional Study Area.
- **CNPS:** 64 floral taxa in the CNPS Rare Plant Inventory for the Regional Study Area.
- **IPaC:** Two floral taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** One floral taxon with proposed or designated critical habitat in the Regional Study Area.

All special status flora considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.** Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Plant taxa were identified and recorded along with their approximate abundance and condition in a geospatial database. Landscape plants were largely ignored unless they were native taxa maintained within landscaping, or if they were potentially of biological importance.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 13 floral taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C.** No special status floral taxa from the Desktop Review were detected. One taxon protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance was detected, outside of the area addressed by the Arborist Report (which only provided data on the proposed parcel to be split). The known or expected status of all special status flora analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 46 special status floral taxa analyzed for this report, 0 were determined to be Present, 0 were determined to have a High potential for occurrence, 0 were determined to have a Moderate potential for occurrence, 0 were determined to have a Low potential for occurrence, and 46 were determined to have no potential for occurrence. These data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential.

Critical Habitat

While critical habitat for a plant listed under the Federal Endangered Species Act has been designated within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 12.**



Figure 12. Critical habitat for plants in a portion of the Regional Study Area

Potential Protected Trees and Shrubs

The following summarizes the presence or absence of taxa that are potentially protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance:

- Protected Trees:
    - California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*): not present.
    - Southern California Black Walnut (*Juglans californica*): not present.
    - Western Sycamore (*Platanus racemosa*): present.
    - California Bay (*Umbellularia californica*): not present.
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*): not present.
    - Toyon (*Heteromeles arbutifolia*): not present.

The Arborist Report addressing the proposed parcel to be split is provided in **Appendix F.** As stated previously, the sycamore is not represented in the Arborist Report as it is outside of the area covered by that report.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required. If development were proposed on the newly-created parcel, no avoidance and minimization measures for floral resources would be required.

Direct Effects

CP-4073 states that direct effects *may occur if a flora species is identified within areas that will be disturbed either by development or used as construction staging areas*. The guidance further describes the particulars of analyzing direct effects on special status plants. As no special status flora are present on or adjacent to the Project Site, no direct effects on special status flora would occur as a result of any Project, including any development that may ultimately be proposed in the newly-created parcel. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on flora.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on floral resources. If development were proposed on the newly-created parcel:

- **Brush clearance:** brush clearance for fuel modification requirements has the potential to adversely affect habitat values on adjacent undeveloped areas. The proposed Project is located within an area with extensive existing development and vegetation clearance and the scope of such an effect would not be significant relative to the existing condition.

- **Invasive species:** the introduction of new or significantly modified residential development into an area brings with it the potential of invasive species being planted within landscaping which could escape into surrounding undeveloped areas and diminish habitat values. With the exception of legal requirements controlling the sale of invasive plants at nurseries, little can be done to prevent the planting of invasives by residents long term. Relative to this specific Project, it is located within an area with extensive existing development and the scope of such an effect would not be significant relative to the existing condition. Nonetheless, an **Invasive Species** measure is provided below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on flora within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing

conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of flora.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status plants. In order to avoid significant adverse effects on vegetation communities the Applicant will ensure the following measure is implemented if development were to occur on the newly-created parcel:

- **Invasive Species:** The Invasive Species measure proposed in the Vegetation Communities & Habitats section above.

General Conclusions

No special status plants are known to occur or expected to occur on the Project Site. The proposed Project will not have significant direct, indirect, or cumulative effects on special status plants as no special status plants are present on the Project Site and no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, potential adverse indirect effects on vegetation communities will be avoided through implementation of an Invasive Species measure requiring the avoidance of invasive plants in the landscape palette.

Fauna

The following section discusses fauna in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The faunal literature review identified 77 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 313 occurrences of 58 faunal taxa in the CNDDB for the Regional Study Area.
- **IPaC:** 24 faunal taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** Four faunal taxa with proposed or designated critical habitat in the Regional Study Area.

All special status fauna considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D**. Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2**. All wildlife species directly observed, heard (e.g., bird song), or for which sign was observed (e.g., gopher burrows, scat, etc.) were recorded in a geospatial database. While larger bird nests—such as those used by raptors and corvids—were searched for as they can be used across years, a time-intensive nesting bird survey was not conducted as the results would be irrelevant to the Project's timeline. The site was also assessed for potential bat roosting habitat, suitability for wildlife movement, and use by other wildlife taxa of importance where applicable.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 17 faunal taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C**. This list includes 0 amphibian, 0 reptile, 16 bird, and one mammal detections during fieldwork conducted on the Project Site. The most commonly observed taxa were Botta's Pocket Gopher (*Thomomys bottae*), Ruby-crowned Kinglet (*Corthylio calendula*), and Lesser Goldfinch (*Spinus psaltria*). A total of two special status faunal taxa were detected. The known or expected status of all special status fauna analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 77 special status faunal taxa analyzed for this report, two were determined to be Present, five were determined to have a High potential for occurrence, four were determined to have a Moderate potential for occurrence, six were determined to have a Low potential for occurrence, and 60 were determined to have no potential for occurrence. These

data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site (for taxa that are in the CNDDB). All data, including habitat descriptions, is directly from the CNDDB.

American Peregrine Falcon

Falco peregrinus anatum

Legal Status:	FD, CD, S3S4
Source(s):	CNDDB(2)
Taxon Code:	ABNKD06071
Natural History:	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.
Range Notes:	—
Habitat Suitability:	High. No suitable nesting habitat on or near the Project Site. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes:	This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Habitats:	Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



Western Screech-Owl

Megascops kennicottii

Legal Status:	BCC
Source(s):	IPaC
Taxon Code:	ABNSB01040
Natural History:	No CNDDB habitat description available
Range Notes:	—
Habitat Suitability:	High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes:	—
Habitats:	Potentially found in Landscape - Tree & Shrub



Allen's Hummingbird

Selasphorus sasin

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNUC51030
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.
Habitats: Potentially found in Landscape - Tree & Shrub



Nuttall's Woodpecker

Dryobates nuttallii

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNYF07020
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: Medium quality. EnglandlEcology disagrees. Present in nearly all wooded areas of Los Angeles.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Oak Titmouse

Baeolophus inornatus

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPAW01100
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Wrentit

Chamaea fasciata

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBJ26010
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



California Thrasher

Toxostoma redivivum

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBK06080
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Lawrence's Goldfinch

Spinus lawrencei

Legal Status: S4, BCC
Source(s): IPaC
Taxon Code: ABPBY06100
Natural History: NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandlEcology agrees.
Notes: Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.
Habitats: Potentially found in Landscape - Tree & Shrub



Potential Occurrence: Moderate

Potential For Project to Effect: None

Pallid Bat

Antrozous pallidus

Legal Status: SSC, S3
Source(s): CNDDB(4)
Taxon Code: AMACC10010
Natural History: DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
Habitats: Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



Potential Occurrence: Moderate

Potential For Project to Effect: None

San Diegan Legless Lizard

Anniella stebbinsi

Legal Status: SSC, S3
Source(s): CNDDB(36)
Taxon Code: ARACC01060
Natural History: GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Potential Occurrence: Moderate

Potential For Project to Effect: None

San Bernardino Ring-necked Snake

Diadophis punctatus modestus

Legal Status: S2?
Source(s): CNDDB(1)
Taxon Code: ARADB10015
Natural History: MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Critical Habitat

While critical habitat for wildlife listed under the Federal Endangered Species Act has been designated or proposed within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 13.**



Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area

Mountain Lion

Planning document CP-4074 requires consideration of the potential presence of Mountain Lion (*Puma concolor*). Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for mountain lion dens, including caves, large natural cavities within rocky areas, or vegetation thickets deemed appropriate for use by mountain lions based on size and other characteristics (e.g., proximity to human development, surrounding habitat). Habitat use should be based on two behavior categories: reproductive behavior (communication and denning), or non-reproductive behavior (moving and feeding), and any natural communities on the project site that are suitable for either behavior*: There was no habitat on the site suitable for Mountain Lions for reproductive or non-reproductive behavior. This is because of the following observed factors: existing development of the Project Site, surrounding human development, and lack of natural habitats.

- *Evidence of mountain lion presence (e.g., direct observation, tracks, scat, carcasses or bones of prey species) in the vicinity of identified suitable habitat*: No evidence of Mountain Lion presence was detected during the survey and none would be expected.

- *Habitat suitable for mule deer, including the presence of grasses and forbs, woodland vegetation (especially acorn mast), chaparral vegetation (especially chamise shrubs), and riparian vegetation*: While Mule Deer likely occur periodically, there is no natural habitat for Mule Deer on or near the Project Site.

- *Evidence of mule deer presence (e.g., direct observation, tracks, scat, carcasses)*: No evidence of Mule Deer presence was detected during the survey and none would be expected.

As Mountain Lion would not be expected to occur, the proposed Project would not have an adverse effect on Mountain Lions.

Bats

Planning document CP-4074 requires an assessment of bat habitat for day and night roosts. Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for bats, including trees (e.g., palm trees, large old trees with cavities, dead trees), cliff faces, rock outcroppings, structure overhangs (e.g., roof overhangs on houses and sheds), and bridges*: There are numerous palm trees, large old trees (though perhaps none with cavities, and structure overhangs.

- *Evidence of bat presence (e.g., direct observation (alive or dead), guano deposits, urine stains, vocalizations) in the vicinity of identified suitable habitat*: No evidence of bat presence was observed.

- *The proximity of suitable bat habitat to prime foraging areas, such as water sources (e.g., artificial lakes, reservoirs, pools, rivers, drainages, or storm channels)*: The nearest potential prime foraging area for bats is Stone Canyon Reservoir located approximately 1.3 miles to the northeast.

If bats are present, it would most likely be for aerial foraging during nighttime. Roosting, however, cannot be ruled out based on the survey data collected thus far.

Nesting Birds

Birds – including native species protected by the Migratory Bird Treaty Act and California Fish and Game Code – have the potential to nest in nearly any environment, including those heavily altered by anthropogenic activity. Planning document CP-4074 provides specific guidance for assessing the potential for nesting birds. Guidance language provided in CP-4074 is provided in italics:

- *Describe the methodology used to assess the project site for suitable nesting birds, with specific reference to long-term nesting species such as raptors (hawks, owls, falcons) and colonial waterbirds (e.g., herons and egrets). Please ensure that the entire vicinity of the subject property (e.g., out to 500') is evaluated, both for these long-term nests, as well as for their foraging habitat. If no nesting birds are found, summarize the negative survey results*: The entirety of the Project Site was directly surveyed as described in the *Methods* section of this report. To the extent feasible, larger trees out to 500 feet from the Project Site were assessed remotely using 8X42 Leica Noctivid binoculars, looking for visible evidence of larger platform nests. Raptors and corvids were also observed during the survey for behavioral indicators of nest location. The Project Site is not in a location where colonial waterbirds would be expected to nest. No raptor or corvid nests were detected during the survey.

- *Surveys should identify habitat suitable for nesting birds, including trees, shrubs, and structure overhangs (e.g., roof overhangs on houses and sheds)*: Nesting on the Project Site by smaller bird species would be expected during the nesting season. Potential nest locations include landscape shrubs and trees and existing structures on the Project Site.

- *Evidence of nesting birds (e.g., photos of nests with birds inside)*: No nesting birds were detected during the survey, however, a specific and time-intensive nesting bird survey, watching for behavioral indicators of nesting behavior, was not conducted.

Wildlife Movement

Wildlife movement corridors are important for maintaining population levels and genetic diversity. As such, effects on wildlife movement are an important consideration when discussing the natural resources of any area. At a small enough scale, any project or activity can potentially affect the movement of wildlife if any wildlife are present at all. In general, however, the term "wildlife movement corridor" means an area of habitat that is important for the movement of wildlife

between larger habitat areas or cores. For the proposed Project, England|Ecology considered the following relative to the importance of lands on the Project Site for wildlife movement:

- **The South Coast Missing Linkages Project:** The South Coast Missing Linkages Project[28] was a 2008 inter-agency effort to identify and conserve the highest-priority linkages in the South Coast Ecoregion. The nearest linkage to the Project Site is Santa Monica - Sierra Madre located approximately 12.05 miles to the west.

- **The California Essential Habitat Connectivity Project:** The California Essential Habitat Connectivity Project[29] was a 2010 project commissioned by the California Department of Fish and Wildlife and Caltrans which identified remaining blocks of contiguous natural habitat in California (i.e., natural landscape blocks) and modeled linkages between neighboring large natural landscape blocks. The nearest linkage to the Project Site is Castro Peak/Santa Monica Mtns - Pine Mountain/Sespe Condor located approximately 11.4 miles to the west.

Figure 14. City of Los Angeles Wildlife Movement Connectivity Data

- **City of Los Angeles Wildlife Connectivity:** The City of Los Angeles provides remotely-sensed habitat connectivity data[30] for assessing potential wildlife movement. The data is provided at a 30 meter resolution. The data shows most of the Biological Study Area as having restricted movement, with some small but disconnected patches suggesting movement could occur. A map depicting these data for the Biological Study Area is provided as **Figure 14.**

- **Direct Observations:** The Project Site is developed, is surrounded by other residential development, has surrounding walls and fencing, and has no natural vegetation communities. All of which would suggest the Project Site is not part of any potential wildlife movement corridor.

[28] http://www.scwildlands.org/

[29] https://wildlife.ca.gov/Science-Institute/Habitat-Connectivity

[30] https://geohub.lacity.org/maps/labos::citywide-wildlife-connectivity/about

Based on the above observations, lands on the Project Site would not be a component of an existing wildlife movement corridor nor would any new development on the Project Site be expected to significantly obstruct wildlife movement beyond existing conditions.

Protected Areas for Wildlife & Wildlife Movement Pathways

The Project Site may be located[31] within the Santa Monica Mountains East PAW as described in the *Protected Areas for Wildlife & Wildlife Movement Pathways* (PAWs) report prepared by ESA for Los Angeles City Planning in February 2021[32]. Relative to the criteria described for that PAW, the Project Site:

- Criterion 1: Supports Endangered & Threatened Plants/Wildlife: the PAWs report states that this PAW "Supports Endangered or Threatened wildlife species." While this is true in many preserved open space areas and areas nearby, there is no evidence that the Project Site supports endangered and threatened plants and/or wildlife. The habitats on-site are unlikely to do so as noted in the sensitive flora and fauna discussions above and in the attached **Desktop Review Report.**

- Criterion 2: Supports Unique/Restricted Distribution in Southern California: the PAWs report states that this PAW "Supports sensitive natural plant communities and special-status plant and wildlife species (e.g., CRPR plant species, SSC wildlife species)." The Project Site does not support natural plant communities, as noted previously in the **Vegetation Communities & Habitats** section of this report. As described in the **Flora** section of this report, as well as the attached **Desktop Review Report**, the Project Site would not be expected to harbor CRPR plant species. As described in the **Fauna** section of this report, as well as the attached **Desktop Review Report**, the Project Site has potential to harbor the following SSC wildlife species: Pallid Bat and San Diegan Legless Lizard.

- Criterion 3: Supports Unique/Restricted Distribution in Los Angeles: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

- Criterion 4: Supports Linkages/Constrained Linkages: the PAWs report states that this PAW "Supports Linkages/ Constrained Linkages". As noted earlier in this report in the Wildlife Movement section, the Project Site is not in a position to provide connectivity between habitat blocks.

- Criterion 5: Supports Breeding/Feeding/Resting/Migrating Grounds with Limited Availability in Southern California/ Los Angeles: the PAWs report states that this PAW "Supports a variety of bird species, and is important for preserving biodiversity." It is, indeed, the case the Project Site supports a variety of bird species as do most vegetated areas of Southern California. As described below in Potential Project Effects, the Project would not be expected to significant adverse effects on bird species.

- Criterion 6: Restoration Foreseeable: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

[31] Spatial data with these boundaries has not been made public. The only reference available are low resolution maps in the PAWs Report.

[32] ESA. 2021. Protected Areas for Wildlife & Wildlife Movement Pathways. Report prepared for Los Angeles City Planning. 354 pages.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to fauna, such as incorporating minimal landscape lighting and wildlife-friendly fencing*. The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required. If development were proposed on the newly-created parcel, no avoidance and minimization measures for faunal resources would be required due to the lack of important locations or habitats for special status resources.

Direct Effects

CP-4073 states that direct effects *may occur if a fauna species is identified as nesting, foraging or otherwise occurring in areas that will be disturbed either by development or used as construction staging areas.* The guidance further describes the particulars of analyzing direct effects on special status wildlife, and states that direct effects *may also occur if the project may restrict or block the entrances/exits of a wildlife corridor*. The Project's potential to directly affect different categories of wildlife is discussed below:

- **Invertebrates:** No special status invertebrates are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status invertebrates.
- **Fish:** No special status fish are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status fish.
- **Amphibians:** No special status amphibians are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status amphibians.
- **Reptiles:** While two special status reptiles have moderate or higher potential to occur on the Project Site, one of these taxa is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[33]. The other has no formal legal status. No measures would be required of any Project to avoid significant adverse effects on special status reptiles.
- **Birds:** While special status birds are present or have a high potential for occurrence, those occurring and potentially occurring are: seven Birds of Conservation Concern, which are non-threatened and non-endangered taxa with an administrative designation that carries no formal legal status, and one delisted raptor for which no nesting habitat is present. The Project, however, is a proposed parcel split with no ground-disturbing effects. If development were proposed on the newly-created parcel, such development would not be expected to cause significant new habitat impacts for these taxa, nor would it be expected to cause direct mortality because of the typical mobility of birds. If work occurs during the nesting season for most birds (generally defined as February 1

[33] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

to August 31), there is potential to have significant adverse effects on birds protected by the Migratory Bird Treaty Act and California Fish and Game Code (which is most native bird species). A **Nesting Birds** measure is described below to avoid a potentially significant direct effect on nesting birds.

- **Mammals (Except Bats):** No special status non-bat mammals are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status non-bat mammals.

- **Bats:** While one special status bat has moderate or higher potential to occur on the Project Site, this taxon is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[34]. While bat roosts were not definitively documented, there are trees on the Project Site that are potentially suitable for bat roosting. The Project, however, is a proposed parcel split with no ground-disturbing effects. If development were proposed on the newly-created parcel, the Applicant will implement the **Bats** measure described below to avoid a potentially significant direct effect on bat roosts, if such roosts are present.

- **Wildlife Movement:** As described previously in the section on **Wildlife Movement**, the Project Site is not important to wildlife movement or a component of a known or potential wildlife movement corridor. As such, no measures would be required of any Project to avoid significant adverse effects on wildlife movement.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding wildlife barriers (e.g., fencing) or modifying human infrastructure commonly utilized by wildlife (e.g., culverts)*. The proposed Project is a parcel split. As such, the proposed Project would not have adverse indirect effects on faunal resources. If development were proposed on the newly-created parcel, any new fencing that may be installed (6 feet in the side and rear yards, and 3.5 feet in the front yard) would not result in a significant indirect effect on wildlife movement due to the installation of wildlife barriers as the property is already fenced. There are no known plans to modify human infrastructure commonly used by wildlife.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *from cumulative losses in the local populations of a sensitive/special status species or in a general wildlife corridor,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species or general wildlife connectivity.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on habitats, species populations, and wildlife movement within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to these aspects of wildlife use of the local environment. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses habitat, species, or connectivity.

[34] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status fauna. If development were to be proposed on the newly-created parcel, the Applicant will ensure the following measures are implemented:

- **Nesting Birds:** To comply with the Migratory Bird Treaty Act, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the Migratory Bird Treaty Act, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.

- **Bats:** If any potentially-suitable roost trees are to be removed as a result of the Project, these should be inspected prior to removal by a qualified biologist to ensure no roosts are present. If roosts are present, impacts to the roost should be avoided pending coordination with the appropriate agencies on how to proceed. The value of the Project Site as aerial foraging habitat would not be adversely affected by the proposed Project.

General Conclusions

The Project Site provides or has potential to provide habitat to the following special status faunal resources:

- Two fauna taxa determined to be Present: Allen's Hummingbird, and Wrentit;

- Five fauna taxa determined to a High potential for occurrence: American Peregrine Falcon, California Thrasher, Nuttall's Woodpecker, Oak Titmouse, and Western Screech-Owl;

- Four fauna taxa determined to have a Moderate potential for occurrence: Lawrence's Goldfinch, Pallid Bat, San Diegan Legless Lizard, and San Bernardino Ring-necked Snake;

- Nesting birds protected by the Migratory Bird Treaty Act and California Fish and Game Code.

The proposed Project will not have significant direct, indirect, or cumulative effects on special status wildlife as no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, significant direct, indirect, or cumulative effects on special status wildlife species or their habitat would not be expected with the implementation of measures for Nesting Birds and Bats. No other measures are recommended for special status fauna.

Conclusions and Recommendations

This report discussed the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concluded the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed. If development were proposed on the newly-created parcel, the Applicant will ensure the following measures are implemented:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.
- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[35].
- **Nesting Birds:** To comply with the Migratory Bird Treaty Act, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the Migratory Bird Treaty Act, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.
- **Bats:** If any potentially-suitable roost trees are to be removed as a result of the Project, these should be inspected prior to removal by a qualified biologist to ensure no roosts are present. If roosts are present, impacts to the roost should be avoided pending coordination with the appropriate agencies on how to proceed. The value of the Project Site as aerial foraging habitat would not be adversely affected by the proposed Project.

[35] https://www.cal-ipc.org/plants/inventory/

Appendix A. Biological Reporting Standards Acknowledgement of Compliance

APPLICATIONS

BIOLOGICAL REPORTING STANDARDS ACKNOWLEDGMENT

ACKNOWLEDGMENT OF COMPLIANCE

Biological report preparers must sign and include the following acknowledgment in the report:

I attest that I meet the requirements for a Qualified Biologist and California Department of Fish and Wildlife (CDFW) qualifications for botanical field surveyors, both as defined in the Biological Reporting Standards document (CP-4074).

I attest that the creation of the Biological Resources Report complied with all the following standardized requirements in the Biological Reporting Standards document (CP-4074), unless explicitly noted otherwise. Any deviations from the above standards have been detailed and justified in the Biological Resources Report.

Name of Lead Biologist Marcus C. England

Lead Biologist Signature **Date** Apr 15, 2025

Names of Additional Biologists N/A

Company Name & Contact Information

England|Ecology, LLC

1704 Winmar Drive

Los Angeles, CA 90065

Appendix B. Report Contributors

All fieldwork, report text, and maps were prepared by Marcus C. England whose resume follows.

Marcus C. England
Principal Biologist

Marcus C. England offers over two decades of experience, with expertise in avian biology, population ecology, project permitting, technical writing, and GIS and project experience in all industries.

marcus@mcengland.com
mcengland.com
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Summary

Marcus C. England is an experienced principal biologist with expertise in avian biology, population ecology, project permitting, technical writing, geographic information systems, and database management. He has led teams on large and complex projects in all industries across the western United States. He has a recovery permit to conduct surveys for California Gnatcatcher, Southwestern Willow Flycatcher, and Yellow-billed Cuckoo and has extensive experience conducting protocol surveys for Least Bell's Vireo, Burrowing Owl, Swainson's Hawk, and Desert Tortoise. England has a thorough knowledge of the California Environmental Quality Act (CEQA), National Environmental Policy Act (NEPA) and Federal Endangered Species Act (FESA) and how these state and federal policies, as well as local land use and environmental policies, apply to the project permitting process. England has written biological resources assessments and biological assessments for some of the largest development projects in the state of California, including projects in Sacramento, Kern, Ventura, Los Angeles, Orange, San Bernardino, Riverside, and San Diego counties and has successfully supported project permitting under an array of regional habitat conservation plans statewide. He has also written due diligence documents for large projects in northern California, Arizona, New Mexico and Nevada. He currently sits on the Science Advisor Panel for the Clark County (Nevada) Multiple Species Habitat Conservation Plan.

Employment History

Independent Consulting Biologist
dba England|Ecology (now England|Ecology, LLC)
Jan 2010 - Jun 2011, Oct 2016 - Mar 2020, Mar 2023 - Present — Los Angeles, CA

- Author proposals, respond to RFP needs for teaming partners
- Conduct all aspects of fieldwork, data management, report writing, mapping
- Business planning, marketing, relationship development

Director of Biological Resources
Bargas Environmental Consulting
Mar 2020 - Mar 2023 — Sacramento, CA

- Corporate leader, department head, and project manager
- Conduct all aspects of fieldwork, data management, report writing, mapping

Vice President
Bloom Biological
Jun 2011 - Oct 2016 — Santa Ana, CA

- Lead development of corporate business strategy, obtain new work contracts
- Manage staff and biological data, conduct fieldwork, author reports, mapping

Director of Biological Services
Natural Resource Consultants
Jun 2003 - Dec 2009 — Laguna Beach, CA
Write proposals, manage staff and biological data

- Conduct all aspects of fieldwork, data management, report writing, mapping
- Conduct fieldwork, author reports

Chief Ornithologist
Lamanai Field Research Center
Sep 1998 - Jun 2000 — Belize, Central America

- Develop and implement ecosystem-scale research on birds
- Manage volunteer biologists, lead birding tours, develop new tour clients

Permits

Recovery Permit TE-082233
US Fish and Wildlife Service
Jan 2005 - Present

- California Gnatcatcher, Southwestern Willow Flycatcher, Yellow-billed Cuckoo

Scientific Collecting Permit SC-11354
California Department of Fish & Wildlife
Jan 2010 - Present

Expertise

Field Biology
- Specialist in avian ecology and identification
- Sensitive species surveys including Desert Tortoise, California Gnatcatcher, Burrowing Owl, Least Bell's Vireo, Swainson's Hawk, Golden Eagle among many others
- Large-scale vegetation mapping projects and impact analysis
- CEQA, NEPA, FESA, NCCPs
- GPS and mobile field data collection systems

Geospatial
- Desktop software: ArcGIS, QGIS, GRASS
- Server and geodatabases: PostGIS, Spatialite
- Web mapping: Google Maps, OpenLayers

Project Management
- Array of projects in many industries
- Oversight of large multidisciplinary teams
- Reliably on time and within budget
- Collaborate with clients, agencies, other stakeholders

Office
- Operating systems: MacOS, Windows, Linux
- Mobile: iOS, iPadOS, Android
- Productivity Software: MS Office, Apple iWork
- Data Management: MS Access, Excel, Ninox, PowerApps, PostgreSQL
- Server: SharePoint, Plone, Linux

Education

B.Sc. in EEO Biology
The Ohio State University
Mar 1993 - Jun 1998

Management Development for Entrepreneurs
UCLA Anderson School of Management
Sep 2021 - Jan 2022

Certificate in Tropical Ornithology
Estación Biológica La Suerte, Costa Rica
Jun 1996 - Jul 1996

Below: *contemplating the upcoming day's work during implementation of a contract with the US Bureau of Land Management to survey Pygmy Rabbits in a remote area of northern Nevada in September 2017. England|Ecology led a three-person team that completed the work on time and under budget.*

Marcus C. England
Selected Project History

2017 to Present

Upper Westside Specific Plan | Upper Westside, LLC

- Apr 2019 - Apr 2022
- Sacramento County, California
- Swainson's Hawk, Giant Gartersnake
- PM, Surveyor, Author
- Biological Resources Assessment

As project manager and Director for Bargas, England conducted one year of Swainson's Hawk (SWHA) protocol surveys, managed SWHA and other species' survey efforts for two additional years, and authored a biological resources assessment addressing the potential effects of the proposed project on resources, including SWHA and Giant Gartersnake, within the context of the requirements of the Natomas Basin HCP and the Metro Air Park HCP, collectively addressing 22 covered plant and animal species.

Descanso Gardens Wildlife Management Plan | Descanso Gardens Guild

- Jan 2019 - Dec 2019
- Los Angeles County, California
- Special Status Species, Wildlife Habitats, Impacts
- PM, Surveyor, Author
- Wildlife Management Plan

This contract sought to provide solutions to some of the challenges of operating public gardens in a natural environment using guidance from nearby and similar facilities. The plan's goals were to increase the quality of native habitats for wildlife, minimize visitor-wildlife conflict, protect planted garden areas and facilities from wildlife damage, promote environmental research and education, and promote a regional habitat linkage. Fieldwork for the plan included 10 months of diurnal and nocturnal surveys as well as widespread camera trapping.

Harris Beach Management Unit Wildlife Assessment | Oregon Parks & Recreation

- Jan 2018 - Dec 2019
- Brookings, Oregon
- Colonial Waterbirds, Marine Mammals, Spotted Owl
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by OPRD to prepare a wildlife assessment report. Because of the size of the survey area, the field component lasted two weeks and included wildlife and habitat documentation (including remote camera trapping), hiking every trail available within the included parks, and camping with Harris Beach and Alfred A. Loeb state parks. Final deliverables included geospatial data and a report documenting what is known and not known about the wildlife and habitats of the park unit, with suggestions for future research and management priorities.

Smith Rock State Park Wildlife Assessment | Oregon Parks & Recreation

- Jan 2017 - Jun 2017
- Deschutes County, Oregon
- Special Status Species, Bald and Golden Eagles
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by the Oregon Parks & Recreation Department to prepare a wildlife assessment report for Smith Rock State Park located in central Oregon. The project required extensive pre-survey research; five field days on-site with over 30 miles of hiking, wildlife and habitat documentation (including remote camera trapping); and preparation of new geospatial data and an extensive report documenting what is known and not known about the wildlife and habitats of the park, with suggestions for future research and management priorities.

Owyhee Roads Fuelbreak Project | US Bureau of Land Management

- Jul 2017 - Oct 2017
- Humboldt County, Nevada
- Pygmy Rabbit
- PM, Surveyor
- Letter report, GIS data

England|Ecology was contracted by the US Bureau of Land Management (BLM) to conduct surveys for Pygmy Rabbit on 2,068 acres of BLM-managed lands. Two subcontractors were trained on survey methodology and identification of Pygmy Rabbit sign. The survey was completed over two weeks, involving 114 miles of transect walking per surveyor in often adverse weather conditions and over rough terrain. Final deliverables to the BLM included a report, photos, and geospatial data.

Below: *conducting fieldwork in May 2018 at Harris Beach State Park, Oregon under contract to the Oregon Parks & Recreation Department.*

2016 and Prior

High Speed Rail Project - Bakersfield to Palmdale

T.Y. Lin

- Jan 2015 - Oct 2016
- Los Angeles and Kern Counties, California
- Swainson's Hawk, Golden Eagle
- PM, Surveyor, Author, GIS
- Biological Resources Letter Report

Raptor Conservation Strategy

Mitsubishi Cement & US Forest Service

- Jan 2016 - Oct 2016
- San Bernardino National Forest, California
- Golden Eagle
- PM, Surveyor, Author
- Biological Resources Letter Report

Santa Clara River Riparian Surveys

Newhall Land

- Jan 2010 - Oct 2016
- Los Angeles and Ventura Counties, CA
- Least Bell's Vireo, Southwestern Willow Flycatcher
- PM, Surveyor, Author
- Biological Resources Letter Report

Montebello Hills Conservation & Development Project

Cook-Hill Properties

- Jan 2007 - Dec 2009
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment, Biological Assessment

Terranea Resort

Long Point Development

- Jan 2005 - Jul 2008
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment

Skyline Ranch

Pardee Homes

- Jul 2003 - Jul 2009
- Los Angeles County, California
- California Gnatcatcher, Vernal Pools, SEATAC
- PM, Surveyor, Author
- Biological Resources Assessment

See more at **mcengland.com/projects**



Appendix C. Floral & Faunal Compendia

Inserted after this cover page is a database-generated report summarizing floral and faunal observations.

Floral and Faunal Compendia

1400 Vista Moraga

This database-generated report summarizes the plant and wildlife taxa detected during the survey conducted on March 17, 2025 by England|Ecology. Documented during the survey was the presence of 13 plant taxa and 17 wildlife taxa, the latter including 0 amphibian, 0 reptile, 16 bird, and 1 mammal detections. Landscape plantings are not included unless of potential biological importance.

The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. All taxonomy and nomenclature follows NatureServe. The reference taxonomy from NatureServe was last updated in October 2024. This report was generated using QGIS 3.40.

Group	Common Name	Scientific Name	Abundance	Phenology	Global Rank	State Rank	Fed Status	State Status	CRPR	Notes
Dicots	Laurel Sumac	Malosma laurina	Uncommon	Vegetative	—	—	—	—	—	Young sprouts in landscape
Dicots	Brazilian Peppertree	Schinus terebinthifolius	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Spiny-leaf Sowthistle	Sonchus asper	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Castor-bean	Ricinus communis	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Black Medic	Medicago lupulina	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Rosemary	Rosmarinus officinalis	Common	Flowering	—	—	—	—	—	Landscape
Dicots	California Sycamore	Platanus racemosa	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Thymeleaf Speedwell	Veronica serpyllifolia	Common	Vegetative	—	—	—	—	—	—
Monocots	Golden Bamboo	Phyllostachys aurea	Common	Vegetative	—	—	—	—	—	—
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Eucalyptus sp.
Other	Other	Other	Common	Vegetative	—	—	—	—	—	Pinus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Quercus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Geranium rotundifolium

Fauna

Group	Common Name	Scientific Name	Count	Type	G Rank	S Rank	FESA	CESA	CDFW	Notes
Birds	Red-tailed Hawk	Buteo jamaicensis	1	Fly-over	G5	—	—	—	—	—
Birds	Mourning Dove	Zenaida macroura	2	Fly-over	G5	—	—	—	—	—
Birds	Allen's Hummingbird	Selasphorus sasin	—	Heard Only	G5	—	—	—	—	—
Birds	Black Phoebe	Sayornis nigricans	1	Observed	G5	—	—	—	—	—
Birds	American Crow	Corvus brachyrhynchos	2	Fly-over	G5	—	—	—	—	—
Birds	House Wren	Troglodytes aedon	1	Observed	G5	—	—	—	—	—
Birds	Ruby-crowned Kinglet	Corthylio calendula	—	Heard Only	G5	—	—	—	—	—
Birds	Wrentit	Chamaea fasciata	—	Heard Only	G5	—	—	—	—	—
Birds	Orange-crowned Warbler	Leiothlypis celata	—	Heard Only	G5	—	—	—	—	—
Birds	Yellow-rumped Warbler	Setophaga coronata	—	Heard Only	G5	—	—	—	—	—
Birds	California Towhee	Melozone crissalis	—	Heard Only	G4	—	—	—	—	—
Birds	Spotted Towhee	Pipilo maculatus	—	Heard Only	G5	—	—	—	—	—
Birds	Song Sparrow	Melospiza melodia	—	Heard Only	G5	—	—	—	—	—
Birds	Dark-eyed Junco	Junco hyemalis	2	Observed	G5	—	—	—	—	—
Birds	House Finch	Haemorhous mexicanus	4	Observed	G5	—	—	—	—	—
Birds	Lesser Goldfinch	Spinus psaltria	—	Heard Only	G5	—	—	—	—	—
Mammals	Botta's Pocket Gopher	Thomomys bottae	—	Sign	G5	—	—	—	—	—

Appendix D. Desktop Review of Special Status Biological Resources

Inserted after this cover page is a database-generated report summarizing the results of England|Ecology's desktop review of special status biological resources.

Desktop Review of Special Status Biological Resources

1400 Vista Moraga

This database-generated report summarizes the potential for occurrence of sensitive vegetation communities and special status flora and fauna based on known occurrences within a Regional Study Area that includes the Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys, and Venice USGS 7.5-minute quadrangles. A map of the Regional Study Area is provided below.

The desktop analysis resulted in 473 records from the California Department of Fish and Wildlife's California Natural Diversity Database (CNDDB), 64 records from the California Native Plant Society's Rare Plant Inventory, 5 records of critical habitat designated under the Federal Endangered Species Act, and 26 records from the US Fish & Wildlife Service's Information for Planning and Consultation (IPaC) database. This report was generated using QGIS 3.40.



Vegetation Communities

The section of the report summarizes the potential for occurrence on the Project Site of 7 sensitive vegetation communities documented within the CNDDB as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Group
A logical grouping of vegetation community types applied by the CNDDB.

Community
The vegetation community or wildlife habitat mapped by the CNDDB. Currently, the CNDDB uses Holland (1986) for communities, which is considered an out-of-date classification system not otherwise used by CDFW.

State Rank
A numbered sensitivity standard created by NatureServe and adopted by most state agencies, including CDFW. Most important are S1 (Critically Imperiled), S2 (Imperiled), and S3 (Vulnerable).

CNDDB
The number of CNDDB records for that vegetation community or habitat in the Regional Study Area.

Occurrence
The expectation that community could occur on the Project Site. This is usually either "Present" or "None" if a survey has been completed, as communities are observable.

Impact
The potential that implementation of the Project would impact that community.

Notes
Clarifying notes, if any are needed.



Group	Community	State Rank	CNDDB	Occurrence	Impact	Notes
Dune	Southern Dune Scrub	S1.1	1	None	None	—
Scrub	Riversidian Alluvial Fan Sage Scrub	S1.1	1	None	None	—
Marsh	Southern Coastal Salt Marsh	S2.1	1	None	None	—
Riparian	Southern Coast Live Oak Riparian Forest	S4	9	None	None	—
Riparian	Southern Cottonwood Willow Riparian Forest	S3.2	1	None	None	—
Riparian	Southern Sycamore Alder Riparian Woodland	S4	20	None	None	—
Woodland	California Walnut Woodland	S2.1	9	None	None	—

Flora

The section of the report summarizes the potential for occurrence on the Project Site of 46 special status flora taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. For special status plants, the taxonomy is consistent with that used by the California Native Plant Society (CNPS).

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CNPS (CNPS Rare Plant Inventory), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for plants includes its California Rare Plant Rank (CRPR) from CNPS, status - if any - under the federal and state Endangered Species Acts, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat and blooming period of the taxon directly from the CNPS database.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. "Range" includes the distribution of modern records (e.g., iNaturalist and Calflora) and elevation. Options are Yes or No.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Button-celery (Eryngium aristulatum var. parishii)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Coastal scrub, Valley and foothill grassland, Vernal pools (Mesic) from 65-2035ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 164 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Orcutt's Pincushion (Chaenactis glabriuscula var. orcuttiana)	CNDDB(5), CNPS	CRPR 1B.1, S1	Coastal bluff scrub (sandy), Coastal dunes from 0-330ft. Blooms Jan-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 83 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White Rabbit-tobacco (Pseudognaphalium leucocephalum)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland (Gravelly, Sandy) from 0-6890ft. Blooms (Jul)Aug-Nov(Dec).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 225 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Susana Tarplant (Deinandra minthornii)	CNDDB(2), CNPS	CRPR 1B.2, CR, S2	Chaparral, Coastal scrub (Rocky) from 920-2495ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 57 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Southern Tarplant (Centromadia parryi ssp. australis)	CNDDB(7), CNPS	CRPR 1B.1, S2	Marshes and swamps (margins), Valley and foothill grassland (vernally mesic), Vernal pools from 0-1575ft. Blooms May-Nov.	Yes	None	None	None	—
Coulter's Goldfields (Lasthenia glabrata ssp. coulteri)	CNDDB(5), CNPS	CRPR 1B.1, S2	Marshes and swamps (coastal salt), Playas, Vernal pools from 5-4005ft. Blooms Feb-Jun.	Yes	None	None	None	—
San Bernardino Aster (Symphyotrichum defoliatum)	CNDDB(2), CNPS	CRPR 1B.2, S2	Cismontane woodland, Coastal scrub, Lower montane coniferous forest, Marshes and swamps, Meadows and seeps, Valley and foothill grassland (vernally mesic) (Streambanks) from 5-6695ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 166 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Greata's Aster (Symphyotrichum greatae)	CNDDB(2), CNPS	CRPR 1B.3, S2	Broadleafed upland forest, Chaparral, Cismontane woodland, Lower montane coniferous forest, Riparian woodland (Mesic) from 985-6595ft. Blooms Jun-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 136 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nevin's Barberry (Berberis nevinii)	CNDDB(3), CNPS, IPaC	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub, Riparian scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2705ft. Blooms (Feb)Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 131 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Beach Spectaclepod (Dithyrea maritima)	CNDDB(4), CNPS	CRPR 1B.1, CT, S1	Coastal dunes, Coastal scrub (sandy) from 10-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 71 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Suffrutescent Wallflower (Erysimum suffrutescens)	CNPS	CRPR 4.2, S3	Chaparral (maritime), Coastal bluff scrub, Coastal dunes, Coastal scrub from 0-490ft. Blooms Jan-Jul(Aug).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 172 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Gambel's Water Cress (Nasturtium gambelii)	CNDDB(1), CNPS, IPaC	CRPR 1B.1, FE, CT, S1	Marshes and swamps (brackish, freshwater) from 15-1085ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 51 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Marsh Sandwort (Arenaria paludicola)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Marshes and swamps (brackish, freshwater) (Openings, Sandy) from 10-560ft. Blooms May-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 34 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coulter's Saltbush (Atriplex coulteri)	CNDDB(2), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Alkaline (sometimes), Clay (sometimes)) from 10-1510ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 100 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
South Coast Saltscale (Atriplex pacifica)	CNDDB(1), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Playas from 0-460ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 183 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Davidson's Saltscale (Atriplex serenana var. davidsonii)	CNDDB(2), CNPS	CRPR 1B.2, S1	Coastal bluff scrub, Coastal scrub (Alkaline) from 35-655ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 30 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Goosefoot (Chenopodium littoreum)	CNDDB(1), CNPS	CRPR 1B.2, S1	Coastal dunes from 35-100ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 55 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Lucky Morning-glory (Calystegia felix)	CNDDB(2), CNPS	CRPR 1B.1, S1	Meadows and seeps (sometimes alkaline), Riparian scrub (alluvial) (Alkaline (sometimes), Loam (sometimes)) from 100-705ft. Blooms Mar-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 26 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Blochman's Dudleya (Dudleya blochmaniae ssp. blochmaniae)	CNDDB(1), CNPS	CRPR 1B.1, S2	Chaparral, Coastal bluff scrub, Coastal scrub, Valley and foothill grassland (Clay (often), Rocky, Serpentine) from 15-1475ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 175 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Monica Dudleya (Dudleya cymosa ssp. ovatifolia)	CNDDB(1), CNPS	CRPR 1B.1, FT, S1	Chaparral, Coastal scrub (Rocky, Volcanic (sometimes)) from 490-5495ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 21 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Many-stemmed Dudleya (Dudleya multicaulis)	CNDDB(1), CNPS	CRPR 1B.2, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Clay (often)) from 50-2590ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 73 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Braunton's Milk-vetch (Astragalus brauntonii)	CNDDB(12), CNPS, CH	CRPR 1B.1, FE, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Burned areas (sometimes), Carbonate, Disturbed areas (sometimes), Sandstone (usually)) from 15-2100ft. Blooms Jan-Aug.	Yes	None	None	None	Potential critical habitat is located 4 miles to the southwest.
Ventura Marsh Milk-vetch (Astragalus pycnostachyus var. lanosissimus)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal dunes, Coastal scrub, Marshes and swamps (edges, coastal salt, brackish) from 5-115ft. Blooms (Jun)Aug-Oct.	Yes	N/A	None	None	Project Site is outside of elevation range of taxon. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Dunes Milk-vetch (Astragalus tener var. titi)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal bluff scrub (sandy), Coastal dunes, Coastal prairie (mesic) (Mesic (often), Vernally Mesic (often)) from 5-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 22 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nuttall's Scrub Oak (Quercus dumosa)	CNDDB(2), CNPS	CRPR 1B.1, S3	Chaparral, Closed-cone coniferous forest, Coastal scrub (Clay, Loam, Sandy) from 50-1310ft. Blooms Feb-Apr(May-Aug).	Yes	None	None	None	—
San Gabriel Oak (Quercus durata var. gabrielensis)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland from 1475-3280ft. Blooms Apr-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 295 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mud Nama (Nama stenocarpa)	CNDDB(1), CNPS	CRPR 2B.2, S1S2	Marshes and swamps (lake margins, riverbanks) from 15-1640ft. Blooms Jan-Jul.	Yes	None	None	None	—
South Coast Branching Phacelia (Phacelia ramosissima var. austrolitoralis)	CNPS	CRPR 3.2, S3	Chaparral, Coastal dunes, Coastal scrub, Marshes and swamps (coastal salt) (Rocky (sometimes), Sandy) from 15-985ft. Blooms Mar-Aug.	Yes	None	None	None	—

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Brand's Star Phacelia (Phacelia stellaris)	CNDDB(2), CNPS	CRPR 1B.1, S1	Coastal dunes, Coastal scrub from 5-1310ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 68 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Fragrant Pitcher Sage (Lepechinia fragrans)	CNPS	CRPR 4.2, S3	Chaparral from 65-4300ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 187 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White-veined Monardella (Monardella hypoleuca ssp. hypoleuca)	CNDDB(2), CNPS	CRPR 1B.3, S3	Chaparral, Cismontane woodland from 165-5005ft. Blooms (Apr)May-Aug(Sep-Dec).	Yes	None	None	None	—
Davidson's Bushmallow (Malacothamnus davidsonii)	CNPS	CRPR 1B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland from 605-3740ft. Blooms Jun-Jan.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 500 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Spring Checkerbloom (Sidalcea neomexicana)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Coastal scrub, Lower montane coniferous forest, Mojavean desert scrub, Playas (Alkaline, Mesic) from 50-5020ft. Blooms Mar-Jun.	Yes	None	None	None	—
Lewis' Evening-primrose (Camissoniopsis lewisii)	CNPS	CRPR 3, S4	Cismontane woodland, Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Clay (sometimes), Sandy (sometimes)) from 0-985ft. Blooms Mar-May(Jun).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 212 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
San Fernando Valley Spineflower (Chorizanthe parryi var. fernandina)	CNDDB(4), CNPS	CRPR 1B.1, CE, S1	Coastal scrub (sandy), Valley and foothill grassland from 490-4005ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 64 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Spineflower (Mucronea californica)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland, Coastal dunes, Coastal scrub, Valley and foothill grassland (Sandy) from 0-4595ft. Blooms Mar-Jul(Aug).	Yes	None	None	None	—
Slender-horned Spineflower (Dodecahema leptoceras)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub (alluvial fans) (Sandy) from 655-2495ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 81 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Spreading Navarretia (Navarretia fossalis)	CNDDB(1), CNPS	CRPR 1B.1, FT, S2	Chenopod scrub, Marshes and swamps (shallow freshwater), Playas, Vernal pools from 100-2150ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 87 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Prostrate Vernal Pool Navarretia (Navarretia prostrata)	CNDDB(4), CNPS	CRPR 1B.2, S2	Coastal scrub, Meadows and seeps, Valley and foothill grassland (alkaline), Vernal pools (Mesic) from 10-3970ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 79 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mesa Horkelia (Horkelia cuneata var. puberula)	CNDDB(7), CNPS	CRPR 1B.1, S1	Chaparral (maritime), Cismontane woodland, Coastal scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2660ft. Blooms Feb-Jul(Sep).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 155 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Marsh Bird's-beak (Chloropyron maritimum ssp. maritimum)	CNDDB(2), CNPS	CRPR 1B.2, FE, CE, S1	Coastal dunes, Marshes and swamps (coastal salt) from 0-100ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 27 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sanford's Arrowhead (Sagittaria sanfordii)	CNDDB(1), CNPS	CRPR 1B.2, S3	Marshes and swamps (shallow freshwater) from 0-2135ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 72 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Slender Mariposa-lily (Calochortus clavatus var. gracilis)	CNDDB(3), CNPS	CRPR 1B.2, S2S3	Chaparral, Coastal scrub, Valley and foothill grassland from 1050-3280ft. Blooms Mar-Jun(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 114 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Vernal Barley (Hordeum intercedens)	CNPS	CRPR 3.2, S3S4	Coastal dunes, Coastal scrub, Valley and foothill grassland (depressions, saline flats), Vernal pools from 15-3280ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 434 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Orcutt Grass (Orcuttia californica)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Vernal pools from 50-2165ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 153 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sonoran Maiden Fern (Pelazoneuron puberulum var. sonorense)	CNDDB(1), CNPS	CRPR 2B.2, S2	Meadows and seeps (seeps, streams) from 165-2000ft. Blooms Jan-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 44 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Invertebrates

The section of the report summarizes the potential for occurrence on the Project Site of 20 special status invertebrate taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Riverside Fairy Shrimp (Streptocephalus woottoni)	CNDDB(3)	FE, S2	ENDEMIC TO WESTERN RIVERSIDE, ORANGE, AND SAN DIEGO COUNTIES IN AREAS OF TECTONIC SWALES/EARTH SLUMP BASINS IN GRASSLAND AND COASTAL SAGE SCRUB. INHABIT SEASONALLY ASTATIC POOLS FILLED BY WINTER/SPRING RAINS. HATCH IN WARM WATER LATER IN THE SEASON.	No	N/A	None	None	Range assessment based on 24 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Hairy-necked Tiger Beetle (Cicindela hirticollis gravida)	CNDDB(3)	S2	INHABITS AREAS ADJACENT TO NON-BRACKISH WATER ALONG THE COAST OF CALIFORNIA FROM SAN FRANCISCO BAY TO NORTHERN MEXICO. CLEAN, DRY, LIGHT-COLORED SAND IN THE UPPER ZONE. SUBTERRANEAN LARVAE PREFER MOIST SAND NOT AFFECTED BY WAVE ACTION.	Yes	None	None	None	—
Globose Dune Beetle (Coelus globosus)	CNDDB(4)	S1S2	INHABITANT OF COASTAL SAND DUNE HABITAT; ERRATICALLY DISTRIBUTED FROM TEN MILE CREEK IN MENDOCINO COUNTY SOUTH TO ENSENADA, MEXICO. INHABITS FOREDUNES AND SAND HUMMOCKS; IT BURROWS BENEATH THE SAND SURFACE AND IS MOST COMMON BENEATH DUNE VEGETATION.	No	N/A	None	None	Range assessment based on 300 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Lange's el Segundo Dune Weevil (Onychobaris langei)	CNDDB(1)	S1	KNOWN FROM EL SEGUNDO DUNES.	Yes	None	None	None	—
Dorothy's el Segundo Dune Weevil (Trigonoscuta dorothea dorothea)	CNDDB(2)	S1	COASTAL SAND DUNES IN LOS ANGELES COUNTY.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Only occurrences near Ballona and Bolsa Chica.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
El Segundo Flower-loving Fly (Rhaphiomidas terminatus terminatus)	CNDDB(1)	S1	PRESUMED EXTINCT BUT RECENTLY DISCOVERED ON MALAGA DUNES, LOS ANGELES COUNTY. PERCHED DUNES.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Previously thought extinct and recently rediscovered in coastal dunes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Belkin's Dune Tabanid Fly (Brennania belkini)	CNDDB(5)	S1S2	SAND OBLIGATE SPECIES KNOWN FROM COASTAL DUNES NEAR PLAYA DEL REY AND EL SEGUNDO SOUTH TO ENSENADA, MEXICO. ONE OF FEW TABANIDS NOT REQUIRING A BLOOD MEAL FOR SECCESSFUL EGG PRODUCTION; ADULTS TAKEN ON FLOWERS. LARVAE COLLECTED 50 CM BENEATH SURFACE OF SANDY SOIL; PRESUMABLY BURROWING PREDATORS WITH UNDETERMINED HOSTS, LIKELY BEETLE LARVAE. ADULT FLIGHT GENERALLY MAY - JULY.	No	N/A	None	None	Range assessment based on 11 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
American Bumble Bee (Bombus pensylvanicus)	CNDDB(103)	S2	LONG-TONGUED; FORAGES ON A WIDE VARIETY OF FLOWERS INCLUDING VETCHES (VICIA), CLOVERS (TRIFOLIUM), THISTLES (CIRSIUM), SUNFLOWERS (HELIANTHUS), ETC. NESTS ABOVE GROUND UNDER LONG GRASS OR UNDERGROUND. QUEENS OVERWINTER IN ROTTEN WOOD OR UNDERGROUND.	Yes	Low	Low	None	—
Crotch's Bumble Bee (Bombus crotchii)	CNDDB(17)	CCE, S2	COASTAL CALIFORNIA EAST TO THE SIERRA-CASCADE CREST AND SOUTH INTO MEXICO. FOOD PLANT GENERA INCLUDE ANTIRRHINUM, PHACELIA, CLARKIA, DENDROMECON, ESCHSCHOLZIA, AND ERIOGONUM.	Yes	Low	Low	None	—
Henne's Eucosman Moth (Pelochrista hennei)	CNDDB(1)	S1	COASTAL SAND DUNES WITH HOST PHACELIA RAMOSISSIMA. ORIGINALLY BELIEVED TO BE ENDEMIC TO THE EL SEGUNDO SAND DUNES OF LOS ANGELES COUNTY WHERE THE TYPE SPECIMEN WAS COLLECTED. ALSO COLLECTED FROM COASTAL SAN LUIS OBISPO COUNTY. LARVAL FOODPLANT IS PHACELIA RAMOSISSIMA VAR AUSTROLITORALIS; LARVAE CAN BE FOUND ON WOODY STEMS AND UPPER ROOT PARTS.	No	N/A	None	None	Range assessment based on 10 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Busk's Gall Moth (Eugnosta busckana)	CNDDB(4)	S2S3	COASTAL SOUTHERN CALIFORNIA. TINY MICRO-MOTH (1 CM) WITH LARVA FORMING GALLS ON HOST PLANT ENCELIA CALIFORNICA (CALIFORNIA BRITTLEBUSH). ADULT FLIGHT PERIOD IS DURING WINTER, GENERALLY FROM NOVEMBER TO FEBRUARY, AND HAVE BEEN REPORTED AT UV LIGHTS AND PORCH LIGHTS.	Yes	Low	Low	None	—
Wandering Skipper (Panoquina errans)	CNDDB(1)	S2	SOUTHERN CALIFORNIA COASTAL SALT MARSHES. REQUIRES MOIST SALTGRASS FOR LARVAL DEVELOPMENT.	Yes	None	None	None	—
El Segundo Blue (Euphilotes allyni)	CNDDB(2)	FE, S1	RESTRICTED TO REMNANT COASTAL DUNE HABITAT IN SOUTHERN CALIFORNIA. HOST PLANT IS ERIOGONUM PARVIFOLIUM; LARVAE FEED ONLY ON THE FLOWERS AND SEEDS; USED BY ADULTS AS MAJOR NECTAR SOURCE.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB occurrences. Only occurs near El Segundo.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Palos Verdes Blue (Glaucopsyche lygdamus palosverdesensis)	CNDDB(1)	FE, S1	RESTRICTED TO THE COOL, FOG-SHROUDED, SEAWARD SIDE OF PALOS VERDES HILLS, LOS ANGELES COUNTY. HOST PLANT IS ASTRAGALUS TRICHOPODUS VAR. LONCHUS (LOCOWEED).	No	N/A	None	None	Range assessment based on 48 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Monarch (Danaus plexippus pop. 1)	CNDDB(15), IPaC	FPT, S2	WINTER ROOST SITES EXTEND ALONG THE COAST FROM NORTHERN MENDOCINO TO BAJA CALIFORNIA, MEXICO. ROOSTS LOCATED IN WIND-PROTECTED TREE GROVES (EUCALYPTUS, MONTEREY PINE, CYPRESS), WITH NECTAR AND WATER SOURCES NEARBY.	No	N/A	None	None	Range based on coastal zone limits.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Santa Monica Shieldback Katydid (Aglaothorax longipennis)	CNDDB(1)	S1S2	OCCUR NOCTURNALLY IN CHAPARRAL AND CANYON STREAM BOTTOM VEGETATION, IN THE SANTA MONICA MTNS OF SOUTHERN CALIFORNIA. INHABIT INTRODUCED ICEPLANT AND NATIVE CHAPARRAL PLANTS.	Yes	Low	Low	None	—
Gertsch's Socalchemmis Spider (Socalchemmis gertschi)	CNDDB(2)	S1	KNOWN FROM ONLY 2 LOCALITIES IN LOS ANGELES COUNTY: BRENTWOOD (TYPE LOCALITY) AND TOPANGA CANYON.	Yes	Low	Low	None	—
Western Ridged Mussel (Gonidea angulata)	CNDDB(2)	S2	PRIMARILY CREEKS AND RIVERS AND LESS OFTEN LAKES. ORIGINALLY IN MOST OF STATE, NOW EXTIRPATED FROM CENTRAL AND SOUTHERN CALIFORNIA.	No	N/A	None	None	Originally found in most of state. Now extirpated from central and southern California.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Gabriel Chestnut (Glyptostoma gabrielense)	CNDDB(1)	S3	TERRESTRIAL.	No	N/A	None	None	Range assessment based on 285 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Mimic Tryonia (Tryonia imitator)	CNDDB(1)	S2	INHABITS COASTAL LAGOONS, ESTUARIES AND SALT MARSHES, FROM SONOMA COUNTY SOUTH TO SAN DIEGO COUNTY. FOUND ONLY IN PERMANENTLY SUBMERGED AREAS IN A VARIETY OF SEDIMENT TYPES; ABLE TO WITHSTAND A WIDE RANGE OF SALINITIES.	No	N/A	None	None	Range assessment based on 46 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Fish

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status fish taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Steelhead - Southern California Distinct Population Segment (Oncorhynchus mykiss pop. 10)	CNDDB(1), CH	FE, CCE, S1	FEDERAL LISTING REFERS TO POPULATIONS FROM SANTA MARIA RIVER SOUTH TO SOUTHERN EXTENT OF RANGE (SAN MATEO CREEK IN SAN DIEGO COUNTY). SOUTHERN STEELHEAD LIKELY HAVE GREATER PHYSIOLOGICAL TOLERANCES TO WARMER WATER AND MORE VARIABLE CONDITIONS.	No	N/A	None	None	Range assessment based on 405 GBIF records. Designated critical habitat (NMFS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tidewater Goby (Eucyclogobius newberryi)	CH	FE, SSC, S3	BRACKISH WATER HABITATS ALONG THE CALIFORNIA COAST FROM AGUA HEDIONDA LAGOON, SAN DIEGO COUNTY TO THE MOUTH OF THE SMITH RIVER. FOUND IN SHALLOW LAGOONS AND LOWER STREAM REACHES, THEY NEED FAIRLY STILL BUT NOT STAGNANT WATER AND HIGH OXYGEN LEVELS.	No	N/A	None	None	Range assessment based on 770 GBIF records. Designated critical habitat (USFWS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Amphibians

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status amphibian taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Arroyo Toad (Anaxyrus californicus)	CNDDB(1)	FE, SSC, S2	SEMI-ARID REGIONS NEAR WASHES OR INTERMITTENT STREAMS, INCLUDING VALLEY-FOOTHILL AND DESERT RIPARIAN, DESERT WASH, ETC. RIVERS WITH SANDY BANKS, WILLOWS, COTTONWOODS, AND SYCAMORES; LOOSE, GRAVELLY AREAS OF STREAMS IN DRIER PARTS OF RANGE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Spadefoot (Spea hammondii)	CNDDB(5), IPaC	FPT, SSC, S3S4	OCCURS PRIMARILY IN GRASSLAND HABITATS, BUT CAN BE FOUND IN VALLEY-FOOTHILL HARDWOOD WOODLANDS. VERNAL POOLS ARE ESSENTIAL FOR BREEDING AND EGG-LAYING.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predictive mapping shows potential low value habitat between residence and street above. There are no potential or known breeding areas near the Biological Study Area.

Reptiles

The section of the report summarizes the potential for occurrence on the Project Site of 9 special status reptile taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Green Sea Turtle (Chelonia mydas)	CH	FT, S1	MARINE. COMPLETELY HERBIVOROUS; NEEDS ADQUATE SUPPLY OF SEAGRASSES AND ALGAE.	No	N/A	None	None	Range based on Pacific Ocean.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southwestern Pond Turtle (Actinemys pallida)	CNDDB(4), IPaC	FPT, SSC, SNR	No CNDDB habitat description available	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
San Diegan Legless Lizard (Anniella stebbinsi)	CNDDB(36)	SSC, S3	GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site.
Blainville's Horned Lizard (Phrynosoma blainvillii)	CNDDB(7)	SSC, S4	FREQUENTS A WIDE VARIETY OF HABITATS, MOST COMMON IN LOWLANDS ALONG SANDY WASHES WITH SCATTERED LOW BUSHES. OPEN AREAS FOR SUNNING, BUSHES FOR COVER, PATCHES OF LOOSE SOIL FOR BURIAL, AND ABUNDANT SUPPLY OF ANTS AND OTHER INSECTS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found in open habitats with native ants, neither of which are present.
San Diegan Tiger Whiptail (Aspidoscelis tigris stejnegeri)	CNDDB(2)	SSC, S3	FOUND IN DESERTS AND SEMI-ARID AREAS WITH SPARSE VEGETATION AND OPEN AREAS. ALSO FOUND IN WOODLAND AND RIPARIAN AREAS. GROUND MAY BE FIRM SOIL, SANDY, OR ROCKY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
California Glossy Snake (Arizona elegans occidentalis)	CNDDB(1)	SSC, S2	PATCHILY DISTRIBUTED FROM THE EASTERN PORTION OF SAN FRANCISCO BAY, SOUTHERN SAN JOAQUIN VALLEY, AND THE COAST, TRANSVERSE, AND PENINSULAR RANGES, SOUTH TO BAJA CALIFORNIA. GENERALIST REPORTED FROM A RANGE OF SCRUB AND GRASSLAND HABITATS, OFTEN WITH LOOSE OR SANDY SOILS.	No	N/A	None	None	Subspecies range based on 175 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Bernardino Ring-necked Snake (Diadophis punctatus modestus)	CNDDB(1)	S2?	MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
South Coast Gartersnake (Thamnophis sirtalis pop. 1)	CNDDB(5)	SSC, S1S2	SOUTHERN CALIFORNIA COASTAL PLAIN FROM VENTURA COUNTY TO SAN DIEGO COUNTY, AND FROM SEA LEVEL TO ABOUT 850 M. MARSH AND UPLAND HABITATS NEAR PERMANENT WATER WITH GOOD STRIPS OF RIPARIAN VEGETATION.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
Two-striped Gartersnake (Thamnophis hammondii)	CNDDB(2)	SSC, S3S4	COASTAL CALIFORNIA FROM VICINITY OF SALINAS TO NORTHWEST BAJA CALIFORNIA. FROM SEA TO ABOUT 7,000 FT ELEVATION. HIGHLY AQUATIC, FOUND IN OR NEAR PERMANENT FRESH WATER. OFTEN ALONG STREAMS WITH ROCKY BEDS AND RIPARIAN GROWTH.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.

Birds

The section of the report summarizes the potential for occurrence on the Project Site of 32 special status bird taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Grebe (Aechmophorus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Clark's Grebe (Aechmophorus clarkii)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Brown Pelican (Pelecanus occidentalis californicus)	CNDDB(1)	FD, CD, S3	COLONIAL NESTER ON COASTAL ISLANDS JUST OUTSIDE THE SURF LINE. NESTS ON COASTAL ISLANDS OF SMALL TO MODERATE SIZE WHICH AFFORD IMMUNITY FROM ATTACK BY GROUND-DWELLING PREDATORS. ROOSTS COMMUNALLY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Northern Harrier (Circus hudsonius)	IPaC	SSC, S3, BCC	COASTAL SALT AND FRESHWATER MARSH. NEST AND FORAGE IN GRASSLANDS, FROM SALT GRASS IN DESERT SINK TO MOUNTAIN CIENAGAS. NESTS ON GROUND IN SHRUBBY VEGETATION, USUALLY AT MARSH EDGE; NEST BUILT OF A LARGE MOUND OF STICKS IN WET AREAS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. Prefers open habitats such as grasslands and marshes.
Swainson's Hawk (Buteo swainsoni)	CNDDB(4)	CT, S4	BREEDS IN GRASSLANDS WITH SCATTERED TREES, JUNIPER-SAGE FLATS, RIPARIAN AREAS, SAVANNAHS, AND AGRICULTURAL OR RANCH LANDS WITH GROVES OR LINES OF TREES. REQUIRES ADJACENT SUITABLE FORAGING AREAS SUCH AS GRASSLANDS, OR ALFALFA OR GRAIN FIELDS SUPPORTING RODENT POPULATIONS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Golden Eagle (Aquila chrysaetos)	IPaC	FP; WL, S3, BCC	ROLLING FOOTHILLS, MOUNTAIN AREAS, SAGE-JUNIPER FLATS, AND DESERT. CLIFF-WALLED CANYONS PROVIDE NESTING HABITAT IN MOST PARTS OF RANGE; ALSO, LARGE TREES IN OPEN AREAS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large tracts of undeveloped habitat away from anthropogenic disturbance.
American Peregrine Falcon (Falco peregrinus anatum)	CNDDB(2)	FD, CD, S3S4	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No suitable nesting habitat on or near the Project Site.This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Yellow Rail (Coturnicops noveboracensis)	CNDDB(2)	SSC, S2	SUMMER RESIDENT IN EASTERN SIERRA NEVADA IN MONO COUNTY. FRESHWATER MARSHLANDS.	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
California Black Rail (Laterallus jamaicensis coturniculus)	CNDDB(1)	CT, FP, S2	INHABITS FRESHWATER MARSHES, WET MEADOWS AND SHALLOW MARGINS OF SALTWATER MARSHES BORDERING LARGER BAYS. NEEDS WATER DEPTHS OF ABOUT 1 INCH THAT DO NOT FLUCTUATE DURING THE YEAR AND DENSE VEGETATION FOR NESTING HABITAT.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Snowy Plover (Charadrius nivosus nivosus)	CNDDB(2), CH, IPaC	FT, SSC, S3	SANDY BEACHES, SALT POND LEVEES AND SHORES OF LARGE ALKALI LAKES. NEEDS SANDY, GRAVELLY OR FRIABLE SOILS FOR NESTING.	Yes	None	None	None	Designated critical habitat (USFWS) is located 7.5 miles to the south. No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Gull (Larus californicus)	IPaC	WL, S4, BCC	LITTORAL WATERS, SANDY BEACHES, WATERS AND SHORELINES OF BAYS, TIDAL MUD-FLATS, MARSHES, LAKES, ETC. COLONIAL NESTER ON ISLETS IN LARGE INTERIOR LAKES, EITHER FRESH OR STRONGLY ALKALINE.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
Western Gull (Larus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
California Least Tern (Sternula antillarum browni)	CNDDB(3), IPaC	FE, CE, FP, S2	NESTS ALONG THE COAST FROM SAN FRANCISCO BAY SOUTH TO NORTHERN BAJA CALIFORNIA. COLONIAL BREEDER ON BARE OR SPARSELY VEGETATED, FLAT SUBSTRATES: SAND BEACHES, ALKALI FLATS, LAND FILLS, OR PAVED AREAS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Screech-Owl (Megascops kennicottii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Burrowing Owl (Athene cunicularia)	CNDDB(2)	CCE, SSC, S2	OPEN, DRY ANNUAL OR PERENNIAL GRASSLANDS, DESERTS, AND SCRUBLANDS CHARACTERIZED BY LOW-GROWING VEGETATION. SUBTERRANEAN NESTER, DEPENDENT UPON BURROWING MAMMALS, MOST NOTABLY, THE CALIFORNIA GROUND SQUIRREL.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Allen's Hummingbird (Selasphorus sasin)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Nuttall's Woodpecker (Dryobates nuttallii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Present in nearly all wooded areas of Los Angeles.
Olive-sided Flycatcher (Contopus cooperi)	IPaC	SSC, S3, BCC	NESTING HABITATS ARE MIXED CONIFER, MONTANE HARDWOOD-CONIFER, DOUGLAS-FIR, REDWOOD, RED FIR AND LODGEPOLE PINE. MOST NUMEROUS IN MONTANE CONIFER FORESTS WHERE TALL TREES OVERLOOK CANYONS, MEADOWS, LAKES OR OTHER OPEN TERRAIN.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Olive-sided Flycatcher, this species occurs locally (if fleetingly) during migration.
Southwestern Willow Flycatcher (Empidonax traillii extimus)	CNDDB(1)	FE, CE, S3	RIPARIAN WOODLANDS IN SOUTHERN CALIFORNIA.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Bank Swallow (Riparia riparia)	CNDDB(1)	CT, S3	COLONIAL NESTER; NESTS PRIMARILY IN RIPARIAN AND OTHER LOWLAND HABITATS WEST OF THE DESERT. REQUIRES VERTICAL BANKS/CLIFFS WITH FINE-TEXTURED/SANDY SOILS NEAR STREAMS, RIVERS, LAKES, OCEAN TO DIG NESTING HOLE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Oak Titmouse (Baeolophus inornatus)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Coastal California Gnatcatcher (Polioptila californica californica)	CNDDB(8), IPaC	FT, SSC, S2	OBLIGATE, PERMANENT RESIDENT OF COASTAL SAGE SCRUB BELOW 2500 FT IN SOUTHERN CALIFORNIA. LOW, COASTAL SAGE SCRUB IN ARID WASHES, ON MESAS AND SLOPES. NOT ALL AREAS CLASSIFIED AS COASTAL SAGE SCRUB ARE OCCUPIED.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Wrentit (Chamaea fasciata)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Thrasher (Toxostoma redivivum)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Least Bell's Vireo (Vireo bellii pusillus)	CNDDB(9)	FE, CE, S3	SUMMER RESIDENT OF SOUTHERN CALIFORNIA IN LOW RIPARIAN IN VICINITY OF WATER OR IN DRY RIVER BOTTOMS; BELOW 2000 FT. NESTS PLACED ALONG MARGINS OF BUSHES OR ON TWIGS PROJECTING INTO PATHWAYS, USUALLY WILLOW, BACCHARIS, MESQUITE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Saltmarsh Common Yellowthroat (Geothlypis trichas sinuosa)	IPaC	SSC, S3, BCC	RESIDENT OF THE SAN FRANCISCO BAY REGION, IN FRESH AND SALT WATER MARSHES. REQUIRES THICK, CONTINUOUS COVER DOWN TO WATER SURFACE FOR FORAGING; TALL GRASSES, TULE PATCHES, WILLOWS FOR NESTING.	No	N/A	None	None	Endemic to Bay Area. Some individuals rarely migrate south in winter to San Diego. Only found in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern California Rufous-crowned Sparrow (Aimophila ruficeps canescens)	CNDDB(1)	WL, S4	RESIDENT IN SOUTHERN CALIFORNIA COASTAL SAGE SCRUB AND SPARSE MIXED CHAPARRAL. FREQUENTS RELATIVELY STEEP, OFTEN ROCKY HILLSIDES WITH GRASS AND FORB PATCHES.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Prefers grasslands and scrublands.
Belding's Savannah Sparrow (Passerculus sandwichensis beldingi)	CNDDB(2), IPaC	CE, S3, BCC	INHABITS COASTAL SALT MARSHES, FROM SANTA BARBARA SOUTH THROUGH SAN DIEGO COUNTY. NESTS IN SALICORNIA ON AND ABOUT MARGINS OF TIDAL FLATS.	No	N/A	None	None	Subspecies range based on Coastal Zone limits as taxon only occurs in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Channel Island Song Sparrow (Melospiza melodia graminea)	IPaC	SSC, S1, BCC	CURRENTLY KNOWN FROM SAN MIGUEL AND SANTA ROSA ISLANDS; BELIEVED EXTIRPATED FROM SANTA BARBARA AND SAN CLEMENTE ISLANDS. NEED MODERATELY DENSE SCRUBBY VEGETATION FOR NESTING, A WATER SOURCE, AND EXPOSED GROUND FOR FORAGING. DENSE SHRUBS AND THICKETS OF GIANT COREOPSIS (C. GIGANTEA) AND/OR DENSE GRASSLANDS WITH SCATTERED SHRUBS. NESTS OFTEN LOCATED ON LEEWARD SIDE OF SHRUBS AVOIDING PREVAILING WINDS.	No	N/A	None	None	Only found on San Miguel, Santa Rosa, and Anacapa Islands.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tricolored Blackbird (Agelaius tricolor)	CNDDB(2)	CT, SSC, S2	HIGHLY COLONIAL SPECIES, MOST NUMEROUS IN CENTRAL VALLEY AND VICINITY. LARGELY ENDEMIC TO CALIFORNIA. REQUIRES OPEN WATER, PROTECTED NESTING SUBSTRATE, AND FORAGING AREA WITH INSECT PREY WITHIN A FEW KM OF THE COLONY.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Uses wetlands and adjacent open habitats in the summer. Found along wetlands and in agricultural areas in the winter.
Bullock's Oriole (Icterus bullockii)	IPaC	BCC	No CNDDB habitat description available	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Bullock's Oriole, this species occurs locally (if fleetingly) during migration.
Lawrence's Goldfinch (Spinus lawrencei)	IPaC	S4, BCC	NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.

Mammals

The section of the report summarizes the potential for occurrence on the Project Site of 12 special status mammal taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Salt Marsh Ornate Shrew (Sorex ornatus salicornicus)	CNDDB(1)	SSC, S1	COASTAL MARSHES IN LOS ANGELES, ORANGE AND VENTURA COUNTIES. REQUIRES DENSE VEGETATION AND WOODY DEBRIS FOR COVER.	No	N/A	None	None	Subspecies range based on 42 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Yellow Bat (Lasiurus xanthinus)	CNDDB(1)	SSC, S3	FOUND IN VALLEY FOOTHILL RIPARIAN, DESERT RIPARIAN, DESERT WASH, AND PALM OASIS HABITATS. ROOSTS IN TREES, PARTICULARLY PALMS. FORAGES OVER WATER AND AMONG TREES.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pallid Bat (Antrozous pallidus)	CNDDB(4)	SSC, S3	DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
California Bonneted Bat (Eumops perotis californicus)	CNDDB(8)	SSC, S3S4	MANY OPEN, SEMI-ARID TO ARID HABITATS, INCLUDING CONIFER AND DECIDUOUS WOODLANDS, COASTAL SCRUB, GRASSLANDS, CHAPARRAL, ETC. ROOSTS IN CREVICES IN CLIFF FACES, HIGH BUILDINGS, TREES AND TUNNELS.	Yes	Low	Low	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Pocketed Free-tailed Bat (Nyctinomops femorosaccus)	CNDDB(1)	SSC, S3	VARIETY OF ARID AREAS IN SOUTHERN CALIFORNIA; PINE-JUNIPER WOODLANDS, DESERT SCRUB, PALM OASIS, DESERT WASH, DESERT RIPARIAN, ETC. ROCKY AREAS WITH HIGH CLIFFS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Big Free-tailed Bat (Nyctinomops macrotis)	CNDDB(2)	SSC, S3	LOW-LYING ARID AREAS IN SOUTHERN CALIFORNIA. NEED HIGH CLIFFS OR ROCKY OUTCROPS FOR ROOSTING SITES. FEEDS PRINCIPALLY ON LARGE MOTHS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Los Angeles Pocket Mouse (Perognathus longimembris brevinasus)	CNDDB(1)	SSC, S1S2	LOWER ELEVATION GRASSLANDS AND COASTAL SAGE COMMUNITIES IN AND AROUND THE LOS ANGELES BASIN. OPEN GROUND WITH FINE, SANDY SOILS. MAY NOT DIG EXTENSIVE BURROWS, HIDING UNDER WEEDS AND DEAD LEAVES INSTEAD.	No	N/A	None	None	Subspecies range based on 311 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Pocket Mouse (Perognathus longimembris pacificus)	CNDDB(1)	FE, SSC, S2	INHABITS THE NARROW COASTAL PLAINS FROM THE MEXICAN BORDER NORTH TO EL SEGUNDO, LOS ANGELES COUNTY. SEEMS TO PREFER SOILS OF FINE ALLUVIAL SANDS NEAR THE OCEAN, BUT MUCH REMAINS TO BE LEARNED.	No	N/A	None	None	Subspecies range based on 360 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern Grasshopper Mouse (Onychomys torridus ramona)	CNDDB(1)	SSC, S3	DESERT AREAS, ESPECIALLY SCRUB HABITATS WITH FRIABLE SOILS FOR DIGGING. PREFERS LOW TO MODERATE SHRUB COVER. FEEDS ALMOST EXCLUSIVELY ON ARTHROPODS, ESPECIALLY SCORPIONS AND ORTHOPTERAN INSECTS.	No	N/A	None	None	Subspecies range based on 92 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Desert Woodrat (Neotoma lepida intermedia)	CNDDB(2)	SSC, S3S4	COASTAL SCRUB OF SOUTHERN CALIFORNIA FROM SAN DIEGO COUNTY TO SAN LUIS OBISPO COUNTY. MODERATE TO DENSE CANOPIES PREFERRED. THEY ARE PARTICULARLY ABUNDANT IN ROCK OUTCROPS, ROCKY CLIFFS, AND SLOPES.	No	N/A	None	None	Subspecies range based on 262 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Stephens' California Vole (Microtus californicus stephensi)	CNDDB(3)	SSC, S2	TIDAL MARSHES IN LOS ANGELES, ORANGE AND SOUTHERN VENTURA COUNTIES.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predicted habitat is for taxon as a whole, not subspecies which is only found in coastal marshes.
American Badger (Taxidea taxus)	CNDDB(1)	SSC, S3	MOST ABUNDANT IN DRIER OPEN STAGES OF MOST SHRUB, FOREST, AND HERBACEOUS HABITATS, WITH FRIABLE SOILS. NEEDS SUFFICIENT FOOD, FRIABLE SOILS AND OPEN, UNCULTIVATED GROUND. PREYS ON BURROWING RODENTS. DIGS BURROWS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large areas of undisturbed natural habitat. Also, does not occur near the area.

Critical Habitat

This page visually depicts the presence or absence of US Fish and Wildlife Service or National Marine Fisheries Service proposed or designated critical habitat in the Regional Study Area. If critical habitat is present in the Regional Study Area that taxon is included in the preceding pages and marked as having critical habitat. Critical habitat is also discussed in the main text of the report.



Appendix E. Photo Log

Inserted after this cover page is a database-generated photo log.

Photo Log

1400 Vista Moraga

This database-generated report presents a visual depiction of site conditions during the survey conducted on March 17, 2025 by England|Ecology. The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. The map below presents an overview of the photo locations in this report, with each photo shown on the ensuing pages. This report was generated using QGIS 3.40.



Photo Point 1642



Photo Direction
Southeast

Photo Description
View uphill toward residence from lower end of slope.

Photo Point 1643



Photo Direction
East

Photo Description
View across the backyard.

Photo Point 1644



Photo Direction
South

Photo Description
View upslope toward residence.

Photo Point 1652



Photo Direction
North

Photo Description
View up driveway toward residence from front gate.

Photo Point 1653





Photo Direction
Northwest

Photo Description
View of front yard.

Photo Point 1654





Photo Direction
Northeast

Photo Description
View of side yard.

Photo Point 1655





Photo Direction
North

Photo Description
Back yard.

Photo Point 1656





Photo Direction
Northwest

Photo Description
Back yard.

Photo Point 1657



Photo Direction
Southwest

Photo Description
Side yard.

Photo Point 1658



Photo Direction
South

Photo Description
Pool area.

Photo Point 1659





Photo Direction
Northeast

Photo Description
Front yard.

Appendix F. Reference Materials

The following materials were provided to England|Ecology by the Applicant in order to assist with the completion of this report and are provided after this cover page:

- Site Plan
- Arborist Report

Tree Survey

For the compliance of the City of Los Angeles Planning

1400 N. Vista Moraga
Los Angeles, 90049

Prepared For: Niko Natsis
Tel: (310) 903-9022
Email: Nikonatsis@gmail.com

Prepared By: Michael Crane
Arbor Care, Inc.
1660 E. Mountain St.
Pasadena, CA 91104
Tel: (626) 737-4007
Email: info@arborcareinc.net

October 2023

Table of Contents

Survey Methods 1

Protected Tree Definitions 2

Tree Inventory Table 3

Topographic Survey Map with Tree Locations 5

Author's Certifications 6

Certification of Performance 7

SURVEY METHODS

All trees with trunks measuring four inches in diameter or larger have been identified by botanical and common names. Trunk diameters, which are measured at four feet above grade are listed, and those with an "M" next to the measurement indicates that the tree has multiple trunks originating from one root crown. If the tree is a multi-trunk, then the three largest trunk diameters are listed. Tree numbers correspond to the tree identification and location plotted on the topographic survey map. Tree numbers with an "os" next to them indicate that the trunk is located off-site, but the branches extend over or very close to the property line. Trees marked on the topographic survey map with an "X" indicate that a tree does not exist in the location of the tree icon.

The condition of each tree is given based on existing conditions using a scale of Excellent to Dead.

Excellent – A healthy, vigorous tree, reasonably free of signs and symptoms of disease, with good structural and form typical of the species.
Good – Tree with slight decline in vigor, small amount of twig dieback, or minor structural defects that can be corrected.
Fair – Tree with moderate vigor, moderate twig and small branch dieback, thinning of crown, poor leaf color, moderate structural defects that might be mitigated with regular care.
Poor – Tree in decline, epicormic growth, extensive dieback of medium to large branches, significant structural defects that cannot be abated.
Nearly Dead – Tree in severe decline, dieback of scaffold branches and/or trunk; most of foliage from epicormic shoots (secondary shoots that arise along the trunk and branches); extensive structural defects that cannot be abated.
Dead – Tree is completely non-viable

A determination was made on the protected status of each tree. The elements used to determine if a tree is protected are its species, trunk diameter and location on the property; and as defined in Ordinance #186873 of the City of Los Angeles Municipal Code. The property is not located in a Specific Plan area.

Protected Tree Definitions

City of Los Angeles Protected Trees and Shrubs

Ordinance #186873 - Protected Tree or Shrub- Any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree; or any of the following Southern California indigenous shrub species, which measure four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

Protected Trees:

(a) Oak tree including Valley Oak (Quercus lobata) and California Live Oak (Quercus agrifolia), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (Quercus dumosa).

(b) Southern California Black Walnut (Juglans californica var. californica)

(c) Western Sycamore (Platanus racemosa)

(d) California Bay (Umbellularia californica)

Protected Shrubs:

(a) Mexican Elderberry (Sambucus Mexicana

(b) Toyon (Heteromeles arbutifolia)

This definition shall not include any tree grown or held for sale by a licensed nursery, or trees planted or grown as a part of a tree planting program.

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077

Tree Key	Botanical Name	Common Name	Trunk Diameter	Condition	Tree Status
1	Jacaranda mimosifolia	Jacaranda	12"	Good	Non-Protected
2	Pinus halepensis	Aleppo Pine	14”	Good	Non-Protected
3	Pinus canariensis	Canary Island Pine	20"	Good	Non-Protected
4	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
5	Pinus halepensis	Aleppo Pine	6"	Good	Non-Protected
6	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
7	Pinus canariensis	Canary Island Pine	16"	Good	Non-Protected
8	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
9	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
10	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
11	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
12	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
13	Schinus molle	Pepper Tree	16"	Good	Non-Protected
14	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
15	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
16	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
17	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
18	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
19	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
20	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077 continued

Tree Key	Botanical Name	Common Name	Trunk Diameter or Height	Condition	Protected Tree
21	Pinus halepensis	Aleppo Pine	12"	Good	Non-Protected
22	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
23	Pinus halepensis	Aleppo Pine	20"	Good	Non-Protected
24	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
25	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
26	Pinus halepensis	Aleppo Pine	M2: 14", 14”	Good	Non-Protected
27	Eucalyptus globulus	Blue Gum	24"	Good	Non-Protected
28	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
29	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
30	Pinus canariensis	Canary Island Pine	5"	Good	Non-Protected
31	Malosma laurina	Laurel Sumac	M8: 4", 4” 2”	Good	Non-Protected
32	Malosma laurina	Laurel Sumac	M4: 6”, 6”, 2”	Good	Non-Protected
33	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
34	Malosma laurina	Laurel Sumac	M10: 3”, 3”, 3"	Good	Non-Protected
35	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 4”	Good	Non-Protected
36	Malosma laurina	Laurel Sumac	M5: 5”, 4’, 4”	Good	Non-Protected
37	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 3”	Good	Non-Protected
38	Malosma laurina	Laurel Sumac	M3: 6”, 2”, 2”	Good	Non-Protected


10 FOOT EASEMENT FOR PEDESTRIAN ACCESS AND DRAINAGE PURPOSES PER TRACT NO. 37150
FRONT PROPERTY LINE
PROPERTY LINE
Δ=72°14'37"
R=150.00'
N62°39'01"W
A.C.
DIRT
EUCALYPTUS
PINES
PINE
TREE
SCALE
983.85
984.65
985.23
984.99TC
984.33FL
985.78
985.74TC
985.05FL
986.35
986.31TC
985.72FL
986.90
986.88TC
986.31FL
987.56
987.68TC
986.77FL
988.14TC
987.30FL
988.36
988.46TC
987.50FL
988.60
985.02
984.96
983.95
981.85
976.82
975.62
974.68
971.26
962.75
961.20FL
962.16
954.70
949.22
953.24
941.51
938.77
937.31
936.07FL
934.16TG
939.62
938.21FL
937.22
933.36
971.23
964.37
963.44FL
964.30
949.77
987.35
987.62
986.79
985.74
986.25
987.75
985.45
965.21
962.97
962.99
961.69
961.02
960.29
958.98TG
960.32
960.1T
(980)
(970)
(960)
(950)
(940)

ISA QUALIFICATIONS

International Society of Arboriculture™
Tree Risk Assessment Qualification

Michael J Crane

Having successfully completed the requirements established by the Certification Board of the International Society of Arboriculture,™ the above named is hereby recognized as holding the ISA Tree Risk Assessment Qualification.

Chair, Certification Board
International Society of Arboriculture

Jim Skiera, Executive Director
International Society of Arboriculture

December 31, 2015
Expiration Date

The American Society of Consulting Arborists

in recognition of fulfillment of the requirements for Registered Consulting Arborist status

confers upon

Michael Crane, RCA #440

Registered Membership
January 18, 2006

President

ASCA
AMERICAN SOCIETY of CONSULTING ARBORISTS

Executive Director

---

dpr DEPARTMENT OF PESTICIDE REGULATION
LICENSING/CERTIFICATION PROGRAM

AGRICULTURAL PEST CONTROL ADVISER LICENSE

DATE OF ISSUE
01/01/2013

VALID THROUGH
12/31/2014

PCA 75893
MICHAEL J CRANE
PO BOX 51122
PASADENA CA 91115

ABCDEFG

International Society of Arboriculture
Board-Certified Master Arborist

Michael J. Crane

Having successfully completed the requirements set by the Arborist Certification Board of the International Society of Arboriculture, the above named is hereby recognized as an ISA Board-Certified Master Arborist

ISA

Jim Skiera, Executive Director
International Society of Arboriculture

Certification Number	Certified Since	Expiration Date
WE-6643B	Nov 9, 2006	Dec 31, 2012

CERTIFICATION OF PERFORMANCE

I, Michael Crane, certify that:

- I have personally inspected the tree(s) and the property referred to in this report and have stated my findings accurately.
- I have no current or prospective interest in the vegetation or the property that is the subject of this report and have no personal interest or bias with respect to the parties involved.
- The analysis, opinions, and conclusions stated herein are my own and are based on current scientific procedures and facts.
- My analysis, opinions, and conclusions were developed and this report has been prepared according to commonly accepted arboricultural practices.
- No one provided significant professional assistance to me, except as indicated within the report.
- My compensation is not contingent upon the reporting of a predetermined conclusion that favors the cause of the client or any other party not upon the results of the assessment, the attainment of stipulated results, or the occurrence of any subsequent events.

I further certify that I am a member in good standing of the American Society of Consulting Arborists and the International Society of Arboriculture. I have been involved in the field of Horticulture in a full-time capacity for a period of more than 15 years.

Signed: _____

Registered Consulting Arborist #440; American Society of Consulting Arborist
Board Certified Master Arborist #WE 6643B; International Society of Arboriculture
Licensed California Agricultural Pest Control Adviser #AA08269

Date: October 18, 2023

marcus@mcengland.com
mcengland.com
englandecology
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Biological Resources Report

City of Los Angeles, Los Angeles County, California

Subject Property:

APN: 4368003021
1400 Vista Moraga
Los Angeles, California 90049

Prepared for:

Tony Natsis
Los Angeles, CA 90049

Prepared by:

Marcus C. England
England | Ecology
mcengland.com

September 23, 2025

Table of Contents

Executive Summary **1**

Project Overview **2**

Project Information 2

Project Location 2

Protected Areas 5

Existing Physical/Natural Site Features 6

Site History 8

1994 8

1979 8

1938 9

Fire History 9

Proposed Development 10

Characteristics of the Surrounding Area **11**

Applicable Regulations and Permits **13**

Federal 13

Federal Endangered Species Act 13

Migratory Bird Treaty Act 13

Bald and Golden Eagle Protection Act 14

Birds of Conservation Concern 14

State of California 14

California Endangered Species Act 14

Fully Protected Animals 15

Species of Special Concern 15

California Rare Plant Ranks 15

California Fish and Game Code Sections 3503, 3503.5, 3513 16

California Environmental Quality Act 16

City of Los Angeles 17

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance 17

Methods **18**

Definitions 18

Resource Status Designations Considered 18

Study Areas 18
Desktop Review 19
Databases 19
Site-Specific Reports 20
Field Survey 20
Occurrence Potential 20
Geospatial & Tabular Data Storage 22
Taxonomy & Nomenclature 22
Biological Site Conditions Assessment 23
Water Resources 23
Literature Review 23
Field Methodology 23
Data Analysis 23
General Conclusions 25
Vegetation Communities & Habitats 26
Literature Review 26
Field Methodology 26
Data Analysis 26
General Conclusions 34
Flora 35
Literature Review 35
Field Methodology 35
Data Analysis 35
General Conclusions 38
Fauna 39
Literature Review 39
Field Methodology 39
Data Analysis 39
General Conclusions 50
Conclusions and Recommendations 51

Figures

Figure 1. Project Location Map 2
Figure 2. Project Location Relative to Specific Plan Areas 4
Figure 3. Project Location Relative to the Public Land Survey System 4
Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads 4
Figure 5. Protected Areas in the California Protected Areas Database 5
Figure 6. Soils on the Project Site 6
Figure 7. Historic Aerial from 1994. Source: Google Earth. 8
Figure 8. Historic Aerial from 1979. Source: FrameFinder 8
Figure 9. Historic Aerial from 1938. Source: FrameFinder 9
Figure 10. Fire Perimeters Relative to the Project Site 9
Figure 11. Aerial View of Surrounding Area 11
Figure 12. National Hydrography Dataset and National Wetlands Inventory Data 24
Figure 12. Critical habitat for plants in a portion of the Regional Study Area 36
Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area 44
Figure 14. City of Los Angeles Wildlife Movement Connectivity Data 46

Tables

Table 1. Project Summary 2
Table 2. Survey Dates, Times, and Weather Conditions 20

Exhibits

Exhibit 1. Site Map 3
Exhibit 2. Terrain Map 7
Exhibit 3. Vegetation Communities & Land Cover 29

Appendices

Appendix A. Biological Reporting Standards Acknowledgement of Compliance
Appendix B. Report Contributors
Appendix C. Floral & Faunal Compendia
Appendix D. Desktop Review of Special Status Biological Resources
Appendix E. Photo Log
Appendix F. Reference Materials

Executive Summary

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concludes the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed. If development were proposed on the newly-created parcel, the Applicant will ensure the following measures are implemented:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.
- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[1].
- **Nesting Birds:** To comply with the Migratory Bird Treaty Act, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the Migratory Bird Treaty Act, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.

[1] https://www.cal-ipc.org/plants/inventory/

Project Overview

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California (hereafter, "Project"). This report has been organized in a manner to be consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Project Information

This biological resources report is being prepared at the request of the Applicant, who states that this report format was requested by Los Angeles City Planning. **Table 1** (right) summarizes key Project information as required by CP-4073.

Project Name	1400 Vista Moraga
APN(s)	4368003021
Address(es)	1400 Vista Moraga, Los Angeles, California 90049
Applicant	Tony Natsis
Zoning	RE40-1-H-HCR (Residential)

Table 1. Project Summary

Project Location

The Project is proposed on approximately 3.3 acres of land located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California. It is not located within an existing approved Specific Plan Area. On the Public Land Survey System, the Project Site is located within the San Vicente Y Santa Monica Land Grant of the US Geological Survey's 7.5-minute *Beverly Hills* quadrangle.

The Project's location is shown to the right in **Figure 1.** A Site Map is provided as **Exhibit 1** on the next page. The Project's location relative to Specific Plan Areas, the Public Land Survey System, and US Geological Survey 7.5-Minute Quads is shown on the following page in **Figures 2, 3,** and **4.**



Figure 1. Project Location Map

Exhibit 1. Site Map

1400 Vista Moraga



Project Site Boundary

Reference Grid Overlay: 50 feet. Coordinate System: EPSG 3310.
Base Map: Google. Map Scale: 1:1104



Figure 2. Project Location Relative to Specific Plan Areas



Figure 3. Project Location Relative to the Public Land Survey System



Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads

Protected Areas

The nearest open space in the California Protected Areas Database (CPAD) is Getty View Park & Trailhead managed by the Mountains Recreation and Conservation Authority. It is located approximately 0.24 miles to the west. The nearest easement in the California Conservation Easement Database is located approximately 1.62 miles to the north. Protected areas in the CPAD are shown below in **Figure 5.**



Figure 5. Protected Areas in the California Protected Areas Database

Existing Physical/Natural Site Features

The Project Site is on a west-facing slope with elevations ranging from approximately 825 to 990 feet above mean sea level, with an elevation of approximately 915 feet above mean sea level at the center of the Project Site. Two soil types are present on the Project Site. The first is Urban land-Xerorthents, landscaped complex, 0 to 5 percent slopes[2]. The parent material of this soil type is human-transported material consisting mostly of colluvium and/or residuum weathered from sedimentary rock. The typical soil profile is loam to a depth of 52 inches. The second soil type is Topanga-Mipolomol-Sapwi association, 30 to 75 percent slopes. The parent material of this soil type is colluvium and/or residuum weathered from sandstone, shale, and slate. The typical soil profile is gravelly loam or gravelly clay loam to a depth of 18 inches. Photographs depicting the Project Site are provided in the **Photo Log** attached to this report as **Appendix E.** Soils on the Project Site and surrounding area are shown in **Figure 6.** There are no unique physical or natural site features that have unusual or exceptional biological value such as cliff faces, rock outcrops, bluffs, or stream banks. The Biological Study Area's terrain features are shown in **Exhibit 2.**



[2] https://websoilsurvey.sc.egov.usda.gov/app/

Figure 6. Soils on the Project Site

Exhibit 2. Terrain Map

1400 Vista Moraga



Site History

The City's CP-4073 reporting standards require a discussion of the Project Site's history, which is not information that is readily available, but can be assembled generally from historic aerial photos, such as those available on the UC Santa Barbara FrameFinder site[3] and Google Earth[4]. The images on the FrameFinder site are not georectified (making it difficult to place a Project Site boundary on them), but are useful for providing a general overview of land use history in the area. To that end, England|Ecology reviewed aerial photos from a series of years, three of which are provided below.

1994

This image from Google shows that the existing residence was present by 1994. Residences to the west of the Project Site appear to be under construction. The image referred to herein is provided as **Figure 7.**

Figure 7. Historic Aerial from 1994. Source: Google Earth.

1979

This image from FrameFinder shows that no residence was on the Project Site in that year. Development was present to the east, and it appears that the Project Site was largely cleared of shrubby vegetation. The image referred to herein is provided as **Figure 8.**

Figure 8. Historic Aerial from 1979. Source: FrameFinder

[3] https://mil.library.ucsb.edu/ap_indexes/FrameFinder/

[4] https://www.google.com/intl/en_us/earth/

1938

This image from FrameFinder shows no development was present on the Project Site and a large area around it. Vegetation appears to be mostly chaparral. The image referred to herein is provided as **Figure 9.**



Figure 9. Historic Aerial from 1938. Source: FrameFinder

Fire History

Fire perimeters relative to the Project Site are shown below in **Figure 10.** Based on these data[5] the Project Site last burned in the 1961 Bel Air Fire.



Figure 10. Fire Perimeters Relative to the Project Site

[5] https://www.fire.ca.gov/what-we-do/fire-resource-assessment-program

Proposed Development

This report has been prepared at the request of the Applicant for a proposed parcel split. No ground-disturbing activities are proposed at this time. The plan provided to England|Ecology during the preparation of this report is provided in **Appendix F.** The City has requested that in addition to the proposed parcel split, this report analyze the potential effects of maximal development (which is not currently proposed) within the newly-created parcel. Where applicable, effects analysis considers a development area of 5,366.16 square feet and allowable fencing of 6 feet in the side and rear yards, and 3.5 feet in the front yard.

Characteristics of the Surrounding Area

The City's CP-4073 reporting standards require a discussion of landscape characteristics within 500 feet of the Project Site, the limits for which are shown below in **Figure 11.** A discussion of landscape aspects is provided thereafter.



Figure 11. Aerial View of Surrounding Area

- **Impermeable Surfaces:** Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. Based on field observations and current aerial photography, impermeable surfaces such roads, residences, and other structures occupy approximately 25% of the 500-foot radius, scattered throughout as various winding roads and houses.
- **Natural Vegetation:** Based on field observations and current aerial photography, natural vegetation communities are located at the southern and northern limits of the 500-foot radius.
- **Landscape Vegetation:** Based on field observations and current aerial photography, landscape vegetation such as maintained trees, shrubs, and forbs are the primary vegetation within the 500-foot radius.
- **Terrain:** Terrain within 500 feet is largely hilly. Aspect is variable.

- **Water Features:** There are no known water features within 500 feet of the Project Site.
- **General Anthropogenic Disturbance:** Based on field observations and current aerial photography, the area within 500 feet of the Project Site is residential in nature without any high traffic roads. As such, anthropogenic disturbance factors such as vehicle traffic, light, and noise are likely to be relatively low.
- **California Protected Areas Database:** There are no parks or other protected areas shown in the California Protected Areas Database within 500 feet of the Project Site.
- **California Conservation Easement Database:** There are no easements shown in the California Conservation Easement Database within 500 feet of the Project Site.

Applicable Regulations and Permits

The following summarizes regulations and other resource protection mechanisms that are known to be or potentially are applicable to biological resources on the Project Site. Key species status terms and their abbreviations, used later in this report, are in bold text.

Federal

Federal Endangered Species Act

The Federal Endangered Species Act (FESA) is the federal government's tool to protect rare and declining plant and wildlife species. It is implemented jointly by the US Fish and Wildlife Service (USFWS, terrestrial species) and the National Marine Fisheries Service. FESA protects species using the following status designations:

- An **endangered (FE)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as facing extinction throughout all or a significant portion of its geographic range.
- A **threatened (FT)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as likely to become endangered within the foreseeable future throughout all or a significant portion of its range.

A **proposed threatened (FPT)** or **proposed endangered (FPE)** species is one officially proposed for addition to the federal threatened or endangered species lists. A **candidate (FC)** species is one under review for listing, often due to the submittal of a petition by an outside entity.

"Take" of a federally endangered or threatened species or its habitat is prohibited by federal law without a special permit. The term "take", under FESA, means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in such conduct. "Harm" is defined to encompass "an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering" (50 CFR 17.3).

FESA also requires the USFWS to consider whether there are areas of habitat essential to conservation for each listed species. **Critical habitat (CH)** designations protect these areas, including habitat that is currently unoccupied but may be essential to the recovery of a species. An area is designated as critical habitat after the USFWS publishes a proposed Federal regulation in the Federal Register and then receives and considers public comments on the proposal. The final boundaries of critical habitat are officially designated when published in the Federal Register.

Migratory Bird Treaty Act

The Migratory Bird Treaty Act of 1918 (MBTA) is a federal law governing the taking, killing, possession, transportation, and importation of various birds, their eggs, parts, and nests. The take of any number of a bird species listed as protected on any one of four treaty lists is governed by the MBTA's regulation of taking migratory birds for educational, scientific, and recreational purposes and requiring harvest to be limited to levels that prevent over utilization. The MBTA also prohibits taking, possession, import, export, transport, selling, purchase, barter, or offering for sale, purchase or barter, certain bird species, their eggs, parts, and nests, except as authorized under a valid permit (50 CFR 21.11).

Bald and Golden Eagle Protection Act

The **Bald and Golden Eagle Protection Act (BGEPA)** (16 U.S.C. 668-668c), enacted in 1940, and amended several times since then, prohibits anyone, without a permit issued by the Secretary of the Interior, from "taking" eagles, including their parts, nests, or eggs. The Act provides criminal penalties for persons who "take, possess, sell, purchase, barter, offer to sell, purchase or barter, transport, export or import, at any time or any manner, any bald eagle ... [or any golden eagle], alive or dead, or any part, nest, or egg thereof." The Act defines "take" as "pursue, shoot, shoot at, poison, wound, kill, capture, trap, collect, molest or disturb." For purposes of the guidelines, "disturb" means: "to agitate or bother a bald or golden eagle to a degree that causes, or is likely to cause, based on the best scientific information available, 1) injury to an eagle, 2) a decrease in its productivity, by substantially interfering with normal breeding, feeding, or sheltering behavior, or 3) nest abandonment, by substantially interfering with normal breeding, feeding, or sheltering behavior." In addition to immediate impacts, this definition also covers impacts that result from human-induced alterations initiated around a previously used nest site during a time when eagles are not present, if, upon the eagle's return, such alterations agitate or bother an eagle to a degree that interferes with or interrupts normal breeding, feeding, or sheltering habits, and causes injury, death or nest abandonment.

Birds of Conservation Concern

The **Birds of Conservation Concern (BCC)** list "identifies the migratory and non-migratory bird species (beyond those already designated as federally threatened or endangered) that represent [the USFWS's] highest conservation priorities. The list is based on an assessment of several factors, including population abundance and trends, threats on breeding and nonbreeding grounds and size of breeding and nonbreeding ranges. Bird species considered for the BCC include: nongame birds gamebirds without hunting seasons subsistence-hunted nongame birds in Alaska ESA candidate, proposed, and recently delisted species.[6]"

State of California

California Endangered Species Act

The California Endangered Species Act (CESA) is the State of California's tool to protect rare and declining plant and wildlife species. Plant and animal species may be designated threatened or endangered under CESA after a formal listing process by the California Fish and Game Commission. Implementation of CESA is by the California Department of Fish and Wildlife (CDFW). CESA protects species using the following status designations:

- An **endangered (CE)** species is a species of plant or wildlife whose prospects of survival and reproduction are in immediate jeopardy.
- A **threatened (CT)** species is a species of plant or wildlife present in such small numbers throughout its range that it is considered likely to become an endangered species in the near future in the absence of special protection or management.

A **candidate (CC)** species is one formally under review for listing. Candidates species are protected from take by CESA during the review process.

[6] https://fws.gov/media/birds-conservation-concern-2021pdf

Fully Protected Animals

CDFW describes the **Fully Protected (FP)** animals list as "the State's initial effort in the 1960's to identify and provide additional protection to those animals that were rare or faced possible extinction. Lists were created for fish, amphibians, reptiles, birds and mammals. Fully Protected species may not be taken or possessed at any time and no licenses or permits may be issued for their take except for collecting these species for necessary scientific research, relocation of the bird species for the protection of livestock, or if they are a covered species whose conservation and management is provided for in a Natural Community Conservation Plan.[7]"

Species of Special Concern

Species of special concern (SSC) is an informal designation used by the CDFW for some declining wildlife species that are not officially listed as endangered, threatened, or rare. This designation does not provide legal protection, but signifies that these species are recognized as vulnerable by CDFW.

California Rare Plant Ranks

While not a government agency, the California Native Plant Society (CNPS) is a statewide resource conservation organization that has developed an inventory of California's special-status plant species that is highly regarded by the agencies and biologists. This inventory is a summary of information on the distribution, rarity, and endangerment of California's vascular plants. Rare or potentially rare plant species are ranked using the following system **(CRPR)**:

- **1A:** Plants Presumed Extirpated in California and Either Rare or Extinct Elsewhere.
- **1B:** Plants Rare, Threatened, or Endangered in California and Elsewhere
- **2A:** Plants Presumed Extirpated in California, But Common Elsewhere
- **2B:** Plants Rare, Threatened, or Endangered in California, But More Common Elsewhere
- **3:** Plants About Which More Information is Needed - A Review List
- **4:** Plants of Limited Distribution - A Watch List

After each rarity ranking, there is also a threat ranking:

- **0.1:** Seriously threatened in California (over 80% of occurrences threatened / high degree and immediacy of threat)
- **0.2:** Moderately threatened in California (20-80% occurrences threatened / moderate degree and immediacy of threat)
- **0.3:** Not very threatened in California (less than 20% of occurrences threatened / low degree and immediacy of threat or no current threats known)

[7] https://wildlife.ca.gov/Conservation/Fully-Protected

California Fish and Game Code Sections 3503, 3503.5, 3513

These California Fish and Game Code sections protect all birds, birds of prey, and all nongame birds, as well as their eggs and nests, for species that are not already listed as fully protected and that occur naturally within the state. Sections 3503 and 3503.5 of the CFGC stipulate the following regarding eggs and nests: Section 3503 states that it is unlawful to take, possess, or needlessly destroy the nest or eggs of any bird, except as otherwise provided by California Fish and Game Code or any regulation made pursuant thereto; and Section 3503.5 states that is it unlawful to take, possess, or destroy any birds in the orders Falconiformes or Strigiformes (birds-of-prey) or to take, possess, or destroy the nest or eggs of any such bird except as otherwise provided by CFGC or any regulation adopted pursuant thereto. Section 3513 states that it is unlawful to take or possess any migratory nongame bird as designated in the MBTA or any part of such migratory nongame bird except as provided by rules and regulations adopted by the Secretary of the Interior under provisions of the MBTA.

California Environmental Quality Act

Appendix G of the CEQA Guidelines is used by public agencies to determine whether a project may have a significant impact on biological resources. Under Appendix G (Section IV), a project may have a significant impact on biological resources if it would:

- Have a substantial adverse effect, either directly or through habitat modification, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations by the CDFW or USFWS.
- Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in the City or regional plans, policies, or regulations by the CDFW or USFWS.
- Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means.
- Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.
- Conflict with any local policies or ordinances protecting biological resources, such as tree preservation policy or ordinance (e.g., oak trees or California walnut woodlands).
- Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

In addition, Section 15065(a) of the CEQA Guidelines establishes that a significant impact may occur if "[t]he project has the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish and wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, [or] reduce the number or restrict the range of an endangered, rare or threatened species."

City of Los Angeles

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance

The Protected Tree and Shrub Relocation and Replacement Ordinance took effect in February 2021. As defined in Section 46.01 of the Los Angeles Municipal Code, “protected tree or shrub" means any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree, or any of the following Southern California indigenous shrub species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

- Protected Trees:
    - Oak tree including Valley Oak (*Quercus lobata*) and California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*).
    - Southern California Black Walnut (*Juglans californica*).
    - Western Sycamore (*Platanus racemosa*).
    - California Bay (*Umbellularia californica*).
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*).
    - Toyon (*Heteromeles arbutifolia*).

Sections 46.02 to 46.06 of the Los Angeles Municipal Code describe mitigation measures for tree impacts and penalties for violating the ordinance.

Methods

This report is informed by data from an expansive desktop review and a field survey, the methods for which are described below. From this section forward, the more biologically accurate terms *taxon* and *taxa* are used in place of the term *species* used in most regulations because of the fluid nature of modern taxonomy, with special status assignments often being made for subspecies and populations instead of entire species. The term *species* is only used where applicable to the discussion.

Definitions

Resource Status Designations Considered

A variety of agencies and respected non-profit organizations assess the conservation status of plant and wildlife taxa and habitats, however, not all are applicable to this report. The following special status designations were considered when determining special status taxa and habitats to be discussed:

- **Federal Status:** Taxa listed as **Endangered (FE)** or **Threatened (FT)**, as well as taxa **Proposed as Endangered (FPE)**, **Proposed as Threatened (FPT)**, **Proposed for Delisting (FPD)**, and **Candidates (FC)** for listing under the Federal Endangered Species Act. Bald and Golden Eagles protected by the **Bald and Golden Eagle Protection Act (BGEPA)** and **USFWS-listed Birds of Conservation Concern** are also included.
- **California Status:** Taxa listed as **Endangered (CE)** or **Threatened (CT)**, as well as taxa that are **Candidates for Endangered (CCE)** status, **Threatened (CCT)** status, or **Delisting (CCD)** under the California Endangered Species Act. Also considered are taxa listed as **Fully Protected (FP)** and **Species of Special Concern (SSC).**
- **CNPS Status:** California Rare Plant Ranks (CRPR) 1, 2, and 3.
- **NatureServe Element Ranks:** NatureServe element state ranks were only considered for taxa when other criteria did not apply. Taxa were included with ranks of **S1 (Critically Imperiled)**, **S2 (Imperiled)**, and **S3 (Vulnerable).**
- **Vegetation Communities:** All vegetation communities mapped by the CNDDB.
- **Protected Trees and Shrubs:** trees and shrubs protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance are discussed in the analysis of flora.

Study Areas

The following are the study areas referenced in the Biological Site Conditions Assessment:

- **Project Site:** The Project Site includes the 3.29 acres of land being considered for entitlements and directly surveyed for this report.
- **Biological Study Area:** The Biological Study Area includes the Project Site and a 200 foot buffer. For this Project, the Biological Study Area measures 16.18 acres in extent. Known or potentially-occurring biological resources were examined closely within the Biological Study Area, but may not have been directly surveyed because of access restrictions.

- **Regional Study Area:** The Regional Study Area is the area for which taxa and habitat records were pulled from most biological resource databases. It includes the 7.5-minute US Geological Survey quadrangle the Project Site is located in and all surrounding quadrangles: *Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys*, and *Venice*. The Regional Study Area is depicted in the **Desktop Review Report** provided as **Appendix D.**

Desktop Review

Databases

England|Ecology conducted a review of literature and data sources to characterize biological conditions and to compile records of special status biological resources that could potentially occur on the Project Site. The resources used for this analysis are described below.

- **Soils:** Soils on and in the vicinity of the Project Site were assessed using the Web Soil Survey tools provided by the US Department of Agriculture[8].
- **Water:** Potential water resources were examined using the US Geological Survey's National Hydrography Dataset[9] and the USFWS National Wetlands Inventory[10].
- **Vegetation Communities:** potentially-occurring sensitive vegetation community records were pulled from the California Natural Diversity Database (CNDDB)[11] for the Regional Study Area.
- **Flora and Fauna:** potentially-occurring special status plant and wildlife records were pulled from the following data sources:
  - Designated and proposed critical habitat layers from the US Fish & Wildlife Service[12]. Taxa were included if critical habitat was proposed or designated within the Regional Study Area.
  - CNDDB records from within the Regional Study Area.
  - The California Native Plant Society (CNPS) Rare Plant Inventory[13] records from within the Regional Study Area.
  - The USFWS-managed Information for Planning and Consultation (IPaC) database[14] for records returned when uploading the boundary of the Project Site.

---

[8] https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm

[9] https://www.usgs.gov/national-hydrography/national-hydrography-dataset

[10] https://www.fws.gov/program/national-wetlands-inventory/wetlands-mapper

[11] California Natural Diversity Database (CNDDB). March 12, 2025. State and Federally Listed Endangered, Threatened, and Rare Plants of California. California Department of Fish and Wildlife. Sacramento, CA.

12 https://ecos.fws.gov/ecp/report/critical-habitat

[13] https://rareplants.cnps.org

[14] https://ipac.ecosphere.fws.gov/

In addition, records were searched locally within eBird[15] and iNaturalist[16].

Site-Specific Reports

During the preparation of this report, England|Ecology was provided with the following report pertaining to biological resources on the Project Site, the data from which was incorporated into this report where applicable:

- **Arborist Report:** an arborist report was completed for this Project by Arbor Care, Inc. in October 2023[17]. Hereafter, this report will be referred to as the "Arborist Report".

This report is provided in **Appendix F.**

Field Survey

England|Ecology principal biologist Marcus C. England conducted a general biological survey on the Project Site of sufficient detail to document the presence/absence and condition of water resources, vegetation communities and habitats, and flora and fauna observed. This provided a baseline for understanding the potential for occurrence of special status biological resources.

The Project Site was easily covered on foot walking transects of convenience to examine biological resources. Where necessary, observations were made with Leica Noctivid 8x42 binoculars and documented with a Nikon D500 camera paired with a Sigma 150-600mm lens. All other observations were documented using various applications and functions on an iPhone 15 Pro, including the Solocator[18] app for photographic documentation of site conditions and the QField[19] app for collecting spatial (e.g., photo and resource locations) and non-spatial (e.g., floral and faunal lists) tabular data. After the survey was completed, data in QField was synchronized to a geospatial database using QGIS[20] 3.40.

Table 2. Survey Dates, Times, and Weather Conditions

Monday, March 17, 2025 0915-1015h (1 hours) Marcus C. England	56°F 13°C	60°F 16°C

Occurrence Potential

England|Ecology assessed the potential for occurrence of special status plant and wildlife taxa and habitats based on data provided by the desktop review and observations made during the field survey. For taxa for which field observations could not definitively determine occurrence, the following information was considered:

[15] https://ebird.org

[16] https://inaturalist.org

[17] Arbor Care, Inc. 2023. Tree Survey. 1400 N. Vista Moraga, Los Angeles, 90049. 9 pages.

[18] https://solocator.com/

[19] https://qfield.org/

[20] https://www.qgis.org/en/site/

- **Range:** The Regional Study Area—from which records were gathered—is a large area capturing many taxa that would not be expected to occur in the Biological Study Area. In general, range determinations were made as follows:
    - **Flora:** The range of the taxon is based on an export of point records of that taxon from Calflora[21] with each record provided a buffer of 10km. If the Biological Study Area was within that mapped range, it could be considered outside of range if the elevations in the Biological Study Area were more than ten percent outside of the known elevation range of the taxon. If alternative sources are used they are included in the notes.
    - **Fauna:** The range of the taxon was determined differently based on the taxonomic group:
        - **Invertebrates and Fish:** An export of records of that taxon from the Global Biodiversity Information Facility[22] with each record provided a buffer of 10km. If alternative sources are used they are included in the notes.
        - **Amphibians, Reptiles, Birds, and Mammals:** California Wildlife Habitat Relationships[23] range data from the California Department of Fish and Wildlife. If alternative sources are used they are included in the notes.
- **Habitat:** If the Biological Study Area was determined to be outside of the taxon's range, habitat was not assessed and is labeled "N/A". If the Biological Study Area was determined to be within the taxon's range, the quality of the habitats in the Biological Study Area to support any portion of that taxon's life cycle was assessed and labeled as "Low", "Medium", or "High". The rationale for that determination is provided in the Notes of the desktop review report.

These occurrence potential assignments are defined below:

- **Present:** Taxa or habitat/vegetation community is known to occur on the Project Site based on recent surveys, CNDDB (within 10 years), or other records.
- **High:** Taxa with known recent recorded occurrences/populations near the Project Site and highly suitable habitat occurs within the Project Site. Highly suitable habitat includes all necessary elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources).
- **Moderate:** Taxa with known recent recorded occurrences/populations near the Project Site; however, habitat within the Project Site has been moderately disturbed, fragmented, or is small in extent. Moderately suitable habitat includes several elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources). Furthermore, moderately suitable habitat may also be located at the edge of the taxon's range, or there are no reported occurrences nearby.

[21] https://www.calflora.org/

[22] https://gbif.org

[23] https://wildlife.ca.gov/Data/CWHR

- **Low:** Taxa with few known recent recorded occurrences/populations near the Project Site and habitat within the Project Site is highly disturbed or extremely limited. A low potential is assigned to annual or perennial plant taxa that may have been detectable during a focused survey in the appropriate blooming period but was not found; however, small populations or scattered individuals are still considered to have a low potential to occur. Additionally, taxa for which poor-quality habitat may support the taxon within the Project Site, but the reported extant range is far outside the Project Site and/or any species observations would anticipate being migratory (i.e., not likely to reproduce within the Project Site).

- **None:** Taxa or habitat/vegetation community are not expected to be present because focused surveys were conducted and the taxon or habitat/vegetation community was not detected, or the taxon was found in the desktop review, but suitable habitat (soil, vegetation, elevational range) was not found on the Project Site, or the Project Site is not within the known geographic range of the species.

The potential for bird species were further distinguished into those that may: 1) nest within or near the Project Site; 2) forage within or near the Project Site; and/or 3) occur on or near the Project Site only as transients during migratory flights or other dispersal events.

Geospatial & Tabular Data Storage

All GIS-based resource analysis was conducted in QGIS 3.40, with either local data copies stored in a GeoPackage database or using a web service provided by the organization housing the data. Data specific to the Project Site is stored in a statewide GeoPackage database file.

Taxonomy & Nomenclature

It is important within a given report to use a consistent taxonomy for clarity in communication, especially as the various sources used in the research for a report may not use the same taxonomy and nomenclature. The taxonomic database underpinning England|Ecology's work is updated monthly from NatureServe[24]. NatureServe's taxonomy includes an Element Code for each taxon. These same Element Codes are used by a variety of agencies and organizations, including the California Department of Fish and Wildlife in the CNDDB and the California Native Plant Society in their Rare Plant Inventory. The Element Code provides a basis for linking records from disparate data sources. In all cases in this report, the taxonomic order and nomenclature are NatureServe's[25], with the exception of the special status flora discussion which is linked to a monthly export of the Rare Plant Inventory. As such, while this report largely capitalizes common names consistent with the NatureServe taxonomy, tabular data exported for special status floral analysis does *not* use this convention, as it is not used by the California Native Plant Society.

[24] https://www.natureserve.org/classifying-biodiversity

[25] The author does not always agree with NatureServe's taxonomy (such as where it varies from that of the American Ornithological Society), but it provides a consistent basis for discussion across taxonomic groups.

Biological Site Conditions Assessment

This biological site conditions assessment describes the Project Site's biological resources based on the desktop review and field survey. The format of this section of the report is consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Water Resources

The following section discusses observed or potential water resources on and in the vicinity of the Project Site. A formal jurisdictional delineation was not conducted as part of data gathering for this report.

Literature Review

As described in the Methods section above, during the preparation of this report England|Ecology reviewed data from the National Hydrography Dataset and the National Wetlands Inventory. This review found the following:

- **National Hydrography Dataset:** The National Hydrography Dataset shows no flowlines within 500 feet, no area features within 500 feet, no water bodies within 500 feet, and no point features within 500 feet.
- **National Wetlands Inventory:** The National Wetlands Inventory shows no features within 500 feet.

These data are discussed in the Data Analysis section below and shown on **Figure 12.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Specific to water resources, while a formal jurisdictional delineation was not conducted, the entirety of the Project Site was searched for natural water resources. This included searching for ponded water, depressions that could hold ponded water, flowing water, stream channels or other indicators of ephemeral flowing water, and riparian plant species.

Data Analysis

Resource Presence/Absence

Per the National Hydrography Dataset, the Project Site is located within the Ballona Creek HU-12 drainage which is a subcomponent of the Ballona Creek HU-10 drainage. No hydrological features are mapped on the Project Site by the National Hydrography Dataset or the National Wetlands Inventory. No natural water features or indicators of the presence of ephemeral water features were observed on the Project Site during England|Ecology's survey.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.



Figure 12. National Hydrography Dataset and National Wetlands Inventory Data

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to surface water resources, such as siting the building footprint more than 100 feet away from the water body*. As no water bodies are present on or adjacent to the Project Site, no such considerations would be required of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects. If development were proposed on the newly-created parcel, no avoidance and minimization measures for water resources would be required.

Direct Effects

CP-4073 states that direct effects *may occur if the project has surface water resources or other riparian habitat occurring in areas that will be disturbed either by development or used as construction staging areas*, further requiring to *provide acreage of water resources that will be impacted by the project*. As no natural water resources are present on or adjacent to the Project Site, no direct effects on water resources or other riparian habitat would occur as a result of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on

water resources. If development were proposed on the newly-created parcel there would be no direct effects on water resources.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding or modifying human infrastructure that leads to hydrologic interruptions.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on water resources. If development were proposed on the newly-created parcel, such development would occur on an undeveloped site within an otherwise developed area. Construction would result in new impermeable surfaces that would alter the site's existing hydrological regime and adversely affect water quality. A **Water Resources** measure pertains to these indirect effects and is described below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses of surface water resources and/or riparian habitat,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses of surface water resources or other riparian habitat.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on water resources within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to water resources. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of surface water resources or other riparian habitat.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on water resources.

In order to avoid significant adverse effects on water resources the Applicant will ensure the following measure is implemented if development occurs on the newly-created parcel:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on water resources as no natural water features are present on the Project Site and no ground-disturbing activities are proposed. If development occurs on the newly-created parcel, potential adverse indirect effects on water resources will be avoided through implementation of a Water Resources measure describing compliance with the City-mandated Low Impact Development ordinance.

Vegetation Communities & Habitats

The following section discusses vegetation communities and habitats in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

A review of the CNDDB determined a total of seven sensitive vegetation communities are mapped within the Regional Study Area. These are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Mapped vegetation had the potential to fall into two categories:

- **Natural Alliance:** native or non-native natural vegetation communities that are recognized by the Manual of California Vegetation[26], a classification system recognized by most agencies. Areas with heavy anthropogenic influence, such as seasonal ground disturbance from fuel modification, are tagged as "Disturbed". Most alliances provide some level of habitat for wildlife, though it can be minimal when disturbed or dominated by invasive plant species.

- **Land Cover:** areas of hardscape, water features, and landscaping that do not fall into the alliance classification scheme. This may include tree-dominated landscapes that do have an associated alliance (such as oak and *Eucalyptus* woodlands) but are not in a natural state, such as those found in heavily residential areas.

Data Analysis

Resource Presence/Absence

General Resource Analysis

England|Ecology mapped vegetation communities and land cover types on the Project Site and the 200-foot Biological Study Area based upon recent aerial photography and field observations. This resulted in the classification/mapping of six land cover types in the Biological Study Area. These are discussed below and shown on **Exhibit 3.** Summary boxes for each vegetation description are color-matched to their polygons in **Exhibit 3** for ease of reference. No natural alliances were present in the Biological Study Area.

[26] https://vegetation.cnps.org/



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 9.17 acres (56.6%)
Project Site Extent: 2.29 acres (69.57%)

Landscape - Tree & Shrub

Non-Alliance Land Cover

Project-Specific Discussion: The "tree & shrub" landscape type is a mix of taller vegetation dominated by non-native trees and typically set in a managed landscape environment. In some cases, native trees are included in this land cover type when part of landscaping and not a functional natural community. Habitat value of this land cover type varies significantly, however, urban environments with significant tall tree cover often harbor a large number of wildlife. This is particularly true of birds.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 1.54 acres (9.53%)
Project Site Extent: 0.25 acres (7.44%)

Landscape - Forb

Non-Alliance Land Cover

Project-Specific Discussion: The "forb" landscape type includes all managed but typically artificially-planted areas of vegetation that are shorter than shrubs. This land cover type includes lawns. These areas have some value for wildlife, as landscape flowers provide food for hummingbirds and butterflies, and lawns can provide foraging areas for some birds and small mammals. Their overall habitat value, however, is significantly lower than any natural habitat they may have replaced. This land cover type is also typically dominated by non-native and often invasive plant species.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 4.88 acres (30.12%)
Project Site Extent: 0.73 acres (22.3%)

Disturbed - Impermeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.16 acres (0.99%)
Project Site Extent: 0.02 acres (0.69%)

Artificial Water Feature

Non-Alliance Land Cover

Project-Specific Discussion: Artificial water features are man-made, typically small bodies of water. The majority of these are swimming pools, which generally have no practical wildlife value. In some cases, small ponds and large fountains may be mapped as this land cover type. These often do have wildlife value, particularly given Southern California's arid environment.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.38 acres (2.34%)
Not represented on Project Site.

Residential - Undifferentiated

Non-Alliance Land Cover

Project-Specific Discussion: Areas mapped as Residential-Undifferentiated were graded and under construction during the survey or were recently constructed and graded and under construction in the aerial photography used for mapping. When complete, these areas would be one of other land cover types such as Impermeable Surface or Landscaping.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.07 acres (0.41%)
Not represented on Project Site.

Disturbed - Permeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Permeable Surfaces are parts of the built environment, including compacted but unpaved areas devoid of vegetation, gravel, and unimproved roads. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat, though in some cases—such as unimproved roads—they may occur within habitat.

Exhibit 3. Vegetation Communities & Land Cover

1400 Vista Moraga



Special Status Resource Analysis

The seven sensitive vegetation communities mapped by the CNDDB as occurring within the Regional Study Area are shown below. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site. The accounts highlight determinations of their potential occurrence on the Project Site as well as their potential to be adversely affected by the Project based on field observations.



Potential Occurrence: None

Potential For Project to Effect: None

Southern Dune Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT21330CA
CNDDB Records:	1
Taxon Group:	Dune
Habitats:	Coastal dunes
Notes:	—

Potential Occurrence: None

Potential For Project to Effect: None

Riversidian Alluvial Fan Sage Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT32720CA
CNDDB Records:	1
Taxon Group:	Scrub
Habitats:	Coastal scrub
Notes:	—

Southern Coastal Salt Marsh

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT52120CA
CNDDB Records:	1
Taxon Group:	Marsh
Habitats:	Marsh & swamp; Wetland
Notes:	—



Southern Coast Live Oak Riparian Forest

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT61310CA
CNDDB Records:	9
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Cottonwood Willow Riparian Forest

Global Rank:	G3
State Rank:	S3.2
Taxon Code:	CTT61330CA
CNDDB Records:	1
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Sycamore Alder Riparian Woodland

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT62400CA
CNDDB Records:	20
Taxon Group:	Riparian
Habitats:	Riparian woodland
Notes:	—

California Walnut Woodland

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT71210CA
CNDDB Records:	9
Taxon Group:	Woodland
Habitats:	Cismontane woodland
Notes:	—

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* No native vegetation is present on the Project Site, therefore, no avoidance measures would be required of any Project, including any

development that could be proposed on the newly-created parcel. The proposed Project, however, is a parcel split which would have no ground-disturbing effects.

Direct Effects

CP-4073 guidance only addresses direct effects on individual flora species, not vegetation communities or habitats. As no natural vegetation communities are present on or adjacent to the Project Site, no direct effects on such communities would occur as a result of any Project, including any development that could be proposed on the newly-created parcel, which at most could affect 5,366 square feet of Landscape - Tree & Shrub, which is predominantly comprised of non-native plants. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on vegetation communities.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on vegetation communities. If development were proposed on the newly-created parcel:

- **Brush clearance:** brush clearance for fuel modification requirements has the potential to adversely affect habitat values on adjacent undeveloped areas. The proposed Project is located within an area with extensive existing development and vegetation clearance and the scope of such an effect would not be significant relative to the existing condition.

- **Invasive species:** the introduction of new or significantly modified residential development into an area brings with it the potential of invasive species being planted within landscaping which could escape into surrounding undeveloped areas and diminish habitat values. With the exception of legal requirements controlling the sale of invasive plants at nurseries, little can be done to prevent the planting of invasives by residents long term. Relative to this specific Project, it is located within an area with extensive existing development and the scope of such an effect would not be significant relative to the existing condition. Nonetheless, an **Invasive Species** measure is provided below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* For this section, however, we will replace special status species with native or natural vegetation communities. As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on vegetation communities within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of vegetation communities and habitats.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on vegetation communities. In order to avoid significant adverse effects on vegetation communities the Applicant will ensure the following measure is implemented if development were to occur on the newly-created parcel:

- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[27].

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on vegetation communities as no natural vegetation communities are present on the Project Site and no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, potential adverse indirect effects on vegetation communities will be avoided through implementation of an Invasive Species measure requiring the avoidance of invasive plants in the landscape palette.

[27] https://www.cal-ipc.org/plants/inventory/

Flora

The following section discusses flora in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The floral literature review identified 46 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 118 occurrences of 38 floral taxa in the CNDDB for the Regional Study Area.
- **CNPS:** 64 floral taxa in the CNPS Rare Plant Inventory for the Regional Study Area.
- **IPaC:** Two floral taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** One floral taxon with proposed or designated critical habitat in the Regional Study Area.

All special status flora considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.** Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Plant taxa were identified and recorded along with their approximate abundance and condition in a geospatial database. Landscape plants were largely ignored unless they were native taxa maintained within landscaping, or if they were potentially of biological importance.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 13 floral taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C.** No special status floral taxa from the Desktop Review were detected. One taxon protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance was detected, outside of the area addressed by the Arborist Report (which only provided data on the proposed parcel to be split). The known or expected status of all special status flora analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 46 special status floral taxa analyzed for this report, 0 were determined to be Present, 0 were determined to have a High potential for occurrence, 0 were determined to have a Moderate potential for occurrence, 0 were determined to have a Low potential for occurrence, and 46 were determined to have no potential for occurrence. These data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential.

Critical Habitat

While critical habitat for a plant listed under the Federal Endangered Species Act has been designated within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 12.**



Figure 12. Critical habitat for plants in a portion of the Regional Study Area

Potential Protected Trees and Shrubs

The following summarizes the presence or absence of taxa that are potentially protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance:

- Protected Trees:
    - California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*): not present.
    - Southern California Black Walnut (*Juglans californica*): not present.
    - Western Sycamore (*Platanus racemosa*): present.
    - California Bay (*Umbellularia californica*): not present.
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*): not present.
    - Toyon (*Heteromeles arbutifolia*): not present.

The Arborist Report addressing the proposed parcel to be split is provided in **Appendix F.** As stated previously, the sycamore is not represented in the Arborist Report as it is outside of the area covered by that report.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required. If development were proposed on the newly-created parcel, no avoidance and minimization measures for floral resources would be required.

Direct Effects

CP-4073 states that direct effects *may occur if a flora species is identified within areas that will be disturbed either by development or used as construction staging areas*. The guidance further describes the particulars of analyzing direct effects on special status plants. As no special status flora are present on or adjacent to the Project Site, no direct effects on special status flora would occur as a result of any Project, including any development that may ultimately be proposed in the newly-created parcel. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on flora.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on floral resources. If development were proposed on the newly-created parcel:

- **Brush clearance:** brush clearance for fuel modification requirements has the potential to adversely affect habitat values on adjacent undeveloped areas. The proposed Project is located within an area with extensive existing development and vegetation clearance and the scope of such an effect would not be significant relative to the existing condition.

- **Invasive species:** the introduction of new or significantly modified residential development into an area brings with it the potential of invasive species being planted within landscaping which could escape into surrounding undeveloped areas and diminish habitat values. With the exception of legal requirements controlling the sale of invasive plants at nurseries, little can be done to prevent the planting of invasives by residents long term. Relative to this specific Project, it is located within an area with extensive existing development and the scope of such an effect would not be significant relative to the existing condition. Nonetheless, an **Invasive Species** measure is provided below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on flora within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing

conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of flora.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status plants. In order to avoid significant adverse effects on vegetation communities the Applicant will ensure the following measure is implemented if development were to occur on the newly-created parcel:

- **Invasive Species:** The Invasive Species measure proposed in the Vegetation Communities & Habitats section above.

General Conclusions

No special status plants are known to occur or expected to occur on the Project Site. The proposed Project will not have significant direct, indirect, or cumulative effects on special status plants as no special status plants are present on the Project Site and no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, potential adverse indirect effects on vegetation communities will be avoided through implementation of an Invasive Species measure requiring the avoidance of invasive plants in the landscape palette.

Fauna

The following section discusses fauna in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The faunal literature review identified 77 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 313 occurrences of 58 faunal taxa in the CNDDB for the Regional Study Area.
- **IPaC:** 24 faunal taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** Four faunal taxa with proposed or designated critical habitat in the Regional Study Area.

All special status fauna considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D**. Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2**. All wildlife species directly observed, heard (e.g., bird song), or for which sign was observed (e.g., gopher burrows, scat, etc.) were recorded in a geospatial database. While larger bird nests—such as those used by raptors and corvids—were searched for as they can be used across years, a time-intensive nesting bird survey was not conducted as the results would be irrelevant to the Project's timeline. The site was also assessed for potential bat roosting habitat, suitability for wildlife movement, and use by other wildlife taxa of importance where applicable.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 17 faunal taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C**. This list includes 0 amphibian, 0 reptile, 16 bird, and one mammal detections during fieldwork conducted on the Project Site. The most commonly observed taxa were Botta's Pocket Gopher (*Thomomys bottae*), Ruby-crowned Kinglet (*Corthylio calendula*), and Lesser Goldfinch (*Spinus psaltria*). A total of two special status faunal taxa were detected. The known or expected status of all special status fauna analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 77 special status faunal taxa analyzed for this report, two were determined to be Present, five were determined to have a High potential for occurrence, four were determined to have a Moderate potential for occurrence, six were determined to have a Low potential for occurrence, and 60 were determined to have no potential for occurrence. These

data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site (for taxa that are in the CNDDB). All data, including habitat descriptions, is directly from the CNDDB.

American Peregrine Falcon

Falco peregrinus anatum

Legal Status:	FD, CD, S3S4
Source(s):	CNDDB(2)
Taxon Code:	ABNKD06071
Natural History:	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.
Range Notes:	—
Habitat Suitability:	High. No suitable nesting habitat on or near the Project Site. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes:	This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Habitats:	Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



Western Screech-Owl

Megascops kennicottii

Legal Status:	BCC
Source(s):	IPaC
Taxon Code:	ABNSB01040
Natural History:	No CNDDB habitat description available
Range Notes:	—
Habitat Suitability:	High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes:	—
Habitats:	Potentially found in Landscape - Tree & Shrub



Allen's Hummingbird

Selasphorus sasin

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNUC51030
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.
Habitats: Potentially found in Landscape - Tree & Shrub



Nuttall's Woodpecker

Dryobates nuttallii

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNYF07020
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: Medium quality. EnglandlEcology disagrees. Present in nearly all wooded areas of Los Angeles.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Oak Titmouse

Baeolophus inornatus

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPAW01100
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Wrentit

Chamaea fasciata

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBJ26010
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



California Thrasher

Toxostoma redivivum

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBK06080
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Lawrence's Goldfinch

Spinus lawrencei

Legal Status: S4, BCC
Source(s): IPaC
Taxon Code: ABPBY06100
Natural History: NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandlEcology agrees.
Notes: Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.
Habitats: Potentially found in Landscape - Tree & Shrub



Potential Occurrence: Moderate

Potential For Project to Effect: None

Pallid Bat

Antrozous pallidus

Legal Status: SSC, S3
Source(s): CNDDB(4)
Taxon Code: AMACC10010
Natural History: DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
Habitats: Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



Potential Occurrence: Moderate

Potential For Project to Effect: None

San Diegan Legless Lizard

Anniella stebbinsi

Legal Status: SSC, S3
Source(s): CNDDB(36)
Taxon Code: ARACC01060
Natural History: GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Potential Occurrence: Moderate

Potential For Project to Effect: None

San Bernardino Ring-necked Snake

Diadophis punctatus modestus

Legal Status: S2?
Source(s): CNDDB(1)
Taxon Code: ARADB10015
Natural History: MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Critical Habitat

While critical habitat for wildlife listed under the Federal Endangered Species Act has been designated or proposed within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 13.**



Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area

Mountain Lion

Planning document CP-4074 requires consideration of the potential presence of Mountain Lion (*Puma concolor*). Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for mountain lion dens, including caves, large natural cavities within rocky areas, or vegetation thickets deemed appropriate for use by mountain lions based on size and other characteristics (e.g., proximity to human development, surrounding habitat). Habitat use should be based on two behavior categories: reproductive behavior (communication and denning), or non-reproductive behavior (moving and feeding), and any natural communities on the project site that are suitable for either behavior*: There was no habitat on the site suitable for Mountain Lions for reproductive or non-reproductive behavior. This is because of the following observed factors: existing development of the Project Site, surrounding human development, and lack of natural habitats.

- *Evidence of mountain lion presence (e.g., direct observation, tracks, scat, carcasses or bones of prey species) in the vicinity of identified suitable habitat*: No evidence of Mountain Lion presence was detected during the survey and none would be expected.

- *Habitat suitable for mule deer, including the presence of grasses and forbs, woodland vegetation (especially acorn mast), chaparral vegetation (especially chamise shrubs), and riparian vegetation*: While Mule Deer likely occur periodically, there is no natural habitat for Mule Deer on or near the Project Site.

- *Evidence of mule deer presence (e.g., direct observation, tracks, scat, carcasses)*: No evidence of Mule Deer presence was detected during the survey and none would be expected.

As Mountain Lion would not be expected to occur, the proposed Project would not have an adverse effect on Mountain Lions.

Bats

Planning document CP-4074 requires an assessment of bat habitat for day and night roosts. Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for bats, including trees (e.g., palm trees, large old trees with cavities, dead trees), cliff faces, rock outcroppings, structure overhangs (e.g., roof overhangs on houses and sheds), and bridges*: There are numerous palm trees and large old trees (though perhaps none with cavities, and structure overhangs), but no cliff faces, rock outcroppings, structure overhangs, or bridges. Potential roosting habitat for the one special status bat with potential to occur was not identified on the proposed lot.

- *Evidence of bat presence (e.g., direct observation (alive or dead), guano deposits, urine stains, vocalizations) in the vicinity of identified suitable habitat*: No evidence of bat presence was observed.

- *The proximity of suitable bat habitat to prime foraging areas, such as water sources (e.g., artificial lakes, reservoirs, pools, rivers, drainages, or storm channels)*: The nearest potential prime foraging area for bats is Stone Canyon Reservoir located approximately 1.3 miles to the northeast.

If bats are present, it would most likely be for aerial foraging during nighttime.

Nesting Birds

Birds – including native species protected by the Migratory Bird Treaty Act and California Fish and Game Code – have the potential to nest in nearly any environment, including those heavily altered by anthropogenic activity. Planning document CP-4074 provides specific guidance for assessing the potential for nesting birds. Guidance language provided in CP-4074 is provided in italics:

- *Describe the methodology used to assess the project site for suitable nesting birds, with specific reference to long-term nesting species such as raptors (hawks, owls, falcons) and colonial waterbirds (e.g., herons and egrets). Please ensure that the entire vicinity of the subject property (e.g., out to 500') is evaluated, both for these long-term nests, as well as for their foraging habitat. If no nesting birds are found, summarize the negative survey results*: The entirety of the Project Site was directly surveyed as described in the *Methods* section of this report. To the extent feasible, larger trees out to 500 feet from the Project Site were assessed remotely using 8X42 Leica Noctivid binoculars, looking for visible evidence of larger platform nests. Raptors and corvids were also observed during the survey for behavioral indicators of nest location. The Project Site is not in a location where colonial waterbirds would be expected to nest. No raptor or corvid nests were detected during the survey.

- *Surveys should identify habitat suitable for nesting birds, including trees, shrubs, and structure overhangs (e.g., roof overhangs on houses and sheds)*: Nesting on the Project Site by smaller bird species would be expected during the nesting season. Potential nest locations include landscape shrubs and trees and existing structures on the Project Site.

- *Evidence of nesting birds (e.g., photos of nests with birds inside)*: No nesting birds were detected during the survey, however, a specific and time-intensive nesting bird survey, watching for behavioral indicators of nesting behavior, was not conducted.

Wildlife Movement

Wildlife movement corridors are important for maintaining population levels and genetic diversity. As such, effects on wildlife movement are an important consideration when discussing the natural resources of any area. At a small enough scale, any project or activity can potentially affect the movement of wildlife if any wildlife are present at all. In general,

however, the term "wildlife movement corridor" means an area of habitat that is important for the movement of wildlife between larger habitat areas or cores. For the proposed Project, England|Ecology considered the following relative to the importance of lands on the Project Site for wildlife movement:

- **The South Coast Missing Linkages Project:** The South Coast Missing Linkages Project[28] was a 2008 inter-agency effort to identify and conserve the highest-priority linkages in the South Coast Ecoregion. The nearest linkage to the Project Site is Santa Monica - Sierra Madre located approximately 12.05 miles to the west.

- **The California Essential Habitat Connectivity Project:** The California Essential Habitat Connectivity Project[29] was a 2010 project commissioned by the California Department of Fish and Wildlife and Caltrans which identified remaining blocks of contiguous natural habitat in California (i.e., natural landscape blocks) and modeled linkages between neighboring large natural landscape blocks. The nearest linkage to the Project Site is Castro Peak/Santa Monica Mtns - Pine Mountain/Sespe Condor located approximately 11.4 miles to the west.

Figure 14. City of Los Angeles Wildlife Movement Connectivity Data

- **City of Los Angeles Wildlife Connectivity:** The City of Los Angeles provides remotely-sensed habitat connectivity data[30] for assessing potential wildlife movement. The data is provided at a 30 meter resolution. The data shows most of the Biological Study Area as having restricted movement, with some small but disconnected patches suggesting movement could occur. A map depicting these data for the Biological Study Area is provided as **Figure 14.**

[28] http://www.scwildlands.org/

[29] https://wildlife.ca.gov/Science-Institute/Habitat-Connectivity

[30] https://geohub.lacity.org/maps/labos::citywide-wildlife-connectivity/about

- **Direct Observations:** The Project Site is developed, is surrounded by other residential development, has surrounding walls and fencing, and has no natural vegetation communities. All of which would suggest the Project Site is not part of any potential wildlife movement corridor.

Based on the above observations, lands on the Project Site would not be a component of an existing wildlife movement corridor nor would any new development on the Project Site be expected to significantly obstruct wildlife movement beyond existing conditions.

Protected Areas for Wildlife & Wildlife Movement Pathways

The Project Site may be located[31] within the Santa Monica Mountains East PAW as described in the *Protected Areas for Wildlife & Wildlife Movement Pathways* (PAWs) report prepared by ESA for Los Angeles City Planning in February 2021[32]. Relative to the criteria described for that PAW, the Project Site:

- Criterion 1: Supports Endangered & Threatened Plants/Wildlife: the PAWs report states that this PAW "Supports Endangered or Threatened wildlife species." While this is true in many preserved open space areas and areas nearby, there is no evidence that the Project Site supports endangered and threatened plants and/or wildlife. The habitats on-site are unlikely to do so as noted in the sensitive flora and fauna discussions above and in the attached **Desktop Review Report.**

- Criterion 2: Supports Unique/Restricted Distribution in Southern California: the PAWs report states that this PAW "Supports sensitive natural plant communities and special-status plant and wildlife species (e.g., CRPR plant species, SSC wildlife species)." The Project Site does not support natural plant communities, as noted previously in the **Vegetation Communities & Habitats** section of this report. As described in the **Flora** section of this report, as well as the attached **Desktop Review Report**, the Project Site would not be expected to harbor CRPR plant species. As described in the **Fauna** section of this report, as well as the attached **Desktop Review Report**, the Project Site has potential to harbor the following SSC wildlife species: Pallid Bat and San Diegan Legless Lizard.

- Criterion 3: Supports Unique/Restricted Distribution in Los Angeles: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

- Criterion 4: Supports Linkages/Constrained Linkages: the PAWs report states that this PAW "Supports Linkages/ Constrained Linkages". As noted earlier in this report in the Wildlife Movement section, the Project Site is not in a position to provide connectivity between habitat blocks.

- Criterion 5: Supports Breeding/Feeding/Resting/Migrating Grounds with Limited Availability in Southern California/ Los Angeles: the PAWs report states that this PAW "Supports a variety of bird species, and is important for preserving biodiversity." It is, indeed, the case the Project Site supports a variety of bird species as do most vegetated areas of Southern California. As described below in Potential Project Effects, the Project would not be expected to significant adverse effects on bird species.

[31] Spatial data with these boundaries has not been made public. The only reference available are low resolution maps in the PAWs Report.

[32] ESA. 2021. Protected Areas for Wildlife & Wildlife Movement Pathways. Report prepared for Los Angeles City Planning. 354 pages.

- Criterion 6: Restoration Foreseeable: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to fauna, such as incorporating minimal landscape lighting and wildlife-friendly fencing*. The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required. If development were proposed on the newly-created parcel, no avoidance and minimization measures for faunal resources would be required due to the lack of important locations or habitats for special status resources.

Direct Effects

CP-4073 states that direct effects *may occur if a fauna species is identified as nesting, foraging or otherwise occurring in areas that will be disturbed either by development or used as construction staging areas.* The guidance further describes the particulars of analyzing direct effects on special status wildlife, and states that direct effects *may also occur if the project may restrict or block the entrances/exits of a wildlife corridor*. The Project's potential to directly affect different categories of wildlife is discussed below:

- **Invertebrates:** No special status invertebrates are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status invertebrates.

- **Fish:** No special status fish are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status fish.

- **Amphibians:** No special status amphibians are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status amphibians.

- **Reptiles:** While two special status reptiles have moderate or higher potential to occur on the Project Site, one of these taxa is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[33]. The other has no formal legal status. No measures would be required of any Project to avoid significant adverse effects on special status reptiles.

- **Birds:** While special status birds are present or have a high potential for occurrence, those occurring and potentially occurring are: seven Birds of Conservation Concern, which are non-threatened and non-endangered taxa with an administrative designation that carries no formal legal status, and one delisted raptor for which no nesting habitat is present. The Project, however, is a proposed parcel split with no ground-disturbing effects. If

[33] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

development were proposed on the newly-created parcel, such development would not be expected to cause significant new habitat impacts for these taxa, nor would it be expected to cause direct mortality because of the typical mobility of birds. If work occurs during the nesting season for most birds (generally defined as February 1 to August 31), there is potential to have significant adverse effects on birds protected by the Migratory Bird Treaty Act and California Fish and Game Code (which is most native bird species). A **Nesting Birds** measure is described below to avoid a potentially significant direct effect on nesting birds.

- **Mammals (Except Bats):** No special status non-bat mammals are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status non-bat mammals.

- **Bats:** While one special status bat has moderate or higher potential to occur on the Project Site, this taxon is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[34]. As stated in the species account, potential roosting habitat was not identified in the Project area during the survey. The Project is a proposed parcel split with no ground-disturbing effects. Any proposed development would not be expected to adversely affect potential roosting habitat.

- **Wildlife Movement:** As described previously in the section on **Wildlife Movement**, the Project Site is not important to wildlife movement or a component of a known or potential wildlife movement corridor. As such, no measures would be required of any Project to avoid significant adverse effects on wildlife movement.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding wildlife barriers (e.g., fencing) or modifying human infrastructure commonly utilized by wildlife (e.g., culverts)*. The proposed Project is a parcel split. As such, the proposed Project would not have adverse indirect effects on faunal resources. If development were proposed on the newly-created parcel, any new fencing that may be installed (6 feet in the side and rear yards, and 3.5 feet in the front yard) would not result in a significant indirect effect on wildlife movement due to the installation of wildlife barriers as the property is already fenced. There are no known plans to modify human infrastructure commonly used by wildlife.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *from cumulative losses in the local populations of a sensitive/special status species or in a general wildlife corridor,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species or general wildlife connectivity.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on habitats, species populations, and wildlife movement within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to these aspects of wildlife use of the local environment. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses habitat, species, or connectivity.

[34] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status fauna. If development were to be proposed on the newly-created parcel, the Applicant will ensure the following measures are implemented:

- **Nesting Birds:** To comply with the Migratory Bird Treaty Act, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the Migratory Bird Treaty Act, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.

General Conclusions

The Project Site provides or has potential to provide habitat to the following special status faunal resources:

- Two fauna taxa determined to be Present: Allen's Hummingbird, and Wrentit;
- Five fauna taxa determined to a High potential for occurrence: American Peregrine Falcon, California Thrasher, Nuttall's Woodpecker, Oak Titmouse, and Western Screech-Owl;
- Four fauna taxa determined to have a Moderate potential for occurrence: Lawrence's Goldfinch, Pallid Bat, San Diegan Legless Lizard, and San Bernardino Ring-necked Snake;
- Nesting birds protected by the Migratory Bird Treaty Act and California Fish and Game Code.

The proposed Project will not have significant direct, indirect, or cumulative effects on special status wildlife as no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, significant direct, indirect, or cumulative effects on special status wildlife species or their habitat would not be expected with the implementation of a measure for Nesting Birds. No other measures are recommended for special status fauna.

Conclusions and Recommendations

This report discussed the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concluded the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed. If development were proposed on the newly-created parcel, the Applicant will ensure the following measures are implemented:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.
- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[35].
- **Nesting Birds:** To comply with the Migratory Bird Treaty Act, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the Migratory Bird Treaty Act, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.

[35] https://www.cal-ipc.org/plants/inventory/

Appendix A. Biological Reporting Standards Acknowledgement of Compliance

APPLICATIONS

BIOLOGICAL REPORTING STANDARDS ACKNOWLEDGMENT

ACKNOWLEDGMENT OF COMPLIANCE

Biological report preparers must sign and include the following acknowledgment in the report:

I attest that I meet the requirements for a Qualified Biologist and California Department of Fish and Wildlife (CDFW) qualifications for botanical field surveyors, both as defined in the Biological Reporting Standards document (CP-4074).

I attest that the creation of the Biological Resources Report complied with all the following standardized requirements in the Biological Reporting Standards document (CP-4074), unless explicitly noted otherwise. Any deviations from the above standards have been detailed and justified in the Biological Resources Report.

Name of Lead Biologist Marcus C. England

Lead Biologist Signature **Date** Apr 15, 2025

Names of Additional Biologists N/A

Company Name & Contact Information

England|Ecology, LLC

1704 Winmar Drive

Los Angeles, CA 90065

Appendix B. Report Contributors

All fieldwork, report text, and maps were prepared by Marcus C. England whose resume follows.

Marcus C. England
Principal Biologist

Marcus C. England offers over two decades of experience, with expertise in avian biology, population ecology, project permitting, technical writing, and GIS and project experience in all industries.

marcus@mcengland.com
mcengland.com
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Summary

Marcus C. England is an experienced principal biologist with expertise in avian biology, population ecology, project permitting, technical writing, geographic information systems, and database management. He has led teams on large and complex projects in all industries across the western United States. He has a recovery permit to conduct surveys for California Gnatcatcher, Southwestern Willow Flycatcher, and Yellow-billed Cuckoo and has extensive experience conducting protocol surveys for Least Bell's Vireo, Burrowing Owl, Swainson's Hawk, and Desert Tortoise. England has a thorough knowledge of the California Environmental Quality Act (CEQA), National Environmental Policy Act (NEPA) and Federal Endangered Species Act (FESA) and how these state and federal policies, as well as local land use and environmental policies, apply to the project permitting process. England has written biological resources assessments and biological assessments for some of the largest development projects in the state of California, including projects in Sacramento, Kern, Ventura, Los Angeles, Orange, San Bernardino, Riverside, and San Diego counties and has successfully supported project permitting under an array of regional habitat conservation plans statewide. He has also written due diligence documents for large projects in northern California, Arizona, New Mexico and Nevada. He currently sits on the Science Advisor Panel for the Clark County (Nevada) Multiple Species Habitat Conservation Plan.

Employment History

Independent Consulting Biologist
dba England|Ecology (now England|Ecology, LLC)
Jan 2010 - Jun 2011, Oct 2016 - Mar 2020, Mar 2023 - Present — Los Angeles, CA

- Author proposals, respond to RFP needs for teaming partners
- Conduct all aspects of fieldwork, data management, report writing, mapping
- Business planning, marketing, relationship development

Director of Biological Resources
Bargas Environmental Consulting
Mar 2020 - Mar 2023 — Sacramento, CA

- Corporate leader, department head, and project manager
- Conduct all aspects of fieldwork, data management, report writing, mapping

Vice President
Bloom Biological
Jun 2011 - Oct 2016 — Santa Ana, CA

- Lead development of corporate business strategy, obtain new work contracts
- Manage staff and biological data, conduct fieldwork, author reports, mapping

Director of Biological Services
Natural Resource Consultants
Jun 2003 - Dec 2009 — Laguna Beach, CA
Write proposals, manage staff and biological data

- Conduct all aspects of fieldwork, data management, report writing, mapping
- Conduct fieldwork, author reports

Chief Ornithologist
Lamanai Field Research Center
Sep 1998 - Jun 2000 — Belize, Central America

- Develop and implement ecosystem-scale research on birds
- Manage volunteer biologists, lead birding tours, develop new tour clients

Permits

Recovery Permit TE-082233
US Fish and Wildlife Service
Jan 2005 - Present

- California Gnatcatcher, Southwestern Willow Flycatcher, Yellow-billed Cuckoo

Scientific Collecting Permit SC-11354
California Department of Fish & Wildlife
Jan 2010 - Present

Expertise

Field Biology
- Specialist in avian ecology and identification
- Sensitive species surveys including Desert Tortoise, California Gnatcatcher, Burrowing Owl, Least Bell's Vireo, Swainson's Hawk, Golden Eagle among many others
- Large-scale vegetation mapping projects and impact analysis
- CEQA, NEPA, FESA, NCCPs
- GPS and mobile field data collection systems

Geospatial
- Desktop software: ArcGIS, QGIS, GRASS
- Server and geodatabases: PostGIS, Spatialite
- Web mapping: Google Maps, OpenLayers

Project Management
- Array of projects in many industries
- Oversight of large multidisciplinary teams
- Reliably on time and within budget
- Collaborate with clients, agencies, other stakeholders

Office
- Operating systems: MacOS, Windows, Linux
- Mobile: iOS, iPadOS, Android
- Productivity Software: MS Office, Apple iWork
- Data Management: MS Access, Excel, Ninox, PowerApps, PostgreSQL
- Server: SharePoint, Plone, Linux

Education

B.Sc. in EEO Biology
The Ohio State University
Mar 1993 - Jun 1998

Management Development for Entrepreneurs
UCLA Anderson School of Management
Sep 2021 - Jan 2022

Certificate in Tropical Ornithology
Estación Biológica La Suerte, Costa Rica
Jun 1996 - Jul 1996

Below: *contemplating the upcoming day's work during implementation of a contract with the US Bureau of Land Management to survey Pygmy Rabbits in a remote area of northern Nevada in September 2017. England|Ecology led a three-person team that completed the work on time and under budget.*

Marcus C. England
Selected Project History

2017 to Present

Upper Westside Specific Plan | Upper Westside, LLC

- Apr 2019 - Apr 2022
- Sacramento County, California
- Swainson's Hawk, Giant Gartersnake
- PM, Surveyor, Author
- Biological Resources Assessment

As project manager and Director for Bargas, England conducted one year of Swainson's Hawk (SWHA) protocol surveys, managed SWHA and other species' survey efforts for two additional years, and authored a biological resources assessment addressing the potential effects of the proposed project on resources, including SWHA and Giant Gartersnake, within the context of the requirements of the Natomas Basin HCP and the Metro Air Park HCP, collectively addressing 22 covered plant and animal species.

Descanso Gardens Wildlife Management Plan | Descanso Gardens Guild

- Jan 2019 - Dec 2019
- Los Angeles County, California
- Special Status Species, Wildlife Habitats, Impacts
- PM, Surveyor, Author
- Wildlife Management Plan

This contract sought to provide solutions to some of the challenges of operating public gardens in a natural environment using guidance from nearby and similar facilities. The plan's goals were to increase the quality of native habitats for wildlife, minimize visitor-wildlife conflict, protect planted garden areas and facilities from wildlife damage, promote environmental research and education, and promote a regional habitat linkage. Fieldwork for the plan included 10 months of diurnal and nocturnal surveys as well as widespread camera trapping.

Harris Beach Management Unit Wildlife Assessment | Oregon Parks & Recreation

- Jan 2018 - Dec 2019
- Brookings, Oregon
- Colonial Waterbirds, Marine Mammals, Spotted Owl
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by OPRD to prepare a wildlife assessment report. Because of the size of the survey area, the field component lasted two weeks and included wildlife and habitat documentation (including remote camera trapping), hiking every trail available within the included parks, and camping with Harris Beach and Alfred A. Loeb state parks. Final deliverables included geospatial data and a report documenting what is known and not known about the wildlife and habitats of the park unit, with suggestions for future research and management priorities.

Smith Rock State Park Wildlife Assessment | Oregon Parks & Recreation

- Jan 2017 - Jun 2017
- Deschutes County, Oregon
- Special Status Species, Bald and Golden Eagles
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by the Oregon Parks & Recreation Department to prepare a wildlife assessment report for Smith Rock State Park located in central Oregon. The project required extensive pre-survey research; five field days on-site with over 30 miles of hiking, wildlife and habitat documentation (including remote camera trapping); and preparation of new geospatial data and an extensive report documenting what is known and not known about the wildlife and habitats of the park, with suggestions for future research and management priorities.

Owyhee Roads Fuelbreak Project | US Bureau of Land Management

- Jul 2017 - Oct 2017
- Humboldt County, Nevada
- Pygmy Rabbit
- PM, Surveyor
- Letter report, GIS data

England|Ecology was contracted by the US Bureau of Land Management (BLM) to conduct surveys for Pygmy Rabbit on 2,068 acres of BLM-managed lands. Two subcontractors were trained on survey methodology and identification of Pygmy Rabbit sign. The survey was completed over two weeks, involving 114 miles of transect walking per surveyor in often adverse weather conditions and over rough terrain. Final deliverables to the BLM included a report, photos, and geospatial data.

Below: *conducting fieldwork in May 2018 at Harris Beach State Park, Oregon under contract to the Oregon Parks & Recreation Department.*



2016 and Prior

High Speed Rail Project - Bakersfield to Palmdale

T.Y. Lin

- Jan 2015 - Oct 2016
- Los Angeles and Kern Counties, California
- Swainson's Hawk, Golden Eagle
- PM, Surveyor, Author, GIS
- Biological Resources Letter Report

Raptor Conservation Strategy

Mitsubishi Cement & US Forest Service

- Jan 2016 - Oct 2016
- San Bernardino National Forest, California
- Golden Eagle
- PM, Surveyor, Author
- Biological Resources Letter Report

Santa Clara River Riparian Surveys

Newhall Land

- Jan 2010 - Oct 2016
- Los Angeles and Ventura Counties, CA
- Least Bell's Vireo, Southwestern Willow Flycatcher
- PM, Surveyor, Author
- Biological Resources Letter Report

Montebello Hills Conservation & Development Project

Cook-Hill Properties

- Jan 2007 - Dec 2009
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment, Biological Assessment

Terranea Resort

Long Point Development

- Jan 2005 - Jul 2008
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment

Skyline Ranch

Pardee Homes

- Jul 2003 - Jul 2009
- Los Angeles County, California
- California Gnatcatcher, Vernal Pools, SEATAC
- PM, Surveyor, Author
- Biological Resources Assessment

See more at **mcengland.com/projects**

Appendix C. Floral & Faunal Compendia

Inserted after this cover page is a database-generated report summarizing floral and faunal observations.

Floral and Faunal Compendia

1400 Vista Moraga

This database-generated report summarizes the plant and wildlife taxa detected during the survey conducted on March 17, 2025 by England|Ecology. Documented during the survey was the presence of 13 plant taxa and 17 wildlife taxa, the latter including 0 amphibian, 0 reptile, 16 bird, and 1 mammal detections. Landscape plantings are not included unless of potential biological importance.

The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. All taxonomy and nomenclature follows NatureServe. The reference taxonomy from NatureServe was last updated in October 2024. This report was generated using QGIS 3.40.

Group	Common Name	Scientific Name	Abundance	Phenology	Global Rank	State Rank	Fed Status	State Status	CRPR	Notes
Dicots	Laurel Sumac	Malosma laurina	Uncommon	Vegetative	—	—	—	—	—	Young sprouts in landscape
Dicots	Brazilian Peppertree	Schinus terebinthifolius	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Spiny-leaf Sowthistle	Sonchus asper	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Castor-bean	Ricinus communis	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Black Medic	Medicago lupulina	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Rosemary	Rosmarinus officinalis	Common	Flowering	—	—	—	—	—	Landscape
Dicots	California Sycamore	Platanus racemosa	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Thymeleaf Speedwell	Veronica serpyllifolia	Common	Vegetative	—	—	—	—	—	—
Monocots	Golden Bamboo	Phyllostachys aurea	Common	Vegetative	—	—	—	—	—	—
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Eucalyptus sp.
Other	Other	Other	Common	Vegetative	—	—	—	—	—	Pinus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Quercus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Geranium rotundifolium

Fauna

Group	Common Name	Scientific Name	Count	Type	G Rank	S Rank	FESA	CESA	CDFW	Notes
Birds	Red-tailed Hawk	Buteo jamaicensis	1	Fly-over	G5	—	—	—	—	—
Birds	Mourning Dove	Zenaida macroura	2	Fly-over	G5	—	—	—	—	—
Birds	Allen's Hummingbird	Selasphorus sasin	—	Heard Only	G5	—	—	—	—	—
Birds	Black Phoebe	Sayornis nigricans	1	Observed	G5	—	—	—	—	—
Birds	American Crow	Corvus brachyrhynchos	2	Fly-over	G5	—	—	—	—	—
Birds	House Wren	Troglodytes aedon	1	Observed	G5	—	—	—	—	—
Birds	Ruby-crowned Kinglet	Corthylio calendula	—	Heard Only	G5	—	—	—	—	—
Birds	Wrentit	Chamaea fasciata	—	Heard Only	G5	—	—	—	—	—
Birds	Orange-crowned Warbler	Leiothlypis celata	—	Heard Only	G5	—	—	—	—	—
Birds	Yellow-rumped Warbler	Setophaga coronata	—	Heard Only	G5	—	—	—	—	—
Birds	California Towhee	Melozone crissalis	—	Heard Only	G4	—	—	—	—	—
Birds	Spotted Towhee	Pipilo maculatus	—	Heard Only	G5	—	—	—	—	—
Birds	Song Sparrow	Melospiza melodia	—	Heard Only	G5	—	—	—	—	—
Birds	Dark-eyed Junco	Junco hyemalis	2	Observed	G5	—	—	—	—	—
Birds	House Finch	Haemorhous mexicanus	4	Observed	G5	—	—	—	—	—
Birds	Lesser Goldfinch	Spinus psaltria	—	Heard Only	G5	—	—	—	—	—
Mammals	Botta's Pocket Gopher	Thomomys bottae	—	Sign	G5	—	—	—	—	—

Appendix D. Desktop Review of Special Status Biological Resources

Inserted after this cover page is a database-generated report summarizing the results of England|Ecology's desktop review of special status biological resources.

Desktop Review of Special Status Biological Resources

1400 Vista Moraga

This database-generated report summarizes the potential for occurrence of sensitive vegetation communities and special status flora and fauna based on known occurrences within a Regional Study Area that includes the Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys, and Venice USGS 7.5-minute quadrangles. A map of the Regional Study Area is provided below.

The desktop analysis resulted in 473 records from the California Department of Fish and Wildlife's California Natural Diversity Database (CNDDB), 64 records from the California Native Plant Society's Rare Plant Inventory, 5 records of critical habitat designated under the Federal Endangered Species Act, and 26 records from the US Fish & Wildlife Service's Information for Planning and Consultation (IPaC) database. This report was generated using QGIS 3.40.



Vegetation Communities

The section of the report summarizes the potential for occurrence on the Project Site of 7 sensitive vegetation communities documented within the CNDDB as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Group
A logical grouping of vegetation community types applied by the CNDDB.

Community
The vegetation community or wildlife habitat mapped by the CNDDB. Currently, the CNDDB uses Holland (1986) for communities, which is considered an out-of-date classification system not otherwise used by CDFW.

State Rank
A numbered sensitivity standard created by NatureServe and adopted by most state agencies, including CDFW. Most important are S1 (Critically Imperiled), S2 (Imperiled), and S3 (Vulnerable).

CNDDB
The number of CNDDB records for that vegetation community or habitat in the Regional Study Area.

Occurrence
The expectation that community could occur on the Project Site. This is usually either "Present" or "None" if a survey has been completed, as communities are observable.

Impact
The potential that implementation of the Project would impact that community.

Notes
Clarifying notes, if any are needed.



Group	Community	State Rank	CNDDB	Occurrence	Impact	Notes
Dune	Southern Dune Scrub	S1.1	1	None	None	—
Scrub	Riversidian Alluvial Fan Sage Scrub	S1.1	1	None	None	—
Marsh	Southern Coastal Salt Marsh	S2.1	1	None	None	—
Riparian	Southern Coast Live Oak Riparian Forest	S4	9	None	None	—
Riparian	Southern Cottonwood Willow Riparian Forest	S3.2	1	None	None	—
Riparian	Southern Sycamore Alder Riparian Woodland	S4	20	None	None	—
Woodland	California Walnut Woodland	S2.1	9	None	None	—

Flora

The section of the report summarizes the potential for occurrence on the Project Site of 46 special status flora taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. For special status plants, the taxonomy is consistent with that used by the California Native Plant Society (CNPS).

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CNPS (CNPS Rare Plant Inventory), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for plants includes its California Rare Plant Rank (CRPR) from CNPS, status - if any - under the federal and state Endangered Species Acts, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat and blooming period of the taxon directly from the CNPS database.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. "Range" includes the distribution of modern records (e.g., iNaturalist and Calflora) and elevation. Options are Yes or No.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Button-celery (Eryngium aristulatum var. parishii)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Coastal scrub, Valley and foothill grassland, Vernal pools (Mesic) from 65-2035ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 164 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Orcutt's Pincushion (Chaenactis glabriuscula var. orcuttiana)	CNDDB(5), CNPS	CRPR 1B.1, S1	Coastal bluff scrub (sandy), Coastal dunes from 0-330ft. Blooms Jan-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 83 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White Rabbit-tobacco (Pseudognaphalium leucocephalum)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland (Gravelly, Sandy) from 0-6890ft. Blooms (Jul)Aug-Nov(Dec).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 225 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Susana Tarplant (Deinandra minthornii)	CNDDB(2), CNPS	CRPR 1B.2, CR, S2	Chaparral, Coastal scrub (Rocky) from 920-2495ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 57 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Southern Tarplant (Centromadia parryi ssp. australis)	CNDDB(7), CNPS	CRPR 1B.1, S2	Marshes and swamps (margins), Valley and foothill grassland (vernally mesic), Vernal pools from 0-1575ft. Blooms May-Nov.	Yes	None	None	None	—
Coulter's Goldfields (Lasthenia glabrata ssp. coulteri)	CNDDB(5), CNPS	CRPR 1B.1, S2	Marshes and swamps (coastal salt), Playas, Vernal pools from 5-4005ft. Blooms Feb-Jun.	Yes	None	None	None	—
San Bernardino Aster (Symphyotrichum defoliatum)	CNDDB(2), CNPS	CRPR 1B.2, S2	Cismontane woodland, Coastal scrub, Lower montane coniferous forest, Marshes and swamps, Meadows and seeps, Valley and foothill grassland (vernally mesic) (Streambanks) from 5-6695ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 166 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Greata's Aster (Symphyotrichum greatae)	CNDDB(2), CNPS	CRPR 1B.3, S2	Broadleafed upland forest, Chaparral, Cismontane woodland, Lower montane coniferous forest, Riparian woodland (Mesic) from 985-6595ft. Blooms Jun-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 136 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nevin's Barberry (Berberis nevinii)	CNDDB(3), CNPS, IPaC	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub, Riparian scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2705ft. Blooms (Feb)Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 131 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Beach Spectaclepod (Dithyrea maritima)	CNDDB(4), CNPS	CRPR 1B.1, CT, S1	Coastal dunes, Coastal scrub (sandy) from 10-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 71 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Suffrutescent Wallflower (Erysimum suffrutescens)	CNPS	CRPR 4.2, S3	Chaparral (maritime), Coastal bluff scrub, Coastal dunes, Coastal scrub from 0-490ft. Blooms Jan-Jul(Aug).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 172 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Gambel's Water Cress (Nasturtium gambelii)	CNDDB(1), CNPS, IPaC	CRPR 1B.1, FE, CT, S1	Marshes and swamps (brackish, freshwater) from 15-1085ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 51 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Marsh Sandwort (Arenaria paludicola)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Marshes and swamps (brackish, freshwater) (Openings, Sandy) from 10-560ft. Blooms May-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 34 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coulter's Saltbush (Atriplex coulteri)	CNDDB(2), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Alkaline (sometimes), Clay (sometimes)) from 10-1510ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 100 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
South Coast Saltscale (Atriplex pacifica)	CNDDB(1), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Playas from 0-460ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 183 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Davidson's Saltscale (Atriplex serenana var. davidsonii)	CNDDB(2), CNPS	CRPR 1B.2, S1	Coastal bluff scrub, Coastal scrub (Alkaline) from 35-655ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 30 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Goosefoot (Chenopodium littoreum)	CNDDB(1), CNPS	CRPR 1B.2, S1	Coastal dunes from 35-100ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 55 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Lucky Morning-glory (Calystegia felix)	CNDDB(2), CNPS	CRPR 1B.1, S1	Meadows and seeps (sometimes alkaline), Riparian scrub (alluvial) (Alkaline (sometimes), Loam (sometimes)) from 100-705ft. Blooms Mar-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 26 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Blochman's Dudleya (Dudleya blochmaniae ssp. blochmaniae)	CNDDB(1), CNPS	CRPR 1B.1, S2	Chaparral, Coastal bluff scrub, Coastal scrub, Valley and foothill grassland (Clay (often), Rocky, Serpentine) from 15-1475ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 175 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Monica Dudleya (Dudleya cymosa ssp. ovatifolia)	CNDDB(1), CNPS	CRPR 1B.1, FT, S1	Chaparral, Coastal scrub (Rocky, Volcanic (sometimes)) from 490-5495ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 21 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Many-stemmed Dudleya (Dudleya multicaulis)	CNDDB(1), CNPS	CRPR 1B.2, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Clay (often)) from 50-2590ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 73 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Braunton's Milk-vetch (Astragalus brauntonii)	CNDDB(12), CNPS, CH	CRPR 1B.1, FE, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Burned areas (sometimes), Carbonate, Disturbed areas (sometimes), Sandstone (usually)) from 15-2100ft. Blooms Jan-Aug.	Yes	None	None	None	Potential critical habitat is located 4 miles to the southwest.
Ventura Marsh Milk-vetch (Astragalus pycnostachyus var. lanosissimus)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal dunes, Coastal scrub, Marshes and swamps (edges, coastal salt, brackish) from 5-115ft. Blooms (Jun)Aug-Oct.	Yes	N/A	None	None	Project Site is outside of elevation range of taxon. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Dunes Milk-vetch (Astragalus tener var. titi)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal bluff scrub (sandy), Coastal dunes, Coastal prairie (mesic) (Mesic (often), Vernally Mesic (often)) from 5-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 22 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nuttall's Scrub Oak (Quercus dumosa)	CNDDB(2), CNPS	CRPR 1B.1, S3	Chaparral, Closed-cone coniferous forest, Coastal scrub (Clay, Loam, Sandy) from 50-1310ft. Blooms Feb-Apr(May-Aug).	Yes	None	None	None	—
San Gabriel Oak (Quercus durata var. gabrielensis)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland from 1475-3280ft. Blooms Apr-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 295 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mud Nama (Nama stenocarpa)	CNDDB(1), CNPS	CRPR 2B.2, S1S2	Marshes and swamps (lake margins, riverbanks) from 15-1640ft. Blooms Jan-Jul.	Yes	None	None	None	—
South Coast Branching Phacelia (Phacelia ramosissima var. austrolitoralis)	CNPS	CRPR 3.2, S3	Chaparral, Coastal dunes, Coastal scrub, Marshes and swamps (coastal salt) (Rocky (sometimes), Sandy) from 15-985ft. Blooms Mar-Aug.	Yes	None	None	None	—

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Brand's Star Phacelia (Phacelia stellaris)	CNDDB(2), CNPS	CRPR 1B.1, S1	Coastal dunes, Coastal scrub from 5-1310ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 68 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Fragrant Pitcher Sage (Lepechinia fragrans)	CNPS	CRPR 4.2, S3	Chaparral from 65-4300ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 187 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White-veined Monardella (Monardella hypoleuca ssp. hypoleuca)	CNDDB(2), CNPS	CRPR 1B.3, S3	Chaparral, Cismontane woodland from 165-5005ft. Blooms (Apr)May-Aug(Sep-Dec).	Yes	None	None	None	—
Davidson's Bushmallow (Malacothamnus davidsonii)	CNPS	CRPR 1B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland from 605-3740ft. Blooms Jun-Jan.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 500 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Spring Checkerbloom (Sidalcea neomexicana)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Coastal scrub, Lower montane coniferous forest, Mojavean desert scrub, Playas (Alkaline, Mesic) from 50-5020ft. Blooms Mar-Jun.	Yes	None	None	None	—
Lewis' Evening-primrose (Camissoniopsis lewisii)	CNPS	CRPR 3, S4	Cismontane woodland, Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Clay (sometimes), Sandy (sometimes)) from 0-985ft. Blooms Mar-May(Jun).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 212 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
San Fernando Valley Spineflower (Chorizanthe parryi var. fernandina)	CNDDB(4), CNPS	CRPR 1B.1, CE, S1	Coastal scrub (sandy), Valley and foothill grassland from 490-4005ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 64 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Spineflower (Mucronea californica)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland, Coastal dunes, Coastal scrub, Valley and foothill grassland (Sandy) from 0-4595ft. Blooms Mar-Jul(Aug).	Yes	None	None	None	—
Slender-horned Spineflower (Dodecahema leptoceras)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub (alluvial fans) (Sandy) from 655-2495ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 81 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Spreading Navarretia (Navarretia fossalis)	CNDDB(1), CNPS	CRPR 1B.1, FT, S2	Chenopod scrub, Marshes and swamps (shallow freshwater), Playas, Vernal pools from 100-2150ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 87 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Prostrate Vernal Pool Navarretia (Navarretia prostrata)	CNDDB(4), CNPS	CRPR 1B.2, S2	Coastal scrub, Meadows and seeps, Valley and foothill grassland (alkaline), Vernal pools (Mesic) from 10-3970ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 79 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mesa Horkelia (Horkelia cuneata var. puberula)	CNDDB(7), CNPS	CRPR 1B.1, S1	Chaparral (maritime), Cismontane woodland, Coastal scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2660ft. Blooms Feb-Jul(Sep).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 155 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Marsh Bird's-beak (Chloropyron maritimum ssp. maritimum)	CNDDB(2), CNPS	CRPR 1B.2, FE, CE, S1	Coastal dunes, Marshes and swamps (coastal salt) from 0-100ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 27 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sanford's Arrowhead (Sagittaria sanfordii)	CNDDB(1), CNPS	CRPR 1B.2, S3	Marshes and swamps (shallow freshwater) from 0-2135ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 72 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Slender Mariposa-lily (Calochortus clavatus var. gracilis)	CNDDB(3), CNPS	CRPR 1B.2, S2S3	Chaparral, Coastal scrub, Valley and foothill grassland from 1050-3280ft. Blooms Mar-Jun(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 114 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Vernal Barley (Hordeum intercedens)	CNPS	CRPR 3.2, S3S4	Coastal dunes, Coastal scrub, Valley and foothill grassland (depressions, saline flats), Vernal pools from 15-3280ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 434 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Orcutt Grass (Orcuttia californica)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Vernal pools from 50-2165ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 153 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sonoran Maiden Fern (Pelazoneuron puberulum var. sonorense)	CNDDB(1), CNPS	CRPR 2B.2, S2	Meadows and seeps (seeps, streams) from 165-2000ft. Blooms Jan-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 44 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Invertebrates

The section of the report summarizes the potential for occurrence on the Project Site of 20 special status invertebrate taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Riverside Fairy Shrimp (Streptocephalus woottoni)	CNDDB(3)	FE, S2	ENDEMIC TO WESTERN RIVERSIDE, ORANGE, AND SAN DIEGO COUNTIES IN AREAS OF TECTONIC SWALES/EARTH SLUMP BASINS IN GRASSLAND AND COASTAL SAGE SCRUB. INHABIT SEASONALLY ASTATIC POOLS FILLED BY WINTER/SPRING RAINS. HATCH IN WARM WATER LATER IN THE SEASON.	No	N/A	None	None	Range assessment based on 24 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Hairy-necked Tiger Beetle (Cicindela hirticollis gravida)	CNDDB(3)	S2	INHABITS AREAS ADJACENT TO NON-BRACKISH WATER ALONG THE COAST OF CALIFORNIA FROM SAN FRANCISCO BAY TO NORTHERN MEXICO. CLEAN, DRY, LIGHT-COLORED SAND IN THE UPPER ZONE. SUBTERRANEAN LARVAE PREFER MOIST SAND NOT AFFECTED BY WAVE ACTION.	Yes	None	None	None	—
Globose Dune Beetle (Coelus globosus)	CNDDB(4)	S1S2	INHABITANT OF COASTAL SAND DUNE HABITAT; ERRATICALLY DISTRIBUTED FROM TEN MILE CREEK IN MENDOCINO COUNTY SOUTH TO ENSENADA, MEXICO. INHABITS FOREDUNES AND SAND HUMMOCKS; IT BURROWS BENEATH THE SAND SURFACE AND IS MOST COMMON BENEATH DUNE VEGETATION.	No	N/A	None	None	Range assessment based on 300 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Lange's el Segundo Dune Weevil (Onychobaris langei)	CNDDB(1)	S1	KNOWN FROM EL SEGUNDO DUNES.	Yes	None	None	None	—
Dorothy's el Segundo Dune Weevil (Trigonoscuta dorothea dorothea)	CNDDB(2)	S1	COASTAL SAND DUNES IN LOS ANGELES COUNTY.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Only occurrences near Ballona and Bolsa Chica.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
El Segundo Flower-loving Fly (Rhaphiomidas terminatus terminatus)	CNDDB(1)	S1	PRESUMED EXTINCT BUT RECENTLY DISCOVERED ON MALAGA DUNES, LOS ANGELES COUNTY. PERCHED DUNES.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Previously thought extinct and recently rediscovered in coastal dunes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Belkin's Dune Tabanid Fly (Brennania belkini)	CNDDB(5)	S1S2	SAND OBLIGATE SPECIES KNOWN FROM COASTAL DUNES NEAR PLAYA DEL REY AND EL SEGUNDO SOUTH TO ENSENADA, MEXICO. ONE OF FEW TABANIDS NOT REQUIRING A BLOOD MEAL FOR SECCESSFUL EGG PRODUCTION; ADULTS TAKEN ON FLOWERS. LARVAE COLLECTED 50 CM BENEATH SURFACE OF SANDY SOIL; PRESUMABLY BURROWING PREDATORS WITH UNDETERMINED HOSTS, LIKELY BEETLE LARVAE. ADULT FLIGHT GENERALLY MAY - JULY.	No	N/A	None	None	Range assessment based on 11 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
American Bumble Bee (Bombus pensylvanicus)	CNDDB(103)	S2	LONG-TONGUED; FORAGES ON A WIDE VARIETY OF FLOWERS INCLUDING VETCHES (VICIA), CLOVERS (TRIFOLIUM), THISTLES (CIRSIUM), SUNFLOWERS (HELIANTHUS), ETC. NESTS ABOVE GROUND UNDER LONG GRASS OR UNDERGROUND. QUEENS OVERWINTER IN ROTTEN WOOD OR UNDERGROUND.	Yes	Low	Low	None	—
Crotch's Bumble Bee (Bombus crotchii)	CNDDB(17)	CCE, S2	COASTAL CALIFORNIA EAST TO THE SIERRA-CASCADE CREST AND SOUTH INTO MEXICO. FOOD PLANT GENERA INCLUDE ANTIRRHINUM, PHACELIA, CLARKIA, DENDROMECON, ESCHSCHOLZIA, AND ERIOGONUM.	Yes	Low	Low	None	—
Henne's Eucosman Moth (Pelochrista hennei)	CNDDB(1)	S1	COASTAL SAND DUNES WITH HOST PHACELIA RAMOSISSIMA. ORIGINALLY BELIEVED TO BE ENDEMIC TO THE EL SEGUNDO SAND DUNES OF LOS ANGELES COUNTY WHERE THE TYPE SPECIMEN WAS COLLECTED. ALSO COLLECTED FROM COASTAL SAN LUIS OBISPO COUNTY. LARVAL FOODPLANT IS PHACELIA RAMOSISSIMA VAR AUSTROLITORALIS; LARVAE CAN BE FOUND ON WOODY STEMS AND UPPER ROOT PARTS.	No	N/A	None	None	Range assessment based on 10 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Busk's Gall Moth (Eugnosta busckana)	CNDDB(4)	S2S3	COASTAL SOUTHERN CALIFORNIA. TINY MICRO-MOTH (1 CM) WITH LARVA FORMING GALLS ON HOST PLANT ENCELIA CALIFORNICA (CALIFORNIA BRITTLEBUSH). ADULT FLIGHT PERIOD IS DURING WINTER, GENERALLY FROM NOVEMBER TO FEBRUARY, AND HAVE BEEN REPORTED AT UV LIGHTS AND PORCH LIGHTS.	Yes	Low	Low	None	—
Wandering Skipper (Panoquina errans)	CNDDB(1)	S2	SOUTHERN CALIFORNIA COASTAL SALT MARSHES. REQUIRES MOIST SALTGRASS FOR LARVAL DEVELOPMENT.	Yes	None	None	None	—
El Segundo Blue (Euphilotes allyni)	CNDDB(2)	FE, S1	RESTRICTED TO REMNANT COASTAL DUNE HABITAT IN SOUTHERN CALIFORNIA. HOST PLANT IS ERIOGONUM PARVIFOLIUM; LARVAE FEED ONLY ON THE FLOWERS AND SEEDS; USED BY ADULTS AS MAJOR NECTAR SOURCE.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB occurrences. Only occurs near El Segundo.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Palos Verdes Blue (Glaucopsyche lygdamus palosverdesensis)	CNDDB(1)	FE, S1	RESTRICTED TO THE COOL, FOG-SHROUDED, SEAWARD SIDE OF PALOS VERDES HILLS, LOS ANGELES COUNTY. HOST PLANT IS ASTRAGALUS TRICHOPODUS VAR. LONCHUS (LOCOWEED).	No	N/A	None	None	Range assessment based on 48 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Monarch (Danaus plexippus pop. 1)	CNDDB(15), IPaC	FPT, S2	WINTER ROOST SITES EXTEND ALONG THE COAST FROM NORTHERN MENDOCINO TO BAJA CALIFORNIA, MEXICO. ROOSTS LOCATED IN WIND-PROTECTED TREE GROVES (EUCALYPTUS, MONTEREY PINE, CYPRESS), WITH NECTAR AND WATER SOURCES NEARBY.	No	N/A	None	None	Range based on coastal zone limits.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Santa Monica Shieldback Katydid (Aglaothorax longipennis)	CNDDB(1)	S1S2	OCCUR NOCTURNALLY IN CHAPARRAL AND CANYON STREAM BOTTOM VEGETATION, IN THE SANTA MONICA MTNS OF SOUTHERN CALIFORNIA. INHABIT INTRODUCED ICEPLANT AND NATIVE CHAPARRAL PLANTS.	Yes	Low	Low	None	—
Gertsch's Socalchemmis Spider (Socalchemmis gertschi)	CNDDB(2)	S1	KNOWN FROM ONLY 2 LOCALITIES IN LOS ANGELES COUNTY: BRENTWOOD (TYPE LOCALITY) AND TOPANGA CANYON.	Yes	Low	Low	None	—
Western Ridged Mussel (Gonidea angulata)	CNDDB(2)	S2	PRIMARILY CREEKS AND RIVERS AND LESS OFTEN LAKES. ORIGINALLY IN MOST OF STATE, NOW EXTIRPATED FROM CENTRAL AND SOUTHERN CALIFORNIA.	No	N/A	None	None	Originally found in most of state. Now extirpated from central and southern California.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Gabriel Chestnut (Glyptostoma gabrielense)	CNDDB(1)	S3	TERRESTRIAL.	No	N/A	None	None	Range assessment based on 285 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Mimic Tryonia (Tryonia imitator)	CNDDB(1)	S2	INHABITS COASTAL LAGOONS, ESTUARIES AND SALT MARSHES, FROM SONOMA COUNTY SOUTH TO SAN DIEGO COUNTY. FOUND ONLY IN PERMANENTLY SUBMERGED AREAS IN A VARIETY OF SEDIMENT TYPES; ABLE TO WITHSTAND A WIDE RANGE OF SALINITIES.	No	N/A	None	None	Range assessment based on 46 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Fish

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status fish taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Steelhead - Southern California Distinct Population Segment (Oncorhynchus mykiss pop. 10)	CNDDB(1), CH	FE, CCE, S1	FEDERAL LISTING REFERS TO POPULATIONS FROM SANTA MARIA RIVER SOUTH TO SOUTHERN EXTENT OF RANGE (SAN MATEO CREEK IN SAN DIEGO COUNTY). SOUTHERN STEELHEAD LIKELY HAVE GREATER PHYSIOLOGICAL TOLERANCES TO WARMER WATER AND MORE VARIABLE CONDITIONS.	No	N/A	None	None	Range assessment based on 405 GBIF records. Designated critical habitat (NMFS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tidewater Goby (Eucyclogobius newberryi)	CH	FE, SSC, S3	BRACKISH WATER HABITATS ALONG THE CALIFORNIA COAST FROM AGUA HEDIONDA LAGOON, SAN DIEGO COUNTY TO THE MOUTH OF THE SMITH RIVER. FOUND IN SHALLOW LAGOONS AND LOWER STREAM REACHES, THEY NEED FAIRLY STILL BUT NOT STAGNANT WATER AND HIGH OXYGEN LEVELS.	No	N/A	None	None	Range assessment based on 770 GBIF records. Designated critical habitat (USFWS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Amphibians

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status amphibian taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Arroyo Toad (Anaxyrus californicus)	CNDDB(1)	FE, SSC, S2	SEMI-ARID REGIONS NEAR WASHES OR INTERMITTENT STREAMS, INCLUDING VALLEY-FOOTHILL AND DESERT RIPARIAN, DESERT WASH, ETC. RIVERS WITH SANDY BANKS, WILLOWS, COTTONWOODS, AND SYCAMORES; LOOSE, GRAVELLY AREAS OF STREAMS IN DRIER PARTS OF RANGE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Spadefoot (Spea hammondii)	CNDDB(5), IPaC	FPT, SSC, S3S4	OCCURS PRIMARILY IN GRASSLAND HABITATS, BUT CAN BE FOUND IN VALLEY-FOOTHILL HARDWOOD WOODLANDS. VERNAL POOLS ARE ESSENTIAL FOR BREEDING AND EGG-LAYING.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predictive mapping shows potential low value habitat between residence and street above. There are no potential or known breeding areas near the Biological Study Area.

Reptiles

The section of the report summarizes the potential for occurrence on the Project Site of 9 special status reptile taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Green Sea Turtle (Chelonia mydas)	CH	FT, S1	MARINE. COMPLETELY HERBIVOROUS; NEEDS ADQUATE SUPPLY OF SEAGRASSES AND ALGAE.	No	N/A	None	None	Range based on Pacific Ocean.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southwestern Pond Turtle (Actinemys pallida)	CNDDB(4), IPaC	FPT, SSC, SNR	No CNDDB habitat description available	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
San Diegan Legless Lizard (Anniella stebbinsi)	CNDDB(36)	SSC, S3	GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site.
Blainville's Horned Lizard (Phrynosoma blainvillii)	CNDDB(7)	SSC, S4	FREQUENTS A WIDE VARIETY OF HABITATS, MOST COMMON IN LOWLANDS ALONG SANDY WASHES WITH SCATTERED LOW BUSHES. OPEN AREAS FOR SUNNING, BUSHES FOR COVER, PATCHES OF LOOSE SOIL FOR BURIAL, AND ABUNDANT SUPPLY OF ANTS AND OTHER INSECTS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found in open habitats with native ants, neither of which are present.
San Diegan Tiger Whiptail (Aspidoscelis tigris stejnegeri)	CNDDB(2)	SSC, S3	FOUND IN DESERTS AND SEMI-ARID AREAS WITH SPARSE VEGETATION AND OPEN AREAS. ALSO FOUND IN WOODLAND AND RIPARIAN AREAS. GROUND MAY BE FIRM SOIL, SANDY, OR ROCKY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
California Glossy Snake (Arizona elegans occidentalis)	CNDDB(1)	SSC, S2	PATCHILY DISTRIBUTED FROM THE EASTERN PORTION OF SAN FRANCISCO BAY, SOUTHERN SAN JOAQUIN VALLEY, AND THE COAST, TRANSVERSE, AND PENINSULAR RANGES, SOUTH TO BAJA CALIFORNIA. GENERALIST REPORTED FROM A RANGE OF SCRUB AND GRASSLAND HABITATS, OFTEN WITH LOOSE OR SANDY SOILS.	No	N/A	None	None	Subspecies range based on 175 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Bernardino Ring-necked Snake (Diadophis punctatus modestus)	CNDDB(1)	S2?	MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
South Coast Gartersnake (Thamnophis sirtalis pop. 1)	CNDDB(5)	SSC, S1S2	SOUTHERN CALIFORNIA COASTAL PLAIN FROM VENTURA COUNTY TO SAN DIEGO COUNTY, AND FROM SEA LEVEL TO ABOUT 850 M. MARSH AND UPLAND HABITATS NEAR PERMANENT WATER WITH GOOD STRIPS OF RIPARIAN VEGETATION.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
Two-striped Gartersnake (Thamnophis hammondii)	CNDDB(2)	SSC, S3S4	COASTAL CALIFORNIA FROM VICINITY OF SALINAS TO NORTHWEST BAJA CALIFORNIA. FROM SEA TO ABOUT 7,000 FT ELEVATION. HIGHLY AQUATIC, FOUND IN OR NEAR PERMANENT FRESH WATER. OFTEN ALONG STREAMS WITH ROCKY BEDS AND RIPARIAN GROWTH.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.

Birds

The section of the report summarizes the potential for occurrence on the Project Site of 32 special status bird taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Grebe (Aechmophorus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Clark's Grebe (Aechmophorus clarkii)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Brown Pelican (Pelecanus occidentalis californicus)	CNDDB(1)	FD, CD, S3	COLONIAL NESTER ON COASTAL ISLANDS JUST OUTSIDE THE SURF LINE. NESTS ON COASTAL ISLANDS OF SMALL TO MODERATE SIZE WHICH AFFORD IMMUNITY FROM ATTACK BY GROUND-DWELLING PREDATORS. ROOSTS COMMUNALLY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Northern Harrier (Circus hudsonius)	IPaC	SSC, S3, BCC	COASTAL SALT AND FRESHWATER MARSH. NEST AND FORAGE IN GRASSLANDS, FROM SALT GRASS IN DESERT SINK TO MOUNTAIN CIENAGAS. NESTS ON GROUND IN SHRUBBY VEGETATION, USUALLY AT MARSH EDGE; NEST BUILT OF A LARGE MOUND OF STICKS IN WET AREAS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. Prefers open habitats such as grasslands and marshes.
Swainson's Hawk (Buteo swainsoni)	CNDDB(4)	CT, S4	BREEDS IN GRASSLANDS WITH SCATTERED TREES, JUNIPER-SAGE FLATS, RIPARIAN AREAS, SAVANNAHS, AND AGRICULTURAL OR RANCH LANDS WITH GROVES OR LINES OF TREES. REQUIRES ADJACENT SUITABLE FORAGING AREAS SUCH AS GRASSLANDS, OR ALFALFA OR GRAIN FIELDS SUPPORTING RODENT POPULATIONS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Golden Eagle (Aquila chrysaetos)	IPaC	FP; WL, S3, BCC	ROLLING FOOTHILLS, MOUNTAIN AREAS, SAGE-JUNIPER FLATS, AND DESERT. CLIFF-WALLED CANYONS PROVIDE NESTING HABITAT IN MOST PARTS OF RANGE; ALSO, LARGE TREES IN OPEN AREAS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large tracts of undeveloped habitat away from anthropogenic disturbance.
American Peregrine Falcon (Falco peregrinus anatum)	CNDDB(2)	FD, CD, S3S4	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No suitable nesting habitat on or near the Project Site.This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Yellow Rail (Coturnicops noveboracensis)	CNDDB(2)	SSC, S2	SUMMER RESIDENT IN EASTERN SIERRA NEVADA IN MONO COUNTY. FRESHWATER MARSHLANDS.	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
California Black Rail (Laterallus jamaicensis coturniculus)	CNDDB(1)	CT, FP, S2	INHABITS FRESHWATER MARSHES, WET MEADOWS AND SHALLOW MARGINS OF SALTWATER MARSHES BORDERING LARGER BAYS. NEEDS WATER DEPTHS OF ABOUT 1 INCH THAT DO NOT FLUCTUATE DURING THE YEAR AND DENSE VEGETATION FOR NESTING HABITAT.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Snowy Plover (Charadrius nivosus nivosus)	CNDDB(2), CH, IPaC	FT, SSC, S3	SANDY BEACHES, SALT POND LEVEES AND SHORES OF LARGE ALKALI LAKES. NEEDS SANDY, GRAVELLY OR FRIABLE SOILS FOR NESTING.	Yes	None	None	None	Designated critical habitat (USFWS) is located 7.5 miles to the south. No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Gull (Larus californicus)	IPaC	WL, S4, BCC	LITTORAL WATERS, SANDY BEACHES, WATERS AND SHORELINES OF BAYS, TIDAL MUD-FLATS, MARSHES, LAKES, ETC. COLONIAL NESTER ON ISLETS IN LARGE INTERIOR LAKES, EITHER FRESH OR STRONGLY ALKALINE.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
Western Gull (Larus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
California Least Tern (Sternula antillarum browni)	CNDDB(3), IPaC	FE, CE, FP, S2	NESTS ALONG THE COAST FROM SAN FRANCISCO BAY SOUTH TO NORTHERN BAJA CALIFORNIA. COLONIAL BREEDER ON BARE OR SPARSELY VEGETATED, FLAT SUBSTRATES: SAND BEACHES, ALKALI FLATS, LAND FILLS, OR PAVED AREAS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Screech-Owl (Megascops kennicottii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Burrowing Owl (Athene cunicularia)	CNDDB(2)	CCE, SSC, S2	OPEN, DRY ANNUAL OR PERENNIAL GRASSLANDS, DESERTS, AND SCRUBLANDS CHARACTERIZED BY LOW-GROWING VEGETATION. SUBTERRANEAN NESTER, DEPENDENT UPON BURROWING MAMMALS, MOST NOTABLY, THE CALIFORNIA GROUND SQUIRREL.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Allen's Hummingbird (Selasphorus sasin)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Nuttall's Woodpecker (Dryobates nuttallii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Present in nearly all wooded areas of Los Angeles.
Olive-sided Flycatcher (Contopus cooperi)	IPaC	SSC, S3, BCC	NESTING HABITATS ARE MIXED CONIFER, MONTANE HARDWOOD-CONIFER, DOUGLAS-FIR, REDWOOD, RED FIR AND LODGEPOLE PINE. MOST NUMEROUS IN MONTANE CONIFER FORESTS WHERE TALL TREES OVERLOOK CANYONS, MEADOWS, LAKES OR OTHER OPEN TERRAIN.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Olive-sided Flycatcher, this species occurs locally (if fleetingly) during migration.
Southwestern Willow Flycatcher (Empidonax traillii extimus)	CNDDB(1)	FE, CE, S3	RIPARIAN WOODLANDS IN SOUTHERN CALIFORNIA.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Bank Swallow (Riparia riparia)	CNDDB(1)	CT, S3	COLONIAL NESTER; NESTS PRIMARILY IN RIPARIAN AND OTHER LOWLAND HABITATS WEST OF THE DESERT. REQUIRES VERTICAL BANKS/CLIFFS WITH FINE-TEXTURED/SANDY SOILS NEAR STREAMS, RIVERS, LAKES, OCEAN TO DIG NESTING HOLE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Oak Titmouse (Baeolophus inornatus)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Coastal California Gnatcatcher (Polioptila californica californica)	CNDDB(8), IPaC	FT, SSC, S2	OBLIGATE, PERMANENT RESIDENT OF COASTAL SAGE SCRUB BELOW 2500 FT IN SOUTHERN CALIFORNIA. LOW, COASTAL SAGE SCRUB IN ARID WASHES, ON MESAS AND SLOPES. NOT ALL AREAS CLASSIFIED AS COASTAL SAGE SCRUB ARE OCCUPIED.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Wrentit (Chamaea fasciata)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Thrasher (Toxostoma redivivum)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Least Bell's Vireo (Vireo bellii pusillus)	CNDDB(9)	FE, CE, S3	SUMMER RESIDENT OF SOUTHERN CALIFORNIA IN LOW RIPARIAN IN VICINITY OF WATER OR IN DRY RIVER BOTTOMS; BELOW 2000 FT. NESTS PLACED ALONG MARGINS OF BUSHES OR ON TWIGS PROJECTING INTO PATHWAYS, USUALLY WILLOW, BACCHARIS, MESQUITE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Saltmarsh Common Yellowthroat (Geothlypis trichas sinuosa)	IPaC	SSC, S3, BCC	RESIDENT OF THE SAN FRANCISCO BAY REGION, IN FRESH AND SALT WATER MARSHES. REQUIRES THICK, CONTINUOUS COVER DOWN TO WATER SURFACE FOR FORAGING; TALL GRASSES, TULE PATCHES, WILLOWS FOR NESTING.	No	N/A	None	None	Endemic to Bay Area. Some individuals rarely migrate south in winter to San Diego. Only found in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern California Rufous-crowned Sparrow (Aimophila ruficeps canescens)	CNDDB(1)	WL, S4	RESIDENT IN SOUTHERN CALIFORNIA COASTAL SAGE SCRUB AND SPARSE MIXED CHAPARRAL. FREQUENTS RELATIVELY STEEP, OFTEN ROCKY HILLSIDES WITH GRASS AND FORB PATCHES.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Prefers grasslands and scrublands.
Belding's Savannah Sparrow (Passerculus sandwichensis beldingi)	CNDDB(2), IPaC	CE, S3, BCC	INHABITS COASTAL SALT MARSHES, FROM SANTA BARBARA SOUTH THROUGH SAN DIEGO COUNTY. NESTS IN SALICORNIA ON AND ABOUT MARGINS OF TIDAL FLATS.	No	N/A	None	None	Subspecies range based on Coastal Zone limits as taxon only occurs in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Channel Island Song Sparrow (Melospiza melodia graminea)	IPaC	SSC, S1, BCC	CURRENTLY KNOWN FROM SAN MIGUEL AND SANTA ROSA ISLANDS; BELIEVED EXTIRPATED FROM SANTA BARBARA AND SAN CLEMENTE ISLANDS. NEED MODERATELY DENSE SCRUBBY VEGETATION FOR NESTING, A WATER SOURCE, AND EXPOSED GROUND FOR FORAGING. DENSE SHRUBS AND THICKETS OF GIANT COREOPSIS (C. GIGANTEA) AND/OR DENSE GRASSLANDS WITH SCATTERED SHRUBS. NESTS OFTEN LOCATED ON LEEWARD SIDE OF SHRUBS AVOIDING PREVAILING WINDS.	No	N/A	None	None	Only found on San Miguel, Santa Rosa, and Anacapa Islands.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tricolored Blackbird (Agelaius tricolor)	CNDDB(2)	CT, SSC, S2	HIGHLY COLONIAL SPECIES, MOST NUMEROUS IN CENTRAL VALLEY AND VICINITY. LARGELY ENDEMIC TO CALIFORNIA. REQUIRES OPEN WATER, PROTECTED NESTING SUBSTRATE, AND FORAGING AREA WITH INSECT PREY WITHIN A FEW KM OF THE COLONY.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Uses wetlands and adjacent open habitats in the summer. Found along wetlands and in agricultural areas in the winter.
Bullock's Oriole (Icterus bullockii)	IPaC	BCC	No CNDDB habitat description available	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Bullock's Oriole, this species occurs locally (if fleetingly) during migration.
Lawrence's Goldfinch (Spinus lawrencei)	IPaC	S4, BCC	NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.

Mammals

The section of the report summarizes the potential for occurrence on the Project Site of 12 special status mammal taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Salt Marsh Ornate Shrew (Sorex ornatus salicornicus)	CNDDB(1)	SSC, S1	COASTAL MARSHES IN LOS ANGELES, ORANGE AND VENTURA COUNTIES. REQUIRES DENSE VEGETATION AND WOODY DEBRIS FOR COVER.	No	N/A	None	None	Subspecies range based on 42 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Yellow Bat (Lasiurus xanthinus)	CNDDB(1)	SSC, S3	FOUND IN VALLEY FOOTHILL RIPARIAN, DESERT RIPARIAN, DESERT WASH, AND PALM OASIS HABITATS. ROOSTS IN TREES, PARTICULARLY PALMS. FORAGES OVER WATER AND AMONG TREES.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pallid Bat (Antrozous pallidus)	CNDDB(4)	SSC, S3	DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
California Bonneted Bat (Eumops perotis californicus)	CNDDB(8)	SSC, S3S4	MANY OPEN, SEMI-ARID TO ARID HABITATS, INCLUDING CONIFER AND DECIDUOUS WOODLANDS, COASTAL SCRUB, GRASSLANDS, CHAPARRAL, ETC. ROOSTS IN CREVICES IN CLIFF FACES, HIGH BUILDINGS, TREES AND TUNNELS.	Yes	Low	Low	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Pocketed Free-tailed Bat (Nyctinomops femorosaccus)	CNDDB(1)	SSC, S3	VARIETY OF ARID AREAS IN SOUTHERN CALIFORNIA; PINE-JUNIPER WOODLANDS, DESERT SCRUB, PALM OASIS, DESERT WASH, DESERT RIPARIAN, ETC. ROCKY AREAS WITH HIGH CLIFFS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Big Free-tailed Bat (Nyctinomops macrotis)	CNDDB(2)	SSC, S3	LOW-LYING ARID AREAS IN SOUTHERN CALIFORNIA. NEED HIGH CLIFFS OR ROCKY OUTCROPS FOR ROOSTING SITES. FEEDS PRINCIPALLY ON LARGE MOTHS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Los Angeles Pocket Mouse (Perognathus longimembris brevinasus)	CNDDB(1)	SSC, S1S2	LOWER ELEVATION GRASSLANDS AND COASTAL SAGE COMMUNITIES IN AND AROUND THE LOS ANGELES BASIN. OPEN GROUND WITH FINE, SANDY SOILS. MAY NOT DIG EXTENSIVE BURROWS, HIDING UNDER WEEDS AND DEAD LEAVES INSTEAD.	No	N/A	None	None	Subspecies range based on 311 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Pocket Mouse (Perognathus longimembris pacificus)	CNDDB(1)	FE, SSC, S2	INHABITS THE NARROW COASTAL PLAINS FROM THE MEXICAN BORDER NORTH TO EL SEGUNDO, LOS ANGELES COUNTY. SEEMS TO PREFER SOILS OF FINE ALLUVIAL SANDS NEAR THE OCEAN, BUT MUCH REMAINS TO BE LEARNED.	No	N/A	None	None	Subspecies range based on 360 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern Grasshopper Mouse (Onychomys torridus ramona)	CNDDB(1)	SSC, S3	DESERT AREAS, ESPECIALLY SCRUB HABITATS WITH FRIABLE SOILS FOR DIGGING. PREFERS LOW TO MODERATE SHRUB COVER. FEEDS ALMOST EXCLUSIVELY ON ARTHROPODS, ESPECIALLY SCORPIONS AND ORTHOPTERAN INSECTS.	No	N/A	None	None	Subspecies range based on 92 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Desert Woodrat (Neotoma lepida intermedia)	CNDDB(2)	SSC, S3S4	COASTAL SCRUB OF SOUTHERN CALIFORNIA FROM SAN DIEGO COUNTY TO SAN LUIS OBISPO COUNTY. MODERATE TO DENSE CANOPIES PREFERRED. THEY ARE PARTICULARLY ABUNDANT IN ROCK OUTCROPS, ROCKY CLIFFS, AND SLOPES.	No	N/A	None	None	Subspecies range based on 262 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Stephens' California Vole (Microtus californicus stephensi)	CNDDB(3)	SSC, S2	TIDAL MARSHES IN LOS ANGELES, ORANGE AND SOUTHERN VENTURA COUNTIES.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predicted habitat is for taxon as a whole, not subspecies which is only found in coastal marshes.
American Badger (Taxidea taxus)	CNDDB(1)	SSC, S3	MOST ABUNDANT IN DRIER OPEN STAGES OF MOST SHRUB, FOREST, AND HERBACEOUS HABITATS, WITH FRIABLE SOILS. NEEDS SUFFICIENT FOOD, FRIABLE SOILS AND OPEN, UNCULTIVATED GROUND. PREYS ON BURROWING RODENTS. DIGS BURROWS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large areas of undisturbed natural habitat. Also, does not occur near the area.

Critical Habitat

This page visually depicts the presence or absence of US Fish and Wildlife Service or National Marine Fisheries Service proposed or designated critical habitat in the Regional Study Area. If critical habitat is present in the Regional Study Area that taxon is included in the preceding pages and marked as having critical habitat. Critical habitat is also discussed in the main text of the report.



Appendix E. Photo Log

Inserted after this cover page is a database-generated photo log.

Photo Log

1400 Vista Moraga

This database-generated report presents a visual depiction of site conditions during the survey conducted on March 17, 2025 by England|Ecology. The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. The map below presents an overview of the photo locations in this report, with each photo shown on the ensuing pages. This report was generated using QGIS 3.40.



Photo Point 1642



Photo Direction
Southeast

Photo Description
View uphill toward residence from lower end of slope.

Photo Point 1643

Photo Direction
East

Photo Description
View across the backyard.

Photo Point 1644



Photo Direction
South

Photo Description
View upslope toward residence.

Photo Point 1652



Photo Direction
North

Photo Description
View up driveway toward residence from front gate.

Photo Point 1653





Photo Direction
Northwest

Photo Description
View of front yard.

Photo Point 1654





Photo Direction
Northeast

Photo Description
View of side yard.

Photo Point 1655





Photo Direction
North

Photo Description
Back yard.

Photo Point 1656



Photo Direction
Northwest

Photo Description
Back yard.

Photo Point 1657





Photo Direction
Southwest

Photo Description
Side yard.

Photo Point 1658



Photo Direction
South

Photo Description
Pool area.

Photo Point 1659





Photo Direction
Northeast

Photo Description
Front yard.

Appendix F. Reference Materials

The following materials were provided to England|Ecology by the Applicant in order to assist with the completion of this report and are provided after this cover page:

- Site Plan
- Arborist Report

Tree Survey

For the compliance of the City of Los Angeles Planning

1400 N. Vista Moraga
Los Angeles, 90049

Prepared For: Niko Natsis
Tel: (310) 903-9022
Email: Nikonatsis@gmail.com

Prepared By: Michael Crane
Arbor Care, Inc.
1660 E. Mountain St.
Pasadena, CA 91104
Tel: (626) 737-4007
Email: info@arborcareinc.net

October 2023

Table of Contents

Survey Methods 1

Protected Tree Definitions 2

Tree Inventory Table 3

Topographic Survey Map with Tree Locations 5

Author's Certifications 6

Certification of Performance 7

SURVEY METHODS

All trees with trunks measuring four inches in diameter or larger have been identified by botanical and common names. Trunk diameters, which are measured at four feet above grade are listed, and those with an "M" next to the measurement indicates that the tree has multiple trunks originating from one root crown. If the tree is a multi-trunk, then the three largest trunk diameters are listed. Tree numbers correspond to the tree identification and location plotted on the topographic survey map. Tree numbers with an "os" next to them indicate that the trunk is located off-site, but the branches extend over or very close to the property line. Trees marked on the topographic survey map with an "X" indicate that a tree does not exist in the location of the tree icon.

The condition of each tree is given based on existing conditions using a scale of Excellent to Dead.

Excellent – A healthy, vigorous tree, reasonably free of signs and symptoms of disease, with good structural and form typical of the species.
Good – Tree with slight decline in vigor, small amount of twig dieback, or minor structural defects that can be corrected.
Fair – Tree with moderate vigor, moderate twig and small branch dieback, thinning of crown, poor leaf color, moderate structural defects that might be mitigated with regular care.
Poor – Tree in decline, epicormic growth, extensive dieback of medium to large branches, significant structural defects that cannot be abated.
Nearly Dead – Tree in severe decline, dieback of scaffold branches and/or trunk; most of foliage from epicormic shoots (secondary shoots that arise along the trunk and branches); extensive structural defects that cannot be abated.
Dead – Tree is completely non-viable

A determination was made on the protected status of each tree. The elements used to determine if a tree is protected are its species, trunk diameter and location on the property; and as defined in Ordinance #186873 of the City of Los Angeles Municipal Code. The property is not located in a Specific Plan area.

Protected Tree Definitions

City of Los Angeles Protected Trees and Shrubs

Ordinance #186873 - Protected Tree or Shrub- Any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree; or any of the following Southern California indigenous shrub species, which measure four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

Protected Trees:

(a) Oak tree including Valley Oak (Quercus lobata) and California Live Oak (Quercus agrifolia), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (Quercus dumosa).

(b) Southern California Black Walnut (Juglans californica var. californica)

(c) Western Sycamore (Platanus racemosa)

(d) California Bay (Umbellularia californica)

Protected Shrubs:

(a) Mexican Elderberry (Sambucus Mexicana

(b) Toyon (Heteromeles arbutifolia)

This definition shall not include any tree grown or held for sale by a licensed nursery, or trees planted or grown as a part of a tree planting program.

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077

Tree Key	Botanical Name	Common Name	Trunk Diameter	Condition	Tree Status
1	Jacaranda mimosifolia	Jacaranda	12"	Good	Non-Protected
2	Pinus halepensis	Aleppo Pine	14”	Good	Non-Protected
3	Pinus canariensis	Canary Island Pine	20"	Good	Non-Protected
4	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
5	Pinus halepensis	Aleppo Pine	6"	Good	Non-Protected
6	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
7	Pinus canariensis	Canary Island Pine	16"	Good	Non-Protected
8	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
9	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
10	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
11	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
12	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
13	Schinus molle	Pepper Tree	16"	Good	Non-Protected
14	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
15	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
16	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
17	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
18	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
19	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
20	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077 continued

Tree Key	Botanical Name	Common Name	Trunk Diameter or Height	Condition	Protected Tree
21	Pinus halepensis	Aleppo Pine	12"	Good	Non-Protected
22	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
23	Pinus halepensis	Aleppo Pine	20"	Good	Non-Protected
24	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
25	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
26	Pinus halepensis	Aleppo Pine	M2: 14", 14”	Good	Non-Protected
27	Eucalyptus globulus	Blue Gum	24"	Good	Non-Protected
28	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
29	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
30	Pinus canariensis	Canary Island Pine	5"	Good	Non-Protected
31	Malosma laurina	Laurel Sumac	M8: 4", 4” 2”	Good	Non-Protected
32	Malosma laurina	Laurel Sumac	M4: 6”, 6”, 2”	Good	Non-Protected
33	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
34	Malosma laurina	Laurel Sumac	M10: 3”, 3”, 3"	Good	Non-Protected
35	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 4”	Good	Non-Protected
36	Malosma laurina	Laurel Sumac	M5: 5”, 4’, 4”	Good	Non-Protected
37	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 3”	Good	Non-Protected
38	Malosma laurina	Laurel Sumac	M3: 6”, 2”, 2”	Good	Non-Protected


10 FOOT EASEMENT FOR PEDESTRIAN ACCESS AND DRAINAGE PURPOSES PER TRACT NO. 37150
FRONT PROPERTY LINE
PROPERTY LINE
Δ=72°14'37"
R=150.00'
N62°39'01"W
A.C.
DIRT
EUCALYPTUS
PINES
PINE
TREE
SCALE
983.85
984.65
985.23
984.99TC
984.33FL
985.78
985.74TC
985.05FL
986.35
986.31TC
985.72FL
986.90
986.88TC
986.31FL
987.56
987.68TC
986.77FL
988.14TC
987.30FL
988.36
988.46TC
987.50FL
988.60
985.02
984.96
983.95
981.85
976.82
975.62
974.68
971.26
962.75
961.20FL
962.16
954.70
949.22
953.24
941.51
938.77
937.31
936.07FL
934.16TG
939.62
938.21FL
937.22
933.36
971.23
964.37
963.44FL
964.30
949.77
987.35
987.62
986.79
985.74
986.25
987.75
985.45
965.21
962.97
962.99
961.69
961.02
960.29
958.98TG
960.32
960.1T
(980)
(970)
(960)
(950)
(940)

ISA QUALIFICATIONS

International Society of Arboriculture™
Tree Risk Assessment Qualification

Michael J Crane

Having successfully completed the requirements established by the Certification Board of the International Society of Arboriculture,™ the above named is hereby recognized as holding the ISA Tree Risk Assessment Qualification.

Chair, Certification Board
International Society of Arboriculture

Jim Skiera, Executive Director
International Society of Arboriculture

December 31, 2015
Expiration Date

The American Society of Consulting Arborists

in recognition of fulfillment of the requirements for Registered Consulting Arborist status

confers upon

Michael Crane, RCA #440

Registered Membership
January 18, 2006

President

ASCA AMERICAN SOCIETY of CONSULTING ARBORISTS

Executive Director



dpr DEPARTMENT OF PESTICIDE REGULATION
LICENSING/CERTIFICATION PROGRAM

AGRICULTURAL PEST CONTROL ADVISER LICENSE

DATE OF ISSUE
01/01/2013

VALID THROUGH
12/31/2014

PCA 75893
MICHAEL J CRANE
PO BOX 51122
PASADENA CA 91115

ABCDEFG

International Society of Arboriculture
Board-Certified Master Arborist

Michael J. Crane

Having successfully completed the requirements set by the Arborist Certification Board of the International Society of Arboriculture, the above named is hereby recognized as an ISA Board-Certified Master Arborist

ISA

Jim Skiera, Executive Director
International Society of Arboriculture

WE-6643B	Nov 9, 2006	Dec 31, 2012
Certification Number	Certified Since	Expiration Date

CERTIFICATION OF PERFORMANCE

I, Michael Crane, certify that:

- I have personally inspected the tree(s) and the property referred to in this report and have stated my findings accurately.
- I have no current or prospective interest in the vegetation or the property that is the subject of this report and have no personal interest or bias with respect to the parties involved.
- The analysis, opinions, and conclusions stated herein are my own and are based on current scientific procedures and facts.
- My analysis, opinions, and conclusions were developed and this report has been prepared according to commonly accepted arboricultural practices.
- No one provided significant professional assistance to me, except as indicated within the report.
- My compensation is not contingent upon the reporting of a predetermined conclusion that favors the cause of the client or any other party not upon the results of the assessment, the attainment of stipulated results, or the occurrence of any subsequent events.

I further certify that I am a member in good standing of the American Society of Consulting Arborists and the International Society of Arboriculture. I have been involved in the field of Horticulture in a full-time capacity for a period of more than 15 years.

Signed: _____

Registered Consulting Arborist #440; American Society of Consulting Arborist
Board Certified Master Arborist #WE 6643B; International Society of Arboriculture
Licensed California Agricultural Pest Control Adviser #AA08269

Date: October 18, 2023

marcus@mcengland.com
mcengland.com
englandecology
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Biological Resources Report

City of Los Angeles, Los Angeles County, California

Subject Property:

APN: 4368003021
1400 Vista Moraga
Los Angeles, California 90049

Prepared for:

Tony Natsis
Los Angeles, CA 90049

Prepared by:

Marcus C. England
England | Ecology
mcengland.com

October 30, 2025

Table of Contents

Executive Summary **1**

Project Overview **2**

Project Information 2

Project Location 2

Protected Areas 5

Existing Physical/Natural Site Features 6

Site History 8

1994 8

1979 8

1938 9

Fire History 9

Proposed Development 10

Characteristics of the Surrounding Area **11**

Applicable Regulations and Permits **13**

Federal 13

Federal Endangered Species Act 13

Migratory Bird Treaty Act 13

Bald and Golden Eagle Protection Act 14

Birds of Conservation Concern 14

State of California 14

California Endangered Species Act 14

Fully Protected Animals 15

Species of Special Concern 15

California Rare Plant Ranks 15

California Fish and Game Code Sections 3503, 3503.5, 3513 16

California Environmental Quality Act 16

City of Los Angeles 17

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance 17

Methods **19**

Definitions 19

Resource Status Designations Considered 19

Study Areas 19
Desktop Review 20
Databases 20
Site-Specific Reports 21
Field Survey 21
Occurrence Potential 22
Geospatial & Tabular Data Storage 23
Taxonomy & Nomenclature 23
Statement on the Use of Artificial Intelligence 24
Biological Site Conditions Assessment 25
Water Resources 25
Literature Review 25
Field Methodology 25
Data Analysis 25
General Conclusions 27
Vegetation Communities & Habitats 28
Literature Review 28
Field Methodology 28
Data Analysis 28
General Conclusions 36
Flora 37
Literature Review 37
Field Methodology 37
Data Analysis 37
General Conclusions 40
Fauna 41
Literature Review 41
Field Methodology 41
Data Analysis 41
General Conclusions 52
Conclusions and Recommendations 53

Figures

Figure 1. Project Location Map 2
Figure 2. Project Location Relative to Specific Plan Areas 4
Figure 3. Project Location Relative to the Public Land Survey System 4
Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads 4
Figure 5. Protected Areas in the California Protected Areas Database 5
Figure 6. Soils on the Project Site 6
Figure 7. Historic Aerial from 1994. Source: Google Earth. 8
Figure 8. Historic Aerial from 1979. Source: FrameFinder 8
Figure 9. Historic Aerial from 1938. Source: FrameFinder 9
Figure 10. Fire Perimeters Relative to the Project Site 9
Figure 11. Aerial View of Surrounding Area 11
Figure 12. National Hydrography Dataset and National Wetlands Inventory Data 26
Figure 12. Critical habitat for plants in a portion of the Regional Study Area 38
Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area 46
Figure 14. City of Los Angeles Wildlife Movement Connectivity Data 48

Tables

Table 1. Project Summary 2
Table 2. Survey Dates, Times, and Weather Conditions 21

Exhibits

Exhibit 1. Site Map 3
Exhibit 2. Terrain Map 7
Exhibit 3. Vegetation Communities & Land Cover 31

Appendices

Appendix A. Biological Reporting Standards Acknowledgement of Compliance
Appendix B. Report Contributors
Appendix C. Floral & Faunal Compendia
Appendix D. Desktop Review of Special Status Biological Resources
Appendix E. Photo Logs
Appendix F. Reference Materials

Executive Summary

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concludes the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed. If development were proposed on the newly-created parcel, the Applicant will ensure the following regulatory compliance measures are implemented:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.
- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[1].
- **Nesting Birds:** To comply with California Fish and Game Code, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the California Fish and Game Code, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.

[1] https://www.cal-ipc.org/plants/inventory/

Project Overview

This report discusses the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California (hereafter, "Project"). This report has been organized in a manner to be consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Project Information

This biological resources report is being prepared at the request of the Applicant, who states that this report format was requested by Los Angeles City Planning. **Table 1** (right) summarizes key Project information as required by CP-4073.

Project Name	1400 Vista Moraga
APN(s)	4368003021
Address(es)	1400 Vista Moraga, Los Angeles, California 90049
Applicant	Tony Natsis
Zoning	RE40-1-H-HCR (Residential)

Table 1. Project Summary

Project Location

The Project is proposed on approximately 3.3 acres of land located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California. It is not located within an existing approved Specific Plan Area. On the Public Land Survey System, the Project Site is located within the San Vicente Y Santa Monica Land Grant of the US Geological Survey's 7.5-minute *Beverly Hills* quadrangle.

The Project's location is shown to the right in **Figure 1.** A Site Map is provided as **Exhibit 1** on the next page. The Project's location relative to Specific Plan Areas, the Public Land Survey System, and US Geological Survey 7.5-Minute Quads is shown on the following page in **Figures 2, 3,** and **4.**



Figure 1. Project Location Map

Exhibit 1. Site Map

1400 Vista Moraga



Project Site Boundary

Reference Grid Overlay: 50 feet. Coordinate System: EPSG 3310.
Base Map: Google. Map Scale: 1:1104



Figure 2. Project Location Relative to Specific Plan Areas



Figure 3. Project Location Relative to the Public Land Survey System



Figure 4. Project Location Relative to US Geological Survey 7.5-Minute Quads

Protected Areas

The nearest open space in the California Protected Areas Database (CPAD) is Getty View Park & Trailhead managed by the Mountains Recreation and Conservation Authority. It is located approximately 0.24 miles to the west. The nearest easement in the California Conservation Easement Database is located approximately 1.62 miles to the north. Protected areas in the CPAD are shown below in **Figure 5.**



Figure 5. Protected Areas in the California Protected Areas Database

Existing Physical/Natural Site Features

The Project Site is on a west-facing slope with elevations ranging from approximately 825 to 990 feet above mean sea level, with an elevation of approximately 915 feet above mean sea level at the center of the Project Site. Two soil types are present on the Project Site. The first is Urban land-Xerorthents, landscaped complex, 0 to 5 percent slopes[2]. The parent material of this soil type is human-transported material consisting mostly of colluvium and/or residuum weathered from sedimentary rock. The typical soil profile is loam to a depth of 52 inches. The second soil type is Topanga-Mipolomol-Sapwi association, 30 to 75 percent slopes. The parent material of this soil type is colluvium and/or residuum weathered from sandstone, shale, and slate. The typical soil profile is gravelly loam or gravelly clay loam to a depth of 18 inches. Photographs depicting the Project Site are provided in the **Photo Log** attached to this report as **Appendix E.** Soils on the Project Site and surrounding area are shown in **Figure 6.** There are no unique physical or natural site features that have unusual or exceptional biological value such as cliff faces, rock outcrops, bluffs, or stream banks. The Biological Study Area's terrain features are shown in **Exhibit 2.**



Figure 6. Soils on the Project Site

[2] https://websoilsurvey.sc.egov.usda.gov/app/

Exhibit 2. Terrain Map

1400 Vista Moraga



Site History

The City's CP-4073 reporting standards require a discussion of the Project Site's history, which is not information that is readily available, but can be assembled generally from historic aerial photos, such as those available on the UC Santa Barbara FrameFinder site[3] and Google Earth[4]. The images on the FrameFinder site are not georectified (making it difficult to place a Project Site boundary on them), but are useful for providing a general overview of land use history in the area. To that end, England|Ecology reviewed aerial photos from a series of years, three of which are provided below.

1994

This image from Google shows that the existing residence was present by 1994. Residences to the west of the Project Site appear to be under construction. The image referred to herein is provided as **Figure 7.**

Figure 7. Historic Aerial from 1994. Source: Google Earth.

1979

This image from FrameFinder shows that no residence was on the Project Site in that year. Development was present to the east, and it appears that the Project Site was largely cleared of shrubby vegetation. The image referred to herein is provided as **Figure 8.**

Figure 8. Historic Aerial from 1979. Source: FrameFinder

[3] https://mil.library.ucsb.edu/ap_indexes/FrameFinder/

[4] https://www.google.com/intl/en_us/earth/

1938

This image from FrameFinder shows no development was present on the Project Site and a large area around it. Vegetation appears to be mostly chaparral. The image referred to herein is provided as **Figure 9.**



Figure 9. Historic Aerial from 1938. Source: FrameFinder

Fire History

Fire perimeters relative to the Project Site are shown below in **Figure 10.** Based on these data[5] the Project Site last burned in the 1961 Bel Air Fire.



Figure 10. Fire Perimeters Relative to the Project Site

[5] https://www.fire.ca.gov/what-we-do/fire-resource-assessment-program

Proposed Development

This report has been prepared at the request of the Applicant for a proposed parcel split. No ground-disturbing activities are proposed at this time. The plan provided to England|Ecology during the preparation of this report is provided in **Appendix F.** The City has requested that in addition to the proposed parcel split, this report analyze the potential effects of maximal development (which is not currently proposed) within the newly-created parcel. Where applicable, effects analysis considers a development area of 5,366.16 square feet and allowable fencing of 6 feet in the side and rear yards, and 3.5 feet in the front yard.

Characteristics of the Surrounding Area

The City's CP-4073 reporting standards require a discussion of landscape characteristics within 500 feet of the Project Site, the limits for which are shown below in **Figure 11.** A discussion of landscape aspects is provided thereafter.



Figure 11. Aerial View of Surrounding Area

- **Impermeable Surfaces:** Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. Based on field observations and current aerial photography, impermeable surfaces such roads, residences, and other structures occupy approximately 25% of the 500-foot radius, scattered throughout as various winding roads and houses.
- **Natural Vegetation:** Based on field observations and current aerial photography, natural vegetation communities are located at the southern and northern limits of the 500-foot radius.
- **Landscape Vegetation:** Based on field observations and current aerial photography, landscape vegetation such as maintained trees, shrubs, and forbs are the primary vegetation within the 500-foot radius.
- **Terrain:** Terrain within 500 feet is largely hilly. Aspect is variable.

- **Water Features:** There are no known water features within 500 feet of the Project Site.
- **General Anthropogenic Disturbance:** Based on field observations and current aerial photography, the area within 500 feet of the Project Site is residential in nature without any high traffic roads. As such, anthropogenic disturbance factors such as vehicle traffic, light, and noise are likely to be relatively low.
- **California Protected Areas Database:** There are no parks or other protected areas shown in the California Protected Areas Database within 500 feet of the Project Site.
- **California Conservation Easement Database:** There are no easements shown in the California Conservation Easement Database within 500 feet of the Project Site.

Applicable Regulations and Permits

The following summarizes regulations and other resource protection mechanisms that are known to be or potentially are applicable to biological resources on the Project Site. Key species status terms and their abbreviations, used later in this report, are in bold text.

Federal

Federal Endangered Species Act

The Federal Endangered Species Act (FESA) is the federal government's tool to protect rare and declining plant and wildlife species. It is implemented jointly by the US Fish and Wildlife Service (USFWS, terrestrial species) and the National Marine Fisheries Service. FESA protects species using the following status designations:

- An **endangered (FE)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as facing extinction throughout all or a significant portion of its geographic range.
- A **threatened (FT)** species is a species of invertebrate, plant, or wildlife formally listed under FESA as likely to become endangered within the foreseeable future throughout all or a significant portion of its range.

A **proposed threatened (FPT)** or **proposed endangered (FPE)** species is one officially proposed for addition to the federal threatened or endangered species lists. A **candidate (FC)** species is one under review for listing, often due to the submittal of a petition by an outside entity.

"Take" of a federally endangered or threatened species or its habitat is prohibited by federal law without a special permit. The term "take", under FESA, means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in such conduct. "Harm" is defined to encompass "an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering" (50 CFR 17.3).

FESA also requires the USFWS to consider whether there are areas of habitat essential to conservation for each listed species. **Critical habitat (CH)** designations protect these areas, including habitat that is currently unoccupied but may be essential to the recovery of a species. An area is designated as critical habitat after the USFWS publishes a proposed Federal regulation in the Federal Register and then receives and considers public comments on the proposal. The final boundaries of critical habitat are officially designated when published in the Federal Register.

Several changes to the FESA have been proposed in 2025, including a proposal to rescind the definition of "harm" under the Federal Endangered Species Act[6].

Migratory Bird Treaty Act

The Migratory Bird Treaty Act of 1918 (MBTA) is a federal law governing the taking, killing, possession, transportation, and importation of various birds, their eggs, parts, and nests. The take of any number of a bird species listed as protected on any one of four treaty lists is governed by the MBTA's regulation of taking migratory birds for educational,

[6] https://www.federalregister.gov/documents/2025/04/17/2025-06746/rescinding-the-definition-of-harm-under-the-endangered-species-act

scientific, and recreational purposes and requiring harvest to be limited to levels that prevent over utilization. The MBTA also prohibits taking, possession, import, export, transport, selling, purchase, barter, or offering for sale, purchase or barter, certain bird species, their eggs, parts, and nests, except as authorized under a valid permit (50 CFR 21.11). In 2025, the FWS issued a memorandum eliminating the incidental take provision of the Migratory Bird Treaty Act[7]

Bald and Golden Eagle Protection Act

The Bald and Golden Eagle Protection Act (BGEPA) (16 U.S.C. 668-668c), enacted in 1940, and amended several times since then, prohibits anyone, without a permit issued by the Secretary of the Interior, from "taking" eagles, including their parts, nests, or eggs. The Act provides criminal penalties for persons who "take, possess, sell, purchase, barter, offer to sell, purchase or barter, transport, export or import, at any time or any manner, any bald eagle ... [or any golden eagle], alive or dead, or any part, nest, or egg thereof." The Act defines "take" as "pursue, shoot, shoot at, poison, wound, kill, capture, trap, collect, molest or disturb." For purposes of the guidelines, "disturb" means: “to agitate or bother a bald or golden eagle to a degree that causes, or is likely to cause, based on the best scientific information available, 1) injury to an eagle, 2) a decrease in its productivity, by substantially interfering with normal breeding, feeding, or sheltering behavior, or 3) nest abandonment, by substantially interfering with normal breeding, feeding, or sheltering behavior." In addition to immediate impacts, this definition also covers impacts that result from human-induced alterations initiated around a previously used nest site during a time when eagles are not present, if, upon the eagle's return, such alterations agitate or bother an eagle to a degree that interferes with or interrupts normal breeding, feeding, or sheltering habits, and causes injury, death, or nest abandonment.

Birds of Conservation Concern

The **Birds of Conservation Concern (BCC)** list “identifies the migratory and non-migratory bird species (beyond those already designated as federally threatened or endangered) that represent [the USFWS’s] highest conservation priorities. The list is based on an assessment of several factors, including population abundance and trends, threats on breeding and nonbreeding grounds, and size of breeding and nonbreeding ranges. Bird species considered for the BCC include: nongame birds, gamebirds without hunting seasons, subsistence-hunted nongame birds in Alaska, ESA candidate, proposed, and recently delisted species.[8]”

State of California

California Endangered Species Act

The California Endangered Species Act (CESA) is the State of California’s tool to protect rare and declining plant and wildlife species. Plant and animal species may be designated threatened or endangered under CESA after a formal listing process by the California Fish and Game Commission. Implementation of CESA is by the California Department of Fish and Wildlife (CDFW). CESA protects species using the following status designations:

- An **endangered (CE)** species is a species of plant or wildlife whose prospects of survival and reproduction are in immediate jeopardy.

[7] https://www.doi.gov/sites/default/files/documents/2025-04/m-37085.pdf

[8] https://fws.gov/media/birds-conservation-concern-2021pdf

- A **threatened (CT)** species is a species of plant or wildlife present in such small numbers throughout its range that it is considered likely to become an endangered species in the near future in the absence of special protection or management.

A **candidate (CC)** species is one formally under review for listing. Candidate species are protected from take by CESA during the review process.

Assembly Bill 1319 (AB 1319) was signed by Governor Newsom, becoming effective on January 1, 2026. AB 1319 intends to counter any reduction in protections by the FESA, requiring CDFW to monitor changes in species protections under FESA. If CDFW *determines that a federally listed species would be substantially impacted by a decrease in protections by the federal government and that listing as a provisional candidate species could significantly reduce such impacts, CDFW would publish its determination, and the species will be listed under CESA as a provisional candidate species*[9]. "Provisional candidate species" is a new classification under CESA, providing these species with the same protections afforded to candidate species under CESA.

Fully Protected Animals

CDFW describes the **Fully Protected (FP)** animals list as "the State's initial effort in the 1960s to identify and provide additional protection to those animals that were rare or faced possible extinction. Lists were created for fish, amphibians, reptiles, birds and mammals. Fully Protected species may not be taken or possessed at any time and no licenses or permits may be issued for their take except for collecting these species for necessary scientific research, relocation of the bird species for the protection of livestock, or if they are a covered species whose conservation and management is provided for in a Natural Community Conservation Plan.[10]"

Species of Special Concern

Species of special concern (SSC) is an informal designation used by the CDFW for some declining wildlife species that are not officially listed as endangered, threatened, or rare. This designation does not provide legal protection, but signifies that these species are recognized as vulnerable by the CDFW.

California Rare Plant Ranks

While not a government agency, the California Native Plant Society (CNPS) is a statewide resource conservation organization that has developed an inventory of California's special-status plant species that is highly regarded by the agencies and biologists. This inventory is a summary of information on the distribution, rarity, and endangerment of California's vascular plants. Rare or potentially rare plant species are ranked using the following system **(CRPR)**:

- **1A:** Plants Presumed Extirpated in California and Either Rare or Extinct Elsewhere.
- **1B:** Plants Rare, Threatened, or Endangered in California and Elsewhere.
- **2A:** Plants Presumed Extirpated in California, But Common Elsewhere.

[9] https://www.endangeredspecieslawandpolicy.com/california-legislature-sends-endangered-species-bill-to-governor

[10] https://wildlife.ca.gov/Conservation/Fully-Protected

- **2B:** Plants Rare, Threatened, or Endangered in California, But More Common Elsewhere.
- **3:** Plants About Which More Information is Needed - A Review List.
- **4:** Plants of Limited Distribution - A Watch List.

After each rarity ranking, there is also a threat ranking:

- **0.1:** Seriously threatened in California (over 80% of occurrences threatened / high degree and immediacy of threat).
- **0.2:** Moderately threatened in California (20-80% occurrences threatened / moderate degree and immediacy of threat).
- **0.3:** Not very threatened in California (less than 20% of occurrences threatened / low degree and immediacy of threat or no current threats known).

California Fish and Game Code Sections 3503, 3503.5, 3513

These California Fish and Game Code sections protect all birds, birds of prey, and all nongame birds, as well as their eggs and nests, for species that are not already listed as fully protected and that occur naturally within the state. Sections 3503 and 3503.5 of the CFGC stipulate the following regarding eggs and nests: Section 3503 states that it is unlawful to take, possess, or needlessly destroy the nest or eggs of any bird, except as otherwise provided by California Fish and Game Code or any regulation made pursuant thereto; and Section 3503.5 states that it is unlawful to take, possess, or destroy any birds in the orders Falconiformes or Strigiformes (birds-of-prey) or to take, possess, or destroy the nest or eggs of any such bird except as otherwise provided by CFGC or any regulation adopted pursuant thereto. In 2025, the California Migratory Bird Protection Act was signed into law, prohibiting the unauthorized “take” of any bird species that is covered by the MBTA. Specifically, the law modifies Section 3613 of the CFGC to read “It is unlawful to take or possess any migratory bird as designated in the federal Migratory Bird Treaty Act (16 U.S.C. Sec. 703 et seq.) before January 1, 2025, any additional migratory bird that may be designated in that federal act after that date, or any part of a migratory bird described in this section, except as provided by rules and regulations adopted by the United States Secretary of the Interior under that federal act before January 1, 2025, or subsequent rules or regulations adopted pursuant to that federal act, unless those rules or regulations are inconsistent with this code.”

California Environmental Quality Act

Appendix G of the CEQA Guidelines is used by public agencies to determine whether a project may have a significant impact on biological resources. Under Appendix G (Section IV), a project may have a significant impact on biological resources if it would:

- Have a substantial adverse effect, either directly or through habitat modification, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations by the CDFW or USFWS.
- Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in the City or regional plans, policies, or regulations by the CDFW or USFWS.

- Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means.

- Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.

- Conflict with any local policies or ordinances protecting biological resources, such as tree preservation policy or ordinance (e.g., oak trees or California walnut woodlands).

- Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

In addition, Section 15065(a) of the CEQA Guidelines establishes that a significant impact may occur if "[t]he project has the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish and wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, [or] reduce the number or restrict the range of an endangered, rare or threatened species."

City of Los Angeles

City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance

The Protected Tree and Shrub Relocation and Replacement Ordinance took effect in February 2021. As defined in Section 46.01 of the Los Angeles Municipal Code, "protected tree or shrub" means any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree, or any of the following Southern California indigenous shrub species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

- Protected Trees:
    - Oak tree including Valley Oak (*Quercus lobata*) and California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*).
    - Southern California Black Walnut (*Juglans californica*).
    - Western Sycamore (*Platanus racemosa*).
    - California Bay (*Umbellularia californica*).
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*).
    - Toyon (*Heteromeles arbutifolia*).

Sections 46.02 to 46.06 of the Los Angeles Municipal Code describe mitigation measures for tree impacts and penalties for violating the ordinance.

Methods

This report is informed by data from an expansive desktop review and a field survey, the methods for which are described below. From this section forward, the more biologically accurate terms *taxon* and *taxa* are used in place of the term *species* used in most regulations because of the fluid nature of modern taxonomy, with special status assignments often being made for subspecies and populations instead of entire species. The term *species* is only used where applicable to the discussion.

Definitions

Resource Status Designations Considered

A variety of agencies and respected non-profit organizations assess the conservation status of plant and wildlife taxa and habitats, however, not all are applicable to this report. The following special status designations were considered when determining special status taxa and habitats to be discussed:

- **Federal Status:** Taxa listed as **Endangered (FE)** or **Threatened (FT)**, as well as taxa **Proposed as Endangered (FPE)**, **Proposed as Threatened (FPT)**, **Proposed for Delisting (FPD)**, and **Candidates (FC)** for listing under the Federal Endangered Species Act. Bald and Golden Eagles protected by the **Bald and Golden Eagle Protection Act (BGEPA)** and **USFWS-listed Birds of Conservation Concern** are also included.
- **California Status:** Taxa listed as **Endangered (CE)** or **Threatened (CT)**, as well as taxa that are **Candidates for Endangered (CCE)** status, **Threatened (CCT)** status, or **Delisting (CCD)** under the California Endangered Species Act. Also considered are taxa listed as **Fully Protected (FP)** and **Species of Special Concern (SSC).**
- **CNPS Status:** California Rare Plant Ranks (CRPR) 1, 2, and 3.
- **NatureServe Element Ranks:** NatureServe element state ranks were only considered for taxa when other criteria did not apply. Taxa were included with ranks of **S1 (Critically Imperiled)**, **S2 (Imperiled)**, and **S3 (Vulnerable).**
- **Vegetation Communities:** All vegetation communities mapped by the CNDDB.
- **Protected Trees and Shrubs:** trees and shrubs protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance are discussed in the analysis of flora.

Study Areas

The following are the study areas referenced in the Biological Site Conditions Assessment:

- **Project Site:** The Project Site includes the 3.29 acres of land being considered for entitlements and directly surveyed for this report.
- **Biological Study Area:** The Biological Study Area includes the Project Site and a 200 foot buffer. For this Project, the Biological Study Area measures 16.18 acres in extent. Known or potentially-occurring biological resources were examined closely within the Biological Study Area, but may not have been directly surveyed because of access restrictions.

- **Regional Study Area:** The Regional Study Area is the area for which taxa and habitat records were pulled from most biological resource databases. It includes the 7.5-minute US Geological Survey quadrangle the Project Site is located in and all surrounding quadrangles: *Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys*, and *Venice*. The Regional Study Area is depicted in the **Desktop Review Report** provided as **Appendix D.**

Desktop Review

Databases

England|Ecology conducted a review of literature and data sources to characterize biological conditions and to compile records of special status biological resources that could potentially occur on the Project Site. The resources used for this analysis are described below.

- **Soils:** Soils on and in the vicinity of the Project Site were assessed using the Web Soil Survey tools provided by the US Department of Agriculture[11].
- **Water:** Potential water resources were examined using the US Geological Survey's National Hydrography Dataset[12] and the USFWS National Wetlands Inventory[13].
- **Vegetation Communities:** potentially-occurring sensitive vegetation community records were pulled from the California Natural Diversity Database (CNDDB)[14] for the Regional Study Area.
- **Flora and Fauna:** potentially-occurring special status plant and wildlife records were pulled from the following data sources:
    - Designated and proposed critical habitat layers from the US Fish & Wildlife Service[15]. Taxa were included if critical habitat was proposed or designated within the Regional Study Area.
    - CNDDB records from within the Regional Study Area.
    - The California Native Plant Society (CNPS) Rare Plant Inventory[16] records from within the Regional Study Area.
    - The USFWS-managed Information for Planning and Consultation (IPaC) database[17] for records returned when uploading the boundary of the Project Site.

[11] https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm

[12] https://www.usgs.gov/national-hydrography/national-hydrography-dataset

[13] https://www.fws.gov/program/national-wetlands-inventory/wetlands-mapper

[14] California Natural Diversity Database (CNDDB). March 12, 2025. State and Federally Listed Endangered, Threatened, and Rare Plants of California. California Department of Fish and Wildlife. Sacramento, CA.

15 https://ecos.fws.gov/ecp/report/critical-habitat

[16] https://rareplants.cnps.org

[17] https://ipac.ecosphere.fws.gov/

In addition, records were searched locally within eBird[18] and iNaturalist[19].

Site-Specific Reports

During the preparation of this report, England|Ecology was provided with the following report pertaining to biological resources on the Project Site, the data from which was incorporated into this report where applicable:

- **Arborist Report:** an arborist report was completed for this Project by Arbor Care, Inc. in October 2023[20]. Hereafter, this report will be referred to as the "Arborist Report".

This report is provided in **Appendix F.**

Field Survey

England|Ecology principal biologist Marcus C. England conducted a general biological survey on the Project Site on March 17, 2025. This survey was of sufficient detail to document the presence/absence and condition of water resources, vegetation communities and habitats, and flora and fauna observed. This provided a baseline for understanding the potential for occurrence of special status biological resources. A follow-up survey was conducted October 21, 2025 to gather additional documentation to better assess effects if vegetation impacts were to occur on the proposed southern parcel[21]. Survey information, including start and end times and weather conditions, is provided in **Table 2.**

Table 2. Survey Dates, Times, and Weather Conditions

Monday, March 17, 2025 0915-1015h (1 hours) Marcus C. England	56°F 13°C	60°F 16°C
Tuesday, October 21, 2025 0800-0830h (0.5 hours) Marcus C. England	59°F 15°C	62°F 17°C

On both visits, the Project Site was easily covered on foot walking transects of convenience to examine biological resources. Where necessary, observations were made with Leica Noctivid 8x42 binoculars and documented with a Nikon D500 camera paired with a Sigma 150-600mm lens (later, a Nikon Z8 with Nikkor 180-600mm lens). All other observations were documented using various applications and functions on an iPhone 15 Pro (later, iPhone 17 Pro),

[18] https://ebird.org

[19] https://inaturalist.org

[20] Arbor Care, Inc. 2023. Tree Survey. 1400 N. Vista Moraga, Los Angeles, 90049. 9 pages.

[21] The original survey was conducted specifically to analyze biological resources for a proposed parcel split with no vegetation impacts, as presented in the first version of this report in April 2025. Planning, subsequently, requested revisions assuming vegetation impacts for potential development in the new parcel, even though no development was proposed. This prompted some confusion about potential effects in later versions of the report, prompting the October site visit.

including the Solocator[22] app for photographic documentation of site conditions and the QField[23] app for collecting spatial (e.g., photo and resource locations) and non-spatial (e.g., floral and faunal lists) tabular data. After the survey was completed, data in QField was synchronized to a geospatial database using QGIS[24] 3.40.

Occurrence Potential

England|Ecology assessed the potential for occurrence of special status plant and wildlife taxa and habitats based on data provided by the desktop review and observations made during the field survey. For taxa for which field observations could not definitively determine occurrence, the following information was considered:

- **Range:** The Regional Study Area—from which records were gathered—is a large area capturing many taxa that would not be expected to occur in the Biological Study Area. In general, range determinations were made as follows:
    - **Flora:** The range of the taxon is based on an export of point records of that taxon from Calflora[25] with each record provided a buffer of 10km. If the Biological Study Area was within that mapped range, it could be considered outside of range if the elevations in the Biological Study Area were more than ten percent outside of the known elevation range of the taxon. If alternative sources are used they are included in the notes.
    - **Fauna:** The range of the taxon was determined differently based on the taxonomic group:
        - **Invertebrates and Fish:** An export of records of that taxon from the Global Biodiversity Information Facility[26] with each record provided a buffer of 10km. If alternative sources are used they are included in the notes.
        - **Amphibians, Reptiles, Birds, and Mammals:** California Wildlife Habitat Relationships[27] range data from the California Department of Fish and Wildlife. If alternative sources are used they are included in the notes.
- **Habitat:** If the Biological Study Area was determined to be outside of the taxon's range, habitat was not assessed and is labeled "N/A". If the Biological Study Area was determined to be within the taxon's range, the quality of the habitats in the Biological Study Area to support any portion of that taxon's life cycle was assessed and labeled as "Low", "Medium", or "High". The rationale for that determination is provided in the Notes of the desktop review report.

These occurrence potential assignments are defined below:

---

[22] https://solocator.com/

[23] https://qfield.org/

[24] https://www.qgis.org/en/site/

[25] https://www.calflora.org/

[26] https://gbif.org

[27] https://wildlife.ca.gov/Data/CWHR

- **Present:** Taxa or habitat/vegetation community is known to occur on the Project Site based on recent surveys, CNDDB (within 10 years), or other records.

- **High:** Taxa with known recent recorded occurrences/populations near the Project Site and highly suitable habitat occurs within the Project Site. Highly suitable habitat includes all necessary elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources).

- **Moderate:** Taxa with known recent recorded occurrences/populations near the Project Site; however, habitat within the Project Site has been moderately disturbed, fragmented, or is small in extent. Moderately suitable habitat includes several elements to support the taxon (e.g., elevation, hydrology, soils, cover, habitat type, food resources). Furthermore, moderately suitable habitat may also be located at the edge of the taxon's range, or there are no reported occurrences nearby.

- **Low:** Taxa with few known recent recorded occurrences/populations near the Project Site and habitat within the Project Site is highly disturbed or extremely limited. A low potential is assigned to annual or perennial plant taxa that may have been detectable during a focused survey in the appropriate blooming period but was not found; however, small populations or scattered individuals are still considered to have a low potential to occur. Additionally, taxa for which poor-quality habitat may support the taxon within the Project Site, but the reported extant range is far outside the Project Site and/or any species observations would anticipate being migratory (i.e., not likely to reproduce within the Project Site).

- **None:** Taxa or habitat/vegetation community are not expected to be present because focused surveys were conducted and the taxon or habitat/vegetation community was not detected, or the taxon was found in the desktop review, but suitable habitat (soil, vegetation, elevational range) was not found on the Project Site, or the Project Site is not within the known geographic range of the species.

The potential for bird species were further distinguished into those that may: 1) nest within or near the Project Site; 2) forage within or near the Project Site; and/or 3) occur on or near the Project Site only as transients during migratory flights or other dispersal events.

Geospatial & Tabular Data Storage

All GIS-based resource analysis was conducted in QGIS 3.40, with either local data copies stored in a GeoPackage database or using a web service provided by the organization housing the data. Data specific to the Project Site is stored in a statewide GeoPackage database file.

Taxonomy & Nomenclature

It is important within a given report to use a consistent taxonomy for clarity in communication, especially as the various sources used in the research for a report may not use the same taxonomy and nomenclature. The taxonomic database underpinning England|Ecology's work is updated monthly from NatureServe[28]. NatureServe's taxonomy includes an Element Code for each taxon. These same Element Codes are used by a variety of agencies and organizations, including the California Department of Fish and Wildlife in the CNDDB and the California Native Plant Society in their Rare Plant Inventory. The Element Code provides a basis for linking records from disparate data sources. In all cases in this report,

[28] https://www.natureserve.org/classifying-biodiversity

the taxonomic order and nomenclature are NatureServe's[29], with the exception of the special status flora discussion which is linked to a monthly export of the Rare Plant Inventory. As such, while this report largely capitalizes common names consistent with the NatureServe taxonomy, tabular data exported for special status floral analysis does *not* use this convention, as it is not used by the California Native Plant Society.

Statement on the Use of Artificial Intelligence

England|Ecology, LLC does not use artificial intelligence (AI) or AI-based tools for any facet of data collection, analysis, mapping, or document production with the following exceptions:

- **Document Review:** the Proofread function built into the macOS operating system is used to proofread document text.
- **Recording Devices:** where trail cameras or autonomous recording devices (for bird and/or bat sounds) are used, software that incorporates AI tools is used in wildlife discovery and tentative identification before manual verification.

[29] The author does not always agree with NatureServe's taxonomy (such as where it varies from that of the American Ornithological Society), but it provides a consistent basis for discussion across taxonomic groups.

Biological Site Conditions Assessment

This biological site conditions assessment describes the Project Site's biological resources based on the desktop review and field survey. The format of this section of the report is consistent with Los Angeles City Planning's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023.

Water Resources

The following section discusses observed or potential water resources on and in the vicinity of the Project Site. A formal jurisdictional delineation was not conducted as part of data gathering for this report.

Literature Review

As described in the Methods section above, during the preparation of this report England|Ecology reviewed data from the National Hydrography Dataset and the National Wetlands Inventory. This review found the following:

- **National Hydrography Dataset:** The National Hydrography Dataset shows no flowlines within 500 feet, no area features within 500 feet, no water bodies within 500 feet, and no point features within 500 feet.
- **National Wetlands Inventory:** The National Wetlands Inventory shows no features within 500 feet.

These data are discussed in the Data Analysis section below and shown on **Figure 12.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Specific to water resources, while a formal jurisdictional delineation was not conducted, the entirety of the Project Site was searched for natural water resources. This included searching for ponded water, depressions that could hold ponded water, flowing water, stream channels or other indicators of ephemeral flowing water, and riparian plant species.

Data Analysis

Resource Presence/Absence

Per the National Hydrography Dataset, the Project Site is located within the Ballona Creek HU-12 drainage which is a subcomponent of the Ballona Creek HU-10 drainage. No hydrological features are mapped on the Project Site by the National Hydrography Dataset or the National Wetlands Inventory. No natural water features or indicators of the presence of ephemeral water features were observed on the Project Site during England|Ecology's survey.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.



Figure 12. National Hydrography Dataset and National Wetlands Inventory Data

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to surface water resources, such as siting the building footprint more than 100 feet away from the water body*. As no water bodies are present on or adjacent to the Project Site, no such considerations would be required of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects. If development were proposed on the newly-created parcel, no avoidance and minimization measures for water resources would be required.

Direct Effects

CP-4073 states that direct effects *may occur if the project has surface water resources or other riparian habitat occurring in areas that will be disturbed either by development or used as construction staging areas*, further requiring to *provide acreage of water resources that will be impacted by the project*. As no natural water resources are present on or adjacent to the Project Site, no direct effects on water resources or other riparian habitat would occur as a result of any Project. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on

water resources. If development were proposed on the newly-created parcel there would be no direct effects on water resources.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding or modifying human infrastructure that leads to hydrologic interruptions.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on water resources. If development were proposed on the newly-created parcel, such development would occur on an undeveloped site within an otherwise developed area. Construction would result in new impermeable surfaces that would alter the site's existing hydrological regime and adversely affect water quality. A **Water Resources** measure pertains to these indirect effects and is described below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses of surface water resources and/or riparian habitat,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses of surface water resources or other riparian habitat.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on water resources within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to water resources. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of surface water resources or other riparian habitat.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on water resources.

In order to avoid significant adverse effects on water resources the Applicant will ensure the following measure is implemented if development occurs on the newly-created parcel:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on water resources as no natural water features are present on the Project Site and no ground-disturbing activities are proposed. If development occurs on the newly-created parcel, potential adverse indirect effects on water resources will be avoided through implementation of a Water Resources measure describing compliance with the City-mandated Low Impact Development ordinance.

Vegetation Communities & Habitats

The following section discusses vegetation communities and habitats in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

A review of the CNDDB determined a total of seven sensitive vegetation communities are mapped within the Regional Study Area. These are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.**

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Mapped vegetation had the potential to fall into two categories:

- **Natural Alliance:** native or non-native natural vegetation communities that are recognized by the Manual of California Vegetation[30], a classification system recognized by most agencies. Areas with heavy anthropogenic influence, such as seasonal ground disturbance from fuel modification, are tagged as "Disturbed". Most alliances provide some level of habitat for wildlife, though it can be minimal when disturbed or dominated by invasive plant species.

- **Land Cover:** areas of hardscape, water features, and landscaping that do not fall into the alliance classification scheme. This may include tree-dominated landscapes that do have an associated alliance (such as oak and *Eucalyptus* woodlands) but are not in a natural state, such as those found in heavily residential areas.

Data Analysis

Resource Presence/Absence

General Resource Analysis

England|Ecology mapped vegetation communities and land cover types on the Project Site and the 200-foot Biological Study Area based upon recent aerial photography and field observations. This resulted in the classification/mapping of six land cover types in the Biological Study Area. These are discussed below and shown on **Exhibit 3.** Summary boxes for each vegetation description are color-matched to their polygons in **Exhibit 3** for ease of reference. No natural alliances were present in the Biological Study Area.

[30] https://vegetation.cnps.org/



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 9.17 acres (56.6%)
Project Site Extent: 2.29 acres (69.57%)

Landscape - Tree & Shrub

Non-Alliance Land Cover

Project-Specific Discussion: The "tree & shrub" landscape type is a mix of taller vegetation dominated by non-native trees and typically set in a managed landscape environment. In some cases, native trees are included in this land cover type when part of landscaping and not a functional natural community. Habitat value of this land cover type varies significantly, however, urban environments with significant tall tree cover often harbor a large number of wildlife. This is particularly true of birds.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 1.54 acres (9.53%)
Project Site Extent: 0.25 acres (7.44%)

Landscape - Forb

Non-Alliance Land Cover

Project-Specific Discussion: The "forb" landscape type includes all managed but typically artificially-planted areas of vegetation that are shorter than shrubs. This land cover type includes lawns. These areas have some value for wildlife, as landscape flowers provide food for hummingbirds and butterflies, and lawns can provide foraging areas for some birds and small mammals. Their overall habitat value, however, is significantly lower than any natural habitat they may have replaced. This land cover type is also typically dominated by non-native and often invasive plant species.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 4.88 acres (30.12%)
Project Site Extent: 0.73 acres (22.3%)

Disturbed - Impermeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Impermeable Surfaces are parts of the built environment, including paved roads, sidewalks, walkways, and buildings. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat.

CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.16 acres (0.99%)
Project Site Extent: 0.02 acres (0.69%)

Artificial Water Feature

Non-Alliance Land Cover

Project-Specific Discussion: Artificial water features are man-made, typically small bodies of water. The majority of these are swimming pools, which generally have no practical wildlife value. In some cases, small ponds and large fountains may be mapped as this land cover type. These often do have wildlife value, particularly given Southern California's arid environment.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.38 acres (2.34%)
Not represented on Project Site.

Residential - Undifferentiated

Non-Alliance Land Cover

Project-Specific Discussion: Areas mapped as Residential-Undifferentiated were graded and under construction during the survey or were recently constructed and graded and under construction in the aerial photography used for mapping. When complete, these areas would be one of other land cover types such as Impermeable Surface or Landscaping.



CDFW Code: N/A | Global Rank: N/A | State Rank: N/A
Biological Study Area Extent: 0.07 acres (0.41%)
Not represented on Project Site.

Disturbed - Permeable Surface

Non-Alliance Land Cover

Project-Specific Discussion: Permeable Surfaces are parts of the built environment, including compacted but unpaved areas devoid of vegetation, gravel, and unimproved roads. In general, areas mapped as this land cover type have little value for wildlife and are not considered habitat, though in some cases—such as unimproved roads—they may occur within habitat.

Exhibit 3. Vegetation Communities & Land Cover

1400 Vista Moraga



Special Status Resource Analysis

The seven sensitive vegetation communities mapped by the CNDDB as occurring within the Regional Study Area are shown below. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site. The accounts highlight determinations of their potential occurrence on the Project Site as well as their potential to be adversely affected by the Project based on field observations.



Potential Occurrence: None

Potential For Project to Effect: None

Southern Dune Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT21330CA
CNDDB Records:	1
Taxon Group:	Dune
Habitats:	Coastal dunes
Notes:	—

Potential Occurrence: None

Potential For Project to Effect: None

Riversidian Alluvial Fan Sage Scrub

Global Rank:	G1
State Rank:	S1.1
Taxon Code:	CTT32720CA
CNDDB Records:	1
Taxon Group:	Scrub
Habitats:	Coastal scrub
Notes:	—

Southern Coastal Salt Marsh

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT52120CA
CNDDB Records:	1
Taxon Group:	Marsh
Habitats:	Marsh & swamp; Wetland
Notes:	—



Southern Coast Live Oak Riparian Forest

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT61310CA
CNDDB Records:	9
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Cottonwood Willow Riparian Forest

Global Rank:	G3
State Rank:	S3.2
Taxon Code:	CTT61330CA
CNDDB Records:	1
Taxon Group:	Riparian
Habitats:	Riparian forest
Notes:	—



Southern Sycamore Alder Riparian Woodland

Global Rank:	G4
State Rank:	S4
Taxon Code:	CTT62400CA
CNDDB Records:	20
Taxon Group:	Riparian
Habitats:	Riparian woodland
Notes:	—

California Walnut Woodland

Global Rank:	G2
State Rank:	S2.1
Taxon Code:	CTT71210CA
CNDDB Records:	9
Taxon Group:	Woodland
Habitats:	Cismontane woodland
Notes:	—

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* No native vegetation is present on the Project Site, therefore, no avoidance measures would be required of any Project, including any

development that could be proposed on the newly-created parcel. The proposed Project, however, is a parcel split which would have no ground-disturbing effects.

Direct Effects

CP-4073 guidance only addresses direct effects on individual flora species, not vegetation communities or habitats. As no natural vegetation communities are present on or adjacent to the Project Site, no direct effects on such communities would occur as a result of any Project, including any development that could be proposed on the newly-created parcel, which at most could affect 5,366 square feet of Landscape - Tree & Shrub, which is predominantly comprised of non-native plants. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on vegetation communities.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on vegetation communities. If development were proposed on the newly-created parcel:

- **Brush clearance:** brush clearance for fuel modification requirements has the potential to adversely affect habitat values on adjacent undeveloped areas. The proposed Project is located within an area with extensive existing development and vegetation clearance and the scope of such an effect would not be significant relative to the existing condition.

- **Invasive species:** the introduction of new or significantly modified residential development into an area brings with it the potential of invasive species being planted within landscaping which could escape into surrounding undeveloped areas and diminish habitat values. With the exception of legal requirements controlling the sale of invasive plants at nurseries, little can be done to prevent the planting of invasives by residents long term. Relative to this specific Project, it is located within an area with extensive existing development and the scope of such an effect would not be significant relative to the existing condition. Nonetheless, an **Invasive Species** measure is provided below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* For this section, however, we will replace special status species with native or natural vegetation communities. As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on vegetation communities within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of vegetation communities and habitats.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on vegetation communities. In order to avoid significant adverse effects on vegetation communities the Applicant will ensure the following regulatory compliance measure is implemented if development were to occur on the newly-created parcel:

- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[31].

General Conclusions

The proposed Project will not have significant direct, indirect, or cumulative effects on vegetation communities as no natural vegetation communities are present on the Project Site and no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, potential adverse indirect effects on vegetation communities will be avoided through implementation of an Invasive Species measure requiring the avoidance of invasive plants in the landscape palette.

[31] https://www.cal-ipc.org/plants/inventory/

Flora

The following section discusses flora in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The floral literature review identified 46 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 118 occurrences of 38 floral taxa in the CNDDB for the Regional Study Area.
- **CNPS:** 64 floral taxa in the CNPS Rare Plant Inventory for the Regional Study Area.
- **IPaC:** Two floral taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** One floral taxon with proposed or designated critical habitat in the Regional Study Area.

All special status flora considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D.** Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2.** Plant taxa were identified and recorded along with their approximate abundance and condition in a geospatial database. Landscape plants were largely ignored unless they were native taxa maintained within landscaping, or if they were potentially of biological importance.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 13 floral taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C.** No special status floral taxa from the Desktop Review were detected. One taxon protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance was detected, outside of the area addressed by the Arborist Report (which only provided data on the proposed parcel to be split). The known or expected status of all special status flora analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 46 special status floral taxa analyzed for this report, 0 were determined to be Present, 0 were determined to have a High potential for occurrence, 0 were determined to have a Moderate potential for occurrence, 0 were determined to have a Low potential for occurrence, and 46 were determined to have no potential for occurrence. These data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential.

Critical Habitat

While critical habitat for a plant listed under the Federal Endangered Species Act has been designated within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 12.**



Figure 12. Critical habitat for plants in a portion of the Regional Study Area

Potential Protected Trees and Shrubs

The following summarizes the presence or absence of taxa that are potentially protected by the City of Los Angeles Protected Tree and Shrub Relocation and Replacement Ordinance:

- Protected Trees:
    - California Live Oak (*Quercus agrifolia*), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (*Quercus berberidifolia*): not present.
    - Southern California Black Walnut (*Juglans californica*): not present.
    - Western Sycamore (*Platanus racemosa*): present.
    - California Bay (*Umbellularia californica*): not present.
- Protected Shrubs:
    - Mexican Elderberry (*Sambucus mexicana*): not present.
    - Toyon (*Heteromeles arbutifolia*): not present.

The Arborist Report addressing the proposed parcel to be split is provided in **Appendix F.** As stated previously, the sycamore is not represented in the Arborist Report as it is outside of the area covered by that report.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*. Neither guidance document separates vegetation communities from the discussion of flora, as has been done in this report, as vegetation communities comprise the habitat within which flora and fauna are found.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to flora, such as reconfiguring the building footprint to avoid impact/removal of trees and native vegetation.* The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required. If development were proposed on the newly-created parcel, no avoidance and minimization measures for floral resources would be required.

Direct Effects

CP-4073 states that direct effects *may occur if a flora species is identified within areas that will be disturbed either by development or used as construction staging areas*. The guidance further describes the particulars of analyzing direct effects on special status plants. As no special status flora are present on or adjacent to the Project Site, no direct effects on special status flora would occur as a result of any Project, including any development that may ultimately be proposed in the newly-created parcel. The proposed Project, however, is a parcel split which would have no ground-disturbing effects and no direct effects on flora.

Indirect Effects

CP-4073 advises that indirect effects are those effects that *may occur from brush clearance for fuel modification requirements on adjacent properties, addition of invasive species, etc.* The proposed Project is a parcel split which would have no ground-disturbing effects. As such, the proposed Project would not have adverse indirect effects on floral resources. If development were proposed on the newly-created parcel:

- **Brush clearance:** brush clearance for fuel modification requirements has the potential to adversely affect habitat values on adjacent undeveloped areas. The proposed Project is located within an area with extensive existing development and vegetation clearance and the scope of such an effect would not be significant relative to the existing condition.

- **Invasive species:** the introduction of new or significantly modified residential development into an area brings with it the potential of invasive species being planted within landscaping which could escape into surrounding undeveloped areas and diminish habitat values. With the exception of legal requirements controlling the sale of invasive plants at nurseries, little can be done to prevent the planting of invasives by residents long term. Relative to this specific Project, it is located within an area with extensive existing development and the scope of such an effect would not be significant relative to the existing condition. Nonetheless, an **Invasive Species** measure is provided below.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *may occur from cumulative losses in the local populations of a sensitive/special status species*, requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on flora within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing

conditions relative to vegetation. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses of flora.

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status plants. In order to avoid significant adverse effects on vegetation communities the Applicant will ensure the following regulatory compliance measure is implemented if development were to occur on the newly-created parcel:

- **Invasive Species:** The Invasive Species measure proposed in the Vegetation Communities & Habitats section above.

General Conclusions

No special status plants are known to occur or expected to occur on the Project Site. The proposed Project will not have significant direct, indirect, or cumulative effects on special status plants as no special status plants are present on the Project Site and no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, potential adverse indirect effects on vegetation communities will be avoided through implementation of an Invasive Species measure requiring the avoidance of invasive plants in the landscape palette.

Fauna

The following section discusses fauna in the Biological Study Area, including known resources and the potential for occurrence of special status resources.

Literature Review

The faunal literature review identified 77 special status taxa to be considered for their potential occurrence. This was based on records from the following sources:

- **CNDDB:** 313 occurrences of 58 faunal taxa in the CNDDB for the Regional Study Area.
- **IPaC:** 24 faunal taxa recommended for consideration by IPaC based on an upload of the Project Site boundary.
- **Critical Habitat:** Four faunal taxa with proposed or designated critical habitat in the Regional Study Area.

All special status fauna considered for this report are discussed in the Data Analysis section below and in the Desktop Review Report provided as **Appendix D**. Per the guidance in CP-4073 and CP-4074, taxa with occurrence potentials of Low and None will not be discussed further.

Field Methodology

A discussion of methods, including the date, time, and weather parameters is provided in the Methods section of this report and summarized in **Table 2**. All wildlife species directly observed, heard (e.g., bird song), or for which sign was observed (e.g., gopher burrows, scat, etc.) were recorded in a geospatial database. While larger bird nests—such as those used by raptors and corvids—were searched for as they can be used across years, a time-intensive nesting bird survey was not conducted as the results would be irrelevant to the Project's timeline. The site was also assessed for potential bat roosting habitat, suitability for wildlife movement, and use by other wildlife taxa of importance where applicable.

Data Analysis

Resource Presence/Absence

General Resource Analysis

The list of 17 faunal taxa detected by England|Ecology is provided in the **Floral & Faunal Compendium** provided as **Appendix C**. This list includes 0 amphibian, 0 reptile, 16 bird, and one mammal detections during fieldwork conducted on the Project Site. The most commonly observed taxa were Botta's Pocket Gopher (*Thomomys bottae*), Ruby-crowned Kinglet (*Corthylio calendula*), and Lesser Goldfinch (*Spinus psaltria*). A total of two special status faunal taxa were detected. The known or expected status of all special status fauna analyzed for this report are described in the next section.

Special Status Resource Analysis

Of the 77 special status faunal taxa analyzed for this report, two were determined to be Present, five were determined to have a High potential for occurrence, four were determined to have a Moderate potential for occurrence, six were determined to have a Low potential for occurrence, and 60 were determined to have no potential for occurrence. These

data are summarized in the Desktop Review Report provided in **Appendix D.** The accounts below summarize taxa determined to have moderate or higher occurrence potential. The maps show the centroids of the CNDDB records in order to spatially depict the occurrences relative to the Project Site (for taxa that are in the CNDDB). All data, including habitat descriptions, is directly from the CNDDB.

American Peregrine Falcon

Falco peregrinus anatum

Legal Status:	FD, CD, S3S4
Source(s):	CNDDB(2)
Taxon Code:	ABNKD06071
Natural History:	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.
Range Notes:	—
Habitat Suitability:	High. No suitable nesting habitat on or near the Project Site. CWHR Predicted Habitat: High quality. EnglandIEcology agrees.
Notes:	This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Habitats:	Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



Western Screech-Owl

Megascops kennicottii

Legal Status:	BCC
Source(s):	IPaC
Taxon Code:	ABNSB01040
Natural History:	No CNDDB habitat description available
Range Notes:	—
Habitat Suitability:	High. CWHR Predicted Habitat: High quality. EnglandIEcology agrees.
Notes:	—
Habitats:	Potentially found in Landscape - Tree & Shrub



Allen's Hummingbird

Selasphorus sasin

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNUC51030
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.
Habitats: Potentially found in Landscape - Tree & Shrub



Nuttall's Woodpecker

Dryobates nuttallii

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABNYF07020
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: Medium quality. EnglandlEcology disagrees. Present in nearly all wooded areas of Los Angeles.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Oak Titmouse

Baeolophus inornatus

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPAW01100
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Wrentit

Chamaea fasciata

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBJ26010
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



California Thrasher

Toxostoma redivivum

Legal Status: BCC
Source(s): IPaC
Taxon Code: ABPBK06080
Natural History: No CNDDB habitat description available
Range Notes: —
Habitat Suitability: High. CWHR Predicted Habitat: High quality. EnglandlEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Lawrence's Goldfinch

Spinus lawrencei

Legal Status: S4, BCC
Source(s): IPaC
Taxon Code: ABPBY06100
Natural History: NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandlEcology agrees.
Notes: Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.
Habitats: Potentially found in Landscape - Tree & Shrub



Potential Occurrence: Moderate

Potential For Project to Effect: None

Pallid Bat

Antrozous pallidus

Legal Status: SSC, S3
Source(s): CNDDB(4)
Taxon Code: AMACC10010
Natural History: DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
Habitats: Potentially found in Artificial Water Feature, Disturbed - Impermeable Surface, Disturbed - Permeable Surface, Landscape - Forb, Landscape - Tree & Shrub, Residential - Undifferentiated



Potential Occurrence: Moderate

Potential For Project to Effect: None

San Diegan Legless Lizard

Anniella stebbinsi

Legal Status: SSC, S3
Source(s): CNDDB(36)
Taxon Code: ARACC01060
Natural History: GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub



Potential Occurrence: Moderate

Potential For Project to Effect: None

San Bernardino Ring-necked Snake

Diadophis punctatus modestus

Legal Status: S2?
Source(s): CNDDB(1)
Taxon Code: ARADB10015
Natural History: MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.
Range Notes: —
Habitat Suitability: Medium. CWHR Predicted Habitat: Medium quality. EnglandIEcology agrees.
Notes: —
Habitats: Potentially found in Landscape - Tree & Shrub

Critical Habitat

While critical habitat for wildlife listed under the Federal Endangered Species Act has been designated or proposed within the Regional Study Area, no critical habitat is present on or near the Biological Study Area, including the Project Site. Critical habitat locations are described in the attached **Desktop Review Report** and shown in **Figure 13.**



Figure 13. Critical habitat for wildlife in a portion of the Regional Study Area

Mountain Lion

Planning document CP-4074 requires consideration of the potential presence of Mountain Lion (*Puma concolor*). Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for mountain lion dens, including caves, large natural cavities within rocky areas, or vegetation thickets deemed appropriate for use by mountain lions based on size and other characteristics (e.g., proximity to human development, surrounding habitat). Habitat use should be based on two behavior categories: reproductive behavior (communication and denning), or non-reproductive behavior (moving and feeding), and any natural communities on the project site that are suitable for either behavior*: There was no habitat on the site suitable for Mountain Lions for reproductive or non-reproductive behavior. This is because of the following observed factors: existing development of the Project Site, surrounding human development, and lack of natural habitats.

- *Evidence of mountain lion presence (e.g., direct observation, tracks, scat, carcasses or bones of prey species) in the vicinity of identified suitable habitat*: No evidence of Mountain Lion presence was detected during the survey and none would be expected.

- *Habitat suitable for mule deer, including the presence of grasses and forbs, woodland vegetation (especially acorn mast), chaparral vegetation (especially chamise shrubs), and riparian vegetation*: While Mule Deer likely occur periodically, there is no natural habitat for Mule Deer on or near the Project Site.

- *Evidence of mule deer presence (e.g., direct observation, tracks, scat, carcasses)*: No evidence of Mule Deer presence was detected during the survey and none would be expected.

As Mountain Lion would not be expected to occur, the proposed Project would not have an adverse effect on Mountain Lions.

Bats

Planning document CP-4074 requires an assessment of bat habitat for day and night roosts. Guidance language provided in CP-4074 is provided in italics:

- *Habitat suitable for bats, including trees (e.g., palm trees, large old trees with cavities, dead trees), cliff faces, rock outcroppings, structure overhangs (e.g., roof overhangs on houses and sheds), and bridges*: There are numerous palm trees and large old trees in the northern portion of the Project Site (though perhaps none with cavities, and structure overhangs), but no cliff faces, rock outcroppings, structure overhangs, or bridges. The proposed parcel to the south has a surface layer of bare soil and non-native Rosemary, a mid layer of scattered manicured shrubs, and a canopy of non-native pine. While some of the pines are tall, they are relatively young, with no gaps or crevices in the bark sufficient for bat roosting.

- *Evidence of bat presence (e.g., direct observation (alive or dead), guano deposits, urine stains, vocalizations) in the vicinity of identified suitable habitat*: No evidence of bat presence was observed, nor was it expected.

- *The proximity of suitable bat habitat to prime foraging areas, such as water sources (e.g., artificial lakes, reservoirs, pools, rivers, drainages, or storm channels)*: The nearest potential prime foraging area for bats is Stone Canyon Reservoir located approximately 1.3 miles to the northeast.

The only potentially occurring special status bat species (Pallid Bat, a Species of Special Concern), as noted in the species account, is only likely to occur as an overflight while feeding at night. Bats, like many birds, can range widely while active due to their flying ability. There is no roosting habitat on the proposed parcel to the south for Pallid Bat, nor would roosting be expected in that parcel for other, non-special status bat species.

Nesting Birds

Birds – including native species protected by the Migratory Bird Treaty Act and California Fish and Game Code – have the potential to nest in nearly any environment, including those heavily altered by anthropogenic activity. Planning document CP-4074 provides specific guidance for assessing the potential for nesting birds. Guidance language provided in CP-4074 is provided in italics:

- *Describe the methodology used to assess the project site for suitable nesting birds, with specific reference to long-term nesting species such as raptors (hawks, owls, falcons) and colonial waterbirds (e.g., herons and egrets). Please ensure that the entire vicinity of the subject property (e.g., out to 500') is evaluated, both for these long-term nests, as well as for their foraging habitat. If no nesting birds are found, summarize the negative survey results*: The entirety of the Project Site was directly surveyed as described in the *Methods* section of this report. To the extent feasible, larger trees out to 500 feet from the Project Site were assessed remotely using 8X42 Leica Noctivid binoculars, looking for visible evidence of larger platform nests. Raptors and corvids were also observed during the survey for behavioral indicators of nest location. The Project Site is not in a location where colonial waterbirds would be expected to nest. No raptor or corvid nests were detected during the survey.

- *Surveys should identify habitat suitable for nesting birds, including trees, shrubs, and structure overhangs (e.g., roof overhangs on houses and sheds)*: Nesting on the Project Site by smaller bird species would be expected during the nesting season. Potential nest locations include landscape shrubs and trees and existing structures on the Project Site.

- *Evidence of nesting birds (e.g., photos of nests with birds inside)*: No nesting birds were detected during the survey, however, a specific and time-intensive nesting bird survey, watching for behavioral indicators of nesting behavior, was not conducted.

Wildlife Movement

Wildlife movement corridors are important for maintaining population levels and genetic diversity. As such, effects on wildlife movement are an important consideration when discussing the natural resources of any area. At a small enough scale, any project or activity can potentially affect the movement of wildlife if any wildlife are present at all. In general, however, the term "wildlife movement corridor" means an area of habitat that is important for the movement of wildlife between larger habitat areas or cores. For the proposed Project, England|Ecology considered the following relative to the importance of lands on the Project Site for wildlife movement:

- **The South Coast Missing Linkages Project:** The South Coast Missing Linkages Project[32] was a 2008 inter-agency effort to identify and conserve the highest-priority linkages in the South Coast Ecoregion. The nearest linkage to the Project Site is Santa Monica - Sierra Madre located approximately 12.05 miles to the west.

Figure 14. City of Los Angeles Wildlife Movement Connectivity Data

- **The California Essential Habitat Connectivity Project:** The California Essential Habitat Connectivity Project[33] was a 2010 project commissioned by the California Department of Fish and Wildlife and Caltrans which identified remaining blocks of contiguous natural habitat in California (i.e., natural landscape blocks) and modeled linkages between neighboring large natural landscape blocks. The nearest linkage to the Project Site is Castro Peak/Santa Monica Mtns - Pine Mountain/Sespe Condor located approximately 11.4 miles to the west.

- **City of Los Angeles Wildlife Connectivity:** The City of Los Angeles provides remotely-sensed habitat connectivity data[34] for assessing potential wildlife movement. The data is provided at a 30 meter resolution. The data shows most of the Biological Study Area as having restricted movement, with some small but disconnected patches suggesting movement could occur. A map depicting these data for the Biological Study Area is provided as **Figure 14.**

[32] http://www.scwildlands.org/

[33] https://wildlife.ca.gov/Science-Institute/Habitat-Connectivity

[34] https://geohub.lacity.org/maps/labos::citywide-wildlife-connectivity/about

- **Direct Observations:** The Project Site is developed, is surrounded by other residential development, has surrounding walls and fencing, and has no natural vegetation communities. All of which would suggest the Project Site is not part of any potential wildlife movement corridor.

Based on the above observations, lands on the Project Site would not be a component of an existing wildlife movement corridor nor would any new development on the Project Site be expected to significantly obstruct wildlife movement beyond existing conditions.

Protected Areas for Wildlife & Wildlife Movement Pathways

The Project Site may be located[35] within the Santa Monica Mountains East PAW as described in the *Protected Areas for Wildlife & Wildlife Movement Pathways* (PAWs) report prepared by ESA for Los Angeles City Planning in February 2021[36]. Relative to the criteria described for that PAW, the Project Site:

- Criterion 1: Supports Endangered & Threatened Plants/Wildlife: the PAWs report states that this PAW "Supports Endangered or Threatened wildlife species." While this is true in many preserved open space areas and areas nearby, there is no evidence that the Project Site supports endangered and threatened plants and/or wildlife. The habitats on-site are unlikely to do so as noted in the sensitive flora and fauna discussions above and in the attached **Desktop Review Report.**

- Criterion 2: Supports Unique/Restricted Distribution in Southern California: the PAWs report states that this PAW "Supports sensitive natural plant communities and special-status plant and wildlife species (e.g., CRPR plant species, SSC wildlife species)." The Project Site does not support natural plant communities, as noted previously in the **Vegetation Communities & Habitats** section of this report. As described in the **Flora** section of this report, as well as the attached **Desktop Review Report**, the Project Site would not be expected to harbor CRPR plant species. As described in the **Fauna** section of this report, as well as the attached **Desktop Review Report**, the Project Site has potential to harbor the following SSC wildlife species: Pallid Bat (though no roosting habitat is present) and San Diegan Legless Lizard.

- Criterion 3: Supports Unique/Restricted Distribution in Los Angeles: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

- Criterion 4: Supports Linkages/Constrained Linkages: the PAWs report states that this PAW "Supports Linkages/ Constrained Linkages". As noted earlier in this report in the Wildlife Movement section, the Project Site is not in a position to provide connectivity between habitat blocks.

- Criterion 5: Supports Breeding/Feeding/Resting/Migrating Grounds with Limited Availability in Southern California/ Los Angeles: the PAWs report states that this PAW "Supports a variety of bird species, and is important for preserving biodiversity." It is, indeed, the case the Project Site supports a variety of bird species as do most vegetated areas of Southern California. As described below in Potential Project Effects, the Project would not be expected to significant adverse effects on bird species.

[35] Spatial data with these boundaries has not been made public. The only reference available are low resolution maps in the PAWs Report.

[36] ESA. 2021. Protected Areas for Wildlife & Wildlife Movement Pathways. Report prepared for Los Angeles City Planning. 354 pages.

- Criterion 6: Restoration Foreseeable: as noted in the PAWs report, this Criterion is not satisfied for the PAW so it is not discussed further.

Potential Project Effects

This effects discussion is organized to comply with the written requirements in CP-4073, which provides direction on how Planning wants potential Project effects discussed, including Avoidance and Minimization Measures, Direct Effects, Indirect Effects, and Cumulative Effects. CP-4074 does not include guidance for effects discussions except for Mountain Lion. For each type of effect the guidance from CP-4073 is *quoted in italics*.

Avoidance and Minimization Measures

CP-4073 requires discussion of *how the project has been designed to avoid and minimize impacts to fauna, such as incorporating minimal landscape lighting and wildlife-friendly fencing*. The proposed Project is a parcel split which would have no ground-disturbing effects. No avoidance or minimization measures are required. If development were proposed on the newly-created parcel, no avoidance and minimization measures for faunal resources would be required due to the lack of important locations or habitats for special status resources.

Direct Effects

CP-4073 states that direct effects *may occur if a fauna species is identified as nesting, foraging or otherwise occurring in areas that will be disturbed either by development or used as construction staging areas.* The guidance further describes the particulars of analyzing direct effects on special status wildlife, and states that direct effects *may also occur if the project may restrict or block the entrances/exits of a wildlife corridor*. The Project's potential to directly affect different categories of wildlife is discussed below:

- **Invertebrates:** No special status invertebrates are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status invertebrates.

- **Fish:** No special status fish are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status fish.

- **Amphibians:** No special status amphibians are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status amphibians.

- **Reptiles:** While two special status reptiles have moderate or higher potential to occur on the Project Site, one of these taxa is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[37]. The other has no formal legal status. No measures would be required of any Project to avoid significant adverse effects on special status reptiles.

- **Birds:** While special status birds are present or have a high potential for occurrence, those occurring and potentially occurring are: seven Birds of Conservation Concern, which are non-threatened and non-endangered taxa with an administrative designation that carries no formal legal status, and one delisted raptor for which no nesting habitat is present. The Project, however, is a proposed parcel split with no ground-disturbing effects. If

[37] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

development were proposed on the newly-created parcel, such development would not be expected to cause significant new habitat impacts for these taxa, nor would it be expected to cause direct mortality because of the typical mobility of birds. If work occurs during the nesting season for most birds (generally defined as February 1 to August 31), there is potential to have significant adverse effects on birds protected by the Migratory Bird Treaty Act and California Fish and Game Code (which is most native bird species). A **Nesting Birds** measure is described below to avoid a potentially significant direct effect on nesting birds.

- **Mammals (Except Bats):** No special status non-bat mammals are expected to occur on or adjacent to the Project Site, therefore, no measures would be required of any Project to avoid significant adverse effects on special status non-bat mammals.

- **Bats:** While one special status bat has moderate or higher potential to occur on the Project Site (only as an overflying species at night when feeding), this taxon is a California Species of Special Concern, which is an administrative designation and carries no formal legal status[38]. As stated in the species account, potential roosting habitat was not identified on the Project Site during the survey. The Project is a proposed parcel split with no ground-disturbing effects. Any proposed development would not be expected to adversely affect potential roosting habitat, as no potential roosting habitat is present.

- **Wildlife Movement:** As described previously in the section on **Wildlife Movement**, the Project Site is not important to wildlife movement or a component of a known or potential wildlife movement corridor. As such, no measures would be required of any Project to avoid significant adverse effects on wildlife movement.

Indirect Effects

CP-4073 advises that indirect effects are those effects *that may occur from adding wildlife barriers (e.g., fencing) or modifying human infrastructure commonly utilized by wildlife (e.g., culverts)*. The proposed Project is a parcel split. As such, the proposed Project would not have adverse indirect effects on faunal resources. If development were proposed on the newly-created parcel, any new fencing that may be installed (6 feet in the side and rear yards, and 3.5 feet in the front yard) would not result in a significant indirect effect on wildlife movement due to the installation of wildlife barriers as the property is already fenced. There are no known plans to modify human infrastructure commonly used by wildlife.

Cumulative Effects

For cumulative effects, CP-4073 states that effects *from cumulative losses in the local populations of a sensitive/special status species or in a general wildlife corridor,* requiring that this report *describe recent projects within a 500-foot radius and whether their impacts together with the project may create significant cumulative losses for any particular sensitive/special status species or general wildlife connectivity.* As previously described in the required **Site History** and **Characteristics of the Surrounding Area** sections of this report, the Project Site is located within an area of existing and long-standing residential development. Significant cumulative impacts on habitats, species populations, and wildlife movement within this area occurred over several decades from the 1930s to the 1990s. Today, most Projects occurring within this area are small Projects that do not significantly change the extent and character of existing conditions relative to these aspects of wildlife use of the local environment. As such, the proposed Project would not be expected to contribute to any modern day significant cumulative losses habitat, species, or connectivity.

[38] https://wildlife.ca.gov/Conservation/SSC#394871319-how-are-sscs-addressed-under-the-california-environmental-quality-act

Measures to Avoid Significant Adverse Effects

As the Project being analyzed herein is a proposed parcel split with no ground-disturbing activities, no measures are proposed to avoid significant adverse effects on special status fauna. If development were to be proposed on the newly-created parcel, the Applicant will ensure the following regulatory compliance measure is implemented:

- **Nesting Birds:** To comply with California Fish and Game Code, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the California Fish and Game Code, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.

General Conclusions

The Project Site provides or has potential to provide habitat to the following special status faunal resources:

- Two fauna taxa determined to be Present: Allen's Hummingbird, and Wrentit;
- Five fauna taxa determined to a High potential for occurrence: American Peregrine Falcon, California Thrasher, Nuttall's Woodpecker, Oak Titmouse, and Western Screech-Owl;
- Four fauna taxa determined to have a Moderate potential for occurrence: Lawrence's Goldfinch, Pallid Bat, San Diegan Legless Lizard, and San Bernardino Ring-necked Snake;
- Nesting birds protected by the Migratory Bird Treaty Act and California Fish and Game Code.

The proposed Project will not have significant direct, indirect, or cumulative effects on special status wildlife as no ground-disturbing activities are proposed. If development were proposed on the newly-created parcel, significant direct, indirect, or cumulative effects on special status wildlife species or their habitat would not be expected with the implementation of a measure for Nesting Birds. No other measures are recommended for special status fauna.

Conclusions and Recommendations

This report discussed the potential direct, indirect, and cumulative effects on biological resources due to proposed construction on a parcel approximately 3.3 acres in extent located at 1400 Vista Moraga in the community of Bel Air in the City of Los Angeles, Los Angeles County, California.

Based on the results of a field survey on March 17, 2025 and a desktop review that included in excess of 473 vegetation community, plant, and wildlife records, this report concluded the following:

- **Water Resources:** No natural water resources are present on or adjacent to the Project Site.
- **Vegetation Communities and Habitats:** The Project Site features existing development and landscaping and contains no natural communities.
- **Flora:** The Project Site does not support special status flora.
- **Fauna:** The Project Site is known to or has potential to support wildlife species with minor special status.

The proposed Project is a parcel split with no ground-disturbing activities proposed. As such, the Project would have no adverse effects on biological resources and no measures to avoid significant adverse effects are proposed. If development were proposed on the newly-created parcel, the Applicant will ensure the following regulatory compliance measures are implemented:

- **Water Resources:** Run-off effects on water quality will be minimized to the extent feasible via compliance with the City-mandated Low Impact Development (LID) ordinance, which became effective in May 2012. LID comprises a set of site design approaches and best management practices that are designed to address runoff and pollution at the source. The LID requires the submittal of a Stormwater Mitigation Plan.
- **Invasive Species:** the landscape architect and contractor will avoid the use of invasive plants listed on the California Invasive Plant Council's Cal-IPC Inventory of invasive plants[39].
- **Nesting Birds:** To comply with California Fish and Game Code, a pre-construction survey for nesting birds by a qualified biologist will take place within 300 feet of all project work areas within one week of the commencement of project infrastructure construction if work occurs during the nesting bird season, which is generally accepted as February 1 to August 31. To avoid potential take under the California Fish and Game Code, construction activities should not take place in the vicinity of any active bird nests. The recommended construction buffer zone around active bird nests varies by species and would need to be determined on an individual basis based on the opinion of the surveying biologist as agreed upon by the California Department of Fish and Wildlife.

[39] https://www.cal-ipc.org/plants/inventory/

Appendix A. Biological Reporting Standards Acknowledgement of Compliance

APPLICATIONS

BIOLOGICAL REPORTING STANDARDS ACKNOWLEDGMENT

ACKNOWLEDGMENT OF COMPLIANCE

Biological report preparers must sign and include the following acknowledgment in the report:

I attest that I meet the requirements for a Qualified Biologist and California Department of Fish and Wildlife (CDFW) qualifications for botanical field surveyors, both as defined in the Biological Reporting Standards document (CP-4074).

I attest that the creation of the Biological Resources Report complied with all the following standardized requirements in the Biological Reporting Standards document (CP-4074), unless explicitly noted otherwise. Any deviations from the above standards have been detailed and justified in the Biological Resources Report.

Name of Lead Biologist Marcus C. England

Lead Biologist Signature **Date** Oct 30, 2025

Names of Additional Biologists N/A

Company Name & Contact Information

England|Ecology, LLC

1704 Winmar Drive

Los Angeles, CA 90065

Appendix B. Report Contributors

All fieldwork, report text, and maps were prepared by Marcus C. England whose resume follows.

Marcus C. England

Principal Biologist

Marcus C. England offers over two decades of experience, with expertise in avian biology, population ecology, project permitting, technical writing, and GIS and project experience in all industries.

marcus@mcengland.com
mcengland.com
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Summary

Marcus C. England is an experienced principal biologist with expertise in avian biology, population ecology, project permitting, technical writing, geographic information systems, and database management. He has led teams on large and complex projects in all industries across the western United States. He has a recovery permit to conduct surveys for California Gnatcatcher, Southwestern Willow Flycatcher, and Yellow-billed Cuckoo and has extensive experience conducting protocol surveys for Least Bell's Vireo, Burrowing Owl, Swainson's Hawk, and Desert Tortoise. England has a thorough knowledge of the California Environmental Quality Act (CEQA), National Environmental Policy Act (NEPA) and Federal Endangered Species Act (FESA) and how these state and federal policies, as well as local land use and environmental policies, apply to the project permitting process. England has written biological resources assessments and biological assessments for some of the largest development projects in the state of California, including projects in Sacramento, Kern, Ventura, Los Angeles, Orange, San Bernardino, Riverside, and San Diego counties and has successfully supported project permitting under an array of regional habitat conservation plans statewide. He has also written due diligence documents for large projects in northern California, Arizona, New Mexico and Nevada. He currently sits on the Science Advisor Panel for the Clark County (Nevada) Multiple Species Habitat Conservation Plan.

Employment History

Independent Consulting Biologist
dba England|Ecology (now England|Ecology, LLC)
Jan 2010 - Jun 2011, Oct 2016 - Mar 2020, Mar 2023 - Present — Los Angeles, CA

- Author proposals, respond to RFP needs for teaming partners
- Conduct all aspects of fieldwork, data management, report writing, mapping
- Business planning, marketing, relationship development

Director of Biological Resources
Bargas Environmental Consulting
Mar 2020 - Mar 2023 — Sacramento, CA

- Corporate leader, department head, and project manager
- Conduct all aspects of fieldwork, data management, report writing, mapping

Vice President
Bloom Biological
Jun 2011 - Oct 2016 — Santa Ana, CA

- Lead development of corporate business strategy, obtain new work contracts
- Manage staff and biological data, conduct fieldwork, author reports, mapping

Director of Biological Services
Natural Resource Consultants
Jun 2003 - Dec 2009 — Laguna Beach, CA
Write proposals, manage staff and biological data

- Conduct all aspects of fieldwork, data management, report writing, mapping
- Conduct fieldwork, author reports

Chief Ornithologist
Lamanai Field Research Center
Sep 1998 - Jun 2000 — Belize, Central America

- Develop and implement ecosystem-scale research on birds
- Manage volunteer biologists, lead birding tours, develop new tour clients

Permits

Recovery Permit TE-082233
US Fish and Wildlife Service
Jan 2005 - Present

- California Gnatcatcher, Southwestern Willow Flycatcher, Yellow-billed Cuckoo

Scientific Collecting Permit SC-11354
California Department of Fish & Wildlife
Jan 2010 - Present

Expertise

Field Biology

- Specialist in avian ecology and identification
- Sensitive species surveys including Desert Tortoise, California Gnatcatcher, Burrowing Owl, Least Bell's Vireo, Swainson's Hawk, Golden Eagle among many others
- Large-scale vegetation mapping projects and impact analysis
- CEQA, NEPA, FESA, NCCPs
- GPS and mobile field data collection systems

Geospatial

- Desktop software: ArcGIS, QGIS, GRASS
- Server and geodatabases: PostGIS, Spatialite
- Web mapping: Google Maps, OpenLayers

Project Management

- Array of projects in many industries
- Oversight of large multidisciplinary teams
- Reliably on time and within budget
- Collaborate with clients, agencies, other stakeholders

Office

- Operating systems: MacOS, Windows, Linux
- Mobile: iOS, iPadOS, Android
- Productivity Software: MS Office, Apple iWork
- Data Management: MS Access, Excel, Ninox, PowerApps, PostgreSQL
- Server: SharePoint, Plone, Linux

Education

B.Sc. in EEO Biology
The Ohio State University
Mar 1993 - Jun 1998

Management Development for Entrepreneurs
UCLA Anderson School of Management
Sep 2021 - Jan 2022

Certificate in Tropical Ornithology
Estación Biológica La Suerte, Costa Rica
Jun 1996 - Jul 1996

Below: *contemplating the upcoming day's work during implementation of a contract with the US Bureau of Land Management to survey Pygmy Rabbits in a remote area of northern Nevada in September 2017. England|Ecology led a three-person team that completed the work on time and under budget.*

Marcus C. England
Selected Project History

2017 to Present

Upper Westside Specific Plan | Upper Westside, LLC

- Apr 2019 - Apr 2022
- Sacramento County, California
- Swainson's Hawk, Giant Gartersnake
- PM, Surveyor, Author
- Biological Resources Assessment

As project manager and Director for Bargas, England conducted one year of Swainson's Hawk (SWHA) protocol surveys, managed SWHA and other species' survey efforts for two additional years, and authored a biological resources assessment addressing the potential effects of the proposed project on resources, including SWHA and Giant Gartersnake, within the context of the requirements of the Natomas Basin HCP and the Metro Air Park HCP, collectively addressing 22 covered plant and animal species.

Descanso Gardens Wildlife Management Plan | Descanso Gardens Guild

- Jan 2019 - Dec 2019
- Los Angeles County, California
- Special Status Species, Wildlife Habitats, Impacts
- PM, Surveyor, Author
- Wildlife Management Plan

This contract sought to provide solutions to some of the challenges of operating public gardens in a natural environment using guidance from nearby and similar facilities. The plan's goals were to increase the quality of native habitats for wildlife, minimize visitor-wildlife conflict, protect planted garden areas and facilities from wildlife damage, promote environmental research and education, and promote a regional habitat linkage. Fieldwork for the plan included 10 months of diurnal and nocturnal surveys as well as widespread camera trapping.

Harris Beach Management Unit Wildlife Assessment | Oregon Parks & Recreation

- Jan 2018 - Dec 2019
- Brookings, Oregon
- Colonial Waterbirds, Marine Mammals, Spotted Owl
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by OPRD to prepare a wildlife assessment report. Because of the size of the survey area, the field component lasted two weeks and included wildlife and habitat documentation (including remote camera trapping), hiking every trail available within the included parks, and camping with Harris Beach and Alfred A. Loeb state parks. Final deliverables included geospatial data and a report documenting what is known and not known about the wildlife and habitats of the park unit, with suggestions for future research and management priorities.

Smith Rock State Park Wildlife Assessment | Oregon Parks & Recreation

- Jan 2017 - Jun 2017
- Deschutes County, Oregon
- Special Status Species, Bald and Golden Eagles
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by the Oregon Parks & Recreation Department to prepare a wildlife assessment report for Smith Rock State Park located in central Oregon. The project required extensive pre-survey research; five field days on-site with over 30 miles of hiking, wildlife and habitat documentation (including remote camera trapping); and preparation of new geospatial data and an extensive report documenting what is known and not known about the wildlife and habitats of the park, with suggestions for future research and management priorities.

Owyhee Roads Fuelbreak Project | US Bureau of Land Management

- Jul 2017 - Oct 2017
- Humboldt County, Nevada
- Pygmy Rabbit
- PM, Surveyor
- Letter report, GIS data

England|Ecology was contracted by the US Bureau of Land Management (BLM) to conduct surveys for Pygmy Rabbit on 2,068 acres of BLM-managed lands. Two subcontractors were trained on survey methodology and identification of Pygmy Rabbit sign. The survey was completed over two weeks, involving 114 miles of transect walking per surveyor in often adverse weather conditions and over rough terrain. Final deliverables to the BLM included a report, photos, and geospatial data.

2016 and Prior

High Speed Rail Project - Bakersfield to Palmdale

T.Y. Lin

- Jan 2015 - Oct 2016
- Los Angeles and Kern Counties, California
- Swainson's Hawk, Golden Eagle
- PM, Surveyor, Author, GIS
- Biological Resources Letter Report

Raptor Conservation Strategy

Mitsubishi Cement & US Forest Service

- Jan 2016 - Oct 2016
- San Bernardino National Forest, California
- Golden Eagle
- PM, Surveyor, Author
- Biological Resources Letter Report

Santa Clara River Riparian Surveys

Newhall Land

- Jan 2010 - Oct 2016
- Los Angeles and Ventura Counties, CA
- Least Bell's Vireo, Southwestern Willow Flycatcher
- PM, Surveyor, Author
- Biological Resources Letter Report

Montebello Hills Conservation & Development Project

Cook-Hill Properties

- Jan 2007 - Dec 2009
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment, Biological Assessment

Terranea Resort

Long Point Development

- Jan 2005 - Jul 2008
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment

Skyline Ranch

Pardee Homes

- Jul 2003 - Jul 2009
- Los Angeles County, California
- California Gnatcatcher, Vernal Pools, SEATAC
- PM, Surveyor, Author
- Biological Resources Assessment



Below: *conducting fieldwork in May 2018 at Harris Beach State Park, Oregon under contract to the Oregon Parks & Recreation Department.*

See more at **mcengland.com/projects**

Appendix C. Floral & Faunal Compendia

Inserted after this cover page is a database-generated report summarizing floral and faunal observations.

Floral and Faunal Compendia

1400 Vista Moraga

This database-generated report summarizes the plant and wildlife taxa detected during the survey conducted on March 17, 2025 by England|Ecology. Documented during the survey was the presence of 13 plant taxa and 17 wildlife taxa, the latter including 0 amphibian, 0 reptile, 16 bird, and 1 mammal detections. Landscape plantings are not included unless of potential biological importance.

The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. All taxonomy and nomenclature follows NatureServe. The reference taxonomy from NatureServe was last updated in October 2024. This report was generated using QGIS 3.40.

Group	Common Name	Scientific Name	Abundance	Phenology	Global Rank	State Rank	Fed Status	State Status	CRPR	Notes
Dicots	Laurel Sumac	Malosma laurina	Uncommon	Vegetative	—	—	—	—	—	Young sprouts in landscape
Dicots	Brazilian Peppertree	Schinus terebinthifolius	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Spiny-leaf Sowthistle	Sonchus asper	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Castor-bean	Ricinus communis	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Black Medic	Medicago lupulina	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Rosemary	Rosmarinus officinalis	Common	Flowering	—	—	—	—	—	Landscape
Dicots	California Sycamore	Platanus racemosa	Uncommon	Vegetative	—	—	—	—	—	—
Dicots	Thymeleaf Speedwell	Veronica serpyllifolia	Common	Vegetative	—	—	—	—	—	—
Monocots	Golden Bamboo	Phyllostachys aurea	Common	Vegetative	—	—	—	—	—	—
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Eucalyptus sp.
Other	Other	Other	Common	Vegetative	—	—	—	—	—	Pinus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Quercus sp.
Other	Other	Other	Uncommon	Vegetative	—	—	—	—	—	Geranium rotundifolium

Fauna

Group	Common Name	Scientific Name	Count	Type	G Rank	S Rank	FESA	CESA	CDFW	Notes
Birds	Red-tailed Hawk	Buteo jamaicensis	1	Fly-over	G5	—	—	—	—	—
Birds	Mourning Dove	Zenaida macroura	2	Fly-over	G5	—	—	—	—	—
Birds	Allen's Hummingbird	Selasphorus sasin	—	Heard Only	G5	—	—	—	—	—
Birds	Black Phoebe	Sayornis nigricans	1	Observed	G5	—	—	—	—	—
Birds	American Crow	Corvus brachyrhynchos	2	Fly-over	G5	—	—	—	—	—
Birds	House Wren	Troglodytes aedon	1	Observed	G5	—	—	—	—	—
Birds	Ruby-crowned Kinglet	Corthylio calendula	—	Heard Only	G5	—	—	—	—	—
Birds	Wrentit	Chamaea fasciata	—	Heard Only	G5	—	—	—	—	—
Birds	Orange-crowned Warbler	Leiothlypis celata	—	Heard Only	G5	—	—	—	—	—
Birds	Yellow-rumped Warbler	Setophaga coronata	—	Heard Only	G5	—	—	—	—	—
Birds	California Towhee	Melozone crissalis	—	Heard Only	G4	—	—	—	—	—
Birds	Spotted Towhee	Pipilo maculatus	—	Heard Only	G5	—	—	—	—	—
Birds	Song Sparrow	Melospiza melodia	—	Heard Only	G5	—	—	—	—	—
Birds	Dark-eyed Junco	Junco hyemalis	2	Observed	G5	—	—	—	—	—
Birds	House Finch	Haemorhous mexicanus	4	Observed	G5	—	—	—	—	—
Birds	Lesser Goldfinch	Spinus psaltria	—	Heard Only	G5	—	—	—	—	—
Mammals	Botta's Pocket Gopher	Thomomys bottae	—	Sign	G5	—	—	—	—	—

Appendix D. Desktop Review of Special Status Biological Resources

Inserted after this cover page is a database-generated report summarizing the results of England|Ecology's desktop review of special status biological resources.

Desktop Review of Special Status Biological Resources

1400 Vista Moraga

This database-generated report summarizes the potential for occurrence of sensitive vegetation communities and special status flora and fauna based on known occurrences within a Regional Study Area that includes the Beverly Hills, Burbank, Canoga Park, Hollywood, Inglewood, Topanga, Van Nuys, and Venice USGS 7.5-minute quadrangles. A map of the Regional Study Area is provided below.

The desktop analysis resulted in 473 records from the California Department of Fish and Wildlife's California Natural Diversity Database (CNDDB), 64 records from the California Native Plant Society's Rare Plant Inventory, 5 records of critical habitat designated under the Federal Endangered Species Act, and 26 records from the US Fish & Wildlife Service's Information for Planning and Consultation (IPaC) database. This report was generated using QGIS 3.40.



Vegetation Communities

The section of the report summarizes the potential for occurrence on the Project Site of 7 sensitive vegetation communities documented within the CNDDB as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Group
A logical grouping of vegetation community types applied by the CNDDB.

Community
The vegetation community or wildlife habitat mapped by the CNDDB. Currently, the CNDDB uses Holland (1986) for communities, which is considered an out-of-date classification system not otherwise used by CDFW.

State Rank
A numbered sensitivity standard created by NatureServe and adopted by most state agencies, including CDFW. Most important are S1 (Critically Imperiled), S2 (Imperiled), and S3 (Vulnerable).

CNDDB
The number of CNDDB records for that vegetation community or habitat in the Regional Study Area.

Occurrence
The expectation that community could occur on the Project Site. This is usually either "Present" or "None" if a survey has been completed, as communities are observable.

Impact
The potential that implementation of the Project would impact that community.

Notes
Clarifying notes, if any are needed.



Group	Community	State Rank	CNDDB	Occurrence	Impact	Notes
Dune	Southern Dune Scrub	S1.1	1	None	None	—
Scrub	Riversidian Alluvial Fan Sage Scrub	S1.1	1	None	None	—
Marsh	Southern Coastal Salt Marsh	S2.1	1	None	None	—
Riparian	Southern Coast Live Oak Riparian Forest	S4	9	None	None	—
Riparian	Southern Cottonwood Willow Riparian Forest	S3.2	1	None	None	—
Riparian	Southern Sycamore Alder Riparian Woodland	S4	20	None	None	—
Woodland	California Walnut Woodland	S2.1	9	None	None	—

Flora

The section of the report summarizes the potential for occurrence on the Project Site of 46 special status flora taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. For special status plants, the taxonomy is consistent with that used by the California Native Plant Society (CNPS).

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CNPS (CNPS Rare Plant Inventory), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for plants includes its California Rare Plant Rank (CRPR) from CNPS, status - if any - under the federal and state Endangered Species Acts, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat and blooming period of the taxon directly from the CNPS database.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. "Range" includes the distribution of modern records (e.g., iNaturalist and Calflora) and elevation. Options are Yes or No.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Button-celery (Eryngium aristulatum var. parishii)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Coastal scrub, Valley and foothill grassland, Vernal pools (Mesic) from 65-2035ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 164 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Orcutt's Pincushion (Chaenactis glabriuscula var. orcuttiana)	CNDDB(5), CNPS	CRPR 1B.1, S1	Coastal bluff scrub (sandy), Coastal dunes from 0-330ft. Blooms Jan-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 83 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White Rabbit-tobacco (Pseudognaphalium leucocephalum)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland (Gravelly, Sandy) from 0-6890ft. Blooms (Jul)Aug-Nov(Dec).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 225 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Susana Tarplant (Deinandra minthornii)	CNDDB(2), CNPS	CRPR 1B.2, CR, S2	Chaparral, Coastal scrub (Rocky) from 920-2495ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 57 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Southern Tarplant (Centromadia parryi ssp. australis)	CNDDB(7), CNPS	CRPR 1B.1, S2	Marshes and swamps (margins), Valley and foothill grassland (vernally mesic), Vernal pools from 0-1575ft. Blooms May-Nov.	Yes	None	None	None	—
Coulter's Goldfields (Lasthenia glabrata ssp. coulteri)	CNDDB(5), CNPS	CRPR 1B.1, S2	Marshes and swamps (coastal salt), Playas, Vernal pools from 5-4005ft. Blooms Feb-Jun.	Yes	None	None	None	—
San Bernardino Aster (Symphyotrichum defoliatum)	CNDDB(2), CNPS	CRPR 1B.2, S2	Cismontane woodland, Coastal scrub, Lower montane coniferous forest, Marshes and swamps, Meadows and seeps, Valley and foothill grassland (vernally mesic) (Streambanks) from 5-6695ft. Blooms Jul-Nov.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 166 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Greata's Aster (Symphyotrichum greatae)	CNDDB(2), CNPS	CRPR 1B.3, S2	Broadleafed upland forest, Chaparral, Cismontane woodland, Lower montane coniferous forest, Riparian woodland (Mesic) from 985-6595ft. Blooms Jun-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 136 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nevin's Barberry (Berberis nevinii)	CNDDB(3), CNPS, IPaC	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub, Riparian scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2705ft. Blooms (Feb)Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 131 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Beach Spectaclepod (Dithyrea maritima)	CNDDB(4), CNPS	CRPR 1B.1, CT, S1	Coastal dunes, Coastal scrub (sandy) from 10-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 71 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Suffrutescent Wallflower (Erysimum suffrutescens)	CNPS	CRPR 4.2, S3	Chaparral (maritime), Coastal bluff scrub, Coastal dunes, Coastal scrub from 0-490ft. Blooms Jan-Jul(Aug).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 172 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Gambel's Water Cress (Nasturtium gambelii)	CNDDB(1), CNPS, IPaC	CRPR 1B.1, FE, CT, S1	Marshes and swamps (brackish, freshwater) from 15-1085ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 51 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Marsh Sandwort (Arenaria paludicola)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Marshes and swamps (brackish, freshwater) (Openings, Sandy) from 10-560ft. Blooms May-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 34 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coulter's Saltbush (Atriplex coulteri)	CNDDB(2), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Alkaline (sometimes), Clay (sometimes)) from 10-1510ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 100 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
South Coast Saltscale (Atriplex pacifica)	CNDDB(1), CNPS	CRPR 1B.2, S2	Coastal bluff scrub, Coastal dunes, Coastal scrub, Playas from 0-460ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 183 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Davidson's Saltscale (Atriplex serenana var. davidsonii)	CNDDB(2), CNPS	CRPR 1B.2, S1	Coastal bluff scrub, Coastal scrub (Alkaline) from 35-655ft. Blooms Apr-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 30 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Goosefoot (Chenopodium littoreum)	CNDDB(1), CNPS	CRPR 1B.2, S1	Coastal dunes from 35-100ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 55 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Lucky Morning-glory (Calystegia felix)	CNDDB(2), CNPS	CRPR 1B.1, S1	Meadows and seeps (sometimes alkaline), Riparian scrub (alluvial) (Alkaline (sometimes), Loam (sometimes)) from 100-705ft. Blooms Mar-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 26 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Blochman's Dudleya (Dudleya blochmaniae ssp. blochmaniae)	CNDDB(1), CNPS	CRPR 1B.1, S2	Chaparral, Coastal bluff scrub, Coastal scrub, Valley and foothill grassland (Clay (often), Rocky, Serpentine) from 15-1475ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 175 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Santa Monica Dudleya (Dudleya cymosa ssp. ovatifolia)	CNDDB(1), CNPS	CRPR 1B.1, FT, S1	Chaparral, Coastal scrub (Rocky, Volcanic (sometimes)) from 490-5495ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 21 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Many-stemmed Dudleya (Dudleya multicaulis)	CNDDB(1), CNPS	CRPR 1B.2, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Clay (often)) from 50-2590ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 73 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Braunton's Milk-vetch (Astragalus brauntonii)	CNDDB(12), CNPS, CH	CRPR 1B.1, FE, S2	Chaparral, Coastal scrub, Valley and foothill grassland (Burned areas (sometimes), Carbonate, Disturbed areas (sometimes), Sandstone (usually)) from 15-2100ft. Blooms Jan-Aug.	Yes	None	None	None	Potential critical habitat is located 4 miles to the southwest.
Ventura Marsh Milk-vetch (Astragalus pycnostachyus var. lanosissimus)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal dunes, Coastal scrub, Marshes and swamps (edges, coastal salt, brackish) from 5-115ft. Blooms (Jun)Aug-Oct.	Yes	N/A	None	None	Project Site is outside of elevation range of taxon. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Coastal Dunes Milk-vetch (Astragalus tener var. titi)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Coastal bluff scrub (sandy), Coastal dunes, Coastal prairie (mesic) (Mesic (often), Vernally Mesic (often)) from 5-165ft. Blooms Mar-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 22 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Nuttall's Scrub Oak (Quercus dumosa)	CNDDB(2), CNPS	CRPR 1B.1, S3	Chaparral, Closed-cone coniferous forest, Coastal scrub (Clay, Loam, Sandy) from 50-1310ft. Blooms Feb-Apr(May-Aug).	Yes	None	None	None	—
San Gabriel Oak (Quercus durata var. gabrielensis)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland from 1475-3280ft. Blooms Apr-May.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 295 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mud Nama (Nama stenocarpa)	CNDDB(1), CNPS	CRPR 2B.2, S1S2	Marshes and swamps (lake margins, riverbanks) from 15-1640ft. Blooms Jan-Jul.	Yes	None	None	None	—
South Coast Branching Phacelia (Phacelia ramosissima var. austrolitoralis)	CNPS	CRPR 3.2, S3	Chaparral, Coastal dunes, Coastal scrub, Marshes and swamps (coastal salt) (Rocky (sometimes), Sandy) from 15-985ft. Blooms Mar-Aug.	Yes	None	None	None	—

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Brand's Star Phacelia (Phacelia stellaris)	CNDDB(2), CNPS	CRPR 1B.1, S1	Coastal dunes, Coastal scrub from 5-1310ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 68 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Fragrant Pitcher Sage (Lepechinia fragrans)	CNPS	CRPR 4.2, S3	Chaparral from 65-4300ft. Blooms Mar-Oct.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 187 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
White-veined Monardella (Monardella hypoleuca ssp. hypoleuca)	CNDDB(2), CNPS	CRPR 1B.3, S3	Chaparral, Cismontane woodland from 165-5005ft. Blooms (Apr)May-Aug(Sep-Dec).	Yes	None	None	None	—
Davidson's Bushmallow (Malacothamnus davidsonii)	CNPS	CRPR 1B.2, S2	Chaparral, Cismontane woodland, Coastal scrub, Riparian woodland from 605-3740ft. Blooms Jun-Jan.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 500 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Spring Checkerbloom (Sidalcea neomexicana)	CNDDB(3), CNPS	CRPR 2B.2, S2	Chaparral, Coastal scrub, Lower montane coniferous forest, Mojavean desert scrub, Playas (Alkaline, Mesic) from 50-5020ft. Blooms Mar-Jun.	Yes	None	None	None	—
Lewis' Evening-primrose (Camissoniopsis lewisii)	CNPS	CRPR 3, S4	Cismontane woodland, Coastal bluff scrub, Coastal dunes, Coastal scrub, Valley and foothill grassland (Clay (sometimes), Sandy (sometimes)) from 0-985ft. Blooms Mar-May(Jun).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 212 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
San Fernando Valley Spineflower (Chorizanthe parryi var. fernandina)	CNDDB(4), CNPS	CRPR 1B.1, CE, S1	Coastal scrub (sandy), Valley and foothill grassland from 490-4005ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 64 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Spineflower (Mucronea californica)	CNPS	CRPR 4.2, S3	Chaparral, Cismontane woodland, Coastal dunes, Coastal scrub, Valley and foothill grassland (Sandy) from 0-4595ft. Blooms Mar-Jul(Aug).	Yes	None	None	None	—
Slender-horned Spineflower (Dodecahema leptoceras)	CNDDB(2), CNPS	CRPR 1B.1, FE, CE, S1	Chaparral, Cismontane woodland, Coastal scrub (alluvial fans) (Sandy) from 655-2495ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 81 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Spreading Navarretia (Navarretia fossalis)	CNDDB(1), CNPS	CRPR 1B.1, FT, S2	Chenopod scrub, Marshes and swamps (shallow freshwater), Playas, Vernal pools from 100-2150ft. Blooms Apr-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 87 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Prostrate Vernal Pool Navarretia (Navarretia prostrata)	CNDDB(4), CNPS	CRPR 1B.2, S2	Coastal scrub, Meadows and seeps, Valley and foothill grassland (alkaline), Vernal pools (Mesic) from 10-3970ft. Blooms Apr-Jul.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 79 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Mesa Horkelia (Horkelia cuneata var. puberula)	CNDDB(7), CNPS	CRPR 1B.1, S1	Chaparral (maritime), Cismontane woodland, Coastal scrub (Gravelly (sometimes), Sandy (sometimes)) from 230-2660ft. Blooms Feb-Jul(Sep).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 155 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Salt Marsh Bird's-beak (Chloropyron maritimum ssp. maritimum)	CNDDB(2), CNPS	CRPR 1B.2, FE, CE, S1	Coastal dunes, Marshes and swamps (coastal salt) from 0-100ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 27 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sanford's Arrowhead (Sagittaria sanfordii)	CNDDB(1), CNPS	CRPR 1B.2, S3	Marshes and swamps (shallow freshwater) from 0-2135ft. Blooms May-Oct(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 72 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Slender Mariposa-lily (Calochortus clavatus var. gracilis)	CNDDB(3), CNPS	CRPR 1B.2, S2S3	Chaparral, Coastal scrub, Valley and foothill grassland from 1050-3280ft. Blooms Mar-Jun(Nov).	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 114 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Vernal Barley (Hordeum intercedens)	CNPS	CRPR 3.2, S3S4	Coastal dunes, Coastal scrub, Valley and foothill grassland (depressions, saline flats), Vernal pools from 15-3280ft. Blooms Mar-Jun.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 434 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
California Orcutt Grass (Orcuttia californica)	CNDDB(1), CNPS	CRPR 1B.1, FE, CE, S1	Vernal pools from 50-2165ft. Blooms Apr-Aug.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 153 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.
Sonoran Maiden Fern (Pelazoneuron puberulum var. sonorense)	CNDDB(1), CNPS	CRPR 2B.2, S2	Meadows and seeps (seeps, streams) from 165-2000ft. Blooms Jan-Sep.	No	N/A	None	None	Project Site is outside of expected geographic range based on assessment of 44 Calflora records. Habitat suitability not assessed when Project Site is not within elevation or geographic range of taxon.

Invertebrates

The section of the report summarizes the potential for occurrence on the Project Site of 20 special status invertebrate taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Riverside Fairy Shrimp (Streptocephalus woottoni)	CNDDB(3)	FE, S2	ENDEMIC TO WESTERN RIVERSIDE, ORANGE, AND SAN DIEGO COUNTIES IN AREAS OF TECTONIC SWALES/EARTH SLUMP BASINS IN GRASSLAND AND COASTAL SAGE SCRUB. INHABIT SEASONALLY ASTATIC POOLS FILLED BY WINTER/SPRING RAINS. HATCH IN WARM WATER LATER IN THE SEASON.	No	N/A	None	None	Range assessment based on 24 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Hairy-necked Tiger Beetle (Cicindela hirticollis gravida)	CNDDB(3)	S2	INHABITS AREAS ADJACENT TO NON-BRACKISH WATER ALONG THE COAST OF CALIFORNIA FROM SAN FRANCISCO BAY TO NORTHERN MEXICO. CLEAN, DRY, LIGHT-COLORED SAND IN THE UPPER ZONE. SUBTERRANEAN LARVAE PREFER MOIST SAND NOT AFFECTED BY WAVE ACTION.	Yes	None	None	None	—
Globose Dune Beetle (Coelus globosus)	CNDDB(4)	S1S2	INHABITANT OF COASTAL SAND DUNE HABITAT; ERRATICALLY DISTRIBUTED FROM TEN MILE CREEK IN MENDOCINO COUNTY SOUTH TO ENSENADA, MEXICO. INHABITS FOREDUNES AND SAND HUMMOCKS; IT BURROWS BENEATH THE SAND SURFACE AND IS MOST COMMON BENEATH DUNE VEGETATION.	No	N/A	None	None	Range assessment based on 300 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Lange's el Segundo Dune Weevil (Onychobaris langei)	CNDDB(1)	S1	KNOWN FROM EL SEGUNDO DUNES.	Yes	None	None	None	—
Dorothy's el Segundo Dune Weevil (Trigonoscuta dorothea dorothea)	CNDDB(2)	S1	COASTAL SAND DUNES IN LOS ANGELES COUNTY.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Only occurrences near Ballona and Bolsa Chica.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
El Segundo Flower-loving Fly (Rhaphiomidas terminatus terminatus)	CNDDB(1)	S1	PRESUMED EXTINCT BUT RECENTLY DISCOVERED ON MALAGA DUNES, LOS ANGELES COUNTY. PERCHED DUNES.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB. Previously thought extinct and recently rediscovered in coastal dunes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Belkin's Dune Tabanid Fly (Brennania belkini)	CNDDB(5)	S1S2	SAND OBLIGATE SPECIES KNOWN FROM COASTAL DUNES NEAR PLAYA DEL REY AND EL SEGUNDO SOUTH TO ENSENADA, MEXICO. ONE OF FEW TABANIDS NOT REQUIRING A BLOOD MEAL FOR SECCESSFUL EGG PRODUCTION; ADULTS TAKEN ON FLOWERS. LARVAE COLLECTED 50 CM BENEATH SURFACE OF SANDY SOIL; PRESUMABLY BURROWING PREDATORS WITH UNDETERMINED HOSTS, LIKELY BEETLE LARVAE. ADULT FLIGHT GENERALLY MAY - JULY.	No	N/A	None	None	Range assessment based on 11 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
American Bumble Bee (Bombus pensylvanicus)	CNDDB(103)	S2	LONG-TONGUED; FORAGES ON A WIDE VARIETY OF FLOWERS INCLUDING VETCHES (VICIA), CLOVERS (TRIFOLIUM), THISTLES (CIRSIUM), SUNFLOWERS (HELIANTHUS), ETC. NESTS ABOVE GROUND UNDER LONG GRASS OR UNDERGROUND. QUEENS OVERWINTER IN ROTTEN WOOD OR UNDERGROUND.	Yes	Low	Low	None	—
Crotch's Bumble Bee (Bombus crotchii)	CNDDB(17)	CCE, S2	COASTAL CALIFORNIA EAST TO THE SIERRA-CASCADE CREST AND SOUTH INTO MEXICO. FOOD PLANT GENERA INCLUDE ANTIRRHINUM, PHACELIA, CLARKIA, DENDROMECON, ESCHSCHOLZIA, AND ERIOGONUM.	Yes	Low	Low	None	—
Henne's Eucosman Moth (Pelochrista hennei)	CNDDB(1)	S1	COASTAL SAND DUNES WITH HOST PHACELIA RAMOSISSIMA. ORIGINALLY BELIEVED TO BE ENDEMIC TO THE EL SEGUNDO SAND DUNES OF LOS ANGELES COUNTY WHERE THE TYPE SPECIMEN WAS COLLECTED. ALSO COLLECTED FROM COASTAL SAN LUIS OBISPO COUNTY. LARVAL FOODPLANT IS PHACELIA RAMOSISSIMA VAR AUSTROLITORALIS; LARVAE CAN BE FOUND ON WOODY STEMS AND UPPER ROOT PARTS.	No	N/A	None	None	Range assessment based on 10 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Busk's Gall Moth (Eugnosta busckana)	CNDDB(4)	S2S3	COASTAL SOUTHERN CALIFORNIA. TINY MICRO-MOTH (1 CM) WITH LARVA FORMING GALLS ON HOST PLANT ENCELIA CALIFORNICA (CALIFORNIA BRITTLEBUSH). ADULT FLIGHT PERIOD IS DURING WINTER, GENERALLY FROM NOVEMBER TO FEBRUARY, AND HAVE BEEN REPORTED AT UV LIGHTS AND PORCH LIGHTS.	Yes	Low	Low	None	—
Wandering Skipper (Panoquina errans)	CNDDB(1)	S2	SOUTHERN CALIFORNIA COASTAL SALT MARSHES. REQUIRES MOIST SALTGRASS FOR LARVAL DEVELOPMENT.	Yes	None	None	None	—
El Segundo Blue (Euphilotes allyni)	CNDDB(2)	FE, S1	RESTRICTED TO REMNANT COASTAL DUNE HABITAT IN SOUTHERN CALIFORNIA. HOST PLANT IS ERIOGONUM PARVIFOLIUM; LARVAE FEED ONLY ON THE FLOWERS AND SEEDS; USED BY ADULTS AS MAJOR NECTAR SOURCE.	No	N/A	None	None	No spatial GBIF records. Range based on CNDDB occurrences. Only occurs near El Segundo.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Palos Verdes Blue (Glaucopsyche lygdamus palosverdesensis)	CNDDB(1)	FE, S1	RESTRICTED TO THE COOL, FOG-SHROUDED, SEAWARD SIDE OF PALOS VERDES HILLS, LOS ANGELES COUNTY. HOST PLANT IS ASTRAGALUS TRICHOPODUS VAR. LONCHUS (LOCOWEED).	No	N/A	None	None	Range assessment based on 48 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Monarch (Danaus plexippus pop. 1)	CNDDB(15), IPaC	FPT, S2	WINTER ROOST SITES EXTEND ALONG THE COAST FROM NORTHERN MENDOCINO TO BAJA CALIFORNIA, MEXICO. ROOSTS LOCATED IN WIND-PROTECTED TREE GROVES (EUCALYPTUS, MONTEREY PINE, CYPRESS), WITH NECTAR AND WATER SOURCES NEARBY.	No	N/A	None	None	Range based on coastal zone limits.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Santa Monica Shieldback Katydid (Aglaothorax longipennis)	CNDDB(1)	S1S2	OCCUR NOCTURNALLY IN CHAPARRAL AND CANYON STREAM BOTTOM VEGETATION, IN THE SANTA MONICA MTNS OF SOUTHERN CALIFORNIA. INHABIT INTRODUCED ICEPLANT AND NATIVE CHAPARRAL PLANTS.	Yes	Low	Low	None	—
Gertsch's Socalchemmis Spider (Socalchemmis gertschi)	CNDDB(2)	S1	KNOWN FROM ONLY 2 LOCALITIES IN LOS ANGELES COUNTY: BRENTWOOD (TYPE LOCALITY) AND TOPANGA CANYON.	Yes	Low	Low	None	—
Western Ridged Mussel (Gonidea angulata)	CNDDB(2)	S2	PRIMARILY CREEKS AND RIVERS AND LESS OFTEN LAKES. ORIGINALLY IN MOST OF STATE, NOW EXTIRPATED FROM CENTRAL AND SOUTHERN CALIFORNIA.	No	N/A	None	None	Originally found in most of state. Now extirpated from central and southern California.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Gabriel Chestnut (Glyptostoma gabrielense)	CNDDB(1)	S3	TERRESTRIAL.	No	N/A	None	None	Range assessment based on 285 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Mimic Tryonia (Tryonia imitator)	CNDDB(1)	S2	INHABITS COASTAL LAGOONS, ESTUARIES AND SALT MARSHES, FROM SONOMA COUNTY SOUTH TO SAN DIEGO COUNTY. FOUND ONLY IN PERMANENTLY SUBMERGED AREAS IN A VARIETY OF SEDIMENT TYPES; ABLE TO WITHSTAND A WIDE RANGE OF SALINITIES.	No	N/A	None	None	Range assessment based on 46 GBIF records. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Fish

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status fish taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Steelhead - Southern California Distinct Population Segment (Oncorhynchus mykiss pop. 10)	CNDDB(1), CH	FE, CCE, S1	FEDERAL LISTING REFERS TO POPULATIONS FROM SANTA MARIA RIVER SOUTH TO SOUTHERN EXTENT OF RANGE (SAN MATEO CREEK IN SAN DIEGO COUNTY). SOUTHERN STEELHEAD LIKELY HAVE GREATER PHYSIOLOGICAL TOLERANCES TO WARMER WATER AND MORE VARIABLE CONDITIONS.	No	N/A	None	None	Range assessment based on 405 GBIF records. Designated critical habitat (NMFS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tidewater Goby (Eucyclogobius newberryi)	CH	FE, SSC, S3	BRACKISH WATER HABITATS ALONG THE CALIFORNIA COAST FROM AGUA HEDIONDA LAGOON, SAN DIEGO COUNTY TO THE MOUTH OF THE SMITH RIVER. FOUND IN SHALLOW LAGOONS AND LOWER STREAM REACHES, THEY NEED FAIRLY STILL BUT NOT STAGNANT WATER AND HIGH OXYGEN LEVELS.	No	N/A	None	None	Range assessment based on 770 GBIF records. Designated critical habitat (USFWS) is located 7.3 miles to the southwest. Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Amphibians

The section of the report summarizes the potential for occurrence on the Project Site of 2 special status amphibian taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Arroyo Toad (Anaxyrus californicus)	CNDDB(1)	FE, SSC, S2	SEMI-ARID REGIONS NEAR WASHES OR INTERMITTENT STREAMS, INCLUDING VALLEY-FOOTHILL AND DESERT RIPARIAN, DESERT WASH, ETC. RIVERS WITH SANDY BANKS, WILLOWS, COTTONWOODS, AND SYCAMORES; LOOSE, GRAVELLY AREAS OF STREAMS IN DRIER PARTS OF RANGE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Spadefoot (Spea hammondii)	CNDDB(5), IPaC	FPT, SSC, S3S4	OCCURS PRIMARILY IN GRASSLAND HABITATS, BUT CAN BE FOUND IN VALLEY-FOOTHILL HARDWOOD WOODLANDS. VERNAL POOLS ARE ESSENTIAL FOR BREEDING AND EGG-LAYING.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predictive mapping shows potential low value habitat between residence and street above. There are no potential or known breeding areas near the Biological Study Area.

Reptiles

The section of the report summarizes the potential for occurrence on the Project Site of 9 special status reptile taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Green Sea Turtle (Chelonia mydas)	CH	FT, S1	MARINE. COMPLETELY HERBIVOROUS; NEEDS ADQUATE SUPPLY OF SEAGRASSES AND ALGAE.	No	N/A	None	None	Range based on Pacific Ocean.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southwestern Pond Turtle (Actinemys pallida)	CNDDB(4), IPaC	FPT, SSC, SNR	No CNDDB habitat description available	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
San Diegan Legless Lizard (Anniella stebbinsi)	CNDDB(36)	SSC, S3	GENERALLY SOUTH OF THE TRANSVERSE RANGE, EXTENDING TO NORTHWESTERN BAJA CALIFORNIA. OCCURS IN SANDY OR LOOSE LOAMY SOILS UNDER SPARSE VEGETATION. DISJUNCT POPULATIONS IN THE TEHACHAPI AND PIUTE MOUNTAINS IN KERN COUNTY. VARIETY OF HABITATS; GENERALLY IN MOIST, LOOSE SOIL. THEY PREFER SOILS WITH A HIGH MOISTURE CONTENT.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site.
Blainville's Horned Lizard (Phrynosoma blainvillii)	CNDDB(7)	SSC, S4	FREQUENTS A WIDE VARIETY OF HABITATS, MOST COMMON IN LOWLANDS ALONG SANDY WASHES WITH SCATTERED LOW BUSHES. OPEN AREAS FOR SUNNING, BUSHES FOR COVER, PATCHES OF LOOSE SOIL FOR BURIAL, AND ABUNDANT SUPPLY OF ANTS AND OTHER INSECTS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found in open habitats with native ants, neither of which are present.
San Diegan Tiger Whiptail (Aspidoscelis tigris stejnegeri)	CNDDB(2)	SSC, S3	FOUND IN DESERTS AND SEMI-ARID AREAS WITH SPARSE VEGETATION AND OPEN AREAS. ALSO FOUND IN WOODLAND AND RIPARIAN AREAS. GROUND MAY BE FIRM SOIL, SANDY, OR ROCKY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
California Glossy Snake (Arizona elegans occidentalis)	CNDDB(1)	SSC, S2	PATCHILY DISTRIBUTED FROM THE EASTERN PORTION OF SAN FRANCISCO BAY, SOUTHERN SAN JOAQUIN VALLEY, AND THE COAST, TRANSVERSE, AND PENINSULAR RANGES, SOUTH TO BAJA CALIFORNIA. GENERALIST REPORTED FROM A RANGE OF SCRUB AND GRASSLAND HABITATS, OFTEN WITH LOOSE OR SANDY SOILS.	No	N/A	None	None	Subspecies range based on 175 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
San Bernardino Ring-necked Snake (Diadophis punctatus modestus)	CNDDB(1)	S2?	MOST COMMON IN OPEN, RELATIVELY ROCKY AREAS. OFTEN IN SOMEWHAT MOIST MICROHABITATS NEAR INTERMITTENT STREAMS. AVOIDS MOVING THROUGH OPEN OR BARREN AREAS BY RESTRICTING MOVEMENTS TO AREAS OF SURFACE LITTER OR HERBACEOUS VEG.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
South Coast Gartersnake (Thamnophis sirtalis pop. 1)	CNDDB(5)	SSC, S1S2	SOUTHERN CALIFORNIA COASTAL PLAIN FROM VENTURA COUNTY TO SAN DIEGO COUNTY, AND FROM SEA LEVEL TO ABOUT 850 M. MARSH AND UPLAND HABITATS NEAR PERMANENT WATER WITH GOOD STRIPS OF RIPARIAN VEGETATION.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.
Two-striped Gartersnake (Thamnophis hammondii)	CNDDB(2)	SSC, S3S4	COASTAL CALIFORNIA FROM VICINITY OF SALINAS TO NORTHWEST BAJA CALIFORNIA. FROM SEA TO ABOUT 7,000 FT ELEVATION. HIGHLY AQUATIC, FOUND IN OR NEAR PERMANENT FRESH WATER. OFTEN ALONG STREAMS WITH ROCKY BEDS AND RIPARIAN GROWTH.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Nearby water resources are required and are not present.

Birds

The section of the report summarizes the potential for occurrence on the Project Site of 32 special status bird taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Western Grebe (Aechmophorus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Clark's Grebe (Aechmophorus clarkii)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Brown Pelican (Pelecanus occidentalis californicus)	CNDDB(1)	FD, CD, S3	COLONIAL NESTER ON COASTAL ISLANDS JUST OUTSIDE THE SURF LINE. NESTS ON COASTAL ISLANDS OF SMALL TO MODERATE SIZE WHICH AFFORD IMMUNITY FROM ATTACK BY GROUND-DWELLING PREDATORS. ROOSTS COMMUNALLY.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Northern Harrier (Circus hudsonius)	IPaC	SSC, S3, BCC	COASTAL SALT AND FRESHWATER MARSH. NEST AND FORAGE IN GRASSLANDS, FROM SALT GRASS IN DESERT SINK TO MOUNTAIN CIENAGAS. NESTS ON GROUND IN SHRUBBY VEGETATION, USUALLY AT MARSH EDGE; NEST BUILT OF A LARGE MOUND OF STICKS IN WET AREAS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. Prefers open habitats such as grasslands and marshes.
Swainson's Hawk (Buteo swainsoni)	CNDDB(4)	CT, S4	BREEDS IN GRASSLANDS WITH SCATTERED TREES, JUNIPER-SAGE FLATS, RIPARIAN AREAS, SAVANNAHS, AND AGRICULTURAL OR RANCH LANDS WITH GROVES OR LINES OF TREES. REQUIRES ADJACENT SUITABLE FORAGING AREAS SUCH AS GRASSLANDS, OR ALFALFA OR GRAIN FIELDS SUPPORTING RODENT POPULATIONS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Golden Eagle (Aquila chrysaetos)	IPaC	FP; WL, S3, BCC	ROLLING FOOTHILLS, MOUNTAIN AREAS, SAGE-JUNIPER FLATS, AND DESERT. CLIFF-WALLED CANYONS PROVIDE NESTING HABITAT IN MOST PARTS OF RANGE; ALSO, LARGE TREES IN OPEN AREAS.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large tracts of undeveloped habitat away from anthropogenic disturbance.
American Peregrine Falcon (Falco peregrinus anatum)	CNDDB(2)	FD, CD, S3S4	NEAR WETLANDS, LAKES, RIVERS, OR OTHER WATER; ON CLIFFS, BANKS, DUNES, MOUNDS; ALSO, HUMAN-MADE STRUCTURES. NEST CONSISTS OF A SCRAPE OR A DEPRESSION OR LEDGE IN AN OPEN SITE.	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No suitable nesting habitat on or near the Project Site.This taxon is most widespread in the winter when it occurs in a wide range of habitats, including dense urban areas, where it feeds mostly on medium-sized birds. If Peregrine Falcon occurs on the Project Site at all, it is likely an uncommon occurrence and would most likely be observed as a flyover while hunting.
Yellow Rail (Coturnicops noveboracensis)	CNDDB(2)	SSC, S2	SUMMER RESIDENT IN EASTERN SIERRA NEVADA IN MONO COUNTY. FRESHWATER MARSHLANDS.	Yes	None	None	None	No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
California Black Rail (Laterallus jamaicensis coturniculus)	CNDDB(1)	CT, FP, S2	INHABITS FRESHWATER MARSHES, WET MEADOWS AND SHALLOW MARGINS OF SALTWATER MARSHES BORDERING LARGER BAYS. NEEDS WATER DEPTHS OF ABOUT 1 INCH THAT DO NOT FLUCTUATE DURING THE YEAR AND DENSE VEGETATION FOR NESTING HABITAT.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Snowy Plover (Charadrius nivosus nivosus)	CNDDB(2), CH, IPaC	FT, SSC, S3	SANDY BEACHES, SALT POND LEVEES AND SHORES OF LARGE ALKALI LAKES. NEEDS SANDY, GRAVELLY OR FRIABLE SOILS FOR NESTING.	Yes	None	None	None	Designated critical habitat (USFWS) is located 7.5 miles to the south. No CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Gull (Larus californicus)	IPaC	WL, S4, BCC	LITTORAL WATERS, SANDY BEACHES, WATERS AND SHORELINES OF BAYS, TIDAL MUD-FLATS, MARSHES, LAKES, ETC. COLONIAL NESTER ON ISLETS IN LARGE INTERIOR LAKES, EITHER FRESH OR STRONGLY ALKALINE.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
Western Gull (Larus occidentalis)	IPaC	BCC	No CNDDB habitat description available	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Found along and near waterbodies.
California Least Tern (Sternula antillarum browni)	CNDDB(3), IPaC	FE, CE, FP, S2	NESTS ALONG THE COAST FROM SAN FRANCISCO BAY SOUTH TO NORTHERN BAJA CALIFORNIA. COLONIAL BREEDER ON BARE OR SPARSELY VEGETATED, FLAT SUBSTRATES: SAND BEACHES, ALKALI FLATS, LAND FILLS, OR PAVED AREAS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Screech-Owl (Megascops kennicottii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Burrowing Owl (Athene cunicularia)	CNDDB(2)	CCE, SSC, S2	OPEN, DRY ANNUAL OR PERENNIAL GRASSLANDS, DESERTS, AND SCRUBLANDS CHARACTERIZED BY LOW-GROWING VEGETATION. SUBTERRANEAN NESTER, DEPENDENT UPON BURROWING MAMMALS, MOST NOTABLY, THE CALIFORNIA GROUND SQUIRREL.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Allen's Hummingbird (Selasphorus sasin)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. This taxon has adapted to and benefits from nectar-rich landscaped environments, increasing its range and numbers in recent years.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Nuttall's Woodpecker (Dryobates nuttallii)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Present in nearly all wooded areas of Los Angeles.
Olive-sided Flycatcher (Contopus cooperi)	IPaC	SSC, S3, BCC	NESTING HABITATS ARE MIXED CONIFER, MONTANE HARDWOOD-CONIFER, DOUGLAS-FIR, REDWOOD, RED FIR AND LODGEPOLE PINE. MOST NUMEROUS IN MONTANE CONIFER FORESTS WHERE TALL TREES OVERLOOK CANYONS, MEADOWS, LAKES OR OTHER OPEN TERRAIN.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Olive-sided Flycatcher, this species occurs locally (if fleetingly) during migration.
Southwestern Willow Flycatcher (Empidonax traillii extimus)	CNDDB(1)	FE, CE, S3	RIPARIAN WOODLANDS IN SOUTHERN CALIFORNIA.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Bank Swallow (Riparia riparia)	CNDDB(1)	CT, S3	COLONIAL NESTER; NESTS PRIMARILY IN RIPARIAN AND OTHER LOWLAND HABITATS WEST OF THE DESERT. REQUIRES VERTICAL BANKS/CLIFFS WITH FINE-TEXTURED/SANDY SOILS NEAR STREAMS, RIVERS, LAKES, OCEAN TO DIG NESTING HOLE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Oak Titmouse (Baeolophus inornatus)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Coastal California Gnatcatcher (Polioptila californica californica)	CNDDB(8), IPaC	FT, SSC, S2	OBLIGATE, PERMANENT RESIDENT OF COASTAL SAGE SCRUB BELOW 2500 FT IN SOUTHERN CALIFORNIA. LOW, COASTAL SAGE SCRUB IN ARID WASHES, ON MESAS AND SLOPES. NOT ALL AREAS CLASSIFIED AS COASTAL SAGE SCRUB ARE OCCUPIED.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Wrentit (Chamaea fasciata)	IPaC	BCC	No CNDDB habitat description available	Yes	High	Present	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
California Thrasher (Toxostoma redivivum)	IPaC	BCC	No CNDDB habitat description available	Yes	High	High	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Least Bell's Vireo (Vireo bellii pusillus)	CNDDB(9)	FE, CE, S3	SUMMER RESIDENT OF SOUTHERN CALIFORNIA IN LOW RIPARIAN IN VICINITY OF WATER OR IN DRY RIVER BOTTOMS; BELOW 2000 FT. NESTS PLACED ALONG MARGINS OF BUSHES OR ON TWIGS PROJECTING INTO PATHWAYS, USUALLY WILLOW, BACCHARIS, MESQUITE.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Saltmarsh Common Yellowthroat (Geothlypis trichas sinuosa)	IPaC	SSC, S3, BCC	RESIDENT OF THE SAN FRANCISCO BAY REGION, IN FRESH AND SALT WATER MARSHES. REQUIRES THICK, CONTINUOUS COVER DOWN TO WATER SURFACE FOR FORAGING; TALL GRASSES, TULE PATCHES, WILLOWS FOR NESTING.	No	N/A	None	None	Endemic to Bay Area. Some individuals rarely migrate south in winter to San Diego. Only found in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern California Rufous-crowned Sparrow (Aimophila ruficeps canescens)	CNDDB(1)	WL, S4	RESIDENT IN SOUTHERN CALIFORNIA COASTAL SAGE SCRUB AND SPARSE MIXED CHAPARRAL. FREQUENTS RELATIVELY STEEP, OFTEN ROCKY HILLSIDES WITH GRASS AND FORB PATCHES.	Yes	None	None	None	High quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Prefers grasslands and scrublands.
Belding's Savannah Sparrow (Passerculus sandwichensis beldingi)	CNDDB(2), IPaC	CE, S3, BCC	INHABITS COASTAL SALT MARSHES, FROM SANTA BARBARA SOUTH THROUGH SAN DIEGO COUNTY. NESTS IN SALICORNIA ON AND ABOUT MARGINS OF TIDAL FLATS.	No	N/A	None	None	Subspecies range based on Coastal Zone limits as taxon only occurs in coastal marshes.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Channel Island Song Sparrow (Melospiza melodia graminea)	IPaC	SSC, S1, BCC	CURRENTLY KNOWN FROM SAN MIGUEL AND SANTA ROSA ISLANDS; BELIEVED EXTIRPATED FROM SANTA BARBARA AND SAN CLEMENTE ISLANDS. NEED MODERATELY DENSE SCRUBBY VEGETATION FOR NESTING, A WATER SOURCE, AND EXPOSED GROUND FOR FORAGING. DENSE SHRUBS AND THICKETS OF GIANT COREOPSIS (C. GIGANTEA) AND/OR DENSE GRASSLANDS WITH SCATTERED SHRUBS. NESTS OFTEN LOCATED ON LEEWARD SIDE OF SHRUBS AVOIDING PREVAILING WINDS.	No	N/A	None	None	Only found on San Miguel, Santa Rosa, and Anacapa Islands.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Tricolored Blackbird (Agelaius tricolor)	CNDDB(2)	CT, SSC, S2	HIGHLY COLONIAL SPECIES, MOST NUMEROUS IN CENTRAL VALLEY AND VICINITY. LARGELY ENDEMIC TO CALIFORNIA. REQUIRES OPEN WATER, PROTECTED NESTING SUBSTRATE, AND FORAGING AREA WITH INSECT PREY WITHIN A FEW KM OF THE COLONY.	Yes	None	None	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Uses wetlands and adjacent open habitats in the summer. Found along wetlands and in agricultural areas in the winter.
Bullock's Oriole (Icterus bullockii)	IPaC	BCC	No CNDDB habitat description available	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon. While the Project Site is not in the breeding or wintering range of Bullock's Oriole, this species occurs locally (if fleetingly) during migration.
Lawrence's Goldfinch (Spinus lawrencei)	IPaC	S4, BCC	NESTS IN OPEN OAK OR OTHER ARID WOODLAND AND CHAPARRAL, NEAR WATER. NEARBY HERBACEOUS HABITATS USED FOR FEEDING. CLOSELY ASSOCIATED WITH OAKS.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. Lawrence's Goldfinch populations move frequently following preferred food sources, especially fiddleneck. No breeding habitat is present on the Project Site. Only likely to occur sporadically during seasonal movements.

Mammals

The section of the report summarizes the potential for occurrence on the Project Site of 12 special status mammal taxa documented by various resource databases as occurring in the Regional Study Area. The locations of CNDDB records are shown on the map at right (note: the CNDDB license agreement expressly forbids showing records at scales where occurrences can be refound in the field based on the map). The columns in the table that follows this page are defined as follows:

Taxon

The common and scientific names of the taxon. Taxonomy is based upon NatureServe and is updated monthly.

Source(s)

The database sources prompting the inclusion of the taxon. Options are: CNDDB (numbers in parentheses are the number of CNDDB records in the Regional Study Area), CH (Critical Habitat is designated for the taxon in the Regional Study Area), and IPaC (the US Fish & Wildlife Service's Information for Planning and Consultation database).

Status

The protected status of the taxon, which for wildlife includes its status - if any - under the federal and state Endangered Species Acts, Species of Special Concern status, Fully Protected status, and NatureServe state rank. The abbreviations used are defined in the Methods section of the report.

About

The habitat of the taxon directly from the Element Info table in the CNDDB.

Range

Whether or not the Biological Study Area is within the expected range of the taxon. Options are Yes or No. Range includes the known modern distribution of the taxon and elevation limits of the taxon (if any) relative to the Biological Study Area.

Habitat

The suitability of the habitat in the Biological Study Area to support the taxon. Options are None, Low, Medium, and High. If the Biological Study Area is not within the taxon's range, habitat is not considered and is listed as N/A.

Occurrence

The potential for the taxon to occur in the Biological Study Area based on habitat and range. Options are None, Low, Moderate, High, and Present.

Impact

The potential for Project implementation to impact the taxon, considering its occurrence potential and the scope of the Project. Options are None, Low, Moderate, and High.

Notes

Clarifying notes, if needed.



Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
Salt Marsh Ornate Shrew (Sorex ornatus salicornicus)	CNDDB(1)	SSC, S1	COASTAL MARSHES IN LOS ANGELES, ORANGE AND VENTURA COUNTIES. REQUIRES DENSE VEGETATION AND WOODY DEBRIS FOR COVER.	No	N/A	None	None	Subspecies range based on 42 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Western Yellow Bat (Lasiurus xanthinus)	CNDDB(1)	SSC, S3	FOUND IN VALLEY FOOTHILL RIPARIAN, DESERT RIPARIAN, DESERT WASH, AND PALM OASIS HABITATS. ROOSTS IN TREES, PARTICULARLY PALMS. FORAGES OVER WATER AND AMONG TREES.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pallid Bat (Antrozous pallidus)	CNDDB(4)	SSC, S3	DESERTS, GRASSLANDS, SHRUBLANDS, WOODLANDS AND FORESTS. MOST COMMON IN OPEN, DRY HABITATS WITH ROCKY AREAS FOR ROOSTING. ROOSTS MUST PROTECT BATS FROM HIGH TEMPERATURES. VERY SENSITIVE TO DISTURBANCE OF ROOSTING SITES.	Yes	Medium	Moderate	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment. No potential roosting habitat was identified during the survey. If present, only likely to use the Project Site for foraging overflights.
California Bonneted Bat (Eumops perotis californicus)	CNDDB(8)	SSC, S3S4	MANY OPEN, SEMI-ARID TO ARID HABITATS, INCLUDING CONIFER AND DECIDUOUS WOODLANDS, COASTAL SCRUB, GRASSLANDS, CHAPARRAL, ETC. ROOSTS IN CREVICES IN CLIFF FACES, HIGH BUILDINGS, TREES AND TUNNELS.	Yes	Low	Low	None	Low quality CWHR predicted habitat is mapped on the Project Site. England|Ecology agrees with the CWHR assessment.
Pocketed Free-tailed Bat (Nyctinomops femorosaccus)	CNDDB(1)	SSC, S3	VARIETY OF ARID AREAS IN SOUTHERN CALIFORNIA; PINE-JUNIPER WOODLANDS, DESERT SCRUB, PALM OASIS, DESERT WASH, DESERT RIPARIAN, ETC. ROCKY AREAS WITH HIGH CLIFFS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Big Free-tailed Bat (Nyctinomops macrotis)	CNDDB(2)	SSC, S3	LOW-LYING ARID AREAS IN SOUTHERN CALIFORNIA. NEED HIGH CLIFFS OR ROCKY OUTCROPS FOR ROOSTING SITES. FEEDS PRINCIPALLY ON LARGE MOTHS.	No	N/A	None	None	Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Los Angeles Pocket Mouse (Perognathus longimembris brevinasus)	CNDDB(1)	SSC, S1S2	LOWER ELEVATION GRASSLANDS AND COASTAL SAGE COMMUNITIES IN AND AROUND THE LOS ANGELES BASIN. OPEN GROUND WITH FINE, SANDY SOILS. MAY NOT DIG EXTENSIVE BURROWS, HIDING UNDER WEEDS AND DEAD LEAVES INSTEAD.	No	N/A	None	None	Subspecies range based on 311 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Pacific Pocket Mouse (Perognathus longimembris pacificus)	CNDDB(1)	FE, SSC, S2	INHABITS THE NARROW COASTAL PLAINS FROM THE MEXICAN BORDER NORTH TO EL SEGUNDO, LOS ANGELES COUNTY. SEEMS TO PREFER SOILS OF FINE ALLUVIAL SANDS NEAR THE OCEAN, BUT MUCH REMAINS TO BE LEARNED.	No	N/A	None	None	Subspecies range based on 360 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Southern Grasshopper Mouse (Onychomys torridus ramona)	CNDDB(1)	SSC, S3	DESERT AREAS, ESPECIALLY SCRUB HABITATS WITH FRIABLE SOILS FOR DIGGING. PREFERS LOW TO MODERATE SHRUB COVER. FEEDS ALMOST EXCLUSIVELY ON ARTHROPODS, ESPECIALLY SCORPIONS AND ORTHOPTERAN INSECTS.	No	N/A	None	None	Subspecies range based on 92 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.

Taxon	Source(s)	Status	About	Range	Habitat	Occurrence	Impact	Notes
San Diego Desert Woodrat (Neotoma lepida intermedia)	CNDDB(2)	SSC, S3S4	COASTAL SCRUB OF SOUTHERN CALIFORNIA FROM SAN DIEGO COUNTY TO SAN LUIS OBISPO COUNTY. MODERATE TO DENSE CANOPIES PREFERRED. THEY ARE PARTICULARLY ABUNDANT IN ROCK OUTCROPS, ROCKY CLIFFS, AND SLOPES.	No	N/A	None	None	Subspecies range based on 262 GBIF records.Habitat suitability not assessed when Project Site is not within geographic range of taxon.
Stephens' California Vole (Microtus californicus stephensi)	CNDDB(3)	SSC, S2	TIDAL MARSHES IN LOS ANGELES, ORANGE AND SOUTHERN VENTURA COUNTIES.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. CWHR predicted habitat is for taxon as a whole, not subspecies which is only found in coastal marshes.
American Badger (Taxidea taxus)	CNDDB(1)	SSC, S3	MOST ABUNDANT IN DRIER OPEN STAGES OF MOST SHRUB, FOREST, AND HERBACEOUS HABITATS, WITH FRIABLE SOILS. NEEDS SUFFICIENT FOOD, FRIABLE SOILS AND OPEN, UNCULTIVATED GROUND. PREYS ON BURROWING RODENTS. DIGS BURROWS.	Yes	None	None	None	Medium quality CWHR predicted habitat is mapped on the Project Site. England|Ecology disagrees with the CWHR assessment. Requires large areas of undisturbed natural habitat. Also, does not occur near the area.

Critical Habitat

This page visually depicts the presence or absence of US Fish and Wildlife Service or National Marine Fisheries Service proposed or designated critical habitat in the Regional Study Area. If critical habitat is present in the Regional Study Area that taxon is included in the preceding pages and marked as having critical habitat. Critical habitat is also discussed in the main text of the report.



Appendix E. Photo Logs

Inserted after this cover page are database-generated photo logs from both surveys.

Photo Log

1400 Vista Moraga

This database-generated report presents a visual depiction of site conditions during the survey conducted on March 17, 2025 by England|Ecology. The data presented here were collected in the field using the QField app on an iPhone 15 Pro. After fieldwork was completed, data were synced to QGIS desktop. The map below presents an overview of the photo locations in this report, with each photo shown on the ensuing pages. This report was generated using QGIS 3.40.



Photo Point 1642



Photo Direction
Southeast

Photo Description
View uphill toward residence from lower end of slope.

Photo Point 1643

Photo Direction
East

Photo Description
View across the backyard.

Photo Point 1644



Photo Direction
South

Photo Description
View upslope toward residence.

Photo Point 1652



Photo Direction
North

Photo Description
View up driveway toward residence from front gate.

Photo Point 1653





Photo Direction
Northwest

Photo Description
View of front yard.

Photo Point 1654





Photo Direction
Northeast

Photo Description
View of side yard.

Photo Point 1655





Photo Direction
North

Photo Description
Back yard.

Photo Point 1656



Photo Direction
Northwest

Photo Description
Back yard.

Photo Point 1657





Photo Direction
Southwest

Photo Description
Side yard.

Photo Point 1658



Photo Direction
South

Photo Description
Pool area.

Photo Point 1659





Photo Direction
Northeast

Photo Description
Front yard.

Photo Log

1400 Vista Moraga

This database-generated report presents a visual depiction of site conditions during the the two surveys conducted by England|Ecology. The data presented here were collected in the field using the QField app on an iPhone 17 Pro. After fieldwork was completed, data were synced to QGIS desktop. The map below presents an overview of the photo locations in this report, with each photo shown on the ensuing pages. This report was generated using QGIS 3.40.



Photo Point 1972



Photo Direction
South

Photo Description
View down driveway. Proposed parcel is on the left.

Photo Point 1973



Photo Direction
East

Photo Description
North end of proposed parcel.

Photo Point 1974



Photo Direction
East

Photo Description
Central section of proposed parcel.

Photo Point 1975

Photo Direction
Southeast

Photo Description
South section of proposed parcel.

Photo Point 1976





Photo Direction
Southwest

Photo Description
View downslope onto subject property from Linda Flora Drive.

Photo Point 1977



Photo Direction
Southwest

Photo Description
View of upper portion of subject property from Linda Flora Drive.

Appendix F. Reference Materials

The following materials were provided to England|Ecology by the Applicant in order to assist with the completion of this report and are provided after this cover page:

- Site Plan
- Arborist Report

Tree Survey

For the compliance of the City of Los Angeles Planning

1400 N. Vista Moraga
Los Angeles, 90049

Prepared For: Niko Natsis
Tel: (310) 903-9022
Email: Nikonatsis@gmail.com

Prepared By: Michael Crane
Arbor Care, Inc.
1660 E. Mountain St.
Pasadena, CA 91104
Tel: (626) 737-4007
Email: info@arborcareinc.net

October 2023

Table of Contents

Survey Methods 1

Protected Tree Definitions 2

Tree Inventory Table 3

Topographic Survey Map with Tree Locations 5

Author's Certifications 6

Certification of Performance 7

SURVEY METHODS

All trees with trunks measuring four inches in diameter or larger have been identified by botanical and common names. Trunk diameters, which are measured at four feet above grade are listed, and those with an "M" next to the measurement indicates that the tree has multiple trunks originating from one root crown. If the tree is a multi-trunk, then the three largest trunk diameters are listed. Tree numbers correspond to the tree identification and location plotted on the topographic survey map. Tree numbers with an "os" next to them indicate that the trunk is located off-site, but the branches extend over or very close to the property line. Trees marked on the topographic survey map with an "X" indicate that a tree does not exist in the location of the tree icon.

The condition of each tree is given based on existing conditions using a scale of Excellent to Dead.

Excellent – A healthy, vigorous tree, reasonably free of signs and symptoms of disease, with good structural and form typical of the species.
Good – Tree with slight decline in vigor, small amount of twig dieback, or minor structural defects that can be corrected.
Fair – Tree with moderate vigor, moderate twig and small branch dieback, thinning of crown, poor leaf color, moderate structural defects that might be mitigated with regular care.
Poor – Tree in decline, epicormic growth, extensive dieback of medium to large branches, significant structural defects that cannot be abated.
Nearly Dead – Tree in severe decline, dieback of scaffold branches and/or trunk; most of foliage from epicormic shoots (secondary shoots that arise along the trunk and branches); extensive structural defects that cannot be abated.
Dead – Tree is completely non-viable

A determination was made on the protected status of each tree. The elements used to determine if a tree is protected are its species, trunk diameter and location on the property; and as defined in Ordinance #186873 of the City of Los Angeles Municipal Code. The property is not located in a Specific Plan area.

Protected Tree Definitions

City of Los Angeles Protected Trees and Shrubs

Ordinance #186873 - Protected Tree or Shrub- Any of the following Southern California indigenous tree species, which measures four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the tree; or any of the following Southern California indigenous shrub species, which measure four inches or more in cumulative diameter, four and one-half feet above the ground level at the base of the shrub:

Protected Trees:

(a) Oak tree including Valley Oak (Quercus lobata) and California Live Oak (Quercus agrifolia), or any other tree of the oak genus indigenous to California but excluding the Scrub Oak (Quercus dumosa).

(b) Southern California Black Walnut (Juglans californica var. californica)

(c) Western Sycamore (Platanus racemosa)

(d) California Bay (Umbellularia californica)

Protected Shrubs:

(a) Mexican Elderberry (Sambucus Mexicana

(b) Toyon (Heteromeles arbutifolia)

This definition shall not include any tree grown or held for sale by a licensed nursery, or trees planted or grown as a part of a tree planting program.

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077

Tree Key	Botanical Name	Common Name	Trunk Diameter	Condition	Tree Status
1	Jacaranda mimosifolia	Jacaranda	12"	Good	Non-Protected
2	Pinus halepensis	Aleppo Pine	14”	Good	Non-Protected
3	Pinus canariensis	Canary Island Pine	20"	Good	Non-Protected
4	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
5	Pinus halepensis	Aleppo Pine	6"	Good	Non-Protected
6	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
7	Pinus canariensis	Canary Island Pine	16"	Good	Non-Protected
8	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
9	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
10	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
11	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
12	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
13	Schinus molle	Pepper Tree	16"	Good	Non-Protected
14	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
15	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
16	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
17	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected
18	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
19	Pinus canariensis	Canary Island Pine	12"	Good	Non-Protected
20	Pinus canariensis	Canary Island Pine	10"	Good	Non-Protected

Tree Survey for 6937 W. Woodrow Wilson Drive, Los Angeles, 90077 continued

Tree Key	Botanical Name	Common Name	Trunk Diameter or Height	Condition	Protected Tree
21	Pinus halepensis	Aleppo Pine	12"	Good	Non-Protected
22	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
23	Pinus halepensis	Aleppo Pine	20"	Good	Non-Protected
24	Pinus halepensis	Aleppo Pine	18"	Good	Non-Protected
25	Pinus halepensis	Aleppo Pine	14"	Good	Non-Protected
26	Pinus halepensis	Aleppo Pine	M2: 14", 14”	Good	Non-Protected
27	Eucalyptus globulus	Blue Gum	24"	Good	Non-Protected
28	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
29	Pinus canariensis	Canary Island Pine	8"	Good	Non-Protected
30	Pinus canariensis	Canary Island Pine	5"	Good	Non-Protected
31	Malosma laurina	Laurel Sumac	M8: 4", 4” 2”	Good	Non-Protected
32	Malosma laurina	Laurel Sumac	M4: 6”, 6”, 2”	Good	Non-Protected
33	Pinus halepensis	Aleppo Pine	8"	Good	Non-Protected
34	Malosma laurina	Laurel Sumac	M10: 3”, 3”, 3"	Good	Non-Protected
35	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 4”	Good	Non-Protected
36	Malosma laurina	Laurel Sumac	M5: 5”, 4’, 4”	Good	Non-Protected
37	Malosma laurina	Laurel Sumac	M6: 4”, 4”, 3”	Good	Non-Protected
38	Malosma laurina	Laurel Sumac	M3: 6”, 2”, 2”	Good	Non-Protected


10 FOOT EASEMENT FOR PEDESTRIAN ACCESS AND DRAINAGE PURPOSES PER TRACT NO. 37150
FRONT PROPERTY LINE
PROPERTY LINE
Δ=72°14'37"
R=150.00'
N62°39'01"W
A.C.
DIRT
EUCALYPTUS
PINES
PINE
TREE
SCALE
983.85
984.65
985.23
984.99TC
984.33FL
985.78
985.74TC
985.05FL
986.35
986.31TC
985.72FL
986.90
986.88TC
986.31FL
987.56
987.68TC
986.77FL
988.14TC
987.30FL
988.36
988.46TC
987.50FL
988.60
985.02
984.96
983.95
981.85
976.82
975.62
974.68
971.26
962.75
961.20FL
962.16
954.70
949.22
953.24
941.51
938.77
937.31
936.07FL
934.16TG
939.62
938.21FL
937.22
933.36
971.23
964.37
963.44FL
964.30
949.77
987.35
987.62
986.79
985.74
986.25
987.75
985.45
965.21
962.97
962.99
961.69
961.02
960.29
958.98TG
960.32
960.1T
(980)
(970)
(960)
(950)
(940)

ISA QUALIFICATIONS

International Society of Arboriculture™
Tree Risk Assessment Qualification

Michael J Crane

Having successfully completed the requirements established by the Certification Board of the International Society of Arboriculture,™ the above named is hereby recognized as holding the ISA Tree Risk Assessment Qualification.

Chair, Certification Board
International Society of Arboriculture

Jim Skiera, Executive Director
International Society of Arboriculture

December 31, 2015
Expiration Date

The American Society of Consulting Arborists

in recognition of fulfillment of the requirements for Registered Consulting Arborist status

confers upon

Michael Crane, RCA #440

Registered Membership
January 18, 2006

President

ASCA AMERICAN SOCIETY of CONSULTING ARBORISTS

Executive Director



dpr DEPARTMENT OF PESTICIDE REGULATION
LICENSING/CERTIFICATION PROGRAM

AGRICULTURAL PEST CONTROL ADVISER LICENSE

DATE OF ISSUE
01/01/2013

VALID THROUGH
12/31/2014

PCA 75893
MICHAEL J CRANE
PO BOX 51122
PASADENA CA 91115

ABCDEFG

International Society of Arboriculture
Board-Certified Master Arborist

Michael J. Crane

Having successfully completed the requirements set by the Arborist Certification Board of the International Society of Arboriculture, the above named is hereby recognized as an ISA Board-Certified Master Arborist

ISA

Jim Skiera, Executive Director
International Society of Arboriculture

WE-6643B	Nov 9, 2006	Dec 31, 2012
Certification Number	Certified Since	Expiration Date

CERTIFICATION OF PERFORMANCE

I, Michael Crane, certify that:

- I have personally inspected the tree(s) and the property referred to in this report and have stated my findings accurately.
- I have no current or prospective interest in the vegetation or the property that is the subject of this report and have no personal interest or bias with respect to the parties involved.
- The analysis, opinions, and conclusions stated herein are my own and are based on current scientific procedures and facts.
- My analysis, opinions, and conclusions were developed and this report has been prepared according to commonly accepted arboricultural practices.
- No one provided significant professional assistance to me, except as indicated within the report.
- My compensation is not contingent upon the reporting of a predetermined conclusion that favors the cause of the client or any other party not upon the results of the assessment, the attainment of stipulated results, or the occurrence of any subsequent events.

I further certify that I am a member in good standing of the American Society of Consulting Arborists and the International Society of Arboriculture. I have been involved in the field of Horticulture in a full-time capacity for a period of more than 15 years.

Signed: _____

Registered Consulting Arborist #440; American Society of Consulting Arborist
Board Certified Master Arborist #WE 6643B; International Society of Arboriculture
Licensed California Agricultural Pest Control Adviser #AA08269

Date: October 18, 2023

AA-2023-8121-PMLA-1A

C-3

Supplemental Biologist Memorandum

England|Ecology
mcengland.com

marcus@mcengland.com
mcengland.com
englandecology
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

April 30, 2025

Tony Natsis
1400 N Vista Moraga
Los Angeles, CA 90049

Email: nikonatsis@gmail.com

Subject: Response to comments by the Santa Monica Mountains Conservancy regarding wildlife movement potential at 1400 Vista Moraga, City of Los Angeles, Los Angeles County, California

Dear Tony Natsis:

This letter has been prepared to provide a response to comments by the Santa Monica Mountains Conservancy (SMMC) regarding wildlife movement potential at 1400 Vista Moraga, City of Los Angeles, Los Angeles County, California. The additional information provided herein should thoroughly address all of SMMC's stated concerns and continue to show that conditions on the subject property are not conducive to wildlife movement of any significance.

Background

In a Biological Resources Report dated April 15, 2025[1], England|Ecology fully analyzed the potential biological effects of the Applicant's proposed lot split and potential future development (not currently proposed) per the requirements of Los Angeles City Planning as outlined in the City's *Biological Resources Report Template* (CP-4073) and *Biological Reporting Standards* (CP-4074), both dated January 11, 2023. Subsequently, the City received a letter from the Santa Monica Mountains Conservancy dated April 22, 2025 (hereafter, "SMMC Letter") regarding the proposed Project and SMMC's perception of the wildlife movement analysis presented in the Biological Resources Report, as well as SMMC's perception of the importance of the subject property to wildlife movement.

Analysis & Discussion

Letter Text

The remainder of this letter will quote key assertions made in the SMMC Letter *in italics* and provide responses to those assertions.

> *The subject property is partly surrounded by a mapped ecological habitat block. The subject property itself, including the proposed 'Parcel B', facilitates wildlife movement between segments of this habitat block. Development of a proposed 'Parcel B' has the potential to result in significant adverse biological impacts.*

The subject property is at the southern end of a strip of development, abutting an undeveloped property to the south. Residential development bounds the subject property to the west, north, and east. There is no evidence that the subject property, including proposed 'Parcel B', facilitates wildlife movement between segments of this habitat, resulting in significant adverse biological impacts.

[1] England|Ecology, LLC. 2025. Biological Resources Report, 1400 Vista Moraga. Report prepared for Tony Natsis dated April 15, 2025. 118 pages.

Barriers include permanently installed 6-foot fencing (in some cases, higher), including multiple layers of fencing in the backyard slope of the subject property. The majority of the backyard slope of the subject property is also at a lower level than the street behind it (Linda Flora), which is elevated by concrete supports. Photos depicting these barriers are provided below.



This image, which was provided in the Biological Report, shows 6-foot fencing at nearly the mid-point of the slope in the backyard.



This image, which was provided in the Biological Report, shows 6-foot fencing at nearly the mid-point of the slope in the side yard.

This image, provided by Crest Real Estate, shows double fencing along Linda Fora at the subject property boundary. This continues along the entirety of the subject property boundary.

This image, provided by Crest Real Estate, shows the combined fencing and concrete wall along Linda Fora at the subject property boundary. This continues along the entirety of the subject property boundary.

> *The subject property is in the Santa Monica Mountains Zone, and falls under the* Eastern Santa Monica Mountains Natural Resources Protection Plan (NRPP), *adopted by the Conservancy on December 13, 2021. Concerning the NRPP, the subject property is near-adjacent to several segments of Habitat Block No. 89 as designated on the Conservancy's Eastern Santa Monica Mountains Habitat Linkage Planning Map (revised and re-adopted in August 21, 2023). The subject property lies within a "peninsula" of development along Linda Flora Drive, that splits the southern portions of Habitat Block No. 89 into isolated segments. Three aerial photo maps accompanying this letter show the location of the subject property in context with this mapped habitat block. The accompanying figures are intended to demonstrate how the currently undeveloped portions of the subject property have the potential to facilitate north-south wildlife movement amongst the more isolated segments of Habitat Block No. 89.*

The accompanying figures provided within the SMMC Letter, which were produced without field validation, will be discussed at the end of this letter. The assertion that "the currently undeveloped portions of the subject property have the potential to facilitate north-south wildlife movement amongst the more isolated segments of Habitat Block No. 89" is not supported by field validation. Barriers include multiple fences, a high concrete wall separating the subject property from Linda Flora, as well as a lack of natural vegetation communities.

> *The Biological Resources Report prepared by England Ecology (dated March 26, 2025) erroneously concludes that the subject property does not support connectivity between habitat blocks. However, that report provides no localized spatial analysis, and does not consider the Eastern Santa Monica Mountains Habitat Linkage Planning Map, a resource which is publicly available, and has been directly provided to the Department of City Planning and recognized via an adopted City Council motion. The Biological Resources Report refers to existing fencing on the subject property, but does not address the type of fencing, the fencing's location, or the height of the fencing with respect to wildlife permeability. Chain link fencing is frequently removed during and after development, and in general should be considered a temporary and partial obstacle to wildlife movement.*

The report's conclusion regarding wildlife movement is not erroneous, and given the non-natural state of the subject property and the barriers (each of which were discussed in the report), there was not a need to provide a detailed spatial analysis. Any detailed and accurate spatial analysis, even if not including factors that are species-specific, would be time-intensive and—in most cases—not warranted within the scope of a developed and fenced residential parcel. Such an analysis, most commonly conducted as a "least cost path" analysis[2,3] (which England|Ecology has conducted many times for multi-unit 100-acre-plus projects on undeveloped land), endeavors to construct a cost surface (raster layer) that —across species—includes such factors as anthropogenic disturbance (e.g., light, noise, etc.), terrain aspect, habitat quality, and barriers, modeling probabilities of movement across that surface between end points (usually habitat blocks with source populations). If such a detailed analysis were constructed for the subject property, it would inevitably show the least cost path as being around the subject property because all the factors stated on the subject property provide an exorbitantly high "cost".

The Eastern Santa Monica Mountains Habitat Linkage Planning Map does not show connectivity on or near the subject property nor does it show the subject property being within or near a linkage. A portion of the map provided to the public is shown below.

There is no plan to remove fencing; fencing surrounding the subject property should be considered a permanent and permitted obstruction as is commonplace on residential properties in the area for privacy and security.

---

[2] Discussion: https://www.wildlandsnetwork.org/news/mapping-the-continent

[3] One example of many published papers: https://www.sciencedirect.com/science/article/abs/pii/S0304380007005595



A screenshot of a portion of the SMMC's "Eastern Santa Monica Mountains Habitat Linkage Planning Map". The map is as provided to the public without edits, excepting an arrow provided as an overlay to show the location of the subject property. The subject property is not within any habitat blocks (red outline), and not near identified wildlife movement corridors (yellow line).

> *The most obvious purpose for the subject requested subdivision is that the applicant intends to develop the proposed 'Parcel B', which would potentially obstruct wildlife movement through the subject property. Therefore, the combination of cumulative impacts that would potentially result in significant adverse biological impacts make the subject requested action ineligible for a Class 32 exemption.*

As wildlife movement through the subject property is unlikely under existing conditions, any proposed development would not "potentially obstruct wildlife movement through the subject property" given the subject property's existing obstructed condition. The subject property's existing condition is the proper and legally-validated lens through which to view any potential effect on wildlife movement, any other biological resource, or even any other subject that may be reviewed in assessing impacts in the context of the California Environmental Quality Act (CEQA) per Section 15125(a)(1) of the CEQA Guidelines[4].

Maps

The SMMC Letter provided three maps. These maps will be discussed below.

Map 1

This map—shown as a thumbnail at right for reference to the SMMC Letter—shows similar data to the public map (provided on the prior page of this letter), but with additional information added, including an outline of the subject property and a purple overlay on the landscaped portions of the subject property suggesting these portions of the subject property are "Undeveloped open space contiguous to Habitat Block 89A".

Showing the area as "undeveloped open space" has clearly been done with reviewers from the general public and agencies in mind in order to sway opinion about the biological value of the subject property's eastern slope.

Indeed, this slope could only be called "undeveloped open space" if that term is used in an exceptionally loose way, due to the lack of natural habitats and almost entire lack of native plants on the entirety of the slope, which is a highly manicured landscape area, as well as the fencing and concrete walls.

[4] Simple presentations regarding impact baselines: https://www.weber-hayes.com/low-risk/CEQA-Powerpoint-on-Baseline-Conditions_2011.pdf
https://norcalapa.org/wp-content/uploads/2016/02/Mar16-Stephen-Velyvis.pdf
https://www.ceqachronicles.com/2017/07/proper-ceqa-baseline-project-normally-conditions-existing-environmental-review-project-commences/

Map 2

This map (right) is similar to Map 1, but is zoomed into the subject property. This map shows an overlay of hand-drawn lines and arrows proposing routes for wildlife movement through the subject property. As previously discussed, because of a lack of habitat and barriers, these proposed routes for wildlife movement do not stand up to scrutiny.



Map 3

Map 3 (not shown) provided the same erroneous information provided in Map 2 without the color overlays. The inaccuracy of the arrows denoting connectivity is the same as provided for Map 2.

Thank you for the opportunity to work with you on this project. If you have any questions, comments, or concerns, please reach out to me at (213) 304-1826 or marcus@mcengland.com.

Regards,

Marcus C. England
Principal Biologist
England|Ecology, LLC

Attachments:

- Resume

Marcus C. England
Principal Biologist

Marcus C. England offers over two decades of experience, with expertise in avian biology, population ecology, project permitting, technical writing, and GIS and project experience in all industries.

marcus@mcengland.com
mcengland.com
englandecology
englandecology
(213) 304-1826
Mt. Washington, Los Angeles, CA

Summary

Marcus C. England is an experienced principal biologist with expertise in avian biology, population ecology, project permitting, technical writing, geographic information systems, and database management. He has led teams on large and complex projects in all industries across the western United States. He has a recovery permit to conduct surveys for California Gnatcatcher, Southwestern Willow Flycatcher, and Yellow-billed Cuckoo and has extensive experience conducting protocol surveys for Least Bell's Vireo, Burrowing Owl, Swainson's Hawk, and Desert Tortoise. England has a thorough knowledge of the California Environmental Quality Act (CEQA), National Environmental Policy Act (NEPA) and Federal Endangered Species Act (FESA) and how these state and federal policies, as well as local land use and environmental policies, apply to the project permitting process. England has written biological resources assessments and biological assessments for some of the largest development projects in the state of California, including projects in Sacramento, Kern, Ventura, Los Angeles, Orange, San Bernardino, Riverside, and San Diego counties and has successfully supported project permitting under an array of regional habitat conservation plans statewide. He has also written due diligence documents for large projects in northern California, Arizona, New Mexico and Nevada. He currently sits on the Science Advisor Panel for the Clark County (Nevada) Multiple Species Habitat Conservation Plan.

Employment History

Independent Consulting Biologist
dba England|Ecology (now England|Ecology, LLC)
Jan 2010 - Jun 2011, Oct 2016 - Mar 2020, Mar 2023 - Present — Los Angeles, CA

- Author proposals, respond to RFP needs for teaming partners
- Conduct all aspects of fieldwork, data management, report writing, mapping
- Business planning, marketing, relationship development

Director of Biological Resources
Bargas Environmental Consulting
Mar 2020 - Mar 2023 — Sacramento, CA

- Corporate leader, department head, and project manager
- Conduct all aspects of fieldwork, data management, report writing, mapping

Vice President
Bloom Biological
Jun 2011 - Oct 2016 — Santa Ana, CA

- Lead development of corporate business strategy, obtain new work contracts
- Manage staff and biological data, conduct fieldwork, author reports, mapping

Director of Biological Services
Natural Resource Consultants
Jun 2003 - Dec 2009 — Laguna Beach, CA
Write proposals, manage staff and biological data

- Conduct all aspects of fieldwork, data management, report writing, mapping
- Conduct fieldwork, author reports

Chief Ornithologist
Lamanai Field Research Center
Sep 1998 - Jun 2000 — Belize, Central America

- Develop and implement ecosystem-scale research on birds
- Manage volunteer biologists, lead birding tours, develop new tour clients

Permits

Recovery Permit TE-082233
US Fish and Wildlife Service
Jan 2005 - Present

- California Gnatcatcher, Southwestern Willow Flycatcher, Yellow-billed Cuckoo

Scientific Collecting Permit SC-11354
California Department of Fish & Wildlife
Jan 2010 - Present

Expertise

Field Biology
- Specialist in avian ecology and identification
- Sensitive species surveys including Desert Tortoise, California Gnatcatcher, Burrowing Owl, Least Bell's Vireo, Swainson's Hawk, Golden Eagle among many others
- Large-scale vegetation mapping projects and impact analysis
- CEQA, NEPA, FESA, NCCPs
- GPS and mobile field data collection systems

Geospatial
- Desktop software: ArcGIS, QGIS, GRASS
- Server and geodatabases: PostGIS, Spatialite
- Web mapping: Google Maps, OpenLayers

Project Management
- Array of projects in many industries
- Oversight of large multidisciplinary teams
- Reliably on time and within budget
- Collaborate with clients, agencies, other stakeholders

Office
- Operating systems: MacOS, Windows, Linux
- Mobile: iOS, iPadOS, Android
- Productivity Software: MS Office, Apple iWork
- Data Management: MS Access, Excel, Ninox, PowerApps, PostgreSQL
- Server: SharePoint, Plone, Linux

Education

B.Sc. in EEO Biology
The Ohio State University
Mar 1993 - Jun 1998

Management Development for Entrepreneurs
UCLA Anderson School of Management
Sep 2021 - Jan 2022

Certificate in Tropical Ornithology
Estación Biológica La Suerte, Costa Rica
Jun 1996 - Jul 1996

Below: *contemplating the upcoming day's work during implementation of a contract with the US Bureau of Land Management to survey Pygmy Rabbits in a remote area of northern Nevada in September 2017. England|Ecology led a three-person team that completed the work on time and under budget.*

Marcus C. England
Selected Project History

2017 to Present

Upper Westside Specific Plan | Upper Westside, LLC

- Apr 2019 - Apr 2022
- Sacramento County, California
- Swainson's Hawk, Giant Gartersnake
- PM, Surveyor, Author
- Biological Resources Assessment

As project manager and Director for Bargas, England conducted one year of Swainson's Hawk (SWHA) protocol surveys, managed SWHA and other species' survey efforts for two additional years, and authored a biological resources assessment addressing the potential effects of the proposed project on resources, including SWHA and Giant Gartersnake, within the context of the requirements of the Natomas Basin HCP and the Metro Air Park HCP, collectively addressing 22 covered plant and animal species.

Descanso Gardens Wildlife Management Plan | Descanso Gardens Guild

- Jan 2019 - Dec 2019
- Los Angeles County, California
- Special Status Species, Wildlife Habitats, Impacts
- PM, Surveyor, Author
- Wildlife Management Plan

This contract sought to provide solutions to some of the challenges of operating public gardens in a natural environment using guidance from nearby and similar facilities. The plan's goals were to increase the quality of native habitats for wildlife, minimize visitor-wildlife conflict, protect planted garden areas and facilities from wildlife damage, promote environmental research and education, and promote a regional habitat linkage. Fieldwork for the plan included 10 months of diurnal and nocturnal surveys as well as widespread camera trapping.

Harris Beach Management Unit Wildlife Assessment | Oregon Parks & Recreation

- Jan 2018 - Dec 2019
- Brookings, Oregon
- Colonial Waterbirds, Marine Mammals, Spotted Owl
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by OPRD to prepare a wildlife assessment report. Because of the size of the survey area, the field component lasted two weeks and included wildlife and habitat documentation (including remote camera trapping), hiking every trail available within the included parks, and camping with Harris Beach and Alfred A. Loeb state parks. Final deliverables included geospatial data and a report documenting what is known and not known about the wildlife and habitats of the park unit, with suggestions for future research and management priorities.

Smith Rock State Park Wildlife Assessment | Oregon Parks & Recreation

- Jan 2017 - Jun 2017
- Deschutes County, Oregon
- Special Status Species, Bald and Golden Eagles
- PM, Surveyor, Author
- Wildlife Assessment

England|Ecology was contracted by the Oregon Parks & Recreation Department to prepare a wildlife assessment report for Smith Rock State Park located in central Oregon. The project required extensive pre-survey research; five field days on-site with over 30 miles of hiking, wildlife and habitat documentation (including remote camera trapping); and preparation of new geospatial data and an extensive report documenting what is known and not known about the wildlife and habitats of the park, with suggestions for future research and management priorities.

Owyhee Roads Fuelbreak Project | US Bureau of Land Management

- Jul 2017 - Oct 2017
- Humboldt County, Nevada
- Pygmy Rabbit
- PM, Surveyor
- Letter report, GIS data

England|Ecology was contracted by the US Bureau of Land Management (BLM) to conduct surveys for Pygmy Rabbit on 2,068 acres of BLM-managed lands. Two subcontractors were trained on survey methodology and identification of Pygmy Rabbit sign. The survey was completed over two weeks, involving 114 miles of transect walking per surveyor in often adverse weather conditions and over rough terrain. Final deliverables to the BLM included a report, photos, and geospatial data.

Below: *conducting fieldwork in May 2018 at Harris Beach State Park, Oregon under contract to the Oregon Parks & Recreation Department.*

2016 and Prior

High Speed Rail Project - Bakersfield to Palmdale

T.Y. Lin

- Jan 2015 - Oct 2016
- Los Angeles and Kern Counties, California
- Swainson's Hawk, Golden Eagle
- PM, Surveyor, Author, GIS
- Biological Resources Letter Report

Raptor Conservation Strategy

Mitsubishi Cement & US Forest Service

- Jan 2016 - Oct 2016
- San Bernardino National Forest, California
- Golden Eagle
- PM, Surveyor, Author
- Biological Resources Letter Report

Santa Clara River Riparian Surveys

Newhall Land

- Jan 2010 - Oct 2016
- Los Angeles and Ventura Counties, CA
- Least Bell's Vireo, Southwestern Willow Flycatcher
- PM, Surveyor, Author
- Biological Resources Letter Report

Montebello Hills Conservation & Development Project

Cook-Hill Properties

- Jan 2007 - Dec 2009
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment, Biological Assessment

Terranea Resort

Long Point Development

- Jan 2005 - Jul 2008
- Los Angeles County, California
- California Gnatcatcher, Coastal Sage Scrub Restoration
- PM, Surveyor, Author
- Biological Resources Assessment

Skyline Ranch

Pardee Homes

- Jul 2003 - Jul 2009
- Los Angeles County, California
- California Gnatcatcher, Vernal Pools, SEATAC
- PM, Surveyor, Author
- Biological Resources Assessment

See more at **mcengland.com/projects**



AA-2023-8121-PMLA-1A

C-4

Correspondence from SMMC Dated April 22, 2025

SANTA MONICA MOUNTAINS CONSERVANCY
LOS ANGELES RIVER CENTER & GARDENS
570 WEST AVENUE TWENTY-SIX, SUITE 100
LOS ANGELES, CALIFORNIA 90065
PHONE (323) 221-8900
FAX (323) 221-9001
WWW.SMMC.CA.GOV

April 22, 2025

Ms. Juliet Oh, Deputy Advisory Agency
c/o Mr. Jackson Olson
Department of City Planning
City of Los Angeles
200 North Spring Street, Room 721
Los Angeles, California 90012

AA-2023-8121-PMLA ENV-2023-8122-CE 1400 Vista Moraga

Dear Ms. Oh and Mr. Olson:

The Santa Monica Mountains Conservancy (Conservancy) seeks to advise the City regarding the environmental review of the above-referenced proposed subdivision of the property located at 1400 Vista Moraga (Case Nos. AA-2023-8121-PMLA, ENV-2023-8122-CE). The subject property is partly surrounded by a mapped ecological habitat block. The subject property itself, including the proposed 'Parcel B', facilitates wildlife movement between segments of this habitat block. Development of a proposed 'Parcel B' has the potential to result in significant adverse biological impacts. Due to the potential for significant impacts, the subject proposed action does not qualify for a Categorical Exemption from the California Environmental Quality Act (CEQA). The Conservancy advises that an Initial Study and Mitigated Negative Declaration be prepared for the subject requested subdivision, and for any development permit applications associated with the proposed 'Parcel B' property.

The Conservancy is a California Environmental Quality Act (CEQA) Trustee Agency for projects potentially affecting natural resources in the precisely mapped Santa Monica Mountains Zone, per the Conservancy Act (Public Resources Code Section 33000, *et seq*).

The subject property is in the Santa Monica Mountains Zone, and falls under the *Eastern Santa Monica Mountains Natural Resources Protection Plan* (NRPP), adopted by the Conservancy on December 13, 2021. Concerning the NRPP, the subject property is near-adjacent to several segments of Habitat Block No. 89 as designated on the Conservancy's *Eastern Santa Monica Mountains Habitat Linkage Planning Map* (revised and re-adopted in August 21, 2023). The subject property lies within a "peninsula" of development along Linda Flora Drive, that splits the southern portions of Habitat Block No. 89 into isolated segments. Three aerial photo maps accompanying this letter show the location of the subject property in context with this mapped habitat block. The accompanying figures are intended to demonstrate how the currently

undeveloped portions of the subject property have the potential to facilitate north-south wildlife movement amongst the more isolated segments of Habitat Block No. 89.

The Biological Resources Report prepared by England Ecology (dated March 26, 2025) erroneously concludes that the subject property does not support connectivity between habitat blocks. However, that report provides no localized spatial analysis, and does not consider the *Eastern Santa Monica Mountains Habitat Linkage Planning Map*, a resource which is publicly available, and has been directly provided to the Department of City Planning and recognized via an adopted City Council motion. The Biological Resources Report refers to existing fencing on the subject property, but does not address the type of fencing, the fencing's location, or the height of the fencing with respect to wildlife permeability. Chain link fencing is frequently removed during and after development, and in general should be considered a temporary and partial obstacle to wildlife movement.

The most obvious purpose for the subject requested subdivision is that the applicant intends to develop the proposed 'Parcel B', which would potentially obstruct wildlife movement through the subject property. Therefore, the combination of cumulative impacts that would potentially result in significant adverse biological impacts make the subject requested action ineligible for a Class 32 exemption. An Initial Study and Mitigated Negative Declaration should be prepared.

Please direct all correspondence regarding the subject project to my attention, either addressed to 26800 Mulholland Highway, Calabasas, California 91302, or by e-mail at edelman@smmc.ca.gov. I can also be reached by phone at 310-589-3200 ext. 128. Thank you for your attention to the above issues.

Sincerely,

PAUL EDELMAN
Deputy Director
Natural Resources and Planning

Attachments: A – Aerial Photo Maps

CC: Ms. Jennifer Torres, Planning Deputy, Council District 5



Case Nos. AA-2023-8121-PMLA, ENV-2023-8122-CE



Case Nos. AA-2023-8121-PMLA, ENV-2023-8122-CE

0 50 100 Feet

Case Nos. AA-2023-8121-PMLA, ENV-2023-8122-CE



Proposed new 29,812 sq ft parcel (approx)

Wildlife connector